



Jenkins

pipeline-week1

#3

Back to Project

Status

Changes

Console Output

View as plain text

Edit Build Information

Delete build '#3'

Git Build Data

No Tags

Test Result

Replay

Pipeline Steps

Workspaces

Previous Build



Console Output

Started by user [Rahul Singh](#)

Checking out git https://github.com/singhrahuldps/sapient_learning.git into

C:\DevTools\Jenkins\workspace\pipeline-week1@script to read myApp/misc/Jenkinsfile

No credentials specified

```
> git rev-parse --is-inside-work-tree # timeout=10
```

Fetching changes from the remote Git repository

```
> git config remote.origin.url https://github.com/singhrahuldps/sapient\_learning.git # timeout=10
```

Fetching upstream changes from https://github.com/singhrahuldps/sapient_learning.git

```
> git --version # timeout=10
```

```
> git fetch --tags --force --progress -- https://github.com/singhrahuldps/sapient\_learning.git
+refs/heads/*:refs/remotes/origin/* # timeout=10
```

```
> git rev-parse "refs/remotes/origin/week1^{commit}" # timeout=10
```

```
> git rev-parse "refs/remotes/origin/origin/week1^{commit}" # timeout=10
```

Checking out Revision fac6f353efba4d5d8bf58f3211d15555713a2671 (refs/remotes/origin/week1)

```
> git config core.sparsecheckout # timeout=10
```

```
> git checkout -f fac6f353efba4d5d8bf58f3211d15555713a2671 # timeout=10
Commit message: "Modified Trigger for 10 AM"
> git rev-list --no-walk e836c5fc7af322c9f540d8c95ae3ec5e9d61fba5 # timeout=10
```

Jenkins pipeline-week1 #3

```
[Pipeline] node
Running on Jenkins in C:\DevTools\Jenkins\workspace\pipeline-week1
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Preparation)
[Pipeline] git
No credentials specified
Cloning the remote Git repository
Cloning repository https://github.com/singhrahuldps/sapient\_learning.git
> git init C:\DevTools\Jenkins\workspace\pipeline-week1 # timeout=10
Fetching upstream changes from https://github.com/singhrahuldps/sapient\_learning.git
> git --version # timeout=10
> git fetch --tags --force --progress -- https://github.com/singhrahuldps/sapient\_learning.git
+refs/heads/*:refs/remotes/origin/* # timeout=10
> git config remote.origin.url https://github.com/singhrahuldps/sapient\_learning.git # timeout=10
> git config --add remote.origin.fetch +refs/heads/*:refs/remotes/origin/* # timeout=10
> git config remote.origin.url https://github.com/singhrahuldps/sapient\_learning.git # timeout=10
Fetching upstream changes from https://github.com/singhrahuldps/sapient\_learning.git
> git fetch --tags --force --progress -- https://github.com/singhrahuldps/sapient\_learning.git
+refs/heads/*:refs/remotes/origin/* # timeout=10
> git rev-parse "refs/remotes/origin/week1^{commit}" # timeout=10
> git rev-parse "refs/remotes/origin/origin/week1^{commit}" # timeout=10
Checking out Revision fac6f353efba4d5d8bf58f3211d15555713a2671 (refs/remotes/origin/week1)
> git config core.sparsecheckout # timeout=10
> git checkout -f fac6f353efba4d5d8bf58f3211d15555713a2671 # timeout=10
> git branch -a -v --no-abbrev # timeout=10
> git checkout -b week1 fac6f353efba4d5d8bf58f3211d15555713a2671 # timeout=10
Commit message: "Modified Trigger for 10 AM"
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Build)
[Pipeline] bat
```

```
C:\DevTools\Jenkins\workspace\pipeline-week1>cd myApp && mvn -Dmaven.test.failure.ignore clean
install
[INFO] Scanning for projects...
[INFO]
[INFO] -----< com.invictalabs.week1:myApp >-----
[INFO] Building myApp 1.0-SNAPSHOT
[INFO] -----[ jar ]-----
[INFO]
[INFO] --- maven-clean-plugin:3.1.0:clean (default-clean) @ myApp ---
[INFO]
[INFO] --- maven-resources-plugin:3.0.2:resources (default-resources) @ myApp ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] skip non existing resourceDirectory C:\DevTools\Jenkins\workspace\pipeline-
week1\myApp\src\main\resources
[INFO]
```

```
[INFO] --- maven-compiler-plugin:3.8.0:compile (default-compile) @ myApp ---
[INFO] Changes detected - recompiling the module!
[INFO] Compiling 1 source file to C:\DevTools\Jenkins\workspace\pipeline-week1\myApp\target\classes
```

Jenkins pipeline-week1 #3

```
[INFO] Using UTF-8 encoding to copy filtered resources.
[INFO] skip non existing resourceDirectory C:\DevTools\Jenkins\workspace\pipeline-week1\myApp\src\test\resources
[INFO]
[INFO] --- maven-compiler-plugin:3.8.0:testCompile (default-testCompile) @ myApp ---
[INFO] Changes detected - recompiling the module!
[INFO] Compiling 1 source file to C:\DevTools\Jenkins\workspace\pipeline-week1\myApp\target\test-classes
[INFO]
[INFO] --- maven-surefire-plugin:2.22.1:test (default-test) @ myApp ---
[INFO]
[INFO] -----
[INFO] T E S T S
[INFO] -----
[INFO] Running com.invictalabs.week1.AppTest
[INFO] Tests run: 1, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.15 s - in com.invictalabs.week1.AppTest
[INFO]
[INFO] Results:
[INFO]
[INFO] Tests run: 1, Failures: 0, Errors: 0, Skipped: 0
[INFO]
[INFO]
[INFO] --- maven-jar-plugin:3.0.2:jar (default-jar) @ myApp ---
[INFO] Building jar: C:\DevTools\Jenkins\workspace\pipeline-week1\myApp\target\myApp-1.0-SNAPSHOT.jar
[INFO]
[INFO] --- maven-install-plugin:2.5.2:install (default-install) @ myApp ---
[INFO] Installing C:\DevTools\Jenkins\workspace\pipeline-week1\myApp\target\myApp-1.0-SNAPSHOT.jar to C:\Windows\system32\config\systemprofile\.m2\repository\com\invictalabs\week1\myApp\1.0-SNAPSHOT\myApp-1.0-SNAPSHOT.jar
[INFO] Installing C:\DevTools\Jenkins\workspace\pipeline-week1\myApp\pom.xml to C:\Windows\system32\config\systemprofile\.m2\repository\com\invictalabs\week1\myApp\1.0-SNAPSHOT\myApp-1.0-SNAPSHOT.pom
[INFO] -----
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 5.290 s
[INFO] Finished at: 2020-04-06T15:53:56+05:30
[INFO] -----
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Results)
[Pipeline] junit
Recording test results
[Pipeline] archiveArtifacts
Archiving artifacts
[Pipeline] }
```

```
[Pipeline] // stage  
[Pipeline] }  
[Pipeline] // node
```

Jenkins**pipeline-week1****#3**
