

13. GROUPING OF IDENTICAL FIGURES

In this type of questions, you are given a set of usually 6, 7 or 9 figures, which are numbered. The candidate is required to analyse these figures and classify them into groups consisting of figures having more or less the same properties.

Example : *Group the following figures into three classes on the basis of identical properties.*

A 1		& 3
a 4		@ 6
A 7	ZQ7 8	ng

- (a) 1. 5. 9; 2. 7. 8; 3. 4. 6
(c) 2. 4. 9; 6. 7. 8; 1. 3. 5

- [b] 1. 5. 6; 4. 7. 8; 2. 3. 9
0) 3. 7. 8; 4. 5. 9; 1. 2. 6

(Asstt. Grade, 1993)

Solution : Clearly, 1, 3, 5 are composed of two dissimilar figures intersecting each other.
2, 4, 9 are composed of two similar figures intersecting each other.
6, 7, 8 contain one figure enclosed inside the other.
Thus, the given nine figures may be divided into three pairs : (1, 3, 5). (2, 4, 9). (6, 7, 8).
Hence, the answer is (c).

EXERCISE 13

Directions : *In each of the following group the given figures into three classes using each figure only once.*

EI 1	A 2	A 3
a 7	d 5	b 6

- (a) 1, 4; 2, 3; 5, 6
(b) 1, 5; 2, 6; 4, 3
(c) 1, 6; 2, 3; 4, 5
(d) 1, 2; 3, 6; 4, 4

(U.D.C. 1995)

HE 1	A 2	m 3
Q 4		A 6
d 7	3 - 8	Q 9

- (a) 1, 3, 9; 2, 5, 8; 4, 6, 7
(b) 4, 8, 9; 1, 2, 5; 3, 6, 7
(c) 2, 5, 9; 1, 3, 8; 2, 6, 7
(d) 1, 8, 9; 4, 6, 7; 2, 3, 5

(Central Excise, 1993)

<i>m</i> 1	@ ₂	3
o 4	5	O 6
s 7	A 8	• 9

- (a) 1. 5, 7; 2. 4. 6; 3. 9. 8
(b) 1. 5. 7; 2. 4. 8; 3. 6. 9
(d) 1.5. 7; 4. 9. 8; 2. 3.6
id) 1. 5. 7; 3. 8. 9; 2. 4. 6

(Assistant Grsde, 1994)

0 1	0] 2	© ₃
0] 4	5	A 6
Q 7	A 8	A 9

- (a) 1. 5. 8; 3. 4. 7; 2. 6. 9
(b) 1. 3. 6; 4. 5. 9; 2. 7. 8
<c) 1.3. 6; 2. 5. 7; 4. 8.9
0) 6. 7. 8; 1. 3. 7; 2. 4. 9

(I. Tm ft **Central Excise**, 1995)

1	A 2	o 3
• 4	O 5	6
£J 7	A 8	O 9

- (a) 1. 3. 5; 2. 6. 9; 4. 7. 8
(b) 2. 3. 4; 5, 6. 8; 9. 1. 7
(c) 1. 3. 5; 2. 6. 8; 4. 7. 9
0) 3. 2. 4; 6. 5. 8; 7. 9, 1

(Central Excise. 1994)

© ₁	© ₂	● 3	• 4
A 5	© ₆	K 7	

- (a) 1,2. 6: 3. 4. 7; 5
(b) 1. 3; 2. 6; 4. 5. 7
(0 1. 2. 6. 7; 3; 4. 5
(£/) 1. 3; 2. 4. 5; 6. 7

(Asstt Grade, 1994)

O 1	2	© ₃
C b 4	© ₅	<i>m</i> 6
O o 7	8	® ₉

- (a) 1. 3. 9; 2. 5. 6; 4. 7. 8
(b) 1. 3. 9; 2. 7. 8; 4. 5. 6
(C) 1. 2. 4; 3. 5. 7; 6. 8. 9
(d) 1. 3. 6; 2. 4. 8; 5. 7. 9

(U-D.C. 1995)

1	A 2	3
4	5	6
A 7	© B 8	<i>m</i> 9

- (a) 1. 3. 7; 2, 4, 6: 5. 8. 9
(b) 1, 4. 6; 2, 5, 7; 3, 8, 9
(0 1, 4, 8; 2. 5, 6; 3. 7, 9
V) 1, 4, 8; 2. 7, 9: 3. 5. 6

(U.D.C. 1995)

A ₁	A ₂	
(8) ₄	<§>	IOJ ₆
© ₇	© ₈	

- (a) 1. 2. 3; 4. 5. 8; 6. 7. 9
(« 1. 5. 6; 2. 3. 4; 7. 8. 9
(c) 1. 3. 5; 2. 4. 8; 6. 7. 9
(tf) 1. 4. 7; 2. 5. 8; 3. 6. 9

(Assistant Grade, 1993)

A ₁	● ₂	© ₃
EI ₄	© ₅	A ₆
0 ₇	A ₈	® ₉

- (a) 1. 7. 9; 2. 3. 6; 4. 5. 8
(b) 1. 2. 9; 3. 4. 6; 5. 7. 8
(c) 1. 6. 8; 2. 4. 7; 3. 5. 9
(tf) 1. 7. 8; 2. 9. 3; 6. 4. 5

(I. Tax & Central Excite. 1994)

© ₁	● ₂	
A ₄	0 ₅	IXI ₆
	₈	0 ₉

- (a) 1. 5. 9; 3. 6. 7; 2. 4. 8
(b) 2. 3. 6; 4. 8. 9; 1. 5. 7
(C) 3. 6. 8; 2. 4. 9; 1. 5. 7
(tf) 2. 5. 8; 1. 7. 9; 3. 4. 6

(I. Tax & Central Excise, 1993)

i ₁		/ • s ₃
	A ₅	Y ₆
		* ₉

- (a) 1. 3. 6; 4. 5. 8; 2. 7. 9
(b) 2. 3. 9; 4. 5. 8; 1. 6. 7
(0 1. 6. 8; 3. 7. 9; 2. 4. 5
(tf) 3. 8. 9; 1. 2. 7; 4. 5. 6

(AsatL Grade. 1994)

<0> ₁	A ₂	0 ₃
z ^ o ₄	S3 ₅	
• ₇	A n ₈	4> ₉

- (a) 3. 4. 9; 5. 7. 8; 1. 2. 6
(ft) 1. 5. 6; 2. 4. 8; 3. 7. 9
(c) 4. 6. 8; 3. 5. 7; 1. 2. 9
(tf) 1. 2; 7; 3. 5. 9; 4. 6. 8

(Assistant Grade. 1994)

	Ak ₂	
v x ? ₄	PCI ₅	A ₆
X ₇		A ₉

- (a) 2, 4, 7; 1. 8. 9; 3. 5. 6
(« 2. 6. 9; 1. 5, 7; 3. 4. 8
(0 2. 6. 7; 1. 5. 8; 3. 4. 9
(tf) 2. 8. 7; 1. 5. 9; 3. 4, 6

{U.D.C. 1995)

15.

X 1	V 2	 3
Z 4	X 5	in 6
● 7	/] 8	N 9

- (a) 1. 2. 3; 4. 5. 6; 7. 8. 9
(b) 1. 3. 5; 2. 4. 6; 7. 8. 9
(c) 1. 5. 9; 3. 6. 2; 4. 7. 8
(d) 1. 9. 7; 2. 8. 5; 3. 4. 6

(Central Excise, 1995)

16.

Ⓜ 1	 2	 3
A 4	 5	< 6 >
Ⓜ 7	 8	

- (a) 1. 2. 5; 3. 7. 8; 4. 6. 9
(b) 1. 7. 2; 3. 9. 6; 4. 5. 8
(c) 0 2. 3. 8; 4. 6. 9; 1. 5. 7
(d) 5. 6. 9; 3. 4. 1; 2. 7. 8

(Assistant Grade. IBM)

Hidden page

Hidden page