


**Lab#7: Create dashboard with
accordion using bootstrap each accordion contains different bootstrap
components .**

TAGS USED	ATTRIBUTES USED	DESCRIPTION
<HTML>	--	The root element of the page. Wraps all your html content.
<HEAD>	--	Contains metadata like title, links to stylesheets, scripts— nothing visible on the page itself.
<TITLE>	--	Sets the title shown in the browser tab. Goes inside
<BODY>	--	Holds all the visible content— text, images, tables, etc.
<H2>	Align	Heading tag level 2
<TABLE>	Height, Width, Colspan, Rowspan, Cellpadding, Cell Spacing	Creates a table layout. Can include rows and columns.
<P> (PARAGRAPH)	Align	Paragraph tag. Automatically adds spacing before and after text blocks.
<TR>,<TD>	Align	Table row and table data(cell).
<HR> (HORIZONTAL RULES)	Width, Color,Align	Adds a horizontal rule (line) across the page. Useful for visual separation.
 (BREAK LINE)	--	Inserts a line break—like hitting enter once. Good for spacing within paragraphs.
	Width, Align	Use for insert image

Final Outcome:



Code Snippet:

```
<!DOCTYPE html>
<html>
<head>
  <title>Accordion Dashboard</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css"
rel="stylesheet">
```

```

</head>
<body class="p-3">
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle.min.js"></scr
ipt>
<h4 class="text-center mb-3"> Dashboard</h4>

<div class="accordion" id="dash">
  <div class="accordion-item">
    <h2 class="accordion-header"><button class="accordion-button" data-bs-
toggle="collapse" data-bs-target="#c1">Cards</button></h2>
    <div id="c1" class="accordion-collapse collapse show" data-bs-parent="#dash">
      <div class="accordion-body d-flex gap-2">
        <div class="card text-bg-primary flex-fill"><div class="card-
body">Users:1300</div></div>
        <div class="card text-bg-success flex-fill"><div class="card-
body">Sales:$35k</div></div>
        <div class="card text-bg-warning flex-fill"><div class="card-
body">Orders:100</div></div>
      </div>
    </div>
  </div>
  <div class="accordion-item">
    <h2 class="accordion-header"><button class="accordion-button collapsed" data-bs-
toggle="collapse" data-bs-target="#c2">Table</button></h2>
    <div id="c2" class="accordion-collapse collapse" data-bs-parent="#dash">
      <div class="accordion-body p-0">
        <table class="table table-sm table-striped m-0">
          <tr><th>#</th><th>User</th><th>Amt</th><th>Status</th></tr>
          <tr><td>1</td><td>Aman</td><td>$500</td><td><span class="badge bg-
success">Paid</span></td></tr>

```

```

        <tr><td>2</td><td></td><td>$120</td><td><span class="badge bg-
warning">Pending</span></td></tr>
    </table>
</div>
</div>
</div>
<div class="accordion-item">
    <h2 class="accordion-header"><button class="accordion-button collapsed" data-bs-
toggle="collapse" data-bs-target="#c3">Form</button></h2>
    <div id="c3" class="accordion-collapse collapse" data-bs-parent="#dash">
        <div class="accordion-body">
            <form class="row g-2">
                <input class="form-control col" placeholder="Name">
                <input type="email" class="form-control col" placeholder="Email">
                <select class="form-select
col"><option>Admin</option><option>User</option></select>
                <button class="btn btn-primary col">Add</button>
            </form>
        </div>
    </div>
</div>
<div class="accordion-item">
    <h2 class="accordion-header"><button class="accordion-button collapsed" data-bs-
toggle="collapse" data-bs-target="#c4">Alerts</button></h2>
    <div id="c4" class="accordion-collapse collapse" data-bs-parent="#dash">
        <div class="accordion-body">
            <div class="alert alert-success p-2 m-1">✔ User added</div>
            <div class="alert alert-warning p-2 m-1">⚠ Server load high</div>
            <div class="alert alert-danger p-2 m-1">✖ Payment failed</div>
        </div>
    </div>
</div>
</div>
</body>
</html>

```