

To Supply Leftover Food to Poor
College Name: Gayatri Degree College

Team ID: LTVIP2025TMID29556

Name of the Student	Role	Email
Singiri Usha Sree	Team Leader	singiriushasree13@gmail.com
Nellepalli Sandhya	Team Member	nellepallisandhya89@gmail.com
Jampala Hema	Team Member	jampala.hema25@gmail.com
Jinkala Dillirani	Team Member	jinkaladillirani@gmail.com
Pamula Tanuja	Team Member	tanujapamula19@gmail.com

Introduction

This project aims to tackle food waste and hunger by collecting leftover food from various sources and distributing it to those in need. It involves partnering with organizations, developing a platform for connecting donors and recipients, and ensuring food safety to minimize waste and address food insecurity.

Problem Statement:

Food waste is a global issue, with significant amounts of edible food being discarded each year while millions suffer from hunger. In India, it's estimated that a substantial portion of food is wasted at various stages, from production to consumption.

Project Goal:

To reduce food waste and alleviate hunger by creating a system for collecting leftover food from restaurants, events, and households and distributing it to those in need through established NGOs and community organizations.

Target Beneficiaries:

The project will benefit individuals and families experiencing food insecurity, as well as the environment by minimizing food waste and resource depletion.

Expected Impact:


- Reduced food waste and a significant reduction in food-related environmental impact.
- Improved food security for vulnerable populations.
- Increased awareness of food waste issues and solutions among the public.
- Enhanced community engagement and collaboration.

Milestone – 1

Salesforce Account

Activity 1: Creating Developer Account

1. Creating a developer org in Salesforce.
2. Go to <https://developer.salesforce.com/signup>
3. On the signup form, enter the following details :




The screenshot shows the Salesforce Developer Edition signup page. On the left, there's a promotional banner for Agentforce with the text 'Build enterprise-quality apps fast and get hands-on with Agentforce and Data Cloud.' Below this, it says 'Sign up for your Developer Edition.' and lists several benefits: 'Build apps fast with drag-and-drop tools', 'Go further with Apex code', 'Build AI agents with Agentforce', 'Harmonize your data with Data Cloud', 'Ground Agentforce with structured and unstructured data', and 'Integrate with anything using APIs'. There are also two cartoon robot characters. On the right, the 'Sign up for your Developer Edition' form is displayed. It includes fields for First name (Ushasree), Last name (Singiri), Job title (Developer), Work email (singiriushasree13@gmail.com), Company (Gayatri degree college), and Country/Region (India). There's a checkbox for 'I agree to the Main Service Agreement - Developer Service and Salesforce Program Agreement' which is checked. Below the form is a 'Sign Me Up' button.

- **First Name:** USHASREE
- **Last Name:** SINGIRI
- **Job title:** Developer
- **Work Email:** singiriushasree13@gmail.com
- **Company:** GAYATRI DEGREE COLLEGE TIRUPATI
- **Country/Region:** INDIA

4. Click on sign me up after filling these.

Activity 2: Account Activation


1. Go to the inbox of the email that you used while signing up. Click on the verify account to activate your account. The email may take 5-10mins.



2. Give a password and answer a security question and click on Change Password.

3. Then you will be redirected to your Salesforce setup page.

TO SUPPLY LEFTOVER FOOD TO POOR




Milestone – 2

Objects


Activity 1: Creating Venue object

From the setup page

1. Click on Object Manager



2. Click on Create >> Click on Custom Object.
3. Enter the label name as **Venue**.
4. Enter Plural label name as **Venues**.



5. Enter Record Name as Venue name.
6. Select Datatype as Text.
7. Click on Allow Reports, Track field history, and Allow Activities.

TO SUPPLY LEFTOVER FOOD TO POOR

Context-Sensitive Help Setting: ☒ Open the standard Salesforce.com Help & Training window
☐ Open a window using a Visualforce page

Content Name: --None--

Enter Record Name Label and Format

The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name for Account is "Account Name" and for Case it is "Case Number". Note that the Record Name is required for all objects.

Record Name: Example: Account Name

Data Type: Warning: If you plan to insert a high volume of records in this object, via the API for example, use the Text data type.

Optional Features

- ☒ Allow Reports
- ☒ Allow Activities
- ☒ Track Field History
- ☐ Allow in Chatter Groups
- ☐ Enable Licensing

Object Classification

8. Click on Allow Search.

☒ Allow Streaming API Access

Deployment Status

☐ In Development
☒ Deployed

Search Status

When this setting is enabled, your users can find records of this object type when they search. [Learn more.](#)

☒ Allow Search

Object Creation Options (Available only when custom object is first created)

- ☐ Add Notes and Attachments related list to default page layout
- ☐ Launch New Custom Tab Wizard after saving this custom object

Save Save & New Cancel

9. Click on Save and New.

Activity 2: Create Drop-off Point Object

From the Setup page

1. Click on Object Manager
2. Click on Create >> Click on Custom Object.

Setup Home **Object Manager**

51+ Items, Sorted by Label

Quick Find

Schemas **Create**

Custom Object

Custom Object from Custom Object

3. Enter the label name as **Drop-Off Point**.
4. Enter Plural label name as **Drop-Off Points**.

TO SUPPLY LEFTOVER FOOD TO POOR

Setup Home Object Manager

SETUP New Custom Object

Permissions for this object are disabled for all profiles by default. You can enable object permissions in permission sets or by editing custom profiles. [\[Link\]](#) [\[Link\]](#)

Custom Object Definition Edit Save Save & New Cancel

Custom Object Information

The singular and plural labels are used in tabs, page layouts, and reports.

Label Example: Account

Plural Label Example: Accounts

Starts with vowel sound ☐

The Object Name is used when referencing the object via the API.

Object Name Example: Account

Description

5. Enter Record Name as Drop-Off Point Name.

6. Select Datatype as Text.

Context-Sensitive Help Setting ☒ Open the standard Salesforce.com Help & Training window
☐ Open a window using a Visualforce page

Content Name

Enter Record Name Label and Format

The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name for Account is "Account Name" and for Case it is "Case Number". Note that the Record Name field is always called "Name" when referenced via the API.

Record Name Example: Account Name

Data Type Warning: If you plan to insert a high volume of records in this object, via the API for example, use the Text data type.

Optional Features

☒ Allow Reports

7. Click on Allow Reports, Track field history, and Allow Activities.

Optional Features

☒ Allow Reports

☒ Allow Activities

☒ Track Field History

☐ Allow in Chatter Groups

☐ Enable Licensing [\[Link\]](#)

Object Classification

When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. [\[Link\]](#)

8. Click on Allow Search.

Search Status

When this setting is enabled, your users can find records of this object type when they search. [\[Link\]](#)

☒ Allow Search

Object Creation Options (Available only when custom object is first created)

☐ Add Notes and Attachments related list to default page layout

☐ Launch New Custom Tab Wizard after saving this custom object


Save Save & New Cancel

9. Click on Save and New.

Activity 3: Create Task Object

From the Setup page

1. Click on Object Manager.
2. Click on Create >> Custom Object.



3. Enter the label name as **Task**.
4. Enter the Plural label as **Tasks**.

5. Enter Record Name as Task Name.
6. Select Datatype as Text.

7. Click on Allow Reports, Track field history, and Allow Activities.
8. Click on Allow Search.

TO SUPPLY LEFTOVER FOOD TO POOR


The screenshot shows the 'Optional Features' section of a Salesforce Custom Object configuration. It includes checkboxes for 'Allow Reports', 'Allow Activities', 'Track Field History', 'Allow In Chatter Groups', and 'Enable Licensing'. Below this is the 'Object Classification' section with a note about Enterprise vs. Light Application objects and checkboxes for 'Allow Sharing', 'Allow Bulk API Access', and 'Allow Streaming API Access'. The 'Deployment Status' section has radio buttons for 'In Development' and 'Deployed'. The 'Search Status' section has a checkbox for 'Allow Search'. The 'Object Creation Options' section has checkboxes for 'Add Notes and Attachments related list to default page layout' and 'Launch New Custom Tab Wizard after saving this custom object'. At the bottom are 'Save', 'Save & New', and 'Cancel' buttons.

9. Click on Save and New.

Activity 4: Create Volunteer Object

From the Setup page

1. Click on Object Manager.
2. Click on Create >> Custom Object.



3. Enter the label name as **Volunteer**.
4. Enter the Plural label as **Volunteers**.

The screenshot shows the 'New Custom Object' page in Salesforce. It includes a message about permissions being disabled by default. The 'Custom Object Definition Edit' section contains the following fields: 'Label' (Volunteer), 'Plural Label' (Volunteers), 'Object Name' (Volunteer), and 'Description'. There are also checkboxes for 'Starts with vowel sound' and 'Context-Sensitive Help Setting'. At the bottom is a 'Content Name' dropdown menu.

5. Enter Record Name as Volunteer Name.

6. Select Datatype as Text.

Content Name: [None]

Enter Record Name Label and Format

The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name for Account is "Account Name" and for Case it is "Case Number". Note that the Record Name field is always called "Name" when referenced via the API.

Record Name: Example: Account Name

Data Type: Warning: If you plan to insert a high volume of records in this object, via the API for example, use the Text data type.

Optional Features

☐ Allow Reports

7. Click on Allow Reports, Track field history, and Allow Activities.

8. Click on Allow Search.

Optional Features

☒ Allow Reports

☒ Allow Activities

☒ Track Field History

☐ Allow in Chatter Groups

☐ Enable Licensing

Object Classification

When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. [Learn more](#)

☒ Allow Sharing

☒ Allow Bulk API Access

☒ Allow Streaming API Access

Deployment Status

☐ In Development

☒ Deployed

Search Status

When this setting is enabled, your users can find records of this object type when they search. [Learn more](#)

☒ Allow Search

Object Creation Options (Available only when custom object is first created)

☐ Add Notes and Attachments related list to default page layout

☐ Launch New Custom Tab Wizard after saving this custom object

[What is this?](#)

[Save](#) [Save & New](#) [Cancel](#)

9. Click on Save and New.

Activity 5: Create Execution Details Object

From the Setup page

1. Click on Object Manager.
2. Click on Create >> Custom Object.

Setup Home **Object Manager**

Object Manager

51+ Items, Sorted by Label

Quick Find

Schemas **Create**

Custom Object

Custom Object from

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED
-------	----------	------	-------------	---------------

3. Enter the label name as **Execution Detail**.

4. Enter Plural label name as **Execution Details**.

TO SUPPLY LEFTOVER FOOD TO POOR

New Custom Object

Permissions for this object are disabled for all profiles by default. You can enable object permissions in permission sets or by editing custom profiles. [Tap me, mouse!](#) [Don't show this message again](#)

Custom Object Definition Edit [Save] [Save & New] [Cancel]

Custom Object Information ⓘ Required Information

The singular and plural labels are used in tabs, page layouts, and reports.

Label Example: Account

Plural Label Example: Accounts

Starts with vowel sound ☐

The Object Name is used when referencing the object via the API.

Object Name Example: Account

Description

Context: Sensitive Help Setting ☒ Open the standard Salesforce.com Help & Training window
☐ Open a window using a Visualforce page

Context Name

5. Enter Record Name as Execution Details Name.

6. Select Datatype as Text.

Enter Record Name Label and Format

The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name for Account is "Account Name" and for Case it is "Case Number". Note that the Record Name field is always called "Name" when referenced via the API.

Record Name Example: Account Name

Data Type Warning: If you plan to insert a high volume of records in this object, via the API for example, use the Text data type.

7. Click on Allow Reports, Track field history, Allow Activities.

8. Click on Allow Search.

Optional Features

☒ Allow Reports
☒ Allow Activities
☒ Track Field History
☐ Allow in Chatter Groups
☐ Enable Licensing ⓘ

Object Classification

When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. [Learn more](#)

☒ Allow Sharing
☒ Allow Bulk API Access
☒ Allow Streaming API Access

Deployment Status ⓘ What is this?

☐ In Development
☒ Deployed

Search Status

When this setting is enabled, your users can find records of this object type when they search. [Learn more](#)

☒ Allow Search

Object Creation Options (Available only when custom object is first created)

☐ Add Notes and Attachments related list to default page layout
☐ Launch New Custom Tab Wizard after saving this custom object

[Save] [Save & New] [Cancel]

9. Click on Save and New.


Milestone – 3

Tabs


Activity 1: Creating a Custom tab

Create a tab for Venue Object

1. Go to Setup page >> type tabs in Quick Find box.
2. Click on tabs >> Click on New (under custom object tab).



3. Select Object (Venue) >> Select the tab style.




4. Next (Add to profiles page), keep it as default >> Next (Add to Custom App), uncheck the include tab.
5. Make sure that the Append tab user's existing personal customizations is checked.
6. Click on Save.


Activity 2: Creating Remaining Tabs.

Create a tab for Drop-Off Point

1. Go to Setup page >> type tabs in Quick Find box.
2. Click on tabs >> Click on New (under custom object tab).




3. Select Object (Drop-Off Point) >> Select the tab style.




4. Next (Add to profiles page), keep it as default >> Next (Add to Custom App), uncheck the include tab.
5. Make sure that the Append tab user's existing personal customizations is checked.
6. Click on Save.

Create a tab for Task Object

1. Go to Setup page >> type tabs in Quick Find box.
2. Click on tabs >> Click on New (under custom object tab).




3. Select Object(Task) > > Select tab style.



4. Next (Add to profiles page), keep it as default > > Next (Add to Custom App), uncheck the include tab.
5. Make sure that the Append tab user's existing personal customizations is checked.
6. Click on Save.

Create tab for Volunteer Object

1. Go to the Setup page >> type tabs in Quick Find box.
2. Click on tabs >> Click on New (under custom object tab).



3. Select Object(Volunteer) > > Select tab style.

TO SUPPLY LEFTOVER FOOD TO POOR

Custom Tab Definition Edit

Custom Object Tab Information ⓘ Required Information

Tab Label	Volunteers
Object	Volunteer
Tab Style	 People 

(Optional) Choose a Home Page Custom Link to show as a splash page the first time your users click on this tab.

Splash Page Custom Link --None--

4. Next (Add to profiles page), keep it as default >> Next (Add to Custom App), uncheck the include tab.
5. Make sure that Append tab user's existing personal customizations is checked.
6. Click on Save.

Create a tab for Execution Detail

1. Go to Setup page >> type tabs in Quick Find box.
2. Click on tabs >> Click on New (under custom object tab).

Q tabs

✓ User Interface

Rename Tabs and Labels

Tabs

Didn't find what you're looking for?
Try using Global Search.

SETUP
Tabs

Custom Tabs ⓘ Help for this Page

You can create new custom tabs to extend Salesforce functionality or to build new application functionality.

Custom Object tabs look and behave like the standard tabs provided with Salesforce. Web tabs allow you to embed external web applications and content within the Salesforce window. Visualforce tabs allow you to embed Visualforce pages. Lightning Component tabs allow you to add Lightning components to the navigation menu in Lightning Experience and the mobile app. Lightning Page tabs allow you to add Lightning Pages to Lightning Experience and the mobile app.

Custom Object Tabs ⓘ New ⓘ What Is This?

No Custom Object Tabs have been defined

Web Tabs ⓘ New ⓘ What Is This?

No Web Tabs have been defined

Visualforce Tabs ⓘ New ⓘ What Is This?

No Visualforce Tabs have been defined

3. Select Object(Execution Detail) >> Select tab style.

Custom Tab Definition Edit

Custom Object Tab Information

Tab Label	Execution Details
Object	Execution Detail
Tab Style	 Books 

(Optional) Choose a Home Page Custom Link to show as a splash page the first time your users click on this tab.

Splash Page Custom Link --None--

4. Next (Add to profiles page), keep it as default >> Next (Add to Custom App), uncheck the include tab.
5. Make sure that Append tab user's existing personal customizations is checked.

6. Click on Save.

Output:

Custom Tabs

[Help for this Page](#)

You can create new custom tabs to extend Salesforce functionality or to build new application functionality.

Custom Object tabs look and behave like the standard tabs provided with Salesforce. Web tabs allow you to embed external web applications and content within the Salesforce window. Visualforce tabs allow you to embed Visualforce pages. Lightning Component tabs allow you to add Lightning components to the navigation menu in Lightning Experience and the mobile app. Lightning Page tabs allow you to add Lightning Pages to Lightning Experience and the mobile app.


Custom Object Tabs		New	What Is This?
Action	Label	Tab Style	Description
Edit Del	Drop-Off Points	 Car	
Edit Del	Execution Details	 Books	
Edit Del	Tasks	 Star	
Edit Del	Venues	 Building	
Edit Del	Volunteers	 People	

Milestone – 4


The Lightning App

Activity 1: Create a Lightning app

1. Go to Setup page >> Search "App Manager" in Quick Find box.
2. Select "App Manager" >> Click on New lightning App.



3. Fill the app name in app details and branding as follow.
 - App Name: **Food Connect**.
 - Developer Name: **FoodConnect**.
 - Image: Click on Upload image and add the image related to Supply leftover food to Poor.




4. Click on Next >> {App option page)Set Navigation Style as Standard Navigation >> Click on Next.


5. In (Utility Items), keep it as default >> Next.

6. Add Navigation items:

Search for items in search bar(Home, Venues, Tasks, Drop-Off Points, Execution Details, Reports, Volunteer, Dashboards), and move it to the Selected Items.



7. To Add User Profiles:



Search Profile (System Administrator) in the search bar >> Click on arrow button >> Save & Finish.

Milestone – 5

Fields


Activity 1: Creation of Relationship Fields in Objects.

Creation of Lookup Relationship on Volunteer Object

1. Go to Setup >> Click on Object Manager
2. Type object name (Volunteer) in the search bar >> Click on the object.



3. Now, Click on Fields & Relationships >> Click on New.
4. Select Lookup Relationship.



5. Select the related object "Drop-Off Point" and click on next.



6. Field Name: **Drop-Off Point**.
Field label: **Drop-Off Point**.

TO SUPPLY LEFTOVER FOOD TO POOR

Field Information ! = Required Information

Field Label	Drop-Off Point	Data Type	Lookup
Field Name	Drop_Off_Point		
Description			
Help Text			

7. Click on Next >> Next >> Save.

Creation of Master Detail Relationship Field on Execution Details Object:

1. Go to Setup >> Click on Object Manager
2. Type object name (Execution Details) in the search bar >> Click on the object.

Setup Home Object Manager

Object Manager

1 items. Sorted by Label

Search: execution Schema Builder Create

Label	API Name	Type	Description	Last Modified	Deployed
Execution Detail	Execution_Detail__c	Custom Object		6/3/2025	✓

3. Now, Click on Fields & Relationships >> Click on New.
4. Select Master Detail Relationship.

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

None Selected

Select one of the data types below.

Auto Number

Formula

Roll-Up Summary

Lookup Relationship

Master-Detail Relationship

Creates a relationship that links this object to another object. The relationship field allows users to click on a lookup icon to select a value from a popup list. The other object is the source of the values in the list.

Creates a special type of parent-child relationship between this object (the child, or "detail") and another object (the parent, or "master") where:

- The relationship field is required on all detail records.
- The ownership and sharing of a detail record are determined by the master record.
- When a user deletes the master record, all detail records are deleted.
- You can create rollup summary fields on the master record to summarize the detail records.

The relationship field allows users to click on a lookup icon to select a value from a popup list. The master object is the source of the values in the list.

5. Select the related object "Volunteer" and click on next.

Field Information ! = Required Information

Field Label	Volunteer	Data Type	Master-Detail
Field Name	Volunteer		
Description			
Help Text			

6. Field Name: **Volunteer**.

Field label: **Volunteer**.


- Click on Next >> Next >> Save.

Creation of Master Detail Relationship on Execution Details object.

- Go to Setup >> Click on Object Manager
- Type object name (Execution Details) in the search bar >> Click on the object.



- Now, Click on Fields & Relationships >> Click on New.
- Select Master Detail Relationship.



- Select the related object "Task" and click on next.

The screenshot shows the 'Field Information' page for a Master-Detail relationship. The 'Field Label' and 'Field Name' are both set to 'Task'. The 'Data Type' is 'Master-Detail'. The 'Description' and 'Help Text' fields are empty.

Field Information		Data Type	Master-Detail
Field Label	Task		
Field Name	Task		
Description			
Help Text			

- Field Name: **Task**.
Field label: **Task**.
- Click on Next >> Next >> Save.


Creation of Lookup Relationship Field on Drop-Off Point Object:

- Go to Setup >> Click on Object Manager


2. Type object name (Drop-Off Point) in the search bar >> Click on the object.



3. Now, Click on Fields & Relationships >> Click on New.
4. Select Lookup Relationship.




5. Select the related object "Venue" and click on next.



6. Field Name: **Venue**.
Field label: **Venue**.
7. Click on Next >> Next >> Save.


Creation of Lookup Relationship Field on Task Object:

1. Go to Setup >> Click on Object Manager
2. Type object name (Task) in the search bar >> Click on the object.



3. Now, Click on Fields & Relationships >> Click on New.
4. Select Lookup Relationship.

TO SUPPLY LEFTOVER FOOD TO POOR



5. Select the related object "Venue" and click on next.

Field Information ! Required Information

Field Label	Venue	Data Type	Lookup
Field Name	Sponsored_By		
Description			
Help Text			

6. Field Name: **Sponsored By**.

Field label: **Venue**.

7. Click on Next >> Next >> Save.


Creation of Lookup Relationship Field on Task Object:

1. Go to Setup >> Click on Object Manager
2. Type object name (Task) in the search bar >> Click on the object.

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Task	Task__c	Custom Object		6/3/2025	✓

3. Now, Click on Fields & Relationships >> Click on New.

4. Select Lookup Relationship.



5. Select the related object "Drop-Off Point" and click on next.

TO SUPPLY LEFTOVER FOOD TO POOR

Field Information ! Required Information

Field Label	Drop-Off Point	Data Type	Lookup
Field Name	Drop_Off_Point		
Description			
Help Text			
Data Owner	User		

6. Field Name: **Drop-Off Point**.

Field label: **Drop-off Point**.

7. Click on Next >> Next >> Save.

Activity 2: Creation of Fields for the Venue Object:

Create a "Contact Email" Field in Venue object.

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Venue) in search bar >> Click on the object.

Setup Home Object Manager

Object Manager

1 Items, Sorted by Label

Search venue Schema Builder Create

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Venue	Venue_c	Custom Object		6/3/2025	✓

3. Now, Click on "Fields & Relationships" >> Click on New.

4. Select Datatype as "Email" and click on Next.

Setup Home Object Manager

SETUP > OBJECT MANAGER

Venue

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

☐ Date
☐ Date/Time
☐ Email
☐ Geolocation
☐ Number
☐ Percent

Allows users to enter a date or pick a date from a popup calendar.
 Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.
 Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.
 Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.
 Allows users to enter any number. Leading zeros are removed.
 Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.

5. Fill in the Above as follows:

- Field Label: **Contact Email**.
- Field Name: **Contact Email**.
- Click on the Required checkbox.
- Click on Next >> Next >> Save and New.

TO SUPPLY LEFTOVER FOOD TO POOR

Field Information

Field Label: Data Type: Email

Field Name:

Description:

Help Text:

Data Owner:

Field Usage:

Data Sensitivity Level:

Compliance Categorization:

HIPAA, GDPR, PCI, COPPA, CCPA

Chosen

General Options

Required: ☒ Always require a value in this field in order to save a record

Unique: ☐ Do not allow duplicate values

External ID: ☐ Set this field as the unique record identifier from an external system

Default Value: [Show Formula Editor](#)

Create a “Contact Phone” Field in Venue Object.

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Venue) in search bar >> Click on the object.

Label	API Name	Type	Description	Last Modified	Deployed
Venue	Venue__c	Custom Object		6/3/2025	✓

3. Now, Click on “Fields & Relationships” >> Click on New.
4. Select Datatype as “Phone” and click on Next.

Fields & Relationships

Details

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

☐ Date

☐ Date/Time

☐ Email

☐ Geolocation

☐ Number

☐ Percent

☒ Phone

☐ Picklist

☐ Picklist (Multi-Select)

☐ Text

Allows users to enter a date or pick a date from a popup calendar.

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

Allows users to enter any number. Leading zeros are removed.

Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.

Allows users to enter any phone number. Automatically formats it as a phone number.

Allows users to select a value from a list you define.

Allows users to select multiple values from a list you define.

Allows users to enter any combination of letters and numbers.

5. Fill in the Above as follows:
 - Field Label: **Contact Phone.**
 - Field Name: **Contact Phone.**
 - Click on the Required checkbox.
 - Click on Next >> Next >> Save and New.

The screenshot shows the 'Field Information' form for a field named 'Contact Phone'. The form includes fields for 'Field Label' (Contact Phone), 'Field Name' (Contact_Phone), 'Description', 'Help Text', 'Data Owner' (User), 'Field Usage' (--None--), and 'Data Sensitivity Level' (--None--). The 'Data Type' is set to 'Phone'. There is a 'Required Information' indicator in the top right corner.

Create a "Location" Field in Venue Object.

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Venue) in search bar >> Click on the object.

The screenshot shows the 'Object Manager' page in the 'Setup' section. A search bar contains the text 'venue'. Below the search bar, a table lists the objects. The table has columns: LABEL, API NAME, TYPE, DESCRIPTION, LAST MODIFIED, and DEPLOYED. The table shows one object: Venue, with API NAME Venue_c, TYPE Custom Object, LAST MODIFIED 6/3/2025, and DEPLOYED checked.

3. Now, click on "Fields & Relationships" >> Click on New.
4. Select Datatype as "Geolocation" and click on Next.

The screenshot shows the 'Fields & Relationships' page. On the left, there is a sidebar with options: Details, Fields & Relationships (selected), Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, and Field Sets. The main area shows the 'Geolocation' datatype selected. It includes a description: 'Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.' and a 'Next' button.

5. Fill in the Above as follows:
 - Field Label: **Location**.
 - Decimal Places: 4
 - Field Name: **Location**.
 - Description: Enter the Geolocation of your Venue.
 - Click on Next >> Next >> Save and New.

Field Information Required Information

Field Label: Data Type: Geolocation

Field Name:

Description:

Help Text:

Data Owner:

Field Usage:

Data Sensitivity Level:

Create a “Venue Location” Field on Venue Object.

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Venue) in search bar >> Click on the object.

Setup Home Object Manager

Object Manager

1 item, Sorted by Label

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Venue	Venue__c	Custom Object		6/3/2025	✓

3. Now, click on “Fields & Relationships” >> Click on New.
4. Select Datatype as “Long Text Area” and click on Next.

Field Type Selection Screen

- ☐ Percent
- ☐ Phone
- ☐ Picklist
- ☐ Picklist (Multi-Select)
- ☐ Text
- ☐ Text Area
- ☒ Text Area (Long)
- ☐ Text Area (Rich)

Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.

Allows users to enter any phone number. Automatically formats it as a phone number.

Allows users to select a value from a list you define.

Allows users to select multiple values from a list you define.

Allows users to enter any combination of letters and numbers.

Allows users to enter up to 255 characters on separate lines.

Allows users to enter up to 131,072 characters on separate lines.

Allows users to enter formatted text, add images and links. Up to 131,072 characters on separate lines.

Allows users to enter any combination of letters and numbers and store them in encrypted form.

5. Fill in the Above as follows:
 - Field Label: **Venue Location.**
 - Field Name: **Venue Location.**
 - Click on Next >> Next >> Save and New.

Field Information ! = Required Information

Field Label: Data Type: Long Text Area

Field Name:

Description:

Help Text:

Data Owner: User

Field Usage:

Data Sensitivity Level:

Compliance Categorization:

Available	Chosen
PII	
HIPAA	
GDPR	
PCI	

Activity 3: Creation of Fields for the Drop-Off Point Object.

Create a "Location 2" field on Drop-Off Object

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Drop-Off Point) in search bar >> Click on the object.

Setup Home Object Manager

Object Manager

1 item. Sorted by Label

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Drop-Off Point	Drop_Off_Point_c	Custom Object		5/30/2025	✓

3. Now, click on "Fields & Relationships" >> Click on New.
4. Select Datatype as "Geolocation" and click on Next.

SETUP > OBJECT MANAGER

Drop-Off Point

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

☐ Date
☐ Date/Time
☐ Email
☒ Geolocation
☐ Number
☐ Percent
☐ Phone
☐ Picklist
☐ Picklist (Multi-Select)

Allows users to enter a date or pick a date from a popup calendar.

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

Allows users to enter any number. Leading zeros are removed.

Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.

Allows users to enter any phone number. Automatically formats it as a phone number.

Allows users to select a value from a list you define.

Allows users to select multiple values from a list you define.

Allows users to enter any combination of letters and numbers.

5. Fill in the Above as follows:
 - Field Label: **Location 2.**
 - Field Name: **Location_2.**
 - Description: Enter the Geolocation of the Drop-Off Point.

- Geolocation Options: Select Decimal
- Decimal Places: 4

6. Click on Next >> Next >> Save and New.

Create a “distance calculation” field on Drop-Off Object

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Drop-Off Point) in search bar >> Click on the object.

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Drop-Off Point	Drop_Off_Point__c	Custom Object		5/30/2025	✓

3. Now, click on “Fields & Relationships” >> Click on New.
4. Select Datatype as “Formula” and click on Next.

5. Fill in the Above as follows:

- Field Label: **distance calculation.**
- Field Name: **distance_calculation.**
- Formula Return Type: Number.

TO SUPPLY LEFTOVER FOOD TO POOR

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Field Label: distance calculation

Field Name: distance_calculation

Auto add to custom report type: ☒ Add this field to existing custom report types that contain this entity

Formula Return Type

Select one of the data types below:

- ☐ None Selected
- ☐ Checkbox
- ☐ Currency
- ☐ Date
- ☐ Date/Time
- ☒ Number
- ☐ Percent
- ☐ Text

Calculate a boolean value.
Example: `TODAY() > CloseDate`

Calculate a dollar or other currency amount and automatically format the field as a currency amount.
Example: `Gross Margin = Amount - Cost__c`

Calculate a date, for example, by adding or subtracting days to other dates.
Example: `Reminder Date = CloseDate - 7`

Calculate a date/time, for example, by adding a number of hours or days to another date/time.
Example: `Next = NOW() + 1`

Calculate a numeric value.
Example: `Fahrenheit = 1.8 * Celsius__c + 32`

Calculate a percent and automatically add the percent sign to the number.
Example: `Discount = (Amount - Discounted_Amount__c) / Amount`

Create a text string, for example, by concatenating other text fields.
Example: `Full Name = LastName & ", " & FirstName`

6. Click on Next >> Click on Advanced Formula.

- Formula: `DISTANCE( Location_2__c , Venue__r.Location__c , 'km')`

Formula Options

Formula Return Type: Number

Decimal Places: 4

Enter your formula and click Check Syntax to check for errors. Click the Advanced Formula subtab to use additional fields, operators, and functions.
Example: `Fahrenheit = 1.8 * Celsius__c + 32` [More Examples...](#)

Simple Formula | Advanced Formula

Insert Field

Insert Operator

distance calculation (Number) =
`DISTANCE( Location_2__c , Venue__r.Location__c , 'km')`

7. Click on Next >> Next >> Save and New.

Create a "State" Field in Drop-Off Point Object.

- Go to Setup page >> Click on Object Manager.
- Type Object name (Drop-Off Point) in search bar >> Click on the object.

Label	API Name	Type	Description	Last Modified	Deployed
Drop-Off Point	Drop_Off_Point__c	Custom Object		5/30/2025	✓

- Now, click on "Fields & Relationships" >> Click on New.
- Select Datatype as "Picklist" and click on Next.

TO SUPPLY LEFTOVER FOOD TO POOR

Details	☐ Date	Allows users to enter a date or pick a date from a popup calendar.
	☐ Date/Time	Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.
Fields & Relationships	☐ Email	Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.
Page Layouts	☐ Geolocation	Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.
Lightning Record Pages	☐ Number	Allows users to enter any number. Leading zeros are removed.
Buttons, Links, and Actions	☐ Percent	Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.
Compact Layouts	☐ Phone	Allows users to enter any phone number. Automatically formats it as a phone number.
Field Sets	☒ Picklist	Allows users to select a value from a list you define.
Object Limits	☐ Picklist (Multi-Select)	Allows users to select multiple values from a list you define.
Record Types	☐ Text	Allows users to enter any combination of letters and numbers.
	☐ Text Area	Allows users to enter up to 255 characters on separate lines.
	☐	Allows users to enter up to 131,072 characters on separate lines.

5. Fill in the Above as follows:

- Field Label: **State**.
- Field Name: **State**.
- Enter values, with each value separated by a new line:

Drop-Off Point

New Custom Field

Step 2. Enter the details

Field Label:

Values:

☐ Use global picklist value set

☒ Enter values, with each value separated by a new line

☐ Display values alphabetically, not in the order entered

☐ Use first value as default value

☒ Restrict picklist to the values defined in the value set

Field Name:

Description:

Andhra Pradesh

Arunachal Pradesh

Assam

Bihar

Chhattisgarh

Goa

Gujarat

Haryana

Himachal Pradesh

Jharkhand

Karnataka

Kerala

Maharashtra
Madhya Pradesh
Manipur
Meghalaya
Mizoram
Nagaland
Odisha
Punjab
Rajasthan
Sikkim
Tamil Nadu
Tripura
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
Andaman & Nicobar (UT)
Chandigarh (UT)
Dadra & Nagar Haveli and Daman & Diu (UT)
Delhi [National Capital Territory (NCT)]
Jammu & Kashmir (UT)
Ladakh (UT)
Lakshadweep (UT)
Puducherry (UT)


6. Click on Required check box.
7. Click on Next >> Next >> Save and New.

Create a “Distance” Field on Drop-Off Point Object.

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Drop-Off Point) in the search bar >> Click on the object.



3. Now, click on “Fields & Relationships” >> Click on New.
4. Select Datatype as “Number” and click on Next.



5. Fill in the Above as follows:

- Field Label: **Distance**.
- Field Name: **Distance**.
- Length: 14
- Decimal Places: 4
- Click on required check box.
- Click on Next >> Next >> Save.

The screenshot shows the 'Step 2. Enter the details' form for creating a new field. The form includes fields for Field Label, Length, Decimal Places, Field Name, Description, and Help Text. There are also checkboxes for Required, Unique, External ID, AI Prediction, and Auto add to custom report type.

Field Label: Distance

Length: 14 (Number of digits to the left of the decimal point)

Decimal Places: 4 (Number of digits to the right of the decimal point)

Field Name: Distance

Description:

Help Text:

Required: ☒ Always require a value in this field in order to save a record

Unique: ☐ Do not allow duplicate values

External ID: ☐ Set this field as the unique record identifier from an external system

AI Prediction: ☐ Use this field to store AI prediction scores

Auto add to custom report type: ☒ Add this field to existing custom report types that contain this entity


Activity 4: Creation of Fields for the Task object.

Create a “Task ID” field in task object:

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Task) in the search bar >> Click on the object.



3. Now, click on “Fields & Relationships” >> Click on New.
4. Select Datatype as “Auto Number” and click on Next.




5. Fill in the Above as follows:
 - Field Label: **Task ID**.
 - Field Name: **Task_ID**.
 - Display Format: TASK{0}
 - Starting Number: 1
 - Click on required check box.
6. Click on Next >> Next >> Save and New.

Create a “Date” field in task object:


1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Task) in the search bar >> Click on the object.

TO SUPPLY LEFTOVER FOOD TO POOR




3. Now, click on “Fields & Relationships” >> Click on New.

4. Select Datatype as “Date” and click on Next.



5. Fill in the Above as follows:


- Field Label: **Date**.
- Field Name: **Date**.
- Click on the required check box.




6. Click on Next >> Next >> Save and New.

Create a “Food Category” field in task object:

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Task) in the search bar >> Click on the object.




3. Now, click on "Fields & Relationships" >> Click on New.
4. Select Datatype as "Picklist(Multiselect)" and click on Next.



5. Fill in the Above as follows:

- Field Label: **Food Category.**
- Field Name: **Food_Category.**
- Enter values, with each value separated by a new line:
Veg
Non-Veg
Salad
Snack
- Click on the required check box.




6. Click on Next >> Next >> Save and New.

Create a "Number of People Served" field in task object:

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Task) in the search bar >> Click on the object.

TO SUPPLY LEFTOVER FOOD TO POOR




3. Now, click on “Fields & Relationships” >> Click on New.

4. Select Datatype as “Number” and click on Next.



5. Fill in the Above as follows:

- Field Label: **Number of People Served.**
- Field Name: **Number_of_People_Served.**
- Click on the required check box.




6. Click on Next >> Next >> Save and New.

Create a “Name of the Person” field in task object:


1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Task) in the search bar >> Click on the object.

TO SUPPLY LEFTOVER FOOD TO POOR




3. Now, click on “Fields & Relationships” >> Click on New.

4. Select Datatype as “Text” and click on Next.



5. Fill in the Above as follows:


- Field Label: **Number of the Person.**
- Field Name: **Number_of_the_Person.**



6. Click on Next >> Next >> Save and New.

Create a “Phone” field in task object:

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Task) in the search bar >> Click on the object.



- Now, click on "Fields & Relationships" >> Click on New.
- Select Datatype as "Phone" and click on Next.

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

☐ Date

☐ Date/Time

☐ Email

☐ Geolocation

☐ Number

☐ Percent

☒ Phone

☐ Picklist

Allows users to enter a date or pick a date from a popup calendar.

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

Allows users to enter any number. Leading zeros are removed.

Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.

Allows users to enter any phone number. Automatically formats it as a phone number.

Allows users to select a value from a list you define.

- Fill in the Above as follows:

- Field Label: **Phone**.
- Field Name: **Phone**.

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Task

New Custom Field

Step 2 of 4

Field Label: Phone

Field Name: Phone

Description:

Help Text:

Required: ☒ Always require a value in this field in order to save a record

Auto add to custom report type: ☒ Add this field to existing custom report types that contain this entity

Previous Next Cancel

- Click on Next >> Next >> Save and New.

Create a "Rating" field in task object:

- Go to Setup page >> Click on Object Manager.
- Type Object name (Task) in the search bar >> Click on the object.

Setup

Home Object Manager

Object Manager

2 items. Sorted by Label

task

Schema Builder Create

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Task	Task_c	Custom Object		6/3/2025	✓

- Now, click on "Fields & Relationships" >> Click on New.
- Select Datatype as "Picklist" and click on Next.

TO SUPPLY LEFTOVER FOOD TO POOR

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

- ☐ Date
- ☐ Date/Time
- ☐ Email
- ☐ Geolocation
- ☐ Number
- ☐ Percent
- ☐ Phone
- ☒ Picklist
- ☐ Picklist (Multi-Select)
- ☐ Text
- ☐ Text Area

Allows users to enter a date or pick a date from a popup calendar.

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

Allows users to enter any number. Leading zeros are removed.

Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.

Allows users to enter any phone number. Automatically formats it as a phone number.

Allows users to select a value from a list you define.

Allows users to select multiple values from a list you define.

Allows users to enter any combination of letters and numbers.

Allows users to enter up to 255 characters on separate lines.

Allows users to enter up to 131,072 characters on separate lines.

5. Fill in the Above as follows:

- Field Label: **Rating**.
- Field Name: **Rating**.
- Enter values, with each value separated by a new line:

1
2
3
4
5

Step 2. Enter the details

Step 2 of 4

Previous Next Cancel

Field Label:

Values:

- ☐ Use global picklist value set
- ☒ Enter values, with each value separated by a new line

1
2
3
4
5

☐ Display values alphabetically, not in the order entered

☐ Use first value as default value

☒ Restrict picklist to the values defined in the value set

Field Name:

6. Click on Next >> Next >> Save and New.

Create a “Feedback” field in task object:

- Go to Setup page >> Click on Object Manager.
- Type Object name (Task) in the search bar >> Click on the object.

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Task	Task__c	Custom Object		6/3/2025	✓

- Now, click on "Fields & Relationships" >> Click on New.
- Select Datatype as "Long Text Area" and click on Next.

Allows users to select a value from a list you define.

Allows users to select multiple values from a list you define.

Allows users to enter any combination of letters and numbers.

Allows users to enter up to 255 characters on separate lines.

Allows users to enter up to 131,072 characters on separate lines.

Allows users to enter formatted text, add images and links. Up to 131,072 characters on separate lines.

Allows users to enter any combination of letters and numbers and store them in encrypted form.

Allows users to enter a local time. For example, "2:40 PM", "14:40", "14:40:00", and "14:40:50.600" are all valid times for this field.

- Fill in the Above as follows:
 - Field Label: **Feedback.**
 - Field Name: **Feedback.**

Step 2. Enter the details

Step 2 of 4

Previous Next Cancel

Field Label: Feedback

You are currently using 32,768 out of 1,638,400 characters on this object. You have 1,605,632 additional characters to allocate to this field.

Length: 32,768 (Max 131,072)

Visible Lines: 3

Field Name: Feedback

Description:

Help Text:

Auto add to custom report type: ☒ Add this field to existing custom report types that contain this entity

- Click on Next >> Next >> Save and New.

Activity 5: Creation of fields for the Volunteer Object.

Create "Volunteer ID" field in Volunteer object:

- Go to Setup page >> Click on Object Manager.
- Type Object name (Volunteer) in the search bar >> Click on the object.

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Volunteer	Volunteer__c	Custom Object		6/3/2025	✓

- Now, click on "Fields & Relationships" >> Click on New.
- Select Datatype as "Auto Number" and click on Next.

TO SUPPLY LEFTOVER FOOD TO POOR

SETUP > OBJECT MANAGER

Task

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Specify the type of information that the custom field will contain.

Data Type

Select one of the data types below:

- ☐ None Selected
- ☒ Auto Number

A system-generated sequence number that uses a display format you define. The number is automatically incremented for each new record.
- ☐ Formula

A read-only field that derives its value from a formula expression you define. The formula field is updated when any of the source fields change.
- ☐ Roll-Up Summary

A read-only field that displays the sum, minimum, or maximum value of a field in a related list or the record count of all records listed in a related list.

Next Cancel

5. Fill in the Above as follows:

- Field Label: **Volunteer ID.**
- Field Name: **Volunteer_ID.**

SETUP > OBJECT MANAGER

Volunteer

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Volunteer

New Custom Field

Help for this Page

Step 2 of 4

Step 2. Enter the details

Field Label: Volunteer ID

Display Format: Example: A-0000 What Is This?

Starting Number: 1

☐ Generate Auto Number for existing records

Field Name: Volunteer_ID

Description:

Help Text:

External ID: ☐ Set this field as the unique record identifier from an external system

Auto add to custom report type: ☒ Add this field to existing custom report types that contain this entity

Previous Next Cancel

6. Click on Next >> Next >> Save and New.

Create "Gender" field in Volunteer object:

- Go to Setup page >> Click on Object Manager.
- Type Object name (Volunteer) in the search bar >> Click on the object.

Setup Home Object Manager

Object Manager

1 Items. Sorted by Label

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Volunteer	Volunteer__c	Custom Object		6/3/2025	✓

- Now, click on "Fields & Relationships" >> Click on New.
- Select Datatype as "Picklist" and click on Next.

TO SUPPLY LEFTOVER FOOD TO POOR

Fields & Relationships

- ☐ Date
- ☐ Date/Time
- ☐ Email
- ☐ Geolocation
- ☐ Number
- ☐ Percent
- ☐ Phone
- ☒ Picklist
- ☐ Picklist (Multi-Select)
- ☐ Text
- ☐ Text Area

Field Descriptions:

- Date:** Allows users to enter a date or pick a date from a popup calendar.
- Date/Time:** Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.
- Email:** Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.
- Geolocation:** Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.
- Number:** Allows users to enter any number. Leading zeros are removed.
- Percent:** Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.
- Phone:** Allows users to enter any phone number. Automatically formats it as a phone number.
- Picklist:** Allows users to select a value from a list you define.
- Picklist (Multi-Select):** Allows users to select multiple values from a list you define.
- Text:** Allows users to enter any combination of letters and numbers.
- Text Area:** Allows users to enter up to 255 characters on separate lines.
- Text Area (Rich Text):** Allows users to enter up to 131,072 characters on separate lines.

5. Fill in the Above as follows:

- Field Label: **Gender**.
- Field Name: **Gender**.
- Enter values, with each value separated by a new line:

Female

Male

Step 2: Enter the details

Field Label:

Values: ☐ Use global picklist value set ☒ Enter values, with each value separated by a new line

☐ Display values alphabetically, not in the order entered

☐ Use first value as default value

☒ Restrict picklist to the values defined in the value set

Field Name:

Description:

6. Click on Next >> Next >> Save and New.

Create "Available On" field in Volunteer object:

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Volunteer) in the search bar >> Click on the object.

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Volunteer	Volunteer__c	Custom Object		6/3/2025	✓

3. Now, click on "Fields & Relationships" >> Click on New.

4. Select Datatype as "Date" and click on Next.

TO SUPPLY LEFTOVER FOOD TO POOR

SETUP > OBJECT MANAGER

Task

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

- ☐ Checkbox
- ☐ Currency
- ☒ Date
- ☐ Date/Time
- ☐ Email
- ☐ Geolocation

Allows users to select a True (checked) or False (unchecked) value.

Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.

Allows users to enter a date or pick a date from a popup calendar.

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

5. Fill in the Above as follows:

- Field Label: **Available On.**
- Field Name: **Available_On.**
- Click on required check box.

Step 2. Enter the details

Step 2 of 4

Previous Next Cancel

Field Label: Available On

Field Name: Available_On

Description:

Help Text:

Required: ☒ Always require a value in this field in order to save a record

Auto add to custom report type: ☒ Add this field to existing custom report types that contain this entity

Default Value: Show Formula Editor

Use formula syntax. Enclose text and picklist value API names in double quotes: ("the_text"). Include numbers without quotes (25). Show percentages as decimals: (0.10), and express date calculations in the standard format: (Today() + 7). To reference a field from a Custom Metadata type record use: SCustomMetadata.Type__mdt.RecordAPIName.Field__c

Done Next Cancel

6. Click on Next >> Next >> Save and New.

Create "Age" field in Volunteer object:

- Go to Setup page >> Click on Object Manager.
- Type Object name (Volunteer) in the search bar >> Click on the object.

Setup Home Object Manager

Object Manager

1 item, Sorted by Label

Search: volunteer Schema Builder Create

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Volunteer	Volunteer__c	Custom Object		6/3/2025	✓

- Now, click on "Fields & Relationships" >> Click on New.
- Select Datatype as "Number" and click on Next.

TO SUPPLY LEFTOVER FOOD TO POOR

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

- ☐ Date
- ☐ Date/Time
- ☐ Email
- ☐ Geolocation
- ☒ Number
- ☐ Percent
- ☐ Phone
- ☐ Picklist
- ☐ Picklist (Multi-Select)
- ☐ Text

Allows users to enter a date or pick a date from a popup calendar.

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

Allows users to enter any number. Leading zeros are removed.

Allows users to enter a percentage number, for example, "10" and automatically adds the percent sign to the number.

Allows users to enter any phone number. Automatically formats it as a phone number.

Allows users to select a value from a list you define.

Allows users to select multiple values from a list you define.

Allows users to enter any combination of letters and numbers.

5. Fill in the Above as follows:

- Field Label: **Age**.
- Field Name: **Age**.
- Click on required check box.

Step 2. Enter the details

Step 2 of 4

Previous Next Cancel

Field Label

Please enter the length of the number and the number of decimal places. For example, a number with a length of 8 and 2 decimal places can accept values up to "12345678.90".

Length Decimal Places

Number of digits to the left of the decimal point

Number of digits to the right of the decimal point

Field Name

Description

Help Text

Required ☒ Always require a value in this field in order to save a record

Unique ☐ Do not allow duplicate values

6. Click on Next >> Next >> Save and New.

Create "Email" field in Volunteer object:

- Go to Setup page >> Click on Object Manager.
- Type Object name (Volunteer) in the search bar >> Click on the object.

Label	API Name	Type	Description	Last Modified	Deployed
Volunteer	Volunteer__c	Custom Object		6/3/2025	✓

- Now, click on "Fields & Relationships" >> Click on New.
- Select Datatype as "Email" and click on Next.

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

- ☐ Date
- ☐ Date/Time
- ☒ Email
- ☐ Geolocation
- ☐ Number
- ☐ Percent

Allows users to enter a date or pick a date from a popup calendar.

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

Allows users to enter any number. Leading zeros are removed.

Allows users to enter a percentage number, for example, "10" and automatically adds the percent sign to the number.

5. Fill in the Above as follows:

- Field Label: **Email**.
- Field Name: **Email**.
- Click on required check box.

Step 2. Enter the details

Field Label:

Field Name:

Description:

Help Text:

Required: ☒ Always require a value in this field in order to save a record

Unique: ☐ Do not allow duplicate values

External ID: ☐ Get this field as the unique record identifier from an external system

6. Click on Next >> Next >> Save and New.

Create “Contact Number” field in Volunteer object:

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Volunteer) in the search bar >> Click on the object.

Label	API Name	Type	Description	Last Modified	Deployed
Volunteer	Volunteer__c	Custom Object		6/3/2025	✓

3. Now, click on “Fields & Relationships” >> Click on New.

4. Select Datatype as “Auto Number” and click on Next.

Task

Specify the type of information that the custom field will contain.

Data Type

☒ None Selected

☒ Auto Number

☐ Formula

☐ Roll-Up Summary

A system-generated sequence number that uses a display format you define. The number is automatically incremented for each new record.

A read-only field that derives its value from a formula expression you define. The formula field is updated when any of the source fields change.

A read-only field that displays the sum, minimum, or maximum value of a field in a related list or the record count of all records listed in a related list.

5. Fill in the Above as follows:

- Field Label: **Contact Number.**
- Field Name: **Contact_Number.**

Step 2. Enter the details

Field Label

Display Format Example: A-{0000} [What Is This?](#)

Starting Number

☐ Generate Auto Number for existing records

Field Name

Description

Help Text

External ID ☐ Set this field as the unique record identifier from an external system

6. Click on Next >> Next >> Save and New.

Create "Address" field in Volunteer object:

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Volunteer) in the search bar >> Click on the object.

Setup Home Object Manager

Object Manager

1 items. Sorted by Label

Search: volunteer Schema Builder Create

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Volunteer	Volunteer__c	Custom Object		6/3/2025	✓

3. Now, click on "Fields & Relationships" >> Click on New.

4. Select Datatype as "Text Area (Long)" and click on Next.

☐ Percent
☐ Phone
☐ Picklist
☐ Picklist (Multi-Select)
☐ Text
☐ Text Area
☒ Text Area (Long)
☐ Text Area (Rich)

Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.
 Allows users to enter any phone number. Automatically formats it as a phone number.
 Allows users to select a value from a list you define.
 Allows users to select multiple values from a list you define.
 Allows users to enter any combination of letters and numbers.
 Allows users to enter up to 255 characters on separate lines.
 Allows users to enter up to 131,072 characters on separate lines.
 Allows users to enter formatted text, add images and links. Up to 131,072 characters on separate lines.
 Allows users to enter any combination of letters and numbers and store them in account form.

5. Fill in the Above as follows:

- Field Label: **Address.**

- Field Name: **Address**.
- Click on required check box.

Step 2. Enter the details

Field Label: ⓘ

Length: (Max 131,072)

Visible Lines:

Field Name: ⓘ

Description:

Help Text: ⓘ

6. Click on Next >> Next >> Save and New.

Create “Date of Birth” field in Volunteer object:

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Volunteer) in the search bar >> Click on the object.

Setup Home Object Manager

Object Manager

1 Items, Sorted by Label

Search: volunteer Schema Builder Create

Label	API Name	Type	Description	Last Modified	Deployed
Volunteer	Volunteer__c	Custom Object		6/3/2025	✓

3. Now, click on “Fields & Relationships” >> Click on New.
4. Select Datatype as “Date” and click on Next.

Setup > OBJECT MANAGER

Task

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

☐ Checkbox
☐ Currency
☒ Date
☐ Date/Time
☐ Email
☐ Geolocation

Allows users to select a True (checked) or False (unchecked) value.

Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.

Allows users to enter a date or pick a date from a popup calendar.

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

5. Fill in the Above as follows:

- Field Label: **Date of Birth**.
- Field Name: **Date_of_Birth**.

Step 2. Enter the details

Field Label ⓘ

Field Name ⓘ

Description

Help Text ⓘ

Required ☐ Always require a value in this field in order to save a record

Auto add to custom report type ☒ Add this field to existing custom report types that contain this entity ⓘ

6. Click on Next >> Next >> Save.

Activity 5: Creation of fields for the Execution Details object.

Create “Execution ID” field in Execution Details object:

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Execution Details) in the search bar >> Click on the object.

Setup Home Object Manager

Object Manager
1 Items, Sorted by Label

Search: execution Schema Builder Create

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Execution Detail	Execution_Detail__c	Custom Object		6/3/2025	✓

3. Now, click on “Fields & Relationships” >> Click on New.
4. Select Datatype as “Auto Number” and click on Next.

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Data Type

Select one of the data types below.

☐ None Selected

☒ Auto Number
A system-generated sequence number that uses a display format you define. The number is automatically incremented for each new record.

☐ Formula
A read-only field that derives its value from a formula expression you define. The formula field is updated when any of the source fields change.

☐ Roll-Up Summary ⓘ
A read-only field that displays the sum, minimum, or maximum value of a field in a related list or the record count of all records listed in a related list.

☐ Lookup Relationship
Creates a relationship that links this object to another object. The relationship field allows users to click on a lookup icon to select a value from a popup list.

5. Fill in the Above as follows:

- Field Label: **Execution ID.**
- Field Name: **Execution_ID.**
- Click on required check box.

TO SUPPLY LEFTOVER FOOD TO POOR

Field Label	Execution ID	i
Display Format		Example: A-{0000} What Is This?
Starting Number	1	
	☐ Generate Auto Number for existing records	
Field Name	Execution_ID	i


6. Click on Next >> Next >> Save.

Milestone – 5


Flows

Create Flow To Create A Record In Venue Object:

1. Go to setup >> type Flows in quick find box.
2. Click on Flow and select the New Flow.



3. Click on Start from Scratch >> Click on Screen flow >> Click on Create.



4. Click on the '+' icon in between start and end, and click on screen element.
5. Under the Screen Properties:
Label: Venue Details
API Name: Venue_Details
6. Now let's add components in this flow.
7. Click on Text Component and name it as:
Label: Venue Name
API Name: Venue_Name

8. Click on Email Component and name it as:

Label: Email

API Name: Contact_Email

9. Click on Phone Component and name it as:

Label: Phone

API Name: Contact_Phone

10. Click on Text Component and name it as:

Label: Venue Location

API Name: Venue_Location

11. Click on Number Component and name it as:

Label: Latitude


API Name: Latitude

12. Click on Number Component and name it as:

Label: longitude

API Name: longitude

13. Next click on Done.



14. Click on the '+' icon in between Venue details and end, and click on create record element.

15. Now label it as

Label: Create Venue Record

API Name: Create_Venue_Record.

16. How to Set the Record Field values: Select Manually(select an object and configure the record values manually)

Object: Venue

17. Set Field Values for the Venue: Click on 'Add Field' 5 times

Field: Value = Contact_Email__c : {!Contact_Email.value}

Field: Value = Contact_Phone__c : {!Contact_Phone.value}

Field: Value = Name : {!Venue_Name}

Field: Value = Venue_Location__c : {!location}

Field: Value = Location_Latitude__s : {!latitude}

Field: Value = Location_Longitude__s : {!longitude}

Create Records

Create a Record of This Object

* Object
Venue

Set Field Values for the Venue

Field	Value
Field: Contact Email	Value: Venue Details > Contact_Email > Value
Field: Contact Phone	Value: Venue Details > Contact_Phone > Value
Field: Location (Latitude)	Value: Venue Details > Latitude
Field: Location (Longitude)	Value: Venue Details > longitude
Field: Venue Name	Value: Venue Details > Venue Name
Field: Venue Location	Value: Venue Details > Venue Location

+ Add Field

18. Click on Save as:

Flow label: **Venue Form**


Flow API Name: **Venue_Form.**

Milestone -6


Trigger

Activity 1: Create a Trigger


1. Log into Salesforce account >> navigate to the gear icon in the top right corner.
2. Click on Developer Console and you will be navigated to a new console window.



3. Click on file menu >> Click on New >> Select Apex Trigger.
4. Enter the trigger name and the object to be triggered.



5. Enter Name: DropOffTrigger
sObject: Drop-Off Point



6. Click on Submit.

Activity 2: Trigger Code:

Trigger to assign the Distance field to the Distance Calculation field.

Code:


```
trigger DropOffTrigger on Drop_Off_point__c (before insert) {  
    for(Drop_Off_point__c Drop : Trigger.new){  
        Drop.Distance__c = Drop.distance_calculation__c;  
    }  
}
```

Milestone – 7

Profiles

Create NGOs Profile:

1. GO to Steup page >> type profiles in quick Find bar.
2. Click on Profiles >> Click on 'S'.



3. Click Clone beside Standard Platform User.
4. Under Clone Profile:
Profile Name: NGOs Profile

Clone Profile

Enter the name of the new profile.

You must select an existing profile to clone from.

Existing Profile	Standard Platform User
User License	Salesforce Platform
Profile Name	NGOs Profile

5. Click on Save.


Milestone – 8

Creation of Users

Activity 1: Creation of Users1.

Creation of User “Iksha Foundation”.

1. Go to Setup page >> type users in Quick find bar
2. Click on Users >> Click on New user.



3. In General Information give details as:

First Name: **Iksha Foundation**

Last Name: **Iksha Foundation**

Alias: iiksh

Email: singiriushasree13@gmail.com

Username: ikshafoundation1319@sb.com

Nickname: Auto Populated

User License: Salesforce Platform

Profile: NGOs Profile

Active: Check

The screenshot shows the 'User Edit' page in Salesforce. The left sidebar contains navigation links for Setup, Users, Permission Set Groups, Permission Sets, Profiles, Public Groups, Queues, Roles, and User Management Settings. The main content area is titled 'User Edit' and shows the details for a user named 'Iksha Foundation Iksha_Foundation'. The 'General Information' section includes fields for First Name, Last Name, Alias, Email, Username, Nickname, Title, Company, Department, and Division. The 'Role' section includes a dropdown for Role (set to '<None Specified>'), a dropdown for User License (set to 'Salesforce Platform'), a dropdown for Profile (set to 'NGOs Profile'), and a checkbox for Active (checked). There are also checkboxes for various user types: Marketing User, Offline User, Knowledge User, Flow User, Service Cloud User, Site.com Contributor User, Site.com Publisher User, and WDC User.

4. Click on Save.

Activity 2: Creation of Users2, Users3.

Creation of User "NSS".

1. Go to Setup page >> type users in Quick find bar
2. Click on Users >> Click on New user.

The screenshot shows the 'All Users' page in Salesforce. The left sidebar contains navigation links for Setup, Users, Permission Set Groups, Permission Sets, Profiles, Public Groups, Queues, Roles, and User Management Settings. The main content area is titled 'All Users' and shows a list of users. The table has columns for Action, Full Name, Alias, Username, Role, Active, and Profile. The table contains four rows of user data.

Action	Full Name	Alias	Username	Role	Active	Profile
Edit	Chatter Expert	Chatter	chatter_00dms00000kinyh2at_nkx3496p@chatter.salesforce.com		✓	Chatter Free User
Edit	Singiri Ushasree	USing	singiriushasree13@creative-bear-s0mk9.com		✓	System Administrator
Edit	User Integration	integ	integration@00dms00000kinyh2at.com		✓	Analytics Cloud Integration User
Edit	User Security	sec	insightsecurity@00dms00000kinyh2at.com		✓	Analytics Cloud Security User

3. In General Information give details as:

First Name: **NSS**

Last Name: **NSS**

Alias: nnss

Email: singiriushasree13@gmail.com


Username: nss1319@sb.com

Nickname: Auto Populated

User License: Salesforce Platform

Profile: NGOs Profile


Active: Check



4. Click on Save.

Creation of User "Street Cause":

1. Go to Setup page >> type users in Quick find bar
2. Click on Users >> Click on New user.



Action	Full Name	Alias	Username	Role	Active	Profile
Edit	Chatter Expert	Chatter	chathv.00dms00000kmyh2at.nikunx349s6o@chatter.salesforce.com		✓	Chatter Free User
Edit	Singiri_Ushasree	USing	singiriushasree13@creative-bear-co0rmk9.com		✓	System Administrator
Edit	User_Integration	integ	integration@00dms00000kmyh2at.com		✓	Analytics Cloud Integration User
Edit	User_Security	sec	insightsecurity@00dms00000kmyh2at.com		✓	Analytics Cloud Security User

3. In General Information give details as:

First Name: **Street Cause**

Last Name: **Street_Cause**

Alias: sstre

Email: singiriushasree13@gmail.com

Username: streetcause1319@sb.com

Nickname: Auto Populated

User License: Salesforce Platform

Profile: NGOs Profile

Active: Check

General Information
Required Information

First Name
Last Name
Alias
Email
Username
Nickname
Title
Company
Department
Division

Role
User License
Profile
Active
☒
Marketing User
☐
Offline User
☐
Knowledge User
☐
Flow User
☐
Service Cloud User
☐
Site.com Contributor User
☐
Site.com Publisher User
☐
WDC User
☐
Data.com User Type

4. Click on Save.

☐	Edit Login	Iksha_Foundation_Iksha Foundation	iksh	ikshafoundation@sb.com	☒	NGOs Profile
☐	Edit Login	NSS_NSS	nss	nss@sb.com	☒	NGOs Profile
☐	Edit Login	Street_Cause_Street Cause	sstre	streetcause@sb.com	☒	NGOs Profile


Milestone – 9

Public Groups


Activity 1: Creation of Public Group 1.

Create a Public Group “Iksha”.

1. Go to the setup page >> type Public Groups in Quick Find bar
2. Click on Public Groups >> Click on New.



3. Under Group Information:
 Label: Iksha
 Group Name: Iksha
 Grant Access Using Hierarchies: Check




4. In Search, Select Users.
5. In Selected Members, Add Iksha Foundation and System Administrator

Activity 2: Creation of Public Group 2

Create a Public Group “NSS”.

1. Go to the setup page >> type Public Groups in Quick Find bar
2. Click on Public Groups >> Click on New.



3. Under Group Information:
 Label: NSS
 Group Name: NSS
 Grant Access Using Hierarchies: Check

4. In Search, Select Users.
5. In Selected Members, Add Iksha Foundation and System Administrator

Create a Public Group “Street Cause”:

1. Go to the setup page >> type Public Groups in Quick Find bar
2. Click on Public Groups >> Click on New.

TO SUPPLY LEFTOVER FOOD TO POOR

Public Groups

A public group is a set of users. It can contain individual users, other groups, the users in a particular role or territory, or the users in a role or territory plus all of the users below that role or territory in the hierarchy.

View: [All](#) [Edit](#) [Create New View](#)

Label	Group Name	Created By	Created Date
No records to display.			

3. Under Group Information:

Label: Street Cause

Group Name: Street_Cause

Grant Access Using Hierarchies: Check

Label:

Group Name:

Grant Access Using Hierarchies: ☒

Description:

Search: for:

Available Members

- User: Integration User
- User: NSS NSS
- User: OrgFarm EPIC
- User: Security User
- User: Street Cause Street_Cause

Selected Members

- Iksha Foundation Iksha_Foundation
- Ushasree Singiri

4. In Search, Select Users.

5. In Selected Members, Add Iksha Foundation and System Administrator


New				
Action	Label	Group Name	Created By	Created Date
Edit Del	Iksha	Iksha	Bhargavi_Paila	26/03/2024, 2:27 pm
Edit Del	NSS	NSS	Bhargavi_Paila	26/03/2024, 2:27 pm
Edit Del	Street Cause	Street_Cause	Bhargavi_Paila	26/03/2024, 2:26 pm

Milestone -10

Report Types

Activity 1: Creation Of Report Types:

1. Go to Setup page >> type Report Types in quick find bar.
2. Click on Report Types >> Click on Continue >> Click on Custom Report Type.



3. In Define the Custom Report Type:

Primary Object: Select Venues

Report Type Label: **Venue with DropOff with Volunteer**

Report Type Name: **Venue_with_DropOff_with_Volunteer**

Description: Venue with Drop-Off with Volunteer

Store in Category: Select other Reports

Deployment status: Deployed

Details

* Display Label

Venue with DropOff with Volunteer

* API Name

Venue_with_DropOff_with_Volunteer

* Description

Venue with DropOff with Volunteer

Note: Description will be visible to users who create reports.

* Store in Category

Other Reports

Set Availability

An in-development report type is visible only to users with the Manage Custom Report Types permission. A deployed report type is available to all users.

Status

☐ In Development

☒ Deployed

4. Click on Next
5. Near click to relate another object. Select Drop-Off Points.

6. Select "A" records may or may not have related "B" records.
7. Again, Near Click to relate another select volunteer.

Select related objects to define which records are included in reports using this report type.

A Venues

Primary Object

B Drop-Off Points

A to B Relationship:

☐ Each "A" record must have at least one related "B" record.
 ☒ "A" records may or may not have related "B" records.

C Volunteers

B to C Relationship:

☐ Each "B" record must have at least one related "C" record.
 ☒ "B" records may or may not have related "C" records.

(Click to relate another object)

8. Click on Save.

Milestone – 11


Reports

Activity 1: Creation of Report on Venue With DropOff with Volunteer:


1. Go to the app (FoodConnect) >> Click on the reports tab.
2. Click on New Folder.

Folder Label: Custom Reports

Folder Unique Name: CustomReports




3. Open Custom Reports and click on New Report
4. Select Report Type: Venue with DropOff with Volunteer
Then Click on Start Report.
5. In GROUP ROWS: Add Volunteer Name
6. In COLUMNS: Add Venue Name, Drop-Off Point Name, Distance.
7. Click on Save and Run



8. Give Label as:
Report Name: venue and Drop Off point
Report Unique Name: Auto Populated
9. Click on Select Folder and Select Custom Report >> Click on Save.

Activity 2: Creation of Report on Volunteer with Execution Details and Tasks:

1. Go to the app (FoodConnect) >> Click on the reports tab.
2. Open Custom Reports and click on New Report.



3. Select Report Type: Volunteers with Execution Details and Tasks.
Then Click on Start Report.
4. In GROUP ROWS: Add Volunteer ID
5. In COLUMNS: Add Volunteer: Volunteer Name, Task: Task Name, Execution Detail: Execution Detail Name, Volunteer: Owner Name, Task: Date, Task: Rating.
6. Click on Save and Run.
7. Give Label as:
Report Name: Volunteer Task
Report Unique Name: Auto Populated
8. Click on Select Folder and Select Custom Report >> Click on Save.

Milestone – 12

Dashboards

Activity 1: Adding Venue and Drop Off Point Report to the Dashboard:


1. Go to the app (FoodConnect) >> Click on the reports tab.
2. Click on New Folder.

Folder Label: Custom Dashboards


Folder Unique Name: Dashboards

3. Open Custom Dashboards and click on New Dashboards.

Name: Organization Details




4. Click on Widget and select Chart or Table
5. In Select Report: Select venue and Drop Off Point Report >. Click on select
6. In Add Component:
 - Display as: Select Lightning Table
 - Component Theme: Select Dark
7. Now Click on Add.



Activity 2: Adding Volunteer Task Report to the Dashboard.

1. Go to the app (FoodConnect) >> Click on the reports tab.
2. Open Custom Dashboards and click on Organization Details.
3. Click on Widget and select Chart or Table
4. In Select Report: Select Volunteer Task Report >. Click on select
5. In Add Component:
 - Display as: Select Line Chart
 - Component Theme: Select Dark
6. Now Click on Add.



Activity 3: Adding a Picture to the Dashboard

1. Click on Widget >> Select Image >> Click on Browse Files.
2. Select the Picture you want to upload.
3. Then Click on Save As:
 - Name: Task Execution Details
4. Click on Select folder and Custom Dashboards >> Click on Save.

Milestone – 13

Sharing Rules

1. Go to Setup >> type Sharing Settings in quick find box.
2. Click on the Sharing Settings.
3. Click on New near Drop-Off point Sharing Rules and Name it as:

Label: Rule 1

Rule Name: Rule_1

4. Select your rule type: Select Based on Criteria.
5. Select which reports to be shared:

Field: Operator: Value = Distance: less than: 15

The screenshot displays the 'Sharing Rules' configuration window with the following details:

- Step 1: Rule Name**
 - Label: Rule 1
 - Rule Name: Rule_1
 - Description: (empty)
- Step 2: Select your rule type**
 - Rule Type: ☐ Based on record owner, ☒ Based on criteria
- Step 3: Select which records to be shared**

Criteria	Field	Operator	Value	
	Distance	less than	15	AND
	--None--	--None--		AND
	--None--	--None--		AND
	--None--	--None--		AND
	--None--	--None--		AND

Additional Options: ☒ Include records owned by users who can't have an assigned role
- Step 4: Select the users to share with**
 - Share with: Public Groups, Iksha

6. Select Users to share with: Near Share with:
7. Click on Save.
8. Click on new near Drop-Off Point sharing rules and name it as:

Label: Rule 2

Rule Name: Rule_2

9. Select your rule type: Select Based on Criteria.

10. Select which records to be shared:

Field: Operator: Value = Distance: greater than: 15

Field: Operator: Value = Distance: Less or equal: 30

Step 1: Rule Name ! = Required Info

Label

Rule Name ?

Description

Step 2: Select your rule type

Rule Type ☐ Based on record owner ☒ Based on criteria

Step 3: Select which records to be shared

Criteria	Field	Operator	Value	
	Distance	greater than	15	AND
	Distance	less or equal	30	AND
	--None--	--None--		AND
	--None--	--None--		AND
	--None--	--None--		

[Add Filter Logic...](#)

Additional Options ☒ Include records owned by users who can't have an assigned role ?

Step 4: Select the users to share with

Share with

11. Select the users to share with: Near Share with

Public Groups: NSS

12. Click on Save.

13. Click on new near Drop-Off Point sharing rules and name it as:

Label: Rule 3

Rule Name: Rule_3

Step 1: Rule Name ! = Required Info

Label

Rule Name ?

Description

Step 2: Select your rule type

Rule Type ☐ Based on record owner ☒ Based on criteria

Step 3: Select which records to be shared

Criteria	Field	Operator	Value	
	Distance	greater than	30	AND
	Distance	less or equal	50	AND
	--None--	--None--		AND
	--None--	--None--		AND
	--None--	--None--		

[Add Filter Logic...](#)

Additional Options ☒ Include records owned by users who can't have an assigned role ?

Step 4: Select the users to share with

Share with

Step 5: Select the level of access for the users

14. Select your rule type: Select Based on Criteria.

15. Select which records to be shared:

Field: Operator: Value = Distance: greater than: 30

Field: Operator: Value = Distance: less or equal: 50

16. Select the users to share with: Near Share with

Public Groups: Street Cause

17. Click on Save.

Drop-Off point Sharing Rules		New	Recalculate	Drop-Off point Sharing Rules Help ?	
Action	Criteria	Shared With		Access Level	
Edit Del	Drop-Off point: Distance LESS OR EQUAL 15	Group: Iksha		Read/Write	
Edit Del	(Drop-Off point: Distance GREATER THAN 15) AND (Drop-Off point: Distance LESS OR EQUAL 30)	Group: NSS		Read/Write	
Edit Del	(Drop-Off point: Distance GREATER THAN 30) AND (Drop-Off point: Distance LESS OR EQUAL 50)	Group: Street Cause		Read/Write	


Milestone – 14

Home Page

Activity 1: Creation of Home Page.

1. Go to Setup >> type Lightning App Builder in the quick find box.
2. Click on Lightning App Builder >> Click on New.
3. Select Standard Home Page.
4. Near Components search for Flow and Drag and Drop in the Right Side Section
5. On the right hand side:

Flow: Venue Flow



6. Near Components search for Dashboard, the Drag and Drop it in First Section.
7. Click on Save and Activation. Then click on the App Default. Then add Assignments.
8. Add FoodConnect App and then Save.
9. FoodConnect Home Page would look like this.

TO SUPPLY LEFTOVER FOOD TO POOR

The screenshot shows the 'Home' page of the FoodConnect application. The top navigation bar includes 'Home', 'Venues', 'Drop-Off Points', 'Tasks', 'Volunteers', 'Execution Details', 'Reports', and 'Dashboards'. The main content area is titled 'Task Execution Details' and includes a search bar, 'Open', 'Refresh', and 'Subscribe' buttons. Below this, there are three main sections: 'venue and Drop Off point' (a table with columns for Venue Name, Drop-Off Point Name, and Distance), 'Volunteer Task' (a line graph showing Report Count over time), and a 'Venue Form' (a form with fields for Venue Name, Email, Phone, Venue Location, Latitude, and Longitude). A 'Next' button is at the bottom right of the Venue Form.

Venue Name	Drop-Off Point Name	Distance
GAYATRI MAHAL	BALAJI COLONY	0.0000

View Report (venue and Drop Off point)

View Report (Volunteer Task)

Venue Form

Venue Name:

Email:

Phone:

Venue Location:

Latitude:

Longitude:

Next

Home page

The screenshot shows the 'Venues' page of the FoodConnect application. The top navigation bar includes 'Home', 'Venues', 'Drop-Off Points', 'Tasks', 'Volunteers', 'Execution Details', 'Reports', and 'Dashboards'. The main content area is titled 'Venues' and includes a search bar, 'New', 'Import', 'Change Owner', and 'Assign Label' buttons. Below this, there is a table with columns for Venue Name and a dropdown menu for selecting a venue. The table lists three venues: Chennai, Tirupati, and GAYATRI MAHAL.

Venues

Recently Viewed

3 items • Updated a few seconds ago

Search this list...

Venue Name
1 Chennai
2 Tirupati
3 GAYATRI MAHAL

Venue page

The screenshot shows the 'Drop-Off Points' page of the FoodConnect application. The top navigation bar includes 'Home', 'Venues', 'Drop-Off Points', 'Tasks', 'Volunteers', 'Execution Details', 'Reports', and 'Dashboards'. The main content area is titled 'Drop-Off Points' and includes a search bar, 'New', 'Import', 'Change Owner', and 'Assign Label' buttons. Below this, there is a table with columns for Drop-Off Point Name and a dropdown menu for selecting a drop-off point. The table lists three drop-off points: Thiruvananthapuram, Tirumala, and BALAJI COLONY.

Drop-Off Points

Recently Viewed


3 items • Updated a few seconds ago

Search this list...

Drop-Off Point Name
1 Thiruvananthapuram
2 Tirumala
3 BALAJI COLONY

Drop-Off Point


TO SUPPLY LEFTOVER FOOD TO POOR



The screenshot shows the 'Tasks' page in the FoodConnect application. The top navigation bar includes 'Home', 'Venues', 'Drop-Off Points', 'Tasks' (selected), 'Volunteers', 'Execution Details', 'Reports', and 'Dashboards'. The 'Tasks' section has a 'Recently Viewed' tab and a search bar. Below the search bar, there are three items listed in a table:

	Task Name	
1	Food Distribution 3	
2	Food Distribution 2	
3	FOOD DISTRIBUTION	


Tasks page



The screenshot shows the 'Volunteers' page in the FoodConnect application. The top navigation bar includes 'Home', 'Venues', 'Drop-Off Points', 'Tasks', 'Volunteers' (selected), 'Execution Details', 'Reports', and 'Dashboards'. The 'Volunteers' section has a 'Recently Viewed' tab and a search bar. Below the search bar, there are three items listed in a table:

	Volunteer Name	
1	Monika	
2	Yamuna	
3	KRISHNA	

Volunteers page




The screenshot shows the 'Execution Details' page in the FoodConnect application. The top navigation bar includes 'Home', 'Venues', 'Drop-Off Points', 'Tasks', 'Volunteers', 'Execution Details' (selected), 'Reports', and 'Dashboards'. The 'Execution Details' section has a 'Recently Viewed' tab and a search bar. Below the search bar, there are three items listed in a table:

	Execution Detail Name	
1	Food Distribution 3	
2	Food Distribution 2	
3	FOOD DISTRIBUTION	

Execution Details page


TO SUPPLY LEFTOVER FOOD TO POOR



The screenshot shows the 'Reports' section of the FoodConnect application. The left sidebar contains a navigation menu with 'All Folders' selected. The main content area displays a table of reports. The table has columns for Name, Description, Folder, Created By, Created On, and Subscribed. Two reports are listed: 'venue and Drop Off point' and 'Volunteer Task', both created by 'Ushasree Singiri' on 6/4/2025.

REPORTS	Name	Description	Folder	Created By	Created On	Subscribed
Recent	venue and Drop Off point		Custom Reports	Ushasree Singiri	6/4/2025, 8:38 AM	
Created by Me	Volunteer Task		Custom Reports	Ushasree Singiri	6/4/2025, 8:42 AM	

Reports page



The screenshot shows the 'Dashboards' section of the FoodConnect application. The left sidebar contains a navigation menu with 'All Dashboards' selected. The main content area displays a table of dashboards. The table has columns for Dashboard Name, Description, Folder, Created By, Created On, and Subscribed. Four dashboards are listed: 'Enablement Dashboard' (Spring '24), 'Enablement Dashboard' (Summer '24), 'Organization Details', and 'Task Execution Details', all created by 'Ushasree Singiri' on 5/26/2025 or 6/4/2025.

DASHBOARDS	Dashboard Name	Description	Folder	Created By	Created On	Subscribed
Recent	Enablement Dashboard	View data on how Enablement helps drive your business outcomes. This is your main dashboard for all Enablement analytics. Don't delete it. If you want to make changes to this dashboard, duplicate it.	Enablement Dashboard Spring '24	Automated Process	5/26/2025, 7:34 AM	
Created by Me	Enablement Dashboard	View data on how Enablement helps drive your business outcomes. This is your main dashboard for all Enablement analytics. Don't delete it. If you want to make changes to this dashboard, duplicate it.	Enablement Dashboard Summer '24	Automated Process	5/26/2025, 7:34 AM	
Private Dashboards	Organization Details		Custom Dashboards	Ushasree Singiri	6/4/2025, 8:55 AM	
All Dashboards	Task Execution Details		Custom Dashboards	Ushasree Singiri	6/9/2025, 6:45 PM	

Dashboards page

Milestone – 15

Conclusion

By leveraging the Salesforce platform, the project successfully established a streamlined and transparent system for managing surplus food donations. Through efficient coordination with volunteers and timely delivery to beneficiaries, the project effectively addressed food insecurity while maximizing the utilization of available resources.

Github Link:

<https://github.com/singiriushasree13/to-supply-leftover-food-to-poor---LTVIP2025TMID29556-/tree/main>

Demo Video Link:

[https://drive.google.com/file/d/1RrLMBv3MbWawuEZwcMvvH9Wxh4iCvA67/view?usp=drive link](https://drive.google.com/file/d/1RrLMBv3MbWawuEZwcMvvH9Wxh4iCvA67/view?usp=drive_link)