

TO SUPPLY LEFTOVER FOOD TO

To Supply Leftover Food to Poor
College Name: Gayatri degree college-Tirupati

Team ID: LTVIP2025TMID29556

Name of the Student	Role	Email
Singiri Usha Sree	Team Leader	singiriushasree13@gmail.com
Nellepalli Sandhya	Team Member	nellepallisandhya89@gmail.com
Jampala Hema	Team Member	jampala.hema25@gmail.com
Jinkala Dillirani	Team Member	jinkaladillirani@gmail.com
Pamula Tanuja	Team Member	tanujapamula19@gmail.com

Introduction

This project aims to tackle food waste and hunger by collecting leftover food from various sources and distributing it to those in need. It involves partnering with organizations, developing a platform for connecting donors and recipients, and ensuring food safety to minimize waste and address food insecurity.

Problem Statement:

Food waste is a global issue, with significant amounts of edible food being discarded each year while millions suffer from hunger. In India, it's estimated that a substantial portion of food is wasted at various stages, from production to consumption.

Project Goal:

To reduce food waste and alleviate hunger by creating a system for collecting leftover food from restaurants, events, and households and distributing it to those in need through established NGOs and community organizations.

Target Beneficiaries:

The project will benefit individuals and families experiencing food insecurity, as well as the environment by minimizing food waste and resource depletion.

Expected Impact:


- Reduced food waste and a significant reduction in food-related environmental impact.
- Improved food security for vulnerable populations.
- Increased awareness of food waste issues and solutions among the public.
- Enhanced community engagement and collaboration.

Milestone – 1

Salesforce Account

Activity 1: Creating Developer Account

1. Creating a developer org in Salesforce.
2. Go to <https://developer.salesforce.com/signup>
3. On the signup form, enter the following details :



The screenshot shows the Salesforce Developer Edition signup page. On the left, there's a promotional banner for Agentforce with the text 'Build enterprise-quality apps fast and get hands-on with Agentforce and Data Cloud.' and a list of benefits. On the right, the 'Sign up for your Developer Edition' form is displayed. The form includes fields for First name (Ushasree), Last name (Singiri), Job title (Developer), Work email (singiriushasree13@gmail.com), Company (Gayatri degree college), and Country/Region (India). There are checkboxes for agreeing to the terms and a CAPTCHA verification.

Sign up for your Developer Edition
A free Salesforce Platform environment with Agentforce and Data Cloud.

First name: Ushasree
Last name: Singiri
Job title: Developer
Work email: singiriushasree13@gmail.com
Company: Gayatri degree college
Country/Region: India

☒ I agree to the Main Services Agreement - Developer Services and Salesforce Program Agreement. I acknowledge, as described in the Developer Documentation: (1) the Developer Edition includes autonomous and other generative AI features, and (2) Salesforce may limit use of those features and the org, and may terminate any org that has been inactive for 45 days.

We value your privacy. To learn more, visit our [Privacy Statement](#).

☒ I'm not a robot

[Sign Me Up](#)

- **First Name:** USHASREE
 - **Last Name:** SINGIRI
 - **Job title:** Developer
 - **Work Email:** singiriushasree13@gmail.com
 - **Company:** GAYATRI DEGREE COLLEGE TIRUPATI
 - **Country/Region:** INDIA
4. Click on sign me up after filling these.

Activity 2: Account Activation

1. Go to the inbox of the email that you used while signing up. Click on the verify account to activate your account. The email may take 5-10mins.

2.

The image shows a Gmail interface with an email from support@salesforce.com titled "Welcome to Salesforce: Reset your password". The email content includes a "Welcome to your Developer Edition" banner, a greeting "Hi Ushasree", and instructions to reset the password using a provided link. Below the email, a "Change Your Password" form is displayed. The form includes fields for "New Password", "Confirm New Password", "Security Question" (with a dropdown menu), and "Answer". A red box highlights the password fields and the "Change Password" button. The form also shows password strength indicators: "8 characters", "1 letter", and "1 number".

Change Your Password

Enter a new password for lead@sb.com.
Make sure to include at least:

- 8 characters
- 1 letter
- 1 number

* New Password

***** Good

* Confirm New Password

***** Match

Security Question

▼ In what city were you born?


* Answer

asdfghjkl

Change Password

3. Then you will be redirected to your Salesforce setup page.

TO SUPPLY LEFTOVER FOOD TO



Milest

one

- 2

Obj


ect

s


Activity 1: Creating Venue object

From the setup page

1. Click on Object Manager



2. Click on Create >> Click on Custom Object.
3. Enter the label name as **Venue**.
4. Enter Plural label name as **Venues**.



5. Enter Record Name as Venue name.
6. Select Datatype as Text.
7. Click on Allow Reports, Track field history, and Allow Activities.

TO SUPPLY LEFTOVER FOOD TO

Context-Sensitive Help Setting: ☒ Open the standard Salesforce.com Help & Training window
☐ Open a window using a Visualforce page

Content Name:

Enter Record Name Label and Format

The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name for Account is "Account Name" and for Case it is "Case Number". Note that the Record Name is required for all objects.

Record Name: Example: **Account Name**

Data Type: **Warning:** If you plan to insert a high volume of records in this object, via the API for example, use the Text data type.

Optional Features

- ☒ Allow Reports
- ☒ Allow Activities
- ☒ Track Field History
- ☐ Allow in Chatter Groups
- ☐ Enable Licensing

Object Classification

8. Click on Allow Search.

☒ Allow Streaming API Access

Deployment Status

☐ In Development
☒ Deployed

Search Status

When this setting is enabled, your users can find records of this object type when they search. [Learn more.](#)

☒ Allow Search

Object Creation Options (Available only when custom object is first created)

- ☐ Add Notes and Attachments related list to default page layout
- ☐ Launch New Custom Tab Wizard after saving this custom object

Save Save & New Cancel

9. Click on Save and New.

Activity 2: Create Drop-off Point Object

From the Setup page

1. Click on Object Manager
2. Click on Create >> Click on Custom Object.

Setup Home **Object Manager**

51+ Items, Sorted by Label

Quick Find

Schemas **Create**

Custom Object

Custom Object from

Custom Object

3. Enter the label name as **Drop-Off Point**.
4. Enter Plural label name as **Drop-Off Points**.

TO SUPPLY LEFTOVER FOOD TO

The screenshot shows the 'New Custom Object' page in Salesforce Setup. The page title is 'New Custom Object'. Below the title, there is a message: 'Permissions for this object are disabled for all profiles by default. You can enable object permissions in permission sets or by editing custom profiles. [Tell me more!](#) [Don't show this message again](#)'. The main section is 'Custom Object Definition Edit' with buttons for 'Save', 'Save & New', and 'Cancel'. Under 'Custom Object Information', there are fields for 'Label' (Drop-Off Point, Example: Account), 'Plural Label' (Drop-Off Points, Example: Accounts), and 'Object Name' (Drop-Off_Point, Example: Account). There is also a 'Description' field. A red error message at the bottom right says 'Required Information'.

6. Select Datatype as Text.

This screenshot shows the 'Enter Record Name Label and Format' section. It includes a 'Record Name' field with the value 'Drop-Off Point Name' and an example 'Account Name'. Below it, the 'Data Type' is set to 'Text'. A warning message states: 'Warning: If you plan to insert a high volume of records in this object, via the API for example, use the Text data type.' There is also an 'Optional Features' section with a checkbox for 'Allow Reports' which is checked.


This screenshot shows the 'Optional Features' section. It includes a checkbox for 'Allow Reports' which is checked. Below it, there is a 'Search Status' section with a checkbox for 'Allow Search' which is checked. At the bottom, there is an 'Object Creation Options (Available only when custom object is first created)' section with two checkboxes: 'Add Notes and Attachments related list to default page layout' and 'Launch New Custom Tab Wizard after saving this custom object'. Both are unchecked. At the bottom right, there are buttons for 'Save', 'Save & New', and 'Cancel'.

9. Click on Save and New.

Activity 3: Create Task Object

From the Setup page

1. Click on Object Manager.
2. Click on Create >> Custom Object.



3. Enter the label name as **Task**.
4. Enter the Plural label as **Tasks**.

5. Enter Record Name as Task Name.
6. Select Datatype as Text.

7. Click on Allow Reports, Track field history, and Allow Activities.
8. Click on Allow Search.

TO SUPPLY LEFTOVER FOOD TO


The screenshot shows the 'Optional Features' section of a Salesforce Custom Object configuration. It includes checkboxes for 'Allow Reports', 'Allow Activities', 'Track Field History', 'Allow in Chatter Groups', and 'Enable Licensing'. Below this is the 'Object Classification' section with checkboxes for 'Allow Sharing', 'Allow Bulk API Access', and 'Allow Streaming API Access'. The 'Deployment Status' section has radio buttons for 'In Development' and 'Deployed'. The 'Search Status' section has a checkbox for 'Allow Search'. The 'Object Creation Options' section has checkboxes for 'Add Notes and Attachments related list to default page layout' and 'Launch New Custom Tab Wizard after saving this custom object'. At the bottom are 'Save', 'Save & New', and 'Cancel' buttons.

9. Click on Save and New.

Activity 4: Create Volunteer Object

From the Setup page

1. Click on Object Manager.
2. Click on Create >> Custom Object.



3. Enter the label name as **Volunteer**.

4. Enter the Plural label as **Volunteers**.

The screenshot shows the 'New Custom Object' page in Salesforce Setup. It includes a message about permissions and a 'Custom Object Definition Edit' section. The 'Custom Object Information' section has fields for 'Label' (Volunteer), 'Plural Label' (Volunteers), 'Starts with vowel sound' (unchecked), 'Object Name' (Volunteer), and 'Description'. There are also checkboxes for 'Context-Sensitive Help Setting' and a 'Content Name' dropdown.

TO SUPPLY LEFTOVER FOOD TO

6. Select Datatype as Text.

Content Name: [None]

Enter Record Name Label and Format

The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name for Account is "Account Name" and for Case it is "Case Number". Note that the Record Name field is always called "Name" when referenced via the API.

Record Name: Example: Account Name

Data Type: Warning: If you plan to insert a high volume of records in this object, via the API for example, use the Text data type.

Optional Features

☐ Allow Reports

7. Click on Allow Reports, Track field history, and Allow Activities.

8. Click on Allow Search.

Optional Features

☒ Allow Reports

☒ Allow Activities

☒ Track Field History

☐ Allow in Chatter Groups

☐ Enable Licensing

Object Classification

When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. [Learn more](#)

☒ Allow Sharing

☒ Allow Bulk API Access

☒ Allow Streaming API Access

Deployment Status

☐ In Development

☒ Deployed

Search Status

When this setting is enabled, your users can find records of this object type when they search. [Learn more](#)

☒ Allow Search

Object Creation Options (Available only when custom object is first created)

☐ Add Notes and Attachments related list to default page layout

☐ Launch New Custom Tab Wizard after saving this custom object

[What is this?](#)

[Save](#) [Save & New](#) [Cancel](#)

Acti

From the Setup page

1. Click on Object Manager.
2. Click on Create >> Custom Object.

Setup Home **Object Manager**

Object Manager

51+ Items, Sorted by Label

Quick Find

Schemas

Create

Custom Object

Custom Object from

Custom Object

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED
-------	----------	------	-------------	---------------

TO SUPPLY LEFTOVER FOOD TO

New Custom Object Help for this Page

Permissions for this object are disabled for all profiles by default. You can enable object permissions in permission sets or by editing custom profiles. [Tell me more!](#) [Don't show this message again](#)

Custom Object Definition Edit Save Save & New Cancel

Custom Object Information Required Information

The singular and plural labels are used in tabs, page layouts, and reports.

Label **Example: Account**

Plural Label **Example: Accounts**

Starts with vowel sound ☐

The Object Name is used when referencing the object via the API.

Object Name **Example: Account**

Description

Context Sensitive Help Setting ☒ Open the standard Salesforce.com Help & Training window
☐ Open a window using a Visualforce page

Content Name

5. Enter Record Name as Execution Details Name.

6. Select Datatype as Text.

Enter Record Name Label and Format

The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name for Account is "Account Name" and for Case it is "Case Number". Note that the Record Name field is always called "Name" when referenced via the API.

Record Name **Example: Account Name**

Data Type **Warning:** If you plan to insert a high volume of records in this object, via the API for example, use the Text data type.

7. Click on Allow Reports, Track Field History, Allow Activities.

8. Click on Allow Search.

Optional Features

☒ Allow Reports
☒ Allow Activities
☒ Track Field History
☐ Allow in Chatter Groups
☐ Enable Licensing [Learn more](#)

Object Classification

When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. [Learn more](#)

☒ Allow Sharing
☒ Allow Bulk API Access
☒ Allow Streaming API Access

Deployment Status What is this?

☐ In Development
☒ Deployed

Search Status

When this setting is enabled, your users can find records of this object type when they search. [Learn more](#)

☒ Allow Search

Object Creation Options (Available only when custom object is first created)

☐ Add Notes and Attachments related list to default page layout
☐ Launch New Custom Tab Wizard after saving this custom object


Save Save & New Cancel

Milestone – 3 Tabs

Activity 1: Creating a Custom tab Create

a tab for Venue Object

1. Go to Setup page >> type tabs in Quick Find box.
2. Click on tabs >> Click on New (under custom object tab).





6. Click on Save.

Activity 2: Creating Remaining Tabs.

Create a tab for Drop-Off Point

1. Go to Setup page >> type tabs in Quick Find box.
2. Click on tabs >> Click on New (under custom object tab).



6. Click on Save.

Create a tab for Task Object

1. Go to Setup page >> type tabs in Quick Find box.
2. Click on tabs >> Click on New (under custom object tab).



3. Select Object(Task) >> Select tab style.




5. Make sure that the Append tab user's existing personal customizations is checked.

6. Click on Save.

Create tab for Volunteer Object

1. Go to the Setup page >> type tabs in Quick Find box.

2. Click on tabs >> Click on New (under custom object tab).



3. Select Object(Volunteer) >> Select tab style.

TO SUPPLY LEFTOVER FOOD TO

Custom Tab Definition Edit

Custom Object Tab Information ⓘ Required Information

Tab Label	Volunteers
Object	Volunteer
Tab Style	 People 

(Optional) Choose a Home Page Custom Link to show as a splash page the first time your users click on this tab.
Splash Page Custom Link --None--

4. Next (Add to profiles page), keep it as default >> Next (Add to Custom App), uncheck the include tab.
5. Make sure that Append tab user's existing personal customizations is checked.
6. Click on Save.

Create a tab for Execution Detail

1. Go to Setup page >> type tabs in Quick Find box.
2. Click on tabs >> Click on New (under custom object tab).

Q tabs

▼ User Interface

- Rename Tabs and Labels
- Tabs**

Didn't find what you're looking for?
Try using Global Search.

SETUP
Tabs

Custom Tabs ⓘ Help for this Page

You can create new custom tabs to extend Salesforce functionality or to build new application functionality.

Custom Object tabs look and behave like the standard tabs provided with Salesforce. Web tabs allow you to embed external web applications and content within the Salesforce window. Visualforce tabs allow you to embed Visualforce pages. Lightning Component tabs allow you to add Lightning components to the navigation menu in Lightning Experience and the mobile app. Lightning Page tabs allow you to add Lightning Pages to Lightning Experience and the mobile app.

Custom Object Tabs	New What is This?
No Custom Object Tabs have been defined	
Web Tabs	New What is This?
No Web Tabs have been defined	
Visualforce Tabs	New What is This?
No Visualforce Tabs have been defined	

3. Select Object(Execution Detail) >> Select tab style.

Custom Tab Definition Edit

Custom Object Tab Information

Tab Label	Execution Details
Object	Execution Detail
Tab Style	 Books 

(Optional) Choose a Home Page Custom Link to show as a splash page the first time your users click on this tab.
Splash Page Custom Link --None--

4. Next (Add to profiles page), keep it as default >> Next (Add to Custom App), uncheck the include tab.
5. Make sure that Append tab user's existing personal customizations is checked.

TO SUPPLY LEFTOVER FOOD TO

6. Click on Save.

Output:

Custom Tabs

[Help for this Page](#)

You can create new custom tabs to extend Salesforce functionality or to build new application functionality.

Custom Object tabs look and behave like the standard tabs provided with Salesforce. Web tabs allow you to embed external web applications and content within the Salesforce window. Visualforce tabs allow you to embed Visualforce pages. Lightning Component tabs allow you to add Lightning components to the navigation menu in Lightning Experience and the mobile app. Lightning Page tabs allow you to add Lightning Pages to Lightning Experience and the mobile app.

Custom Object Tabs

New

What Is This?


Action	Label	Tab Style	Description
Edit Del	Drop-Off Points	 Car	
Edit Del	Execution Details	 Books	
Edit Del	Tasks	 Star	
Edit Del	Venues	 Building	
Edit Del	Volunteers	 People	

Milestone – 4 The

Lightning App


Activity 1: Create a Lightning app

1. Go to Setup page >> Search “App Manager” in Quick Find box.
2. Select “App Manager” >> Click on New lightning App.




- Developer Name: **FoodConnect**.
- Image: Click on Upload image and add the image related to Supply leftover food to Poor.

TO SUPPLY LEFTOVER FOOD TO



4. Click on Next >> {App option page} Set Navigation Style as Standard Navigation >> Click on Next.
5. In (Utility Items), keep it as default >> Next.
6. Add Navigation items:
Search for items in search bar (Home, Venues, Tasks, Drop-Off Points, Execution Details, Reports, Volunteer, Dashboards), and move it to the Selected Items.



7. To Add User Profiles:

TO SUPPLY LEFTOVER FOOD TO

New Lightning App

User Profiles

Choose the user profiles that can access this app.

Available Profiles

Selected Profiles

System administrator

System Administrator

Save & Finish

Search Profile (System Administrator) in the search bar >> Click on arrow button
>> Save & Finish.

Milestone – 5


Fields

Activity 1: Creation of Relationship Fields in Objects. Creation of Lookup Relationship on Volunteer Object

1. Go to Setup >> Click on Object Manager
2. Type object name (Volunteer) in the search bar >> Click on the object.



3. Now, Click on Fields & Relationships >> Click on New.
4. Select Lookup Relationship.



5. Select the related object “Drop-Off Point” and click on next.



6. Field Name: **Drop-Off Point**.
Field label: **Drop-Off Point**.

TO SUPPLY LEFTOVER FOOD TO

Field Information ! = Required Information

Field Label	Drop-Off Point	Data Type	Lookup
Field Name	Drop_Off_Point		
Description			
Help Text			

- Click on Next >> Next >> Save.

Creation of Master Detail Relationship Field on Execution Details Object:

- Go to Setup >> Click on Object Manager
- Type object name (Execution Details) in the search bar >> Click on the object.

Setup Home Object Manager

Object Manager
1 Items, Sorted by Label

Search: execution Schema Builder Create

Label	API Name	Type	Description	Last Modified	Deployed
Execution Detail	Execution_Detail__c	Custom Object		6/3/2025	✓

- Now, Click on Fields & Relationships >> Click on New.
- Select Master Detail Relationship.

Details

- Fields & Relationships**
- Page Layouts
- Lightning Record Pages
- Buttons, Links, and Actions
- Compact Layouts
- Field Sets
- Object Limits
- Record Types

Select one of the data types below.

- ☐ None Selected
- ☐ Auto Number
- ☐ Formula
- ☐ Roll-Up Summary
- ☐ Lookup Relationship
- ☒ **Master-Detail Relationship**

Master-Detail Relationship

Creates a special type of parent-child relationship between this object (the child, or "detail") and another object (the parent, or "master") where:

- The relationship field is required on all detail records.
- The ownership and sharing of a detail record are determined by the master record.
- When a user deletes the master record, all detail records are deleted.
- You can create rollup summary fields on the master record to summarize the detail records.

The relationship field allows users to click on a lookup icon to select a value from a popup list. The master object is the source of the values in the list.

Field Information ! = Required Information

Field Label	Volunteer	Data Type	Master-Detail
Field Name	Volunteer		
Description			
Help Text			


- Field Name: **Volunteer**.
Field label: **Volunteer**.

TO SUPPLY LEFTOVER FOOD TO


7. Click on Next >> Next >> Save.

Creation of Master Detail Relationship on Execution Details object.

1. Go to Setup >> Click on Object Manager
2. Type object name (Execution Details) in the search bar >> Click on the object.



3. Now, Click on Fields & Relationships >> Click on New.
4. Select Master Detail Relationship.



5. Select the related object "Task" and click on next.

Field Information		Data Type		Master-Detail	
Field Label	Task				
Field Name	Task				
Description					
Help Text					


6. Field Name: **Task**.
Field label: **Task**.
7. Click on Next >> Next >> Save.

Creation of Lookup Relationship Field on Drop-Off Point Object:


1. Go to Setup >> Click on Object Manager

TO SUPPLY LEFTOVER FOOD TO


2. Type object name (Drop-Off Point) in the search bar >> Click on the object.



3. Now, Click on Fields & Relationships >> Click on New.
4. Select Lookup Relationship.




5. Select the related object "Venue" and click on next.



6. Field Name: **Venue**.
Field label: **Venue**.
7. Click on Next >> Next >> Save.


Creation of Lookup Relationship Field on Task Object:

1. Go to Setup >> Click on Object Manager
2. Type object name (Task) in the search bar >> Click on the object.



3. Now, Click on Fields & Relationships >> Click on New.
4. Select Lookup Relationship.

TO SUPPLY LEFTOVER FOOD TO



Field Information ! Required Information

Field Label	Venue	Data Type	Lookup
Field Name	Sponsored_By		
Description			
Help Text			

Field label: **Venue**.


7. Click on Next >> Next >> Save.

Creation of Lookup Relationship Field on Task Object:

1. Go to Setup >> Click on Object Manager
2. Type object name (Task) in the search bar >> Click on the object.

Setup Home Object Manager					
Object Manager 2 Items. Sorted by Label		Q, task Schema Builder Create			
LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Task	Task__c	Custom Object		6/3/2025	✓

3. Now, Click on Fields & Relationships >> Click on New.
4. Select Lookup Relationship.



5. Select the related object "Drop-Off Point" and click on next.

TO SUPPLY LEFTOVER FOOD TO

The screenshot shows the 'Field Information' form for a field named 'Drop-Off Point'. The form includes fields for 'Field Label' (Drop-Off Point), 'Field Name' (Drop_Off_Point), 'Description', 'Help Text', and 'Data Owner' (User). There are also 'Data Type' and 'Lookup' dropdowns. A red icon in the top right corner indicates 'Required Information'.

6. Field Name: **Drop-Off Point**.

Field label: **Drop-off Point**.

7. Click on Next >> Next >> Save.

Activity 2: Creation of Fields for the Venue Object:

Create a “Contact Email” Field in Venue object.

1. Go to Setup page >> Click on Object Manager.

2. Type Object name (Venue) in search bar >> Click on the object.

The screenshot shows the 'Object Manager' page in the Setup section. A search bar contains the text 'venue'. Below the search bar, a table lists the objects. The table has columns: LABEL, API NAME, TYPE, DESCRIPTION, LAST MODIFIED, and DEPLOYED. The table shows one object: Venue, with API NAME Venue_c, TYPE Custom Object, LAST MODIFIED 6/3/2025, and DEPLOYED checked.

3. Now, Click on “Fields & Relationships” >> Click on New.

4. Select Datatype as “Email” and click on Next.

The screenshot shows the 'Venue' object configuration page. The left sidebar has a 'Fields & Relationships' section. The main area shows a list of data types with radio buttons: Date, Date/Time, Email, Geolocation, Number, and Percent. The 'Email' option is selected. To the right of the radio buttons, there are descriptions for each data type.

5. Fill in the Above as follows:

- Field Label: **Contact Email**.
- Field Name: **Contact Email**.
- Click on the Required checkbox.
- Click on Next >> Next >> Save and New.

TO SUPPLY LEFTOVER FOOD TO

Field Information Required Information

Field Label: Data Type: Email

Field Name:

Description:

Help Text:

Data Owner:

Field Usage:

Data Sensitivity Level:

Compliance Categorization:

- ☐ HIPAA
- ☐ GDPR
- ☐ PCI
- ☐ COPPA
- ☐ CCPA

General Options

Required: ☒ Always require a value in this field in order to save a record

Unique: ☐ Do not allow duplicate values

External ID: ☐ Set this field as the unique record identifier from an external system

Default Value: [Show Formula Editor](#)

Create a “Contact Phone” Field in Venue Object.

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Venue) in search bar >> Click on the object.

Setup Home Object Manager

Object Manager

1 Items. Sorted by Label

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Venue	Venue_c	Custom Object		6/3/2025	✓

3. Now, Click on “Fields & Relationships” >> Click on New.
4. Select Datatype as “Phone” and click on Next.

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

- ☐ Date
- ☐ Date/Time
- ☐ Email
- ☐ Geolocation
- ☐ Number
- ☐ Percent
- ☒ Phone
- ☐ Picklist
- ☐ Picklist (Multi-Select)
- ☐ Text

Allows users to enter a date or pick a date from a popup calendar.

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

Allows users to enter any number. Leading zeros are removed.

Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.

Allows users to enter any phone number. Automatically formats it as a phone number.

Allows users to select a value from a list you define.

Allows users to select multiple values from a list you define.

Allows users to enter any combination of letters and numbers.

5. Fill in the Above as follows:

- Field Label: **Contact Phone.**
- Field Name: **Contact Phone.**
- Click on the Required checkbox.
- Click on Next >> Next >> Save and New.

TO SUPPLY LEFTOVER FOOD TO

Field Information
! Required Information

Field Label

Field Name

Description

Help Text

Data Owner

Field Usage

Data Sensitivity Level

Data Type Phone

Create a “Location” Field in Venue Object.

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Venue) in search bar >> Click on the object.

Setup Home Object Manager

Schema Builder
Create

Object Manager
1 Items, Sorted by Label

Label	API Name	Type	Description	Last Modified	Deployed
Venue	Venue__c	Custom Object		6/3/2025	✓

3. Now, click on “Fields & Relationships” >> Click on New.
4. Select Datatype as “Geolocation” and click on Next.

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

☐ Date

☐ Date/Time

☐ Email

☒ Geolocation

☐ Number

☐ Percent

☐ Phone

☐ Picklist

☐ Picklist (Multi-Select)

Allows users to enter a date or pick a date from a popup calendar.

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

Allows users to enter any number. Leading zeros are removed.

Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.

Allows users to enter any phone number. Automatically formats it as a phone number.

Allows users to select a value from a list you define.

Allows users to select multiple values from a list you define.

5. Fill in the Above as follows:

- Field Label: **Location**.
- Decimal Places: 4
- Field Name: **Location**.
- Description: Enter the Geolocation of your Venue.
- Click on Next >> Next >> Save and New.

TO SUPPLY LEFTOVER FOOD TO

Field Information ! = Required Information

Field Label: Data Type: Geolocation

Field Name:

Description:

Help Text:

Data Owner:

Field Usage:

Data Sensitivity Level:

Create a “Venue Location” Field on Venue Object.

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Venue) in search bar >> Click on the object.

Setup Home Object Manager

Object Manager

1 Items. Sorted by Label

Search: venue Schema Builder Create

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Venue	Venue__c	Custom Object		6/3/2025	✓

3. Now, click on “Fields & Relationships” >> Click on New.
4. Select Datatype as “Long Text Area” and click on Next.

Fields & Relationships

Text Area (Long)

Allows users to enter up to 131,072 characters on separate lines.

5. Fill in the Above as follows:

- Field Label: **Venue Location.**
- Field Name: **Venue Location.**
- Click on Next >> Next >> Save and New.

TO SUPPLY LEFTOVER FOOD TO

Field Information ! Required Information

Field Label: Data Type: Long Text Area

Field Name:

Description:

Help Text:

Data Owner: User

Field Usage: --None--

Data Sensitivity Level: --None--

Compliance Categorization:

Available	Chosen
PII	
HIPAA	
GDPR	
PCI	

Activity 3: Creation of Fields for the Drop-Off Point Object.

Create a “Location 2” field on Drop-Off Object

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Drop-Off Point) in search bar >> Click on the object.

Setup Home Object Manager

Object Manager

1 Items, Sorted by Label

Label	API Name	Type	Description	Last Modified	Deployed
Drop-Off Point	Drop_Off_Point_c	Custom Object		5/30/2025	✓

3. Now, click on “Fields & Relationships” >> Click on New.
4. Select Datatype as “Geolocation” and click on Next.

Setup > Object Manager

Drop-Off Point

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

☐ Date
☐ Date/Time
☐ Email
☒ Geolocation
☐ Number
☐ Percent
☐ Phone
☐ Picklist
☐ Picklist (Multi-Select)

Allows users to enter a date or pick a date from a popup calendar.

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

Allows users to enter any number. Leading zeros are removed.

Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.

Allows users to enter any phone number. Automatically formats it as a phone number.

Allows users to select a value from a list you define.

Allows users to select multiple values from a list you define.

Allows users to enter any combination of letters and numbers.

- Field Label: **Location 2.**
- Field Name: **Location_2.**
- Description: Enter the Geolocation of the Drop-Off Point.

TO SUPPLY LEFTOVER FOOD TO

- Geolocation Options: Select Decimal
- Decimal Places: 4

Drop-Off Point
New Custom Field

Step 2. Enter the details

Field Label: Location 2

Latitude and Longitude Display Notation: ☐ Degrees, Minutes, Seconds ☒ Decimal

Decimal Places: 4

Field Name: Location_2

Description:

Previous Next Cancel

6. Click on Next >> Next >> Save and New.

Create a “distance calculation” field on Drop-Off Object

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Drop-Off Point) in search bar >> Click on the object.

Setup Home Object Manager

Object Manager

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Drop-Off Point	Drop_Off_Point_c	Custom Object		5/30/2025	✓

3. Now, click on “Fields & Relationships” >> Click on New.
4. Select Datatype as “Formula” and click on Next.

Setup > OBJECT MANAGER

Drop-Off Point

Data Type

☐ None Selected

☒ Auto Number

☒ Formula

☐ Roll-Up Summary

☐ Lookup Relationship

☐ Master-Detail Relationship

5. Fill in the Above as follows:

- Field Label: **distance calculation.**
- Field Name: **distance_calculation.**
- Formula Return Type: Number.

TO SUPPLY LEFTOVER FOOD TO

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Field Label: distance calculation

Field Name: distance_calculation

Auto add to custom report type: ☒ Add this field to existing custom report types that contain this entity

Formula Return Type

☐ None Selected

☐ Checkbox

☐ Currency

☐ Date

☐ Date/Time

☒ Number

☐ Percent

☐ Text

Select one of the data types below:

Calculate a boolean value.
Example: `TODAY() > CloseDate`

Calculate a dollar or other currency amount and automatically format the field as a currency amount.
Example: `Gross Margin = Amount - Cost__c`

Calculate a date, for example, by adding or subtracting days to other dates.
Example: `Reminder Date = CloseDate - 7`

Calculate a datetime, for example, by adding a number of hours or days to another datetime.
Example: `Next = NOW() + 1`

Calculate a numeric value.
Example: `Fahrenheit = 1.8 * Celsius__c + 32`

Calculate a percent and automatically add the percent sign to the number.
Example: `Discount = (Amount - Discounted_Amount__c) / Amount`

Create a text string, for example, by concatenating other text fields.
Example: `Full Name = LastName & ", " & FirstName`

6. Click on Next >> Click on Advanced Formula.

- Formula: `DISTANCE( Location_2__c , Venue_r.Location__c , 'km')`

Formula Options

Formula Return Type: Number

Decimal Places: 4

Enter your formula and click Check Syntax to check for errors. Click the Advanced Formula subtab to use additional fields, operators, and functions.
Example: `Fahrenheit = 1.8 * Celsius__c + 32` [More Examples...](#)

Simple Formula | Advanced Formula

Insert Field

Insert Operator

distance calculation (Number) =
`DISTANCE( Location_2__c , Venue_r.Location__c , 'km')`

7. Click on Next >> Next >> Save and New.

Create a “State” Field in Drop-Off Point Object.

- Go to Setup page >> Click on Object Manager.
- Type Object name (Drop-Off Point) in search bar >> Click on the object.

Setup

Home

Object Manager

Object Manager

1 Items, Sorted by Label

Search: drop

Schema Builder

Create

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Drop-Off Point	Drop_Off_Point__c	Custom Object		5/30/2025	✓

- Now, click on “Fields & Relationships” >> Click on New.
- Select Datatype as “Picklist” and click on Next.

TO SUPPLY LEFTOVER FOOD TO

Details	☐ Date	Allows users to enter a date or pick a date from a popup calendar.
Fields & Relationships	☐ Date/Time	Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.
Page Layouts	☐ Email	Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.
Lightning Record Pages	☐ Geolocation	Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.
Buttons, Links, and Actions	☐ Number	Allows users to enter any number. Leading zeros are removed.
Compact Layouts	☐ Percent	Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.
Field Sets	☐ Phone	Allows users to enter any phone number. Automatically formats it as a phone number.
Object Limits	☒ Picklist	Allows users to select a value from a list you define.
Record Types	☐ Picklist (Multi-Select)	Allows users to select multiple values from a list you define.
	☐ Text	Allows users to enter any combination of letters and numbers.
	☐ Text Area	Allows users to enter up to 255 characters on separate lines.
	☐	Allows users to enter up to 131,072 characters on separate lines.

5. Fill in the Above as follows:

- Field Label: **State**.
- Field Name: **State**.
- Enter values, with each value separated by a new line:

Drop-Off Point: New Custom Field

Step 2 of 4

Field Label:

Values: ☐ Use global picklist value set ☒ Enter values, with each value separated by a new line

☐ Display values alphabetically, not in the order entered
☐ Use first value as default value
☒ Restrict picklist to the values defined in the value set

Field Name:

Description:

Andhra Pradesh
Arunachal Pradesh
Assam
Bihar
Chhattisgarh
Goa
Gujarat
Haryana
Himachal Pradesh
Jharkhand
Karnataka
Kerala

TO SUPPLY LEFTOVER FOOD TO

Maharashtra
Madhya Pradesh
Manipur
Meghalaya
Mizoram
Nagaland Odisha
Punjab
Rajasthan
Sikkim
Tamil Nadu
Tripura
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
Andaman & Nicobar (UT)
Chandigarh (UT)
Dadra & Nagar Haveli and Daman & Diu (UT)
Delhi [National Capital Territory (NCT)] Jammu
& Kashmir (UT)
Ladakh (UT)
Lakshadweep
(UT) Puducherry
(UT)

6. Click on Required check box.
7. Click on Next >> Next >> Save and New.

TO SUPPLY LEFTOVER FOOD TO

Create a “Distance” Field on Drop-Off Point Object.

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Drop-Off Point) in the search bar >> Click on the object.



3. Now, click on “Fields & Relationships” >> Click on New.
4. Select Datatype as “Number” and click on Next.



5. Fill in the Above as follows:

- Field Label: **Distance**.
- Field Name: **Distance**.
- Length: 14
- Decimal Places: 4
- Click on required check box.
- Click on Next >> Next >> Save.

The screenshot shows the 'Step 2. Enter the details' form for creating a field. The form has a header 'Step 2 of 4' and navigation buttons 'Previous', 'Next', and 'Cancel'. The fields are: Field Label (Distance), Length (14), Decimal Places (4), Field Name (Distance), Description (empty), and Help Text (empty). Below these fields are several checkboxes: Required (checked), Unique (unchecked), External ID (unchecked), AI Prediction (unchecked), and Auto add to custom report type (checked). A note at the bottom says 'Add this field to existing custom report types that contain this entity'.


Activity 4: Creation of Fields for the Task object.

Create a “Task ID” field in task object:

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Task) in the search bar >> Click on the object.



3. Now, click on “Fields & Relationships” >> Click on New.
4. Select Datatype as “Auto Number” and click on Next.



5. Fill in the Above as follows:

- Field Label: **Task ID.**
- Field Name: **Task_ID.**
- Display Format: **TASK{0}**
- Starting Number: **1**
- Click on required check box.

6. Click on Next >> Next >> Save and New.


Create a “Date” field in task object:

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Task) in the search bar >> Click on the object.

TO SUPPLY LEFTOVER FOOD TO




3. Now, click on “Fields & Relationships” >> Click on New.
4. Select Datatype as “Date” and click on Next.



5. Fill in the Above as follows:


- Field Label: **Date**.
- Field Name: **Date**.
- Click on the required check box.



6. Click on Next >> Next >> Save and New.


Create a “Food Category” field in task object:

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Task) in the search bar >> Click on the object.




TO SUPPLY LEFTOVER FOOD TO

3. Now, click on “Fields & Relationships” >> Click on New.
4. Select Datatype as “Picklist(Multiselect)” and click on Next.



5. Fill in the Above as follows:

- Field Label: **Food Category**.
- Field Name: **Food_Category**.
- Enter values, with each value separated by a new line:
Veg
Non-Veg
Salad
Snack
- Click on the required check box.




6. Click on Next >> Next >> Save and New.


Create a “Number of People Served” field in task object:

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Task) in the search bar >> Click on the object.

TO SUPPLY LEFTOVER FOOD TO




3. Now, click on “Fields & Relationships” >> Click on New.
4. Select Datatype as “Number” and click on Next.



5. Fill in the Above as follows:

- Field Label: **Number of People Served.**
- Field Name: **Number_of_People_Served.**
- Click on the required check box.




6. Click on Next >> Next >> Save and New.

Create a “Name of the Person” field in task object:


1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Task) in the search bar >> Click on the object.

TO SUPPLY LEFTOVER FOOD TO



3. Now, click on “Fields & Relationships” >> Click on New.

4. Select Datatype as “Text” and click on Next.



5. Fill in the Above as follows:


- Field Label: **Number of the Person.**
- Field Name: **Number_of_the_Person.**



6. Click on Next >> Next >> Save and New.

Create a “Phone” field in task object:

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Task) in the search bar >> Click on the object.



TO SUPPLY LEFTOVER FOOD TO

- Now, click on “Fields & Relationships” >> Click on New.
- Select Datatype as “Phone” and click on Next.

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

☐ Date

☐ Date/Time

☐ Email

☐ Geolocation

☐ Number

☐ Percent

☒ Phone

☐ Picklist

Allows users to enter a date or pick a date from a popup calendar.

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

Allows users to enter any number. Leading zeros are removed.

Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.

Allows users to enter any phone number. Automatically formats it as a phone number.

Allows users to select a value from a list you define.

- Fill in the Above as follows:

- Field Label: **Phone**.
- Field Name: **Phone**.

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Task

New Custom Field

Step 2. Enter the details

Step 2 of 4

Previous Next Cancel

Field Label: Phone

Field Name: Phone

Description:

Help Text:

Required ☒ Always require a value in this field in order to save a record

Auto add to custom report type ☒ Add this field to existing custom report types that contain this entity

- Click on Next >> Next >> Save and New.

Create a “Rating” field in task object:

- Go to Setup page >> Click on Object Manager.
- Type Object name (Task) in the search bar >> Click on the object.

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Task	Task__c	Custom Object		6/3/2025	✓

- Now, click on “Fields & Relationships” >> Click on New.
- Select Datatype as “Picklist” and click on Next.

TO SUPPLY LEFTOVER FOOD TO

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

- ☐ Date
- ☐ Date/Time
- ☐ Email
- ☐ Geolocation
- ☐ Number
- ☐ Percent
- ☐ Phone
- ☒ Picklist
- ☐ Picklist (Multi-Select)
- ☐ Text
- ☐ Text Area
- ☐ Text Input

Allows users to enter a date or pick a date from a popup calendar.

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

Allows users to enter any number. Leading zeros are removed.

Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.

Allows users to enter any phone number. Automatically formats it as a phone number.

Allows users to select a value from a list you define.

Allows users to select multiple values from a list you define.

Allows users to enter any combination of letters and numbers.

Allows users to enter up to 255 characters on separate lines.

Allows users to enter up to 131,072 characters on separate lines.

5. Fill in the Above as follows:

- Field Label: **Rating**.
- Field Name: **Rating**.
- Enter values, with each value separated by a new line:
 - 1
 - 2
 - 3
 - 4
 - 5

Step 2: Enter the details

Step 2 of 4

Previous Next Cancel

Field Label:

Values

☐ Use global picklist value set

☒ Enter values, with each value separated by a new line

1
2
3
4
5

☐ Display values alphabetically, not in the order entered

☐ Use first value as default value

☒ Restrict picklist to the values defined in the value set

Field Name:

6. Click on Next >> Next >> Save and New.

Create a “Feedback” field in task object:

- Go to Setup page >> Click on Object Manager.
- Type Object name (Task) in the search bar >> Click on the object.

Setup Home Object Manager

Object Manager

2 items. Sorted by Label

task

Schema Builder Create

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Task	Task_c	Custom Object		6/3/2025	✓

TO SUPPLY LEFTOVER FOOD TO

- Now, click on “Fields & Relationships” >> Click on New.
- Select Datatype as “Long Text Area” and click on Next.

☐ Picklist	Allows users to select a value from a list you define.
☐ Picklist (Multi-Select)	Allows users to select multiple values from a list you define.
☐ Text	Allows users to enter any combination of letters and numbers.
☐ Text Area	Allows users to enter up to 255 characters on separate lines.
☒ Text Area (Long)	Allows users to enter up to 131,072 characters on separate lines.
☐ Text Area (Rich)	Allows users to enter formatted text, add images and links. Up to 131,072 characters on separate lines.
☐ Text (Encrypted) ⓘ	Allows users to enter any combination of letters and numbers and store them in encrypted form.
☐ Time	Allows users to enter a local time. For example, “2:40 PM”, “14:40”, “14:40:00”, and “14:40:50.600” are all valid times for this field.

- Fill in the Above as follows:

- Field Label: **Feedback**.
- Field Name: **Feedback**.

Step 2. Enter the details Step 2 of 4

Previous Next Cancel

Field Label

Feedback ⓘ

Length

You are currently using 32,768 out of 1,638,400 characters on this object. You have 1,605,632 additional characters to allocate to this field.

32,768

(Max 131,072)

Visible Lines

3

Field Name

Feedback ⓘ

Description

Help Text

 ⓘ

Auto add to custom report type ☒ Add this field to existing custom report types that contain this entity ⓘ

- Click on Next >> Next >> Save and New. **Activity 5:**

Creation of fields for the Volunteer Object. Create

“Volunteer ID” field in Volunteer object:

- Go to Setup page >> Click on Object Manager.
- Type Object name (Volunteer) in the search bar >> Click on the object.

Setup

Home

Object Manager

SETUP

Object Manager

1 Items, Sorted by Label

Q volunteer

Schema Builder

Create

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Volunteer	Volunteer__c	Custom Object		6/3/2025	✓

- Now, click on “Fields & Relationships” >> Click on New.
- Select Datatype as “Auto Number” and click on Next.

TO SUPPLY LEFTOVER FOOD TO

SETUP > OBJECT MANAGER
Task

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Specify the type of information that the custom field will contain.

Data Type

Select one of the data types below.

☐ None Selected

☒ Auto Number
A system-generated sequence number that uses a display format you define. The number is automatically incremented for each new record.

☐ Formula
A read-only field that derives its value from a formula expression you define. The formula field is updated when any of the source fields change.

☐ Roll-Up Summary
A read-only field that displays the sum, minimum, or maximum value of a field in a related list or the record count of all records listed in a related list.

Next Cancel

5. Fill in the Above as follows:

- Field Label: **Volunteer ID.**
- Field Name: **Volunteer_ID.**

SETUP > OBJECT MANAGER
Volunteer

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Volunteer
New Custom Field

Help for this Page

Step 2 of 4

Step 2. Enter the details

Field Label: Volunteer ID

Display Format: Example: A-0000 What Is This?

Starting Number: 1

☒ Generate Auto Number for existing records

Field Name: Volunteer_ID

Description:

Help Text:

External ID: ☐ Set this field as the unique record identifier from an external system

Auto add to custom report type: ☒ Add this field to existing custom report types that contain this entity

Previous Next Cancel

6. Click on Next >> Next >> Save and New.

Create “Gender” field in Volunteer object:

- Go to Setup page >> Click on Object Manager.
- Type Object name (Volunteer) in the search bar >> Click on the object.

Setup Home Object Manager

Object Manager

1 Items, Sorted by Label

Search: volunteer Schema Builder Create

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Volunteer	Volunteer__c	Custom Object		6/3/2025	✓

- Now, click on “Fields & Relationships” >> Click on New.
- Select Datatype as “Picklist” and click on Next.

TO SUPPLY LEFTOVER FOOD TO

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

- ☐ Date
- ☐ Date/Time
- ☐ Email
- ☐ Geolocation
- ☐ Number
- ☐ Percent
- ☐ Phone
- ☒ Picklist
- ☐ Picklist (Multi-Select)
- ☐ Text
- ☐ Text Area
- ☐ Text Area (Rich Text)

Allows users to enter a date or pick a date from a popup calendar.

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

Allows users to enter any number. Leading zeros are removed.

Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.

Allows users to enter any phone number. Automatically formats it as a phone number.

Allows users to select a value from a list you define.

Allows users to select multiple values from a list you define.

Allows users to enter any combination of letters and numbers.

Allows users to enter up to 255 characters on separate lines.

Allows users to enter up to 131,072 characters on separate lines.

5. Fill in the Above as follows:

- Field Label: **Gender**.
- Field Name: **Gender**.
- Enter values, with each value separated by a new line:
Female
Male

Step 2: Enter the details

Previous Next Cancel

Field Label: Gender

Values

- ☐ Use global picklist value set
- ☒ Enter values, with each value separated by a new line

Female
Male

☐ Display values alphabetically, not in the order entered

☐ Use first value as default value

☒ Restrict picklist to the values defined in the value set

Field Name: Gender

Description:

6. Click on Next >> Next >> Save and New.

Create “Available On” field in Volunteer object:

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Volunteer) in the search bar >> Click on the object.

Setup Home Object Manager

Object Manager

1 Items, Sorted by Label

Search: volunteer Schema Builder Create

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Volunteer	Volunteer__c	Custom Object		6/3/2025	✓

3. Now, click on “Fields & Relationships” >> Click on New.
4. Select Datatype as “Date” and click on Next.

TO SUPPLY LEFTOVER FOOD TO

SETUP > OBJECT MANAGER

Task

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

☐ Checkbox
☐ Currency
☒ Date
☐ Date/Time
☐ Email
☐ Geolocation

Allows users to select a True (checked) or False (unchecked) value.
 Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.
 Allows users to enter a date or pick a date from a popup calendar.
 Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.
 Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.
 Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

5. Fill in the Above as follows:

- Field Label: **Available On.**
- Field Name: **Available_On.**
- Click on required check box.

Step 2. Enter the details

Step 2 of 4

Previous Next Cancel

Field Label: Available On

Field Name: Available_On

Description:

Help Text:

Required: ☒ Always require a value in this field in order to save a record

Auto add to custom report type: ☒ Add this field to existing custom report types that contain this entity

Default Value: Show Formula Editor

Use formula syntax: Enclose text and picklist value API names in double quotes: ("the_text"). Include numbers without quotes (25), show percentages as decimals (0.10), and express date calculations in the standard format: (Today() + 7). To reference a field from a Custom Metadata type record use: \$CustomMetadataType__mttRecordAPIName.Field__c

Previous Next Cancel

6. Click on Next >> Next >> Save and New.

Create "Age" field in Volunteer object:

- Go to Setup page >> Click on Object Manager.
- Type Object name (Volunteer) in the search bar >> Click on the object.

Setup Home Object Manager

Object Manager

1 item, Sorted by Label

Search: volunteer Schema Builder Create

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Volunteer	Volunteer__c	Custom Object		6/3/2025	✓

- Now, click on "Fields & Relationships" >> Click on New.
- Select Datatype as "Number" and click on Next.

TO SUPPLY LEFTOVER FOOD TO

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

☐ Date
☐ Date/Time
☐ Email
☐ Geolocation
☒ Number
☐ Percent
☐ Phone
☐ Picklist
☐ Picklist (Multi-Select)
☐ Text

Allows users to enter a date or pick a date from a popup calendar.

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

Allows users to enter any number. Leading zeros are removed.

Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.

Allows users to enter any phone number. Automatically formats it as a phone number.

Allows users to select a value from a list you define.

Allows users to select multiple values from a list you define.

Allows users to enter any combination of letters and numbers.

5. Fill in the Above as follows:

- Field Label: **Age**.
- Field Name: **Age**.
- Click on required check box.

Step 2. Enter the details

Step 2 of 4

Previous Next Cancel

Field Label:

Please enter the length of the number and the number of decimal places. For example, a number with a length of 8 and 2 decimal places can accept values up to "12345678.90".

Length: Number of digits to the left of the decimal point

Decimal Places: Number of digits to the right of the decimal point

Field Name:

Description:

Help Text:

Required: ☒ Always require a value in this field in order to save a record

Unique: ☐ Do not allow duplicate values

6. Click on Next >> Next >> Save and New.

Create "Email" field in Volunteer object:

- Go to Setup page >> Click on Object Manager.
- Type Object name (Volunteer) in the search bar >> Click on the object.

Setup Home Object Manager

Object Manager

1 Items, Sorted by Label

Label	API Name	Type	Description	Last Modified	Deployed
Volunteer	Volunteer__c	Custom Object		6/3/2025	✓

- Now, click on "Fields & Relationships" >> Click on New.
- Select Datatype as "Email" and click on Next.

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

☐ Date
☐ Date/Time
☒ Email
☐ Geolocation
☐ Number
☐ Percent

Allows users to enter a date or pick a date from a popup calendar.

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

Allows users to enter any number. Leading zeros are removed.

Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.

TO SUPPLY LEFTOVER FOOD TO

5. Fill in the Above as follows:

- Field Label: **Email**.
- Field Name: **Email**.
- Click on required check box.

Step 2. Enter the details

Field Label

Field Name

Description

Help Text

Required ☒ Always require a value in this field in order to save a record

Unique ☐ Do not allow duplicate values

External ID ☐ Get this field as the unique record identifier from an external system

6. Click on Next >> Next >> Save and New.

Create “Contact Number” field in Volunteer object:

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Volunteer) in the search bar >> Click on the object.

Setup Home Object Manager

Object Manager

1 Items, Sorted by Label

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Volunteer	Volunteer__c	Custom Object		6/3/2025	✓

3. Now, click on “Fields & Relationships” >> Click on New.
4. Select Datatype as “Auto Number” and click on Next.

Setup > OBJECT MANAGER

Task

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Specify the type of information that the custom field will contain.

Data Type

☒ None Selected

☒ Auto Number

☐ Formula

☐ Roll Up Summary

Select one of the data types below:

A system-generated sequence number that uses a display format you define. The number is automatically incremented for each new record.

A read-only field that derives its value from a formula expression you define. The formula field is updated when any of the source fields change.

A read-only field that displays the sum, minimum, or maximum value of a field in a related list or the record count of all records listed in a related list.

Next Cancel

TO SUPPLY LEFTOVER FOOD TO

5. Fill in the Above as follows:

- Field Label: **Contact Number.**
- Field Name: **Contact_Number.**

Step 2. Enter the details

Field Label ⓘ

Display Format Example: A-{0000} [What Is This?](#)

Starting Number

☐ Generate Auto Number for existing records

Field Name ⓘ

Description

Help Text ⓘ

External ID ☐ Set this field as the unique record identifier from an external system

6. Click on Next >> Next >> Save and New.

Create “Address” field in Volunteer object:

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Volunteer) in the search bar >> Click on the object.

Setup Home Object Manager

Object Manager

1 Items, Sorted by Label

Search: volunteer Schema Builder Create

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Volunteer	Volunteer__c	Custom Object		6/3/2025	✓

3. Now, click on “Fields & Relationships” >> Click on New.

4. Select Datatype as “Text Area (Long)” and click on Next.

Fields & Relationships

Allows users to enter a percentage number, for example, “10” and automatically adds the percent sign to the number.

Allows users to enter any phone number. Automatically formats it as a phone number.

Allows users to select a value from a list you define.

Allows users to select multiple values from a list you define.

Allows users to enter any combination of letters and numbers.

Allows users to enter up to 255 characters on separate lines.

Allows users to enter up to 131,072 characters on separate lines.

Allows users to enter formatted text, add images and links. Up to 131,072 characters on separate lines.

Allows users to enter any combination of letters and numbers and store them in accordant form.

☐ Percent

☐ Phone

☐ Picklist

☐ Picklist (Multi-Select)

☐ Text

☐ Text Area

☒ Text Area (Long)

☐ Text Area (Rich)

5. Fill in the Above as follows:

- Field Label: **Address.**

TO SUPPLY LEFTOVER FOOD TO

- Field Name: **Address**.
- Click on required check box.

Step 2. Enter the details

Field Label ⓘ

You are currently using 32,768 out of 1,638,400 characters on this object. You have 1,605,632 additional characters to allocate to this field.

Length
(Max 131,072)

Visible Lines

Field Name ⓘ

Description

Help Text ⓘ

6. Click on Next >> Next >> Save and New.

Create “Date of Birth” field in Volunteer object:

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Volunteer) in the search bar >> Click on the object.

Setup Home Object Manager

Object Manager
1 Items. Sorted by Label

Search: volunteer Schema Builder Create

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Volunteer	Volunteer__c	Custom Object		6/3/2025	✓

3. Now, click on “Fields & Relationships” >> Click on New.
4. Select Datatype as “Date” and click on Next.

SETUP > OBJECT MANAGER

Task

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

☐ Checkbox
Allows users to select a True (checked) or False (unchecked) value.

☐ Currency
Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.

☒ Date
Allows users to enter a date or pick a date from a popup calendar.

☐ Date/Time
Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.

☐ Email
Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

☐ Geolocation
Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

5. Fill in the Above as follows:

- Field Label: **Date of Birth**.
- Field Name: **Date_of_Birth**.

TO SUPPLY LEFTOVER FOOD TO

Step 2. Enter the details

Field Label ⓘ

Field Name ⓘ

Description

Help Text ⓘ

Required ☐ Always require a value in this field in order to save a record

Auto add to custom report type ☒ Add this field to existing custom report types that contain this entity ⓘ

6. Click on Next >> Next >> Save.

Activity 5: Creation of fields for the Execution Details object.

Create “Execution ID” field in Execution Details object:

1. Go to Setup page >> Click on Object Manager.
2. Type Object name (Execution Details) in the search bar >> Click on the object.

Setup Home Object Manager

Object Manager

1 Items, Sorted by Label

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Execution Detail	Execution_Detail__c	Custom Object		6/3/2025	✓

3. Now, click on “Fields & Relationships” >> Click on New.
4. Select Datatype as “Auto Number” and click on Next.

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Data Type

Select one of the data types below.

☒ None Selected

☒ Auto Number

☐ Formula

☐ Roll-Up Summary ⓘ

☐ Lookup Relationship

A system-generated sequence number that uses a display format you define. The number is automatically incremented for each new record.

A read-only field that derives its value from a formula expression you define. The formula field is updated when any of the source fields change.

A read-only field that displays the sum, minimum, or maximum value of a field in a related list or the record count of all records listed in a related list.

Creates a relationship that links this object to another object. The relationship field allows users to click on a lookup icon to select a value from a popup list.

5. Fill in the Above as follows:

- Field Label: **Execution ID.**
- Field Name: **Execution_ID.**
- Click on required check box.

TO SUPPLY LEFTOVER FOOD TO

Field Label	Execution ID	
Display Format		Example: A-{0000} What Is This?
Starting Number	1	
	☐ Generate Auto Number for existing records	
Field Name	Execution_ID	


6. Click on Next >> Next >> Save.

Milestone – 5


Flows

Create Flow To Create A Record In Venue Object:

1. Go to setup >> type Flows in quick find box.
2. Click on Flow and select the New Flow.




3. Click on Start from Scratch >> Click on Screen flow >> Click on Create.



4. Click on the '+' icon in between start and end, and click on screen element.
5. Under the Screen Properties:
Label: Venue Details
API Name: Venue_Details
6. Now let's add components in this flow.
7. Click on Text Component and name it as:
Label: Venue Name
API Name: Venue_Name

TO SUPPLY LEFTOVER FOOD TO

8. Click on Email Component and name it as:
Label: Email
API Name: Contact_Email
9. Click on Phone Component and name it as:
Label: Phone
API Name: Contact_Phone
10. Click on Text Component and name it as:
Label: Venue Location
API Name: Venue_Location
11. Click on Number Component and name it as:
Label: Latitude
API Name: Latitude
12. Click on Number Component and name it as:
Label: longitude
API Name: longitude
13. Next click on Done.



15. Now label it as
Label: Create Venue Record
API Name: Create_Venue_Record.

TO SUPPLY LEFTOVER FOOD TO

16. How to Set the Record Field values: Select Manually(select an object and configure the record values manually)

Object: Venue

17. Set Field Values for the Venue: Click on 'Add Field' 5 times Field:

Value = Contact_Email_c : {!Contact_Email.value} Field:

Value = Contact_Phone_c : {!Contact_Phone.value} Field:

Value = Name : {!Venue_Name}

Field: Value = Venue_Location_c : {!location} Field:

Value = Location_Latitude_s : {!latitude}

Field: Value = Location_Longitude_s : {!longitude}

Create Records

Create a Record of This Object

* Object
Venue

Set Field Values for the Venue

Field	Value
Field: Contact Email	Value: Venue Details > Contact_Email > Value
Field: Contact Phone	Value: Venue Details > Contact_Phone > Value
Field: Location (Latitude)	Value: Venue Details > Latitude
Field: Location (Longitude)	Value: Venue Details > longitude
Field: Venue Name	Value: Venue Details > Venue Name
Field: Venue Location	Value: Venue Details > Venue Location

+ Add Field

18. Click on Save as:

Flow label: **Venue Form**


Flow API Name: **Venue_Form.**

Milestone -6


Trigger

Activity 1: Create a Trigger


1. Log into Salesforce account >> navigate to the gear icon in the top right corner.
2. Click on Developer Console and you will be navigated to a new console window.



4. Enter the trigger name and the object to be triggered.



5. Enter Name: DropOffTrigger
sObject: Drop-Off Point



6. Click on Submit.

Activity 2: Trigger Code:

Trigger to assign the Distance field to the Distance Calculation field.


Code:

```
trigger DropOffTrigger on Drop_Off_point_c (before insert) {  
    for(Drop_Off_point_c Drop : Trigger.new){  
        Drop.Distance_c = Drop.distance_calculation_c;  
    }  
}
```

Create NGOs Profile:

M
i
l
e
s
t
o
n
e
-
7
P
r
o
f
i
l
e
s

- 1. GO to Steup page >> type profiles in quick Find bar.
- 2. Click on Profiles >> Click on ‘S’.



- 3. Click Clone beside Standard Platform User.
- 4. Under Clone Profile:
Profile Name: NGOs Profile

Clone Profile

Enter the name of the new profile.

You must select an existing profile to clone from.

Existing Profile	Standard Platform User
User License	Salesforce Platform
Profile Name	NGOs Profile

Save

Cancel

5. Click on Save.

Milest

one – 8

Creatio


n of

Users

Activity 1: Creation of Users1.

Creation of User “Iksha Foundation”.

1. Go to Setup page >> type users in Quick find bar
2. Click on Users >> Click on New user.



3. In General Information give details as:

First Name: **Iksha Foundation**

Last Name: **Iksha Foundation**

Alias: iiksh

Email: singiriushasree13@gmail.com

Username: ikshafoundation1319@sb.com

Nickname: Auto Populated

User License: Salesforce Platform

Profile: NGOs Profile

Active: Check

TO SUPPLY LEFTOVER FOOD TO

The screenshot shows the 'User Edit' page in Salesforce Setup. The user being edited is 'Iksha Foundation Iksha_Foundation'. The 'General Information' section contains the following details:

- First Name: Iksha Foundation
- Last Name: Iksha_Foundation
- Alias: iksh
- Email: singiriushasree13@gmail.com
- Username: ikshafoundation1319@sb.com
- Nickname: User174905079759596121
- Title:
- Company:
- Department:
- Division:

On the right side, the 'Role' is '<None Specified>', 'User License' is 'Salesforce Platform', and 'Profile' is 'NGOs Profile'. The 'Active' checkbox is checked. Below these are various user type checkboxes: Marketing User, Offline User, Knowledge User, Flow User, Service Cloud User, Site.com Contributor User, Site.com Publisher User, and WDC User, all of which are currently unchecked.

4. Click on Save.

Activity 2: Creation of Users2, Users3.

Creation of User "NSS".

1. Go to Setup page >> type users in Quick find bar
2. Click on Users >> Click on New user.

The screenshot shows the 'All Users' page in Salesforce Setup. It provides a list of users with the following columns: Action, Full Name, Alias, Username, Role, Active, and Profile. Below the table are buttons for 'New User', 'Reset Password(s)', and 'Add Multiple Users'.

Action	Full Name	Alias	Username	Role	Active	Profile
[Edit]	Chatter Expert	Chatter	chatty.00dms00000kmyh2atnkum34qsfso@chatter.salesforce.com		✓	Chatter Free User
[Edit]	Singiri_Ushasree	USing	singiriushasree13@creative-bear-s0rmk9.com		✓	System Administrator
[Edit]	User_Integration	integ	integration@00dms00000kmyh2at.com		✓	Analytics Cloud Integration User
[Edit]	User_Security	sec	insightssecurity@00dms00000kmyh2at.com		✓	Analytics Cloud Security User

3. In General Information give details as:

First Name: **NSS**

Last Name: **NSS**

Alias: nns

Email: singiriushasree13@gmail.com

Username: nss1319@sb.com

Nickname: Auto Populated

User License: Salesforce Platform

TO SUPPLY LEFTOVER FOOD TO

Profile: NGOs Profile

Active: Check

General Information

First Name: NSS
Last Name: NSS
Alias: nnss
Email: singiriushasree13@gmail.com
Username: nss1319@sb.com
Nickname: User174905089363781957
Title:
Company:
Department:
Division:
Role: <None Specified>
User License: Salesforce Platform
Profile: NGOs Profile
Active: ☒
Marketing User: ☐
Offline User: ☐
Knowledge User: ☐
Flow User: ☐
Service Cloud User: ☐
Site.com Contributor User: ☐
Site.com Publisher User: ☐
WDC User: ☐
Data.com User Type: --None--
Data.com Monthly Addition Limit: 300
Accessibility Mode (Classic Only): ☐

4. Click on Save.

Creation of User “Street Cause”:

1. Go to Setup page >> type users in Quick find bar
2. Click on Users >> Click on New user.

Setup Home Object Manager

users

Users

All Users

On this page you can create, view, and manage users.
To get more licenses, use the Your Account app: Let's Go

View: All Users Edit Create New View

Action	Full Name	Alias	Username	Role	Active	Profile
☐ Edit	Chatter Expert	Chatter	chatty.00dms00000ktnv2at nklum349s6p@chatter.salesforce.com		☒	Chatter Free User
☐ Edit	Singiri_Ushasree	USing	singiriushasree13@creative-bear-sdmk9.com		☒	System Administrator
☐ Edit	User_Integration	integ	integration@00dms00000ktnv2at.com		☒	Analytics Cloud Integration User
☐ Edit	User_Security	sec	insightssecurity@00dms00000ktnv2at.com		☒	Analytics Cloud Security User

New User Reset Password(s) Add Multiple Users

3. In General Information give details as:

First Name: **Street Cause**

Last Name: **Street_Cause**

Alias: sstre

Email: singiriushasree13@gmail.com

Username: streetcause1319@sb.com

Nickname: Auto Populated

User License: Salesforce Platform

TO SUPPLY LEFTOVER FOOD TO

Profile: NGOs Profile

Active: Check

General Information

First Name

Street Cause

Last Name

Street_Cause

Alias

sstre

Email

singiriushasree13@gmail.co

Username

streetcause1319@sb.com

Nickname

User174905093614175353

Title

Company

Department

Division

Role

<None Specified>

User License

Salesforce Platform

Profile

NGOs Profile

Active

☒

Marketing User

☐

Offline User

☐

Knowledge User

☐

Flow User

☐

Service Cloud User

☐

Site.com Contributor User

☐

Site.com Publisher User

☐

WDC User

☐

Data.com User Type

None

Required Information

4. Click on Save.

☐	Edit Login	Iksha_Foundation_Iksha Foundation	iksh	ikshafoundation@sb.com	☒	NGOs Profile
☐	Edit Login	NSS_NSS	nnss	nss@sb.com	☒	NGOs Profile
☐	Edit Login	Street_Cause_Street Cause	sstre	streetcause@sb.com	☒	NGOs Profile

Milestone – 9


Public Groups

Activity 1: Creation of Public Group 1. Create a Public Group “Iksha”.

1. Go to the setup page >> type Public Groups in Quick Find bar
2. Click on Public Groups >> Click on New.



3. Under Group Information:
 Label: Iksha
 Group Name: Iksha
 Grant Access Using Hierarchies: Check



4. In Search, Select Users.
5. In Selected Members, Add Iksha Foundation and System Administrator

Activity 2: Creation of Public Group 2

Create a Public Group “NSS”.

1. Go to the setup page >> type Public Groups in Quick Find bar
2. Click on Public Groups >> Click on New.



3. Under Group Information:
 Label: NSS
 Group Name: NSS
 Grant Access Using Hierarchies: Check

4. In Search, Select Users.
5. In Selected Members, Add Iksha Foundation and System Administrator

Create a Public Group “Street Cause”:

1. Go to the setup page >> type Public Groups in Quick Find bar
2. Click on Public Groups >> Click on New.

TO SUPPLY LEFTOVER FOOD TO



3. Under Group Information:
- Label: Street Cause
- Group Name: Street_Cause
- Grant Access Using Hierarchies: Check

Label

Group Name

Grant Access Using Hierarchies ☒

Description

Search: for:

Available Members

- User: Integration User
- User: NSS NSS
- User: OrgFarm EPIC
- User: Security User
- User: Street Cause Street_Cause

Selected Members

- Iksha Foundation Iksha_Foundation
- Ushasree Singiri

Add

Remove

4. In Search, Select Users.
5. In Selected Members, Add Iksha Foundation and System Administrator


New				
Action	Label	Group Name	Created By	Created Date
Edit Del	Iksha	Iksha	Bhargavi_Paila	26/03/2024, 2:27 pm
Edit Del	NSS	NSS	Bhargavi_Paila	26/03/2024, 2:27 pm
Edit Del	Street_Cause	Street_Cause	Bhargavi_Paila	26/03/2024, 2:26 pm

Milestone -10

Report Types

Activity 1: Creation Of Report Types:

1. Go to Setup page >> type Report Types in quick find bar.
2. Click on Report Types >> Click on Continue >> Click on Custom Report Type.



3. In Define the Custom Report Type:

Primary Object: Select Venues

Report Type Label: **Venue with DropOff with Volunteer** Report

Type Name: **Venue_with_DropOff_with_Volunteer** Description:

Venue with Drop-Off with Volunteer

Store in Category: Select other Reports

Deployment status: Deployed

Details

* Display Label: Venue with DropOff with Volunteer

* API Name: Venue_with_DropOff_with_Volunteer

* Description: Venue with DropOff with Volunteer

Note: Description will be visible to users who create reports.

* Store in Category: Other Reports

Set Availability

An in-development report type is visible only to users with the Manage Custom Report Types permission. A deployed report type is available to all users.

Status

☐ In Development

☒ Deployed

4. Click on Next
5. Near click to relate another object. Select Drop-Off Points.

TO SUPPLY LEFTOVER FOOD TO

6. Select "A" records may or may not have related "B" records.
7. Again, Near Click to relate another select volunteer.


Select related objects to define which records are included in reports using this report type.

A Venues
Primary Object

B Drop-Off Points
A to B Relationship:
☐ Each "A" record must have at least one related "B" record.
☒ "A" records may or may not have related "B" records.

C Volunteers
B to C Relationship:
☐ Each "B" record must have at least one related "C" record.
☒ "B" records may or may not have related "C" records.

(Click to relate another object)



8. Click on Save.

Milestone – 11


Reports

Activity 1: Creation of Report on Venue With DropOff with Volunteer:


1. Go to the app (FoodConnect) >> Click on the reports tab.
2. Click on New Folder.

Folder Label: Custom Reports

Folder Unique Name: CustomReports




3. Open Custom Reports and click on New Report
4. Select Report Type: Venue with DropOff with Volunteer
Then Click on Start Report.
5. In GROUP ROWS: Add Volunteer Name
6. In COLUMNS: Add Venue Name, Drop-Off Point Name, Distance.
7. Click on Save and Run



9. Click on Select Folder and Select Custom Report >> Click on Save.

Activity 2: Creation of Report on Volunteer with Execution Details and Tasks:

1. Go to the app (FoodConnect) >> Click on the reports tab.
2. Open Custom Reports and click on New Report.



3. Select Report Type: Volunteers with Execution Details and Tasks.
Then Click on Start Report.
4. In GROUP ROWS: Add Volunteer ID
5. In COLUMNS: Add Volunteer: Volunteer Name, Task: Task Name, Execution Detail: Execution Detail Name, Volunteer: Owner Name, Task: Date, Task: Rating.
6. Click on Save and Run.
7. Give Label as:

Report Name: Volunteer Task

Report Unique Name: Auto Populated
8. Click on Select Folder and Select Custom Report >> Click on Save.

Milestone – 12

Dashboards

Activity 1: Adding Venue and Drop Off Point Report to the Dashboard:

1. Go to the app (FoodConnect) >> Click on the reports tab.


2. Click on New Folder.

Folder Label: Custom Dashboards

Folder Unique Name: Dashboards

3. Open Custom Dashboards and click on New Dashboards.

Name: Organization Details



4. Click on Widget and select Chart or Table


5. In Select Report: Select venue and Drop Off Point Report >. Click on select

6. In Add Component:

Display as: Select Lightning Table


Component Theme: Select Dark

7. Now Click on Add.



Activity 2: Adding Volunteer Task Report to the Dashboard.

1. Go to the app (FoodConnect) >> Click on the reports tab.
2. Open Custom Dashboards and click on Organization Details.
3. Click on Widget and select Chart or Table
4. In Select Report: Select Volunteer Task Report >. Click on select
5. In Add Component:
 Display as: Select Line Chart
 Component Theme: Select Dark
6. Now Click on Add.



Activity 3: Adding a Picture to the Dashboard

1. Click on Widget >> Select Image >> Click on Browse Files.
2. Select the Picture you want to upload.
3. Then Click on Save As:
 Name: Task Execution Details
4. Click on Select folder and Custom Dashboards >> Click on Save.

Milestone – 13**Sharing Rules**

1. Go to Setup >> type Sharing Settings in quick find box.
2. Click on the Sharing Settings.
3. Click on New near Drop-Off point Sharing Rules and Name it as:

Label: Rule 1

Rule Name: Rule_1

4. Select your rule type: Select Based on Criteria.
5. Select which reports to be shared:

Field: Operator: Value = Distance: less than: 15

The screenshot shows the 'Step 1: Rule Name' section of the Salesforce Sharing Rule setup. It includes fields for 'Label' (Rule 1), 'Rule Name' (Rule_1), and 'Description'. Below this is 'Step 2: Select your rule type' with radio buttons for 'Based on record owner' and 'Based on criteria' (selected). 'Step 3: Select which records to be shared' features a table with columns 'Criteria', 'Field', 'Operator', 'Value', and 'AND'. The first row is filled with 'Distance', 'less than', and '15'. Below the table is an 'Add Filter Logic...' link and a checkbox for 'Include records owned by users who can't have an assigned role' (checked). 'Step 4: Select the users to share with' shows a 'Share with' dropdown set to 'Public Groups' and a 'Iksha' dropdown.

Criteria	Field	Operator	Value	AND
	Distance	less than	15	AND
	--None--	--None--		AND
	--None--	--None--		AND
	--None--	--None--		AND
	--None--	--None--		AND

Additional Options: ☒ Include records owned by users who can't have an assigned role

Share with: Public Groups Iksha

6. Select Users to share with: Near Share with:
Public Groups: Iksha
7. Click on Save.
8. Click on new near Drop-Off Point sharing rules and name it as:
Label: Rule 2
Rule Name: Rule_2
9. Select your rule type: Select Based on Criteria.

TO SUPPLY LEFTOVER FOOD TO

10. Select which records to be shared:

Field: Operator: Value = Distance: greater than: 15

Field: Operator: Value = Distance: Less or equal: 30

The screenshot shows the configuration interface for 'Rule 2'. It is divided into four steps:

- Step 1: Rule Name**: Fields for Label (Rule 2), Rule Name (Rule_2), and Description.
- Step 2: Select your rule type**: Radio buttons for 'Based on record owner' and 'Based on criteria' (selected).
- Step 3: Select which records to be shared**: A table for criteria with columns Field, Operator, and Value. It shows two conditions: 'Distance' greater than '15' and 'Distance' less or equal to '30', both connected by 'AND'. There are also empty rows for additional criteria. Below the table is an 'Add Filter Logic...' link and an 'Additional Options' section with a checked box for 'Include records owned by users who can't have an assigned role'.
- Step 4: Select the users to share with**: A 'Share with' dropdown menu showing 'Public Groups' and 'NSS'.

11. Select the users to share with: Near Share with

Public Groups: NSS

12. Click on Save.

13. Click on new near Drop-Off Point sharing rules and name it as:

Label: Rule 3

Rule Name: Rule_3

The screenshot shows the configuration interface for 'Rule 3'. It is divided into five steps:

- Step 1: Rule Name**: Fields for Label (Rule 3), Rule Name (Rule_3), and Description.
- Step 2: Select your rule type**: Radio buttons for 'Based on record owner' and 'Based on criteria' (selected).
- Step 3: Select which records to be shared**: A table for criteria with columns Field, Operator, and Value. It shows two conditions: 'Distance' greater than '30' and 'Distance' less or equal to '50', both connected by 'AND'. There are also empty rows for additional criteria. Below the table is an 'Add Filter Logic...' link and an 'Additional Options' section with a checked box for 'Include records owned by users who can't have an assigned role'.
- Step 4: Select the users to share with**: A 'Share with' dropdown menu showing 'Public Groups' and 'Street Cause'.
- Step 5: Select the level of access for the users**: This step is visible at the bottom of the form.

14. Select your rule type: Select Based on Criteria.

TO SUPPLY LEFTOVER FOOD TO

15. Select which records to be shared:

Field: Operator: Value = Distance: greater than: 30

Field: Operator: Value = Distance: less or equal: 50

16. Select the users to share with: Near Share with

Public Groups: Street Cause

17. Click on Save.

Drop-Off point Sharing Rules		New	Recalculate	Drop-Off point Sharing Rules Help ?	
Action	Criteria	Shared With		Access Level	
Edit Del	Drop-Off point: Distance LESS OR EQUAL 15	Group: Iksha		Read/Write	
Edit Del	(Drop-Off point: Distance GREATER THAN 15) AND (Drop-Off point: Distance LESS OR EQUAL 30)	Group: NSS		Read/Write	
Edit Del	(Drop-Off point: Distance GREATER THAN 30) AND (Drop-Off point: Distance LESS OR EQUAL 50)	Group: Street Cause		Read/Write	

Milestone – 14

Home Page

Activity 1: Creation of Home Page.

1. Go to Setup >> type Lightning App Builder in the quick find box.
2. Click on Lightning App Builder >> Click on New.
3. Select Standard Home Page.
4. Near Components search for Flow and Drag and Drop in the Right Side Section
5. On the right hand side:

Flow: Venue Flow



6. Near Components search for Dashboard, the Drag and Drop it in First Section.
7. Click on Save and Activation. Then click on the App Default. Then add Assignments.
8. Add FoodConnect App and then Save.
9. FoodConnect Home Page would look like this.

TO SUPPLY LEFTOVER FOOD TO

The screenshot shows the FoodConnect Home page. The top navigation bar includes Home, Venues, Drop-Off Points, Tasks, Volunteers, Execution Details, Reports, and Dashboards. The main content area is titled "Task Execution Details" and shows a dashboard for "As of Jun 9, 2025, 6:45 PM Viewing as Ushasree Singi". The dashboard includes a "Venue and Drop Off point" table, a "Volunteer Task" chart, and a "Venue Form" on the right.

Venue Name	Drop-Off Point Name	Distance
GAYATRI MAHAL	BALAJI COLONY	0.0000

View Report (venue and Drop off point)

Volunteer Task

Report Count

1

0.8

0.6

0.4

0.2

0

Volunteer ID: a03gl.000005Cet.B

View Report (Volunteer Task)

Venue Form

Venue Name

Email

Phone

Venue Location

Latitude

Longitude

Next

Home page

The screenshot shows the FoodConnect Venues page. The top navigation bar includes Home, Venues, Drop-Off Points, Tasks, Volunteers, Execution Details, Reports, and Dashboards. The main content area is titled "Venues" and shows a list of "Recently Viewed" venues.

	Venue Name
1	Chennai
2	Tirupati
3	GAYATRI MAHAL


Venue page

The screenshot shows the FoodConnect Drop-Off Points page. The top navigation bar includes Home, Venues, Drop-Off Points, Tasks, Volunteers, Execution Details, Reports, and Dashboards. The main content area is titled "Drop-Off Points" and shows a list of "Recently Viewed" drop-off points.


	Drop-Off Point Name
1	Thiruvananthapuram
2	Tirumala
3	BALAJI COLONY

Drop-Off Point


TO SUPPLY LEFTOVER FOOD TO



Tasks page



Volunteers page



Execution Details page

TO SUPPLY LEFTOVER FOOD TO

FoodConnect

HomeVenuesDrop-Off PointsTasksVolunteersExecution DetailsReportsDashboards

Search...

StarAddHomeHelpSettingsProfile

Reports

All Folders > Custom Reports

Search all folders...New ReportNew Folder

2 items

REPORTS	Name	Description	Folder	Created By	Created On	Subscribed
Recent	venue and Drop Off point		Custom Reports	Ushasree Singiri	6/4/2025, 8:38 AM	
Created by Me	Volunteer Task		Custom Reports	Ushasree Singiri	6/4/2025, 8:42 AM	
Private Reports						
Public Reports						
All Reports						

FOLDERS

All Folders

Created by Me

Shared with Me

FAVORITES

All Favorites

Reports page

FoodConnect

HomeVenuesDrop-Off PointsTasksVolunteersExecution DetailsReportsDashboards

Search...

StarAddHomeHelpSettingsProfile

Dashboards

All Dashboards

Search all dashboards...New DashboardNew Folder

4 items

DASHBOARDS	Dashboard Name	Description	Folder	Created By	Created On	Subscribed
Recent						
Created by Me	Enablement Dashboard	View data on how Enablement helps drive your business outcomes. This is your main dashboard for all Enablement analytics. Don't delete it. If you want to make changes to this dashboard, duplicate it.	Enablement Dashboard Spring '24	Automated Process	5/26/2025, 7:34 AM	
Private Dashboards						
All Dashboards	Enablement Dashboard	View data on how Enablement helps drive your business outcomes. This is your main dashboard for all Enablement analytics. Don't delete it. If you want to make changes to this dashboard, duplicate it.	Enablement Dashboard Summer '24	Automated Process	5/26/2025, 7:34 AM	
FOLDERS						
All Folders						
Created by Me						
Shared with Me						
FAVORITES						
All Favorites	Organization Details		Custom Dashboards	Ushasree Singiri	6/4/2025, 8:55 AM	
	Task Execution Details		Custom Dashboards	Ushasree Singiri	6/9/2025, 6:45 PM	

Dashboards page

Milestone – 15 Conclusion

By leveraging the Salesforce platform, the project successfully established a streamlined and transparent system for managing surplus food donations. Through efficient coordination with volunteers and timely delivery to beneficiaries, the project effectively addressed food insecurity while maximizing the utilization of available resources.

Github link:

<https://github.com/singiriushasree13/to-supply-leftover-food-to-poor---LTVIP2025TMID29556-/tree/main>

Demo Video Link:

https://drive.google.com/file/d/1RrLMBv3MbWawuEZwcMvvH9Wxh4iCvA67/view?usp=drive_link