

Kitchcu

Tester Instruction Pack - Numbered UI and API steps

Kitchcu cloud kitchen platform

Audience: QA testers, release sign-off, founders doing a full pass

Three executive lenses:

- UI - every click on portal, customer, kitchen, Super Admin, and Sales
- API - Swagger Authorize, public vs padlock, owner/customer/admin/sales calls
- QA - Must vs Should, defect template, Go / No-Go

This guide includes:

- Local Docker URLs and demo OTP 123456 (no SMS is sent)
- Production *.kitchcu.com extras - real OTP, admin@kitchcu.com only
- Six-month seed checks: Reports, Orders 90/180d, CRM, GST years
- Customer: discovery, first-run tips, cart, checkout, track, rate
- Owner: orders lifecycle, F19/F19b stock, tenant isolation, first-run tips
- Admin: every top tab + kitchen Train; Sales onboard 8-step playbook
- Store apps: kitchCU - customers / kitchen owner / admin (three ids)
- Swagger: OAuth2Password POST /api/v1/auth/token; sales 403 on /admin/stats
- Source markdown: docs/TESTER-INSTRUCTION-PACK.md

Version 1.1 | September 2026 | Confidential

Table of Contents

PART 0 - How to test

- 0. Session rules, Pass/Fail, out of scope
- 1. Lab setup, URLs, credentials, seed signals
- 2. Smoke (blocking, ~15 min)

PART I - UI testing

- 3. Marketing portal :13000
- 4. Customer PWA :13001
- 5. Kitchen / owner PWA :13002
- 6. Super Admin :13003
- 6.4 Sales onboard + Train; 6.5 store apps

PART II - API testing

- 7. Swagger contract, Authorize, padlocks
- 8. Public / owner / customer / admin call sequences
- 9. Negatives + audit-api-auth.py

PART III - Close

- 10. Cross-cutting cases and production extras
- 11. Defect template + sign-off

How to run a test session

1. Session rules

This pack is the how-to-click / how-to-call book. The short Must/Should checklist lives in QA-INSTRUCTION-PACK.md. Use this document when you need every numbered step.

- Pick one environment (local Docker OR production). Never mix credentials.
- Confirm the stack (section 1). If smoke fails, stop - do not deep-test.
- Work persona by persona: Portal -> Customer -> Kitchen -> Admin -> Sales -> store shells -> Swagger.
- Mark every case Pass / Fail / Blocked. Write the URL, what you typed, what you saw.
- On Fail use the defect template. Include screenshot and X-Correlation-ID.
- Pass rule: every Must case Pass. Should may Fail only with a written waiver.
- Chrome or Edge. After a frontend rebuild, Ctrl+Shift+R or unregister the PWA worker.

Product rules testers must not fail

- KitchCu is owner-subscription SaaS. There is NO per-order food commission. Do not file missing commission % as a bug.
- Out of scope: restaurant POS, dine-in, tables, waiters, KDS, bar, hotel.

2. Lab URLs

Surface	Local URL
Marketing portal	http://localhost:13000
Customer PWA	http://localhost:13001
Kitchen (owner) PWA	http://localhost:13002
Super Admin	http://localhost:13003
kitchCU - customers (store)	in.kitchcu.customer -> :13001
kitchCU - kitchen owner (store)	in.kitchcu.kitchen -> :13002
kitchCU - admin (store)	in.kitchcu.admin -> :13003
API gateway	http://localhost:18000
Swagger	http://localhost:18000/docs
ReDoc	http://localhost:18000/redoc
Portal OpenAPI	http://localhost:13000/openapi

Production substitutes: <https://kitchcu.com>, customer.kitchcu.com, kitchen.kitchcu.com, admin.kitchcu.com, <https://api.kitchcu.com/docs>. Testers never call service ports 18001-18012.

3. Confirm the stack

- 1. Open /health/live on the gateway - HTTP 200.
- 2. Open /health/ready - HTTP 200. If this fails, do not test UI.
- 3. Open each PWA URL. Each must render (not blank/black, not connection refused).
- 4. If a PWA is down, ask engineering to start Vite / docker compose up -d.

4. Demo credentials (local / demo only)

Persona	Login	Land on
Owner primary	9876543210 / OTP 123456	CKPNQ001 Sharma Home Kitchen
Owner alt	9876543211-13 / 123456	Tenant-isolation kitchens
Customer primary	9123456789 / 123456	Priya - discovery home

Persona	Login	Land on
Customer repeat	9123456780 / 123456	Rahul - richer history
Customer guest	9988776655 / 123456	Ananya
Super Admin	admin@kitchcu.dev / admin123456	Admin Overview
Sales (field)	sales@kitchcu.dev / sales123456	Admin Sales (extras seed)

Production: admin@kitchcu.com + live ADMIN_PASSWORD. OTP 123456 is refused when APP_ENV=production. Never use the .dev email on *.kitchcu.com.

Demo OTP banner: sign-in must say demo mode does NOT send SMS/WhatsApp - enter 123456. If the UI claims OTP sent and you wait for a phone message, that is a fail (ID-08 regression).

5. Seeded data you should already see

After .\scripts\seed-all.ps1 or \$env:CKAC_BULK_MONTHS=6; python scripts/seed-bulk-data.py:

- CKPNQ001 has months of orders, not only today.
- Owner Reports offers a 6-month range; 90/180-day charts roll up to weeks/months.
- Owner Orders can filter 90 / 180 days and still show rows.
- Owner GST year options match dated invoices.
- CRM has more than a handful of contacts on CKPNQ001.
- Public dish heroes are live-capture. Drinks without a hero stay inactive.

If Reports look empty or CRM shows 0-2 profiles against hundreds of orders, the six-month seed was not applied - mark Blocked, not product empty state.

6. Smoke (Must - about 15 minutes)

Fail on S1-S4 -> stop the session.

ID	Steps	Expected
S1	Gateway /health/live then /ready	Both 200
S2	Kitchen login 9876543210 / 123456	Overview; name + CKPNQ001
S3	Customer login 9123456789 / 123456	Discovery home loads
S4	Admin admin@kitchcu.dev / admin123456	Overview KPIs; login-hint if reveal on
S5	Portal :13000	Brand hero; cities; no crash
S6	Gateway /docs Authorize OAuth2Password	Public no padlock; three demo logins wor
S7	Sales sales@kitchcu.dev / sales123456	Nav Sales + Kitchens only; no Overview
S8	First-run tips C / Kitchen / Admin	Skip / Next / Show tips; page still usab

Persona screens - click by click

1. Marketing portal (:13000) - Must

- 1. Open <http://localhost:13000>.
- 2. Confirm the Kitchcu brand hero (cream / teal / orange - not a generic purple splash).
- 3. Scroll Features, How it works, cities (#cities), pricing, contact / support.
- 4. Cities Live: Pune, Mumbai, Delhi, Gurugram, Noida, Lucknow, Kanpur, Prayagraj, Varanasi, Jhansi, Dehradun. Coming soon: Bengaluru, Hyderabad, Chennai, Kolkata.
- 5. Language switcher: English -> Hindi -> English. Nav, hero CTA, footer change then restore.
- 6. Open </openapi> (or </api-docs>). Explorer loads the aggregated spec without a token.
- 7. Open </terms>, </privacy>, </refund-policy>, </platform-refund-policy> - each has text, not 404.
- 8. Footer / tiles to customer and kitchen hosts resolve (new tab OK).
- 9. Support chat (if visible): options-first; raising a ticket must not crash.

Fail if: blank page, cities missing, Hindi does nothing, </openapi> empty, legal 404.

2. Customer login (:13001/login)

- 1. Open <http://localhost:13001/login>.
- 2. Confirm the demo strip: enter 123456 - no SMS is sent.
- 3. Type 9123456789. Invalid phones (12345, 987654321011) are rejected before success.
- 4. Request OTP. Banner still says demo - do not wait for WhatsApp.
- 5. Enter 123456 and submit. Land on discovery home (/). Navbar shows the diner.
- 6. Wrong OTP 000000 -> error, stay on login.
- 7. Logout. New login must not keep another diner's cart.
- 8. First-run tour: Skip / Next / Done. Show tips restarts it. Does not hide kitchens.

3. Customer discovery, menu, cart

- 1. On / confirm nearby / featured kitchens and the cities strip.
- 2. Search a dish or cuisine (paneer or thali). Wait ~1s. Results include kitchens that serve it.
- 3. Use my location (allow permission). Far from Pune: nearest fallback with visible cards, not a blank No kitchens list.
- 4. Open Sharma Home Kitchen / CKPNQ001 -> </kitchen/{id}/menu> or </k/CKPNQ001/menu>.
- 5. Menu lists active dishes only. Drafts / no-hero drinks stay off the diner menu.
- 6. Heroes match the dish (not a dining-room photo, not one salad on every curry).
- 7. Add one dish, qty 1. Cart badge increments. Change qty, remove, totals update.
- 8. Empty cart has a clear empty state. Add again and open checkout.

4. Customer checkout, orders, track, rate

- 1. Address: Pune-area or seeded default.
- 2. Delivery quote appears (fee >= 0). Out-of-radius denies or explains - not a silent forever-zero.
- 3. Optional coupon: valid seeded code applies; invalid code errors, no crash.
- 4. Choose the pay path the demo offers (dev capture / COD / UPI intent).
- 5. Submit. Land on </orders/{id}/confirm> or master-order confirm. Note the order id.
- 6. Should (F06): add from two kitchens -> master receipt MORD-... plus sub-orders.
- 7. My orders (/orders): loader while fetching - never a false empty page.

- 8. True empty state has title + hint + discovery CTA.
- 9. Open a delivered seeded order. Track `/t/{token}` matches owner status.
- 10. Rate a delivered order (home-taste + quality 1-5). Undelivered cannot silently rate.
- 11. Reorder (if present) fills the cart.

5. Customer account, brand page, live, i18n

- 1. `/account` - profile / addresses / UPI payout load; save persists after reload.
- 2. `/dashboard` - diner My space loads without a crash.
- 3. Open `/k/CKPNQ001` or `/k/CKPNQ001/menu`. Brand name matches. Public menu only.
- 4. Should - live: `/live/{sessionId}` plays or honest not-live empty (no fake countdown).
- 5. Should - i18n: switch hi. Nav and discovery headings change. Admin stays English.

6. Owner landing + Overview

- 1. Open `http://localhost:13002` - landing, not a crash.
- 2. `/login` demo strip lists owner phones. OTP story matches (no fake SMS).
- 3. Login 9876543210 / 123456. Land on `/dashboard` or inbox-first Orders - never black.
- 4. Kitchen context prefers CKPNQ001.
- 5. Hero: name + code on the left; New order / Brand CTAs same row top-right.
- 6. First-run tips: Skip / Next / Show tips. Must not block Orders.
- 7. Pills readable (no clip). Recent orders clickable; status chips use the real machine.
- 8. Open a recent order -> `/dashboard/orders/{id}`. Back returns to the list.

7. Owner Orders (Must)

- 1. `/dashboard/orders` - toolbar visible: search, sort, tabs, filters.
- 2. Search customer name or bill fragment - list shrinks; count updates.
- 3. Sort Newest, Customer A-Z, Z-A. Drafts tab also sorts.
- 4. Tabs Active / All / Drafts. Drafts are unconfirmed intake, not live tickets.
- 5. Filters status / source / date. 90 days and 180 days still show CKPNQ001 history.
- 6. Open a received or accepted order.
- 7. Advance accepted -> preparing -> ready -> out_for_delivery -> delivered. No skip back except cancel.
- 8. Cancel: leaves Active; appears under All / cancelled.
- 9. New order: add a live dish + phone, place. Appears Active as received.
- 10. Draft remap stays disabled until a matched item is chosen.

8. Owner Menu + Add dish

- 1. Search, sort, highlight + diet chips work; count updates.
- 2. Live dishes show a live-capture hero. No-hero drafts stay off the public menu.
- 3. Add dish: you cannot set a gallery/stock photo as the hero without live-capture.
- 4. Save. Appears in the owner list. Without a live hero it stays inactive.

9. Owner Ingredients + Bulk prep (F19 / F19b) - Must

- 1. `/dashboard/ingredients` - pantry 4-column. Add one ingredient.
- 2. Adjust stock +100 then -10. Number updates; no 404.
- 3. Low stock chip hides healthy rows.
- 4. Select a dish -> edit recipe (ingredient / qty / unit labels ABOVE controls) -> save -> reload persists.
- 5. `/dashboard/prep` - modes Order Ready and Bulk prep only. No Not Found.
- 6. Order Ready helper: orders deduct when marked Ready.

- 7. Create combo batch (≥ 2 dishes, portions > 0). Table shows ingredient lines.
- 8. Edit qty -> save. Totals persist.
- 9. Mark prepared -> status prepared; pantry stock decreases.
- 10. Bulk prep only: new order Ready must NOT drop stock. Only Mark prepared deducts.
- 11. Order Ready: first Ready deducts once. Repeat Ready does not double-deduct. Accept does not deduct.

10. Owner Reports, ratings, GST, payments

- 1. /dashboard/reports - choose 6 months. Revenue / top dishes / peak hours are not a flat zero.
- 2. 90/180-day views roll up (not 180 unreadable daily bars). Period-over-period hides if prior window empty.
- 3. /dashboard/ratings - aggregates or an honest empty state.
- 4. /dashboard/gst - year selector includes seeded invoice years. Excel/PDF Should download, not 500.
- 5. /dashboard/payment-gateway - kitchen Razorpay / Route only (not platform SaaS secrets).

11. Owner CRM, coupons, tiffin, brand, other nav

- 1. /dashboard/crm - search; sort Spend/Orders/Name; VIP/Repeat/Tagged. CKPNQ001 must not be empty after 6-month seed.
- 2. /dashboard/coupons - create a test code, active, save. Search + Active/Inactive chips.
- 3. /dashboard/tiffin - combo plans need ≥ 2 dishes; single-dish = 1.
- 4. /dashboard/templates - themed chevron dropdowns, not a raw system control.
- 5. /dashboard/brand - save; customer /k/CKPNQ001 matches.
- 6. /dashboard/setup - name/address/pin stay editable. Kitchen CODE does not change.
- 7. Growth / learning / community load (locked/empty OK; crash is a fail).
- 8. /dashboard/stream - no publisher token dumped on screen.
- 9. Referrals + WhatsApp kitchen phone_number_id (not Meta app secret).
- 10. /dashboard/subscription - SaaS plan. No per-order commission line.

12. Owner tenant isolation + layout (Must)

- 1. Log out. Log in as 9876543211.
- 2. Orders, CRM, ingredients, prep, GST belong to THAT kitchen only - never CKPNQ001 bills.
- 3. Log back in as 9876543210 and confirm the reverse.
- 4. Owner panels use the full board width (not a ~560px stub).
- 5. Sort dropdowns show chevron + theme fill.
- 6. Table headers align. No nested card-in-card double shadow on CRM / Ingredients.

13. Super Admin sign-in

- 1. Open <http://localhost:13003>.
- 2. Username + password print / prefill only when APP_ENV is development/test OR ADMIN_LOGIN_REVEAL_PASSWORD=1. Local Docker should show them.
- 3. Confirm links to Swagger, ReDoc, portal /openapi.
- 4. Sign in admin@kitchcu.dev / admin123456. Overview KPIs load.
- 5. Cleared / expired token returns to Sign in, not a broken shell.
- 6. Admin UI stays English.

14. Super Admin - walk every top tab

Open each tab, wait for load, no white-crash, then the action.

Tab	Do this	Expected
Overview	Read tiles; click one	Jumps to the matching tab
Kitchens	Search CKPNQ001; open workspace	Name + immutable code
Owners	Search 9876543210	Raj Sharma / CKPNQ001
Customers	Search 9123456789	Profile, orders, tickets
Orders	Filter kitchen or customer	Platform list; no cook-line mutate
Refunds	Open list + settlements	Status chips; no 500
Tickets	Open one	Assignee / priority / reply
Packages	View mapper	Read-only without packages:write
Employees	List staff	Write hidden without employees:write; ro
Sales	Onboard + Train	Kitchen code; 8-step playbook; other sal
API Keys	Open a key	Masked after save - never full secret
Referrals	Settings + leads	Loads
Control	Flags / journeys / calories	Toggles persist; kcal cap; no raw secret
Audit	Recent actions	Writes appear; no OTP/token text

15. Super Admin - kitchen workspace (CKPNQ001)

Tab	Check
Profile	Address / branded summary; code cannot b
Train	8-step owner playbook; sales tick kitche
WhatsApp	Kitchen phone number id only - not Met
Payments	Kitchen Razorpay / Route - not platfor
Modules	Per-kitchen module flags
Package	Assigned package + feature checklist
Marketing	Template / broadcast summary
Streaming	Session summary - no publisher token
Orders / Care	Recent orders + open tickets / refunds s
GST	Profile / report / export paths load

Admin must not mutate owner menu items or cook-line status from this console.

16. Sales onboard + Train (P55) - Must

- 1. Log out of Super Admin. Sign in sales@kitchcu.dev / sales123456.
- 2. Nav is Sales + Kitchens only. Fail if Overview, Employees, API Keys, or Control appear.
- 3. Sales form: owner name, unused phone (e.g. 9000012345), kitchen name, address, city, pin.
- 4. Onboard -> kitchen code CK... issued; kitchen appears in this sales book.
- 5. Open kitchen Train. Confirm 8 steps: profile, live hero, recipe, radius, KYC, test order, WhatsApp check, owner can login alone.
- 6. Tick profile. Count 1/8. Reload persists. Training does not block going live.
- 7. Super Admin Employees lists role sales. Other sales JWT -> 403 on this kitchen Train.

17. Store apps (P55)

Listing name	Package / bundle	Host
kitchCU - customers	in.kitchcu.customer	customer.kitchcu.com / :13001
kitchCU - kitchen owner	in.kitchcu.kitchen	kitchen.kitchcu.com / :13002
kitchCU - admin	in.kitchcu.admin	admin.kitchcu.com / :13003

- Three different downloads - installing customers must not replace kitchen owner.

- Product logic stays in the PWAs. Play steps: apps/android/README.md (three AABs).
- iOS WKWebView: apps/ios/README.md. Replace TEAMID in apple-app-site-association.

Swagger and gateway calls

1. Open the contract

- Public clients use the gateway only: `http://localhost:18000`.
- 1. Open `/docs`. Confirm filter box and Authorize.
- 2. Tags (Identity: Auth, Order, Billing) have summaries.
- 3. Open `/redoc` - same spec, read-only.
- 4. Open portal `/openapi` - same schema for non-technical browse.
- 5. After a gateway restart, GET `/openapi.json?refresh=true` if a new route is missing.

2. How padlocks work

What you see	Meaning	What you do
No padlock	Public (security: [])	Try it out WITHOUT Authorize. Leftover t
Padlock	JWT required	Authorize first, then Try it out
Optional	Token optional	Works anonymous; richer with a token

3. Authorize (before protected calls)

- 1. Click Authorize.
- 2. Prefer OAuth2Password (POST `/api/v1/auth/token`).
- 3. Owner: 9876543210 / 123456. Customer: 9123456789 / 123456. Admin: `admin@kitchcu.dev` / `admin123456`.
- 4. Or paste only the JWT into HTTPBearer (Swagger adds Bearer).
- 5. Clear the token before switching persona.
- 401 = missing / wrong / wrong type. 403 = valid JWT but not this kitchen or RBAC denied.

4. Public API steps (no token)

- 1. Clear Authorize so you are anonymous.
- 2. GET `/health/live` -> 200. Request has no Authorization header.
- 3. GET `/health/ready` -> 200.
- 4. Public discovery / kitchen / community reads -> 200, not 401.
- 5. GET `/api/v1/community/recipes` -> 200 and a list or []. Must not 500 (orphan recipes are skipped).
- 6. Dummy UUID on a public detail route -> 404, not 500.

5. Owner API steps

- 1. Authorize as owner 9876543210 / 123456.
- 2. GET `/api/v1/owners/me` -> 200. Repeat with a customer token -> 401.
- 3. Copy the CKPNQ001 kitchen id.
- 4. GET `/kitchens/{id}/orders` -> 200, seeded history (not only today).
- 5. Analytics / reports path -> 200; 6-month series present if seeded.
- 6. Menu / dishes -> 200.
- 7. CRM contacts -> 200; not 0-2 rows on CKPNQ001 after 6-month seed.
- 8. GET `.../stock-settings` -> 200 (not identity 404).
- 9. GET `.../prep-batches` -> 200.
- 10. GST report/export -> 200 or honest 404/422, not 500.
- 11. Mutate status only on a NEW manual order - do not rewrite six-month history.

- 12. Same orders URL with another kitchen id -> 403, not 200.

6. Customer API steps

- 1. Authorize as customer 9123456789 / 123456.
- 2. Customer me / dashboard / orders list -> 200.
- 3. GET /api/v1/billing/refunds/customer/me -> 200 and a JSON list ([] OK). Must not 500.
- 4. Owner-only route (GET /owners/me or kitchen CRM) -> 401.
- 5. Random UUID on an owned resource -> 404.

7. Admin API steps

- 1. Authorize as admin admin@kitchcu.dev / admin123456.
- 2. GET /api/v1/admin/me -> 200 + allowed_tabs.
- 3. GET /admin/stats -> 200.
- 4. GET /admin/kitchens?q=CKPNQ001 -> Sharma Home Kitchen.
- 5. GET /admin/customers?q=9123456789 -> 200.
- 6. GET /admin/orders, /admin/refunds, /admin/tickets -> 200.
- 7. GET /admin/auth/login-hint -> password present locally when reveal=1.
- 8. Repeat one admin GET with the owner token -> 401.
- 9. GET /api/v1/internal/anything via gateway -> 404 (never proxied).
- 10. Sales: Authorize sales@kitchcu.dev / sales123456.
- 11. GET /admin/me -> allowed_tabs sales + kitchens. GET /admin/stats -> 403.
- 12. POST /admin/sales/onboard -> 201 kitchen code. GET/PATCH .../training 8 steps.

8. Negative / security API (Must)

- 1. Protected route, no Authorize -> 401.
- 2. Garbage Bearer abc -> 401.
- 3. Customer token on owner route -> 401.
- 4. Owner token on admin route -> 401.
- 5. Owner token on another kitchen write -> 403.
- 6. Do not send unsigned production-like webhooks. Local WhatsApp POST may accept unsigned bodies; production must fail closed.

9. Automated auth audit (Should)

```
python scripts/audit-api-auth.py
```

Expect 0 FAIL. INFO rows on webhooks are allowed. Any FAIL is a release blocker.

Do NOT run .\scripts\run-tests.ps1 or identity/community/billing pytest on a shared demo DB if you must keep the 6-month seed - those suites TRUNCATE kitchens, orders, and billing.

Cross-cutting, defects, sign-off

1. Cross-cutting cases

ID	Steps	Expected
X1	Owner JWT vs /admin/stats	401
X2	Logs during OTP login	No OTP, token, or full phone dump
X3	Send X-Correlation-ID: qa-demo-1	Same id on the response
X4	Owner A CRM vs owner B	No shared rows
X5	Portal + customer en/hi	Chrome changes; admin stays EN
X6	Cities on 3 PWAs	Same live / coming-soon set
X7	Customer vs owner menu	Public heroes match; drafts hidden
X8	Subscription + reports	No platform food-commission %
X9	Sales JWT vs /admin/stats	403
X10	C/O/A first-run overlay	Skip or complete; Show tips restarts

2. Production extras (*.kitchcu.com)

- 1. GET https://api.kitchcu.com/health/ready -> 200.
- 2. Open portal, www, customer, kitchen, admin hosts.
- 3. Admin login is admin@kitchcu.com only.
- 4. OTP 123456 is rejected.
- 5. Do not paste production API secrets into tickets or chat.
- 6. Prefer weekly QA cohort phones (7YYWW... owners, 8YYWW... customers) if ops provided them - PRODUCTION-PORTALS-CREDENTIALS-QA.md.
- 7. Store listings (when published): three Play URLs for in.kitchcu.customer / .kitchen / .admin - not one combined APK.

3. Defect template

```

Title:
Environment: local | production
Surface: portal | customer | kitchen | admin | Swagger | other API
Case ID: (e.g. Owner Orders step 7)
Severity: S1 blocker | S2 major | S3 minor | S4 polish
Steps:
1.
2.
3.
Expected:
Actual:
URL:
Request (method + path):
Status / body:
X-Correlation-ID:
Screenshot:
Workaround:

```

4. Sign-off

Role	Verdict
Tester	Pass / Fail
QA Lead	Go / No-Go
Eng / CTO	Notes

Go criteria: smoke Pass (incl. S7 sales + S8 tours); customer Must Pass; owner Must (orders, stock, isolation, reports seed) Pass; admin tabs + Sales/Train Pass; API public/owner/customer/admin/sales + negatives Pass; X1-X4 and X8-X10 Pass.

5. Cross-references

Need	Doc
Short checklist	docs/QA-INSTRUCTION-PACK.md
Journeys + events	docs/CKAC-USERFLOWS.md
Auth / OpenAPI	docs/API.md sections 1.1-1.2
Prod URLs + matrix	docs/PRODUCTION-PORTALS-CREDENTIALS-QA.m
Seed + credentials	docs/ADVANCEMENT-TRACKER.md
Encyclopedia	docs/CKAC-COMPLETE-GUIDE.md v3.2.7
Store shells	apps/android/README.md and apps/ios/READ

6. Document control

v1.0 12 September 2026 - first tester pack: numbered UI steps for all four surfaces plus Swagger/API sequences, 6-month seed checks, and P47 Authorize / padlock rules.

"KitchCu Tester Instruction Pack v1.0 - Confidential - September 2026."