VIRTUALIZATION
CSE4011
2019

PERFORMANCE OF STANDARD WORKLOAD ON NATIVE OS AND VIRTUAL MACHINE

Under the guidance of
## Prof. Siva Shanmugam G

Submitted by
ALOK SINHA [17BCE2380], BIBEK SINGH [17BCE2393]

SCHOOL OF COMPUTER SCIENCE AND ENGINEERING

VIT UNIVERSITY, VELLORE -632014

TAMILNADU, INDIA

ABSTRACT:

Dupli Checker

PLAGIARISM SCAN REPORT

Date	2019-11-07
Words	195
Characters	1396
Exculde URL	None

0% Plagiarised

100% Unique

Content Checked For Plagiarism

Abstract Virtualization empowers establishment and running of various virtual machines on a similar PC framework. Operating System that discusses straightforwardly with hardware equipment is known as the host operating framework though virtual working system have every one of the highlights of a genuine operating system, however they keep running inside the host operating system. Execution of the virtual working framework running on a similar PC framework equipment relies upon the presentation of the host operating system. We first analyse the results and provide a survey of performance studies completed comparing benchmark results of various tasks like video editing, video conferencing, application start-up, etc. We then discuss the performance issues on the host operating system has on virtual environments and based on these results provide a recommendation for the best host operating system to use when running virtual machines. Here Windows 10 is utilized as the host working framework just as the virtual working operating system. Performance measurement of the virtual operating system is done in the equivalent controlled conditions for the host working framework utilizing benchmark applications. Keywords: Virtualization, CPU Utilization, Virtual Memory, VirtualBox, Virtual Machine Monitor, Hypervisor, Windows 10, PCMark, Performance Test 9.0, Crystal Disk Mark, Cinebench

Matched Source

Check By: **Dupli Checker**

INTRODUCTION:

Dupli Checker

PLAGIARISM SCAN REPORT

|		
Date	2019-11-07
Words	987
Characters	6599
Exculde URL	None

0% Plagiarised

100% Unique

Content Checked For Plagiarism

Introduction Virtualization Innovation is viewed as the most requesting subject in today's time. Virtualization enables single PC to run products working framework at the same time on a solitary PC framework. Virtualization innovation encourages the organizations to run various benefits on a solitary server which empowers to diminish the expense of overseeing more equipment types and use of assets in progressively proficient manners. Presently a days distributed computing is one of the most interesting issue in PC framework and virtualization is the way in to the distributed computing. With the increased development of applications, operating systems and the internet, computer users more often face software incompatibility. Older applications that are important for users often do not work on newer computer systems as they do not support new hardware and new operating systems. In today generation programmers and application developers are using laptop for all the necessary tools and applications. Since, there is a need for running and testing applications on different software environments without a lot of reinstallation of the existing software, they use virtualization on their laptop computers. Furthermore, when they are going to work outside their main company, they do not need to carry more than one laptop rather they have more virtual machines installed on one laptop computer. Also, by using virtualization they can separate their home and business software environments. virtualization is a method that allows installation of other operating systems inside the existing one. The operating system existing on a certain computer system is called a host operating system and a new installed operating system is called virtual. The tool used for installing virtual operating systems creates a virtual computer and a virtual operating system is installed on a virtual computer so it is not directly connected to hardware resources. This virtual computer in combination with the virtual operating system is called a virtual machine. A virtual computer uses lower hardware resources but physical hardware uses higher since the tool for virtualization emulates older devices with lower performance than physical hardware. A virtual machine manages hardware resources through the host operating system. On the basis of this we can conclude that if a virtual machine runs on the identical hardware, but on different host operating systems, virtual machine performance is not identical for all host operating systems. The goal of this project is to study how virtualization influences system performance. Performance measurements show that I/O throughput highly depends on access modes, request sizes and virtual machine cache configurations. Furthermore, they design a unified virtual machine cache that can support more than one virtual machine synchronously and show that this solution can increase the read performance in most cases. Nowadays virtualization is ubiquitous and virtualization technologies play an important role in many IT fields. The main advantages of virtualization in general are as follows: It can rapidly reduce cost and dangerousness of the experiments, portability of a virtual machine to another is simple, it has improved security, it enables parallelization and it decreases time expenses needed for administration of a large number of desktops and workstations. At big business server farm, virtualization innovation makes it conceivable to limit the costs by consolidating the server applications in less quantities of servers with dependable what's more, secure way. Diverse remaining task at hand running on a solitary stage gives the better reasonability, provisioning and cost. A technology that creates one or multiple virtual environments on a single physical machine is used by the virtual machine. The virtual machines are isolated from each other and the underlying physical machine, and they give users the illusion of accessing a real machine directly. The virtual machine is a completely independent computer system and has its own IP address. Virtual machines are widely used in the following applications: ? Server consolidation ? Intrusion and fault tolerance ? System migration ? Virtual appliance ? Debugging and testing There are many ways to provide the virtualized

IDEA OF ORIGIN:

RELATED WORK:

## Content Checked For Plagiarism

RELATED WORK BENCHMARKING An automated test for estimating the properties of the specific innovation is called benchmarking. The properties may incorporate speed, execution, move rate, and so forth. Benchmarking is significant before settling on choice to choose a gear. The gear that is going to purchase, must be tried before in a similar situation and remaining burden as in genuine working circumstance. Other than the working circumstance, it ought to likewise must be tried in most pessimistic scenario circumstance. It may not generally be conceivable due to non-accessibility of imitated encompassing condition. This incorporates the real information framework that is working with. Due to protection issues of information or immense measure of information replication of the frameworks information probably won't be conceivable. So, the counterfeit outstanding tasks at hand are required for execution and observing the benchmark program. For testing the attributes of the innovation for scholastic or research reason, it is hard to give the genuine framework setup. In such cases benchmarks could fill the need to furnish with near genuine application frameworks for better outcomes. While executing a framework ought to need to think about the potential execution and cost of the framework. Benchmarking gives the outcomes that can help. Numerous variables are thought about when benchmarking for examination of various merchants' items. Results from the benchmarking that are a sensible counterpart for the application and framework size that you are thinking about. It is truth that it may be conceivable an exorbitant framework or a huge database benchmark result may not hold a ton of significance for settling a little application server. Benchmarks are arranged as pursues: ? Performance centred These benchmarks go for the best in any case of framework cost. ? Price or execution centred These benchmarks go for the least cost in any case of the framework execution. While setting up another framework one ought to consider the two costs and execution sensibly. It may happen that great execution framework can be over the top expensive or low spending framework can be terrible execution.

Matched Source

PERFORMANCE TEST 9.0

Content Checked For Plagiarism

PERFORMANCE TEST 9.0 Performance Test objectively benchmarks computer systems by using a variety of different speed tests. The different standard test suites are CPU tests, 2D Graphics tests, 3D Graphic tests, Disk Tests and Memory Test. In CPU test it performs the mathematical operations, compression, encryption and other required evaluation test. In the 2D Graphic Test it measures and evaluate the vector, bitmaps, different font evaluation, text and GUI elements and in 3D Graphic test it tests the DirectX 9 to DirectX 12 in 4K resolution, Direct Compute and OpenCL. It performs operation on disk test and Memory test where it measures reading, writing and seeking within disk files with IOPS (Input Output Operations per Second) and memory access speeds and latency respectively. Fig.2 Performance Test CPU Tests: Performance Test runs one synchronous CPU test for each sensible CPU (Hyper-threaded); physical CPU centre (double Centre) or physical CPU bundle (different CPU chips). Along these lines, if the framework has two CPUs, each with double centres that utilization hyper-stringing then Performance Test will run eight concurrent tests. The accompanying rundown portrays every one of the tests performed. In all cases a higher score is better. • Integer Math's Test: The Integer Math Test plans to gauge how quick the CPU can perform scientific whole number tasks. A number is an entire number with no fragmentary part. This is an essential activity in all PC programming and gives a decent sign of 'crude' CPU throughput. The test utilizes enormous arrangements of an equivalent number of arbitrary 32-piece and 64-piece whole numbers and includes, subtracts, increases and partitions these numbers. This test utilizes whole number cushions totalling about 240kb per centre. • Pressure Test: The Compression Test estimates the speed that the CPU can pack squares of information into littler squares of information without losing any of the first information. The outcome is accounted for in Kilobytes every Second. This test utilizes complex information structures and complex information control strategies to play out a capacity that is exceptionally basic in programming applications, going from reinforcement programming to Email programming. The pressure test utilizes an Adaptive encoding calculation dependent on a technique portrayed by from Ian H. Witten, Radford M. Neal, and John G. The framework utilizes a model which keeps up the likelihood of every image being the following encoded. It reports a pressure pace of 363% for English content, which is somewhat superior to the exemplary Huffman technique. This test utilizes memory cushions totalling about 16kb per centre. • Prime Number Test: The Prime Number Test plans to test how quick the CPU can look for Prime numbers, announced as tasks every second. A prime number is a number that must be partitioned without anyone else's input and 1. For instance, 1, 2, 3, 5, 7, 11 and so on. This calculation uses circles and CPU activities that are basic in PC programming, the most serious being duplication and modulo tasks. All tasks are performed utilizing 64-piece numbers. This test utilizes about 4MB of memory per centre. The particular recipe utilized for this test is the 'Sifter of Atkin' with a farthest point of 32 million. • Encryption Test: The Encryption Test encodes squares of arbitrary information utilizing a few diverse encryption systems, to such an extent that the subsequent information must be gotten to by somebody with the encryption key. It likewise tests the PC's capacity to make a hash of the information, which is likewise a typical cryptographic method that can be utilized to guarantee the substance of information are not messed with. The techniques utilized are Two Fish, AES, Salsa20 and SHA256. This test utilizes a significant number of the systems in the maths test, yet in addition utilizes a lot of parallel information control and CPU scientific capacities like 'to the intensity of'. Encryption is a valuable benchmark, as it is presently generally utilized in programming applications, extending from internet programs, interchanges programming and a wide range of business applications. This test utilizes memory supports totalling about 1MB per centre. Where accessible, the test will utilize

SINGLE THREADED TEST AND CINEBENCH:

Content Checked For Plagiarism

• Single Threaded Test: The single Threaded test just uses one consistent CPU centre and rates the PCs execution under these conditions. Numerous applications still just use one centre so this is a significant measurement, moreover numerous advanced CPUs will naturally over-clock themselves when just a solitary centre is being used to help execution in these situations. The single strung test is a total of the coasting point, string arranging and information pressure tests. Note: Table size was not adjustable so image of it is attached to this document. fig. 3 Video Card Test Table CINEBENCH Cinebench is a real-world cross platform benchmark application that evaluates computer systems performance capabilities. It uses user's common tasks within Cinema 4D to measure a system's performance. The Cinebench test procedure has two major parts: the CPU performance test and the graphics subsystem performance test. CPU performance test scenario uses all of computer system's processing power to render a photorealistic 3D scene, which uses various different algorithms to stress all available processor cores. The graphics subsystem performance test uses a complex 3D scene of hall room with chair table with photo frames and measures the performance of the graphics subsystem in an OpenGL mode. The results are shown with the number of points whereby the higher the number implies the better performance. The tests included in the software are described below with sample images provided. CPU test: The test used for the CPU benchmark uses all of the system's processing power to render a photorealistic 3D scene. In CINEBENCH, we can measure systems with up to 256 processor threads. The test scene contains approximately 2,000 objects which in turn contain more than 300,000 polygons in total, and uses sharp and blurred reflections, area lights, shadows, procedural shaders, antialiasing, and much more. The result is displayed in points (pts). The higher the number, the faster is the processor. Fig. 4 Demonstration Phase GPU Test: the employed procedure uses a complex 3D scene depicting a hall room with chairs and photo frames which measures the performance of the graphics card in OpenGL mode. The performance depends on various factors, such as the GPU processor present in the hardware and the drivers used. displaying a large number of polygons nearly millions, as well as a variety of effects, such as environments, bump maps, transparency, lighting and more to evaluate the performance with the help of graphic card and give a good average overview of the capabilities of your graphics hardware. The performance is calculated in frames per second (fps). The higher the number, the faster the graphics card is.

Matched Source

PC MARK 10:

Content Checked For Plagiarism

PC MARK 10 PCMark 10 is a framework benchmark for Windows PCs with an attention on present day office assignments. It offers an assortment of outstanding tasks at hand sorted into four gatherings. The Essentials bunch incorporates web perusing, video conferencing, and application fire up time. The Productivity bunch incorporates tests dependent on spreadsheets and composing. The Digital Content Creation bunch incorporates photograph altering, video altering, and a rendering and representation test. The last gathering, Gaming, incorporates tests for ongoing illustrations and material science. App Start-Up: The App Start-up workload measures hardware performance when launching a number of real applications chosen to represent the types of apps that people use day in, day out. The apps were chosen to cover a range of categories – web browser, test editor, image editor - and a spectrum of complexity – from small, lightweight apps to complex apps with lots of DLLs to load and are given below: ? Chromium web browser ? Firefox web browser ? LibreOffice Writer word processing program ? GIMP image manipulation program Web Browsing This test simulates high-level use cases where the user browses common websites with a web browser application. The test uses the following website archetypes and use cases: social media, online shopping, map, video, and static web page. The Web Browsing test utilizes two browsers: Firefox and Google Chromium. The content is served by using local web server which is in the benchmark. The content represents common web sites. The web pages are shown using both browsers, except the video page that is only run on Chromium. All the pages are run 2 times in both browsers. • Social media The social media workload simulates usage of social media platforms and includes the following tasks: ? Navigates to and load a social media site. ? the page updates the news feed with new content. ? the page updates the feed again. • Online Shopping The online shopping workload simulates an online store. The workload performs the following tasks: ? View and zoom in on high resolution images of shopping items. ? View 3D models of items. The workload calculate the time to view , load , and animate a 3D object. • Map The map workload simulates the visualization of information on a map. The workload includes the following tasks: ? Navigate to and load a map site. ? The page adds useful graphics such as traffic information. ? Zoom in on the map. The workload calculates the time to update the information to zoom in. • Video The video workload simulates online video playback. The workload views a selection of HD and 4K UHD video clips using two codecs. The video workload measures the frame rate of the video playback. • Scoring The Web Browsing score formula to calculate the overall score.Web Browsing Score = K*geomean (1/?1, 1/?2, ?3, 1/?4, ?5, 1/?6, 1/?7, ?8, ?9, ?10, ?11), where K (scoring coefficient) = 419 Video Conferencing: This test use cases of video conferencing. The test uses two scenarios, a private call and a group call. The Video Conferencing test uses Windows Media Foundation for video playback and encoding. Face detection is implemented using library OpenCV. The Video Conferencing test supports OpenCL and a preferred OpenCL device to use.Parameters for one-to-one video conferencing: scale factor 1.1, min neighbours 10, min size 110x110 and max size 300x300. Part 1: one-to-one video conferencing with basic quality video ? Encode: 720p, 30 FPS, H.264 video, bitrate 14380 kb/s ? Playback: 720p, 30 FPS, H.264 video, bitrate 11773 kb/s ? Two video streams (a local and a remote one) ? Both streams are displayed on screen downscaled to a fixed resolution window. ? Face detection performed on the local stream • Stage 1 - CPU: ? Code path: x86/x64 ? Runtime: 10s • Stage 1 - OpenCL: ? Condition to run: a suitable OpenCL device must be available ? Code path: OpenCL ? Runtime: 10s Part 2: group video conferencing with high quality outgoing video ? Encode: 1080p, 30 FPS, H.264 video, bitrate 12731 kb/s ? Playbacks: 720p, 30 FPS, H.264 video, bitrate 10152 - 12251 kb/s ? Four streams (a local and three remote ones) ? All streams are displayed on screen downscaled to a fixed resolution

SPREADSHEETS:

Content Checked For Plagiarism

Spreadsheets: The Spreadsheets test models use cases for a spreadsheet application. The utilization of spreadsheets is exceptionally shifted, extending from composing straightforward shopping records to handling enormous information sheets. Utilizations are displayed in two particular classifications: basic use and power use. The Spreadsheets test utilizes a form of LibreOffice Calc. The application is scripted to execute assignments like report stacking, sparing, altering information, altering recipes and computing. The Spreadsheets test support OpenCL. The benchmark application chooses a favoured OpenCL gadget to utilize. The Spreadsheets test is actualized utilizing AutoIt3 contents. The test sheets utilized are accessible in the LibreOffice vault. Section 1: generally speaking, application use • Stage 1: ? Code way: x86/x64 ? Test sheet: - The test utilized is like the spreadsheet test in PCMark 10. - Compute burden downsized extensively to get predictable runtimes additionally on low end frameworks. Section 2: estimation • Stage 2 - CPU: ? Code way: x86/x64 ? Test sheets: - Building Design - Stock History • Stage 2 – OpenCL ? Code way: OpenCL ? Test sheets: - Energy advertises in various nations - Monte Carlo Black Scholes alternative valuing Photo Editing: The Photo Editing test models use cases with photograph altering application. The Photo Editing test utilizes the ImageMagick library. The test utilizes doubles worked by UL. The Photo Editing test underpins OpenCL. The benchmark application chooses a favoured OpenCL gadget for the ImageMagick library to utilize. The accompanying channels are executed on CPU: ? shading modifying ? unsharp cover 1 ? commotion including ? thumbnail stacking The accompanying channels are executed on OpenCL: ? gaussian haze ? unsharp veil 2 ? neighbourhood differentiates ? wavelet denoise ? bunch change the intelligent use situation re-enacts altering a photograph in a picture control program. The remaining burdens play out the accompanying undertakings: ? Load and show a source picture into the change see. ? Apply splendour, differentiate, immersion, unsharp veil, Gaussian commotion, Gaussian haze, a further unsharp cover, nearby difference and wavelet denoise to the source picture by means of sliders in the UI and show the subsequent picture in the modification see. Every slider is moved 2-5 times, contingent upon the activity. After each separating pass establishing an optional outcome, each picture is saved money on plate in JPEG and PNG groups. The clump handling situation re-enacts altering a gathering of photographs in a picture control program. The outstanding burdens play out the accompanying assignments: Load every thumbnail each in turn into a review network ? Apply splendour, differentiate, immersion, unsharp veil, Gaussian commotion, Gaussian haze, a further unsharp cover, neighbourhood complexity and wavelet denoise to the entirety of the first pictures. ? Continue to next picture. Both the situations measure the time it takes to stack thumbnails, apply channels and spare the pictures in each configuration. Video editing: The Video Editing test utilizes some normal employments of video altering applications. Windows Media Foundation is utilized with its inherent codecs to transcode video. Equipment speeding up is permitted to be utilized if the framework bolsters it and has the vital Media Foundation arrangement done. The Video Editing test utilizes FFmpeg on the honing and detaching parts. The test utilizes pre-assembled FFmpeg pairs. The Video altering test bolsters OpenCL. The benchmark application chooses a favoured OpenCL gadget to utilize. Section 1: in a hurry Stage 1: Fast downscaling • Code way: x86/x64 • Uses Media Foundation Fast transcode highlight to transcode video documents to an arrangement appropriate for versatile use • Code way: x86/x64 and whatever is the usage with Media Foundation H.264 codecs introduced on the framework Section 2: Sharpening • Sharpens the 1080p H.264 video • Uses openly accessible executable FFmpeg.exe • Command line: FFmpeg.exe - y - v 40 - i <input file> - Vt scale=w=1920:h=1080: flags=bicubic,

CRYSTAL DISK MARK:

Content Checked For Plagiarism

CRYSTAL DISK MARK Crystal Disk Mark is a piece of programming that enables you to benchmark hard drive or solid-state drive, the motivation behind benchmarking is to ensure that your HDD or SSD is performing ideally. Crystal Disk Mark gives you a chance to choose any drive that you need and play out various tests on them to quantify execution for perusing and composing. It will run consecutive peruse and compose tests just as irregular read and compose tests, and will show the outcomes in MB/s and IOP. The Crystal Disk Mark 4K tests are utilizing 4KB document sizes which are more requesting on the CPU and capacity than the consecutive tests These tests are conducted with varying queue depth sizes and thread counts. It determines the condition of hard drive for the efficient running evaluation with the different outcomes.

Matched Source

ADVANTAGES DISADVANTAGES:

Virtualization innovation has a lot of advantages for utilizing. Some fundamental focal points are listed: ? Workload combination can be conceivable with the assistance of virtual machines to utilize the less machines, even on single server can be utilized. Virtualization for remaining burden combination having an advantage of reserve funds on equipment, natural costs, the board, and organization of the server framework. ? Untrusted applications that are defenceless for the framework can be segregated by utilizing separate virtual machines which are a significant idea in building secure registering stages. ? Execution situations with asset constrained working framework can be made for a particular reason. For instance, if a working framework that don't required graphical condition or different assets like NIC and so on can be made that may have the option to expand the nature of administration empowered working framework. ? As there is just a single physical machine for number of virtual machines yet all the virtual machines consider having their own equipment assets that are somewhat fantasy of equipment. Autonomous systems can likewise be reproduced with the assistance of virtualization innovations. ? Simultaneously support for running different working frameworks can likewise be conceivable by utilizing he virtual machines. Indeed, even same working framework with various adaptation or diverse working frameworks that are at some point hard to run on genuine equipment is conceivable with virtualization condition. ? Virtual machine observing instrument can be designed for troubleshooting what's more, execution estimation of the virtual machine. ? Software relocation is simple with virtual machines that includes framework versatility highlights. ? Research and scholarly trials that may be chance for framework pounding, virtual machines condition can be an extraordinary instrument for them. Since they give segregation, they are more secure to work with. ? A test situation can be made for an application that can be driven towards usage in genuine condition for compelling quality affirmation. ? A new component of working framework can be tried on virtual machine prior to its usage at genuine. ? System reinforcement, recuperation, or movement is very simple and sensible by utilizing virtualization. DISADVANTAGES ? It can have a critical cost of execution. ? Despite all that it has obstructions. ? CPU Overhead ? It makes a security possibility. ? Memory Overhead ? It makes an availability issue. ? It makes a flexibility issue. ? It requires a couple of associations in a chain that must participate firmly. ? It requires some venture.

RESULT ANALYSIS:

RESULT ANALYSIS The benchmarks show that the difference in Hard Disk performance is not significant and in some tests such as the 4KIB Q8T8, virtual machine manages to score better because the virtual machine has contiguous virtual allocation and there is no fragmentation. The disk size is also small which leads to quick access. As can be seen from the above pictures, the hard disk scores in the Performance Test 9 have hardly any difference and both scores in the same percentile. In the case of native machine, often, there is no contiguous block of a size of 1 gigabyte available, which leads to access times being slow, especially in the write operations. In the case of CPU performance also, due to the advent of excellent virtualization technologies, the performance does not take a hit as the support for the new instruction sets is provided. Only the multicore performance intensive operations which can be parallelized are the ones where the virtual machine takes a hit as the number of cores available to it are less. The app-start up times, especially the cold start up times are the best indicators of the memory (RAM) performance of the computer. As can be seen from the above pictures, the native machine is good at those tasks but the times for the virtual machines are not available as PCMark is not able to properly run due to the lack of graphics card availability in the virtual machine scenario, which leads to PCMark test failing and it not being able to write the test results to the result file successfully. However, the tests were run and there was a visible difference between the speeds of the native machine and the virtual machine as the memory size available is only half in the case of virtual machine. The graphics performance in the virtual machine is abysmal without a doubt, as is apparent from the results available in the previous section. This is foremost, because of the lack of external display device emulation, which leads to non-utilization of an important resource. Cinebench doesn't even give an option for the OpenGL benchmark to run in the virtual environment, which is a given as OpenGL always demands of the user to think about ow to map the computing problem to a graphics context (talk in terms of textures and geometric primitives like triangles). DirectX support is also not present which is not uncommon as DirectX12 support is not present even in many latest widely used graphics cards, if they are not of the very modern generation.

CONCLUSION AND FUTURE WORK:

CONCLUSION AND FUTURE WORK Utilizing our case study, the comparison using different benchmarks endeavours to evaluate the effect of virtualization on framework execution utilizing Operating system and VMware domain. The study utilizes throughput, points, reaction time, and bundle misfortune proportion as measurements for the evaluation. In view of the examination, it is too apparent that, to the measurement, the presentation of frameworks utilizing Windows 10 as native operation system is extensively better contrasted with Windows 10 Virtualized-Guest frameworks. The vast majority of the execution misfortune that accompanies virtualized frameworks can be in part ascribed to the additional overhead presented by virtualization. It is clear that the OS-VM blend moreover assumes a critical job. Using different Benchmark like PC MARK 10, Performance Test, Cinebench and Crystal Disk Mark the evaluated result is analysed and based on the computational values the native operating system is better than operating system running on virtual machine. This analysis is done on the specific hardware and software which might not be efficient for running the virtualization environment. So, by increasing the hardware and software resource we can achieve the required target. Thus, our examination so far has been constrained to systems administration related measurements. To have a comprehensive image of the effect of virtualization on various execution measurements, other nonnetwork related measurements would need to be investigated.