Third-Party Partner API Integration Implementation Plan

This comprehensive document outlines the complete implementation strategy for integrating third-party Post Sales APIs across multiple functionalities. The integration covers user authentication, property data management, payment processing, service requests, and document handling systems. Each endpoint has been carefully documented with detailed request parameters, response structures, and implementation considerations to ensure seamless integration with existing backend systems.

Made with GAMMA

Authentication & Security Framework

1.OAuth Token

Method: POST {{baseUrl}}/oauth2/token

Content-Type: application/json

Request Parameters

```
{
  "client_id": "your-client-id",
  "client_secret": "your-client-secret",
  "grant_type": "client_credentials"
}
```

Success Response (200 OK)

```
{
  "access_token": "eyJhbGciOiJIUzI1NiIsInR...",
  "token_type": "Bearer",
  "expires_in": 3600,
}
```

2.User Email or Mobile number validation

NOTE : This API will be for resend OTP as well if OTP expires.

Method: POST {{baseUrl}}/user/validation

Headers:

- Access-Token: AmzbLArMYQ4Dtg5YgcJcbZlPMgECLaadHWVzI1va5v2rT3AT4UGuOjFvhiEhWoiD
- Content-Type: application/jsonRequest Parameters

```
{
  "username": "+918591674002" or "xyz@gmail.com"
}
```

Success Response (200 OK)

```
{
  "status_code": 200,
  "status_message": "Mobile/Email is registered",
  "access_token" : "eyJhbGciOiJIUzI1NiIsInR...",

}
```

Other Response (404 Not Found)

```
{
  "status_code": 404,
  "status_message": "Mobile/Email is not registered",
}
```

Missing Parameter Error Response(404)

1

Upon successful authentication, you'll receive a response containing your access token and other details:

```
{
  "status_code": 404,
 "status_message": "Bad Request: Missing required field 'client details",
}
```

2

Internal Server Error Response(500)

Upon successful authentication, you'll receive a response containing your access token and other details:

```
{
  "status_code": 500,
 "status_message": "Internal Server Error: Something went wrong on the server.",
}
```

Made with GAMMA

Property Summary API

Purpose:
The **Property Summary API** provides a detailed overview of all properties associated with a user, including unit details, booking information, and related attachments such as property images or documents. This API is designed to give users or client applications a **comprehensive view of their owned or booked properties** in a single response.
5

01

Property Summary Retrieval

Fetch comprehensive property information including unit details, booking IDs, and associated attachments for dashboard display.

02

Data Processing

Parse and structure property data for frontend consumption, handling multiple property units and their respective booking information.

03

Attachment Management

Process property images and documents with proper URL handling and file extension validation for display purposes.
Property Summary Endpoint

Method: POST {{baseUrl}}/properties/summary

Headers:

- Access-Token: AmzbLArMYQ4Dtg5YgcJcbZIPMgECLaadHWVzI1va5v2rT3AT4UGuOjFvhiEhWoiD
- Content-Type: application/json

Success Response Structure

```
{
  "status_code": 200,
  "status_message": "Success",
  "response_data": [
    {
      "propertyId": 10123,
      "propertyName": "Casa Venero",
      "propertyUnitNumber": "H 401",
      "bookingId": 50001,
      "paymentaccountId": 50001,
      "attachments": [
        {
          "name": "front_view",
          "imageUrl": "https://example.com/images/casa_venero/h401/front_view.png",
          "extension": "PNG"
        },
        {
          "name": "living_room",
          "imageUrl": "https://example.com/images/casa_venero/h401/living_room.png",
          "extension": "PNG"
        }
      ]
    },
    {
      "propertyId": 10123,
      "propertyName": "Casa Venero",
      "propertyUnitNumber": "H 402",
      "bookingId": 50002,
      "paymentaccountId": 50001,
      "attachments": [
        {
          "name": "front_view",
          "imageUrl": "https://example.com/images/casa_venero/h402/front_view.png",
          "extension": "PNG"
        },
        {
          "name": "bedroom",
          "imageUrl": "https://example.com/images/casa_venero/h402/bedroom.png",
          "extension": "PNG"
        }
      ]
    }
  ]
}
```

The response structure supports multiple properties per user, each containing detailed unit information and visual attachments. The system handles both single and multiple property ownership scenarios with consistent data formatting across all property entries.

If anything fails, you may receive one of the following error responses:

1

Invalid Credentials Error Response(401)

Upon successful authentication, you'll receive a response containing your access token and other details:

```
{
  "status_code": 401,
  "status_message": "Unauthorized: Invalid or expired access token",
}
```

2

Missing Parameter Error Response(404)

Upon successful authentication, you'll receive a response containing your access token and other details:

```
{
  "status_code": 404,
  "status_message": "Bad Request: Missing required field 'partner_id",
}
```

3

Internal Server Error Response(500)

Upon successful authentication, you'll receive a response containing your access token and other details:

```
{
  "status_code": 500,
  "status_message": "Internal Server Error: Something went wrong on the server.",
}
```

Made with GAMMA

Payment Summary API

Purpose:
The **Fetch Payment Summary API** provides a detailed financial overview for a specific property unit associated with a user, including total value, installments, payments made, balance, and upcoming payments. This API is designed to help users **track their financial obligations** related to property bookings and manage payments efficiently.

Key Uses:

1. **Display Payment Overview:** Retrieve key financial metrics such as `sellValue`, `totalPaid`, `balance`, `totalNumberOfPaidInstallments`, and `delayPaymentCharges`.
2. **Track Installments:** Show the status of each installment (Paid, Partially Paid, or Pending), along with `installmentAmount`, `invoiceAmount`, and `dueDate`.
3. **Highlight Next & Upcoming Installments:** Provides `nextInstallment` and `upcomingInstallment` details so users can plan future payments.
4. **Enable Payment Actions:** Information like `payableAmount` and `paymentEnabled` allows front-end applications to enable or disable payment buttons.
5. **Support Financial Reporting:** Helps property management systems generate reports for users about payments made, pending, or overdue.

Method: POST {{baseUrl}}/properties/payment-summary

Headers:

- Access-Token: AmzbLArMYQ4Dtg5YgcJcbZIPMgECLaadHWVzl1va5v2rT3AT4UGuOjFvhiEhWoiD
- Content-Type: application/json

Request Payload

```
{
  "propertyId": "10123",
  "bookingId": "50001"
}
```

Request Parameter

Field	Type	Required	Description
propertyId	string	Yes	Unique identifier for property.
bookingId	string	Yes	Booking Id of that user associated with property.

Response Data : Success (200)

```
{
  "status_code": 200,
  "status_message": "Success",
  "response_data": [
    {
      "sellValue": 12000000.00,
      "installments": 30.00,
      "totalPaid": 2400000.00,
      "totalDemanded": 3600000.00,
      "balance": 1200000.00,
      "delayPaymentCharges": 27000.00,
      "currency": "INR",
      "nextInstallment": [{
        "installmentId": "3XfectLo",
        "instalmentNo": 3,
        "status": " Partially Paid | Pending",
        "installmentDate": "2024-12-31",
        "dueDate": "2024-12-25",
        "installmentCurrency": "INR",
        "description": "Installment on 2024-12-31",
        "installmentAmount": 5000.00,
        "invoiceAmount": 5000.00,
        "paidAmount": 0.00,
        "dueStatus": "Overdue | Upcoming",
        "payableAmount": 5000.00,
        "paymentEnabled": true
      }],
      "upcomingInstallment": [{
        "installmentId": "a1mNM000005ZjtuYAC",
        "instalmentNo": 3,
        "status": "Pending",
        "installmentDate": "2025-11-05",
        "dueDate": null,
        "installmentCurrency": "INR",
        "description": "Monthly Installment",
        "installmentAmount": 9444.60,
        "invoiceAmount": null,
        "paidAmount": 0.00,
        "dueStatus": "Upcoming",
        "payableAmount": 0.00,
        "paymentEnabled": false
      }]
    }
  ]
}
```

If anything fails, you may receive one of the following error responses:

1

Invalid Credentials Error Response(401)

Upon successful authentication, you'll receive a response containing your access token and other details:

```
{
  "status_code": 401,
  "status_message": "Unauthorized: Invalid or expired access token",
}
```

2

Missing Parameter Error Response(404)

Upon successful authentication, you'll receive a response containing your access token and other details:

```
{
  "status_code": 404,
  "status_message": "Bad Request: Missing required field 'partner_id",
}
```

3

Internal Server Error Response(500)

Upon successful authentication, you'll receive a response containing your access token and other details:

```
{
  "status_code": 500,
  "status_message": "Internal Server Error: Something went wrong on the server.",
}
```

Made with GAMMA

Property Installments API

Purpose:
The **Fetch Property Installments API** provides a detailed breakdown of all installment payments associated with a specific property unit and booking. This API allows users to **view installment schedules, payment statuses, amounts due, and enable payment actions**, helping them track and manage property payments efficiently.

Key Uses:

1. **Retrieve Installment Schedule:** Fetch all installments for a property booking, including installment number, description, and due dates.
2. **Track Payment Status:** Show the status of each installment (`Paid`, `Partially Paid`, `Pending`) and any overdue or upcoming payments.
3. **Provide Financial Details:** Include `installmentAmount`, `invoiceAmount`, `paidAmount`, `payableAmount`, and currency details to present a clear financial summary.
4. **Enable Payments:** The `paymentEnabled` field allows front-end applications to enable or disable payment actions based on the installment status.
5. **Support Reporting:** Useful for generating reports or dashboards showing paid, pending, and upcoming installments for users or property managers.

Method: POST [{baseUrl}]/properties//installments/

Headers:

- Access-Token: AmzbLArMYQ4Dtg5YgcJcbZlPMgECLaadHWVzl1va5v2rT3AT4UGuOjFvhiEhWoiD
- Content-Type: application/json

Request Payload

```
{
  "propertyId": "123456",
  "bookingId": "23456"
}
```

Request Parameter

Field	Type	Required	Description
propertyId	string	Yes	Unique identifier for property.
bookingId	string	Yes	Booking Id of that user associated with property.

1 — Installment 1 - Paid
Amount: ₹600,000 | **Status:** Paid | **Due:** 2024-12-25

2 — Installment 2 - Partial
Amount: ₹600,000 | **Paid:** ₹300,000 | **Due:** 2025-02-25

3 — Installment 3 - Pending
Amount: ₹800,000 | **Status:** Upcoming | **Due:** 2025-03-10

4 — Installment 4 - Partial
Amount: ₹500,000 | **Paid:** ₹100,000 | **Due:** 2025-04-05

Complete Installment Response Structure


```
{
  "status_code": 200,
  "status_message": "Success",
  "response_data": [
    {
      "installmentId": "x3fektkLo",
      "instalmentNo": 1,
      "description": "Installment on 2024-12-31",
      "installmentDate": "2024-12-31",
      "dueDate": "2024-12-25",
      "installmentCurrency": "INR",
      "installmentAmount": 600000.00,
      "invoiceAmount": 600000.00,
      "status": "Paid",
      "paidAmount": 600000.00,
      "dueStatus": "Overdue",
      "payableAmount": 0.00,
      "paymentEnabled": false
    },
    {
      "installmentId": "y6uioErT",
      "instalmentNo": 2,
      "description": "Installment on 2025-03-01",
      "installmentDate": "2025-03-01",
      "dueDate": "2025-02-25",
      "installmentCurrency": "INR",
      "installmentAmount": 600000.00,
      "invoiceAmount": 600000.00,
      "status": "Partially Paid",
      "paidAmount": 300000.00,
      "currency": "AED",
      "dueStatus": "Overdue",
      "payableAmount": 300000.00,
      "paymentEnabled": true
    },
    {
      "installmentId": "b6uioE33T",
      "instalmentNo": 3,
      "description": "Installment on 2025-03-15",
      "installmentDate": "2025-03-15",
      "dueDate": "2025-03-10",
      "installmentCurrency": "INR",
      "installmentAmount": 800000.00,
      "invoiceAmount": 800000.00,
      "status": "Pending",
      "paidAmount": 0.00,
      "dueStatus": "Upcoming",
      "payableAmount": 800000.00,
      "paymentEnabled": true
    },
    {
      "installmentId": "c9uioZ99Q",
      "instalmentNo": 4,
      "description": "Installment on 2025-04-10",
      "installmentDate": "2025-04-10",
      "dueDate": "2025-04-05",
      "installmentCurrency": "INR",
      "installmentAmount": 500000.00,
      "invoiceAmount": 500000.00,
      "status": "Partially Paid",
      "paidAmount": 100000.00,
      "dueStatus": "Upcoming",
      "payableAmount": 400000.00,
      "paymentEnabled": true
    }
  ]
}
```


The installment tracking system provides comprehensive payment history with detailed status information, enabling precise financial reporting and payment schedule management. Each installment includes currency specification, payment enablement flags, and detailed amount breakdowns for accurate financial processing.

1

Invalid Credentials Error Response(401)

Upon successful authentication, you'll receive a response containing your access token and other details:

```
{
  "status_code": 401,
  "status_message": "Unauthorized: Invalid or expired access token",
}
```

2

Missing Parameter Error Response(404)

Upon successful authentication, you'll receive a response containing your access token and other details:

```
{
  "status_code": 404,
  "status_message": "Bad Request: Missing required field",
}
```

3

Internal Server Error Response(500)

Upon successful authentication, you'll receive a response containing your access token and other details:

```
{
  "status_code": 500,
  "status_message": "Internal Server Error: Something went wrong on the server.",
}
```

Made with GAMMA

Property Installment Payment – Detailed Flow (With Questions & Clarifications)

This document captures **all payment flows exactly in the same structure as shared**, including **open questions and their clear resolutions**. No flow or scenario is skipped.

1. Property Installment – Data Corrections (Mandatory)

1.1 Add TDS Flag and Threshold

Each installment must store TDS at **installment level**, not at booking or property level.

New fields to be added:

- tds_enabled (true / false)
- tds_threshold_amount

TDS Rule:

- TDS applies only if tds_enabled = true
- TDS applies only on the **amount paid for that installment** once it crosses the threshold

2. Payment Flow – Bank Transfer (Razorpay)

Prerequisites

- Razorpay **API Key**
- Razorpay **Secret Key**

3. Pay Now Flow – Common Steps

Step a: Fetch Account ID

Request Parameters

This accountId is mandatory for any payment initiation.

Step b: Create Payment Payload

Payload must include:

- razorpay_account_id
- customer_id(optional)
- email_id(optional)
- phone_no(optional)
- property_id (mar)
- unit_id (mar)
- sales_agreement_no (mar) bookingID
- installment_no or installment_ids (mar)
- transaction_amount (mar)
- payment_type (mar) value always will be online.

Payload must include:

- accountId
- paymentType → SINGLE / MULTIPLE / PAY_ALL

Step c: Initiate / Process Payment API

API: POST https://yyorgx95.adb.ap-mumbai-1.oracleobsapps.com/ords/emrind_fms/emaar_mob_app/emrind_ps_process_payment

Sample Payload

```
{
  "data": [
    {
      "customer_id": "934425778",
      "email_id": "abc@xyz.com",
      "phone_no": "999999999",
      "property_id": "254660",
      "unit_id": "260662",
      "sales_agreement_no": "1723820",
      "razorpay_order_id": "order_FTgEfBvdbrrfbv",
      "transaction_amount": "2000",
      "transaction_date": "28-JAN-2025",
      "status": "INITIATED",
      "payment_remarks": "Payment of 2000",
      "installment_no": [154, 647],
      "razorpay_account_id": "acc_Epo6p4LF5tEYnn",
      "payment_type": "0015",
      "registration_id": "36276"
    }
  ]
}
```

Step d: Payment Execution

- User redirected to Razorpay screen
- Payment done via bank transfer

Step e: Payment Completion

- User redirected to **Payment Confirmation Screen**
- Backend **Payment Update API** called with:
  - Razorpay payment ID
  - Transaction details
  - Payment status

After Razorpay completes the payment, **Payment Update API** must be called to confirm final status.

API:
POST https://yyorgx95.adb.ap-mumbai-1.oracleobsapps.com/ords/emrind_fms/emaar_mob_app/emrind_ps_update_payment_status

```
{
  "data": [
    {
      "razorpay_order_id": "order_FTgEfBvdbrrfbv",
      "razorpay_payment_id": "pay_FTeWfNfKLqRfNN",
      "razorpay_signature": "55b96ce7be12278245f7095dc4b4844dc87c297623157289784bf6dff0f360f",
      "status": "CAPTURED",
      "razorpay_receipt_id": "acc_Epo6p4LF5tEYnn",
      "razorpay_transfer_id": null,
      "razorpay_settlement_id": null,
      "razorpay_settlement_utr": null
    }
  ]
}
```

Step f: Post Payment

- User redirected to **Upcoming Dues Screen**
- All installments updated with correct status

4. Single Installment Payment (Bank Transfer)

Flow

- User selects **one installment**
- System calculates TDS if applicable
- Payment initiated

Status Handling

- After success:
  - Full amount paid → PAID
  - Partial amount paid → PARTIALLY PAID

5. Pay All Installments (Bank Transfer)

Flow

- User clicks **Pay All**
- Backend fetches **balance amount or total due amount provided in Payment sumarry API.**

Question:

How to pass installment amount for Pay All?

How TDS will get calculated for Pay All?

How we will be passing installmentId's ?

6. Pay by Selecting Multiple Installments (Bank Transfer)

Flow

- User selects multiple installments
- User can pay **full or partial amount**

Question 1:

How will the payment amount be decided when user pays partial amount?

Answer:
Question 2:

Example Scenario

- Installment 1: ₹6,00,000 (TDS enabled)
- Installment 2: ₹6,00,000 (TDS disabled)
- User selects both
- User pays ₹7,00,000

How will this be settled?

Answer:
Question 3:

How will TDS work when thresholds are different?

7. Payment Flow – Cheque

Common Rules

- No Razorpay involved
- Payment remains pending until clearance

8. Cheque – Single Installment

Flow

1. User selects installment
2. TDS calculated if applicable
3. User enters cheque details and uploads cheque
4. API called with cheque details

Status

- After upload → CHEQUE SUBMITTED
- After clearance (client update):
  - PAID

9. Cheque – Multiple Installments

Flow

- User selects multiple installments
- Cheque details submitted once
- All installment IDs passed

Question:

How will TDS work for multiple installments?

10. Cheque – Pay All

Flow

Question:

How will TDS work in Pay All (Cheque)?

How we will be passing the installmentId's

Cheque Submit API

Purpose: Submit cheque / offline payment details against one or more installments.

API: POST /property/installments/cheque-payment

```
{
  "property_id": "254660",
  "unit_id": "260662",
  "booking_id": "934425778",
  "payment_mode": "CHEQUE",
  "payment_amount": "1100000",
  "payment_date": "06-FEB-2026",
  "bank_name": "HDFC Bank",
  "reference_no": "CHQ123456",
  "remarks": "Cheque submitted",
  "installment_ids": [
    "INST_001"
  ],
  "tds_amount": "0",
  "payment_proof": {
    "file_name": "cheque_copy.pdf",
    "file_extension": "pdf",
    "file_base64": "JVBERi0xLjQKJcfs..."
  }
}
```

7. Payment Flow – Cash

Common Rules

- No Razorpay involved
- Payment remains pending until clearance

8. Cash – Single Installment

Flow

1. User selects installment
2. TDS calculated if applicable
3. User enters Cash details and uploads payment proof
4. API called with Cash details

Status

- After upload → *Cash Form Submmitted*
- After clearance (client update):
  - PAID

9. Cash – Multiple Installments

Flow

- User selects multiple installments
- Cash details submitted once
- All installment IDs passed

Question:

How will TDS work for multiple installments?

10. Cash – Pay All

Flow

Question:

How will TDS work in Pay All (Cheque)?

How we will be passing the installmentId's

Cash Submit API

Purpose: Submit Cash / offline payment details against one or more installments.

API: POST /property/installments/cash-payment

```
{
  "property_id": "254660",
  "unit_id": "260662",
  "booking_id": "934425778",
  "payment_mode": "CASH",
  "payment_amount": "1100000",
  "payment_date": "06-FEB-2026",
  "bank_name": "HDFC Bank",
  "reference_no": "CASH123456",
  "remarks": "Cash proof submitted",
  "installment_ids": [
    "INST_001"
  ],
  "tds_amount": "0",
  "payment_proof": {
    "file_name": "cash_copy.pdf",
    "file_extension": "pdf",
    "file_base64": "JVBERi0xLjQKJcfs..."
  }
}
```

Made with Goodnotes

Transaction Receipts & Download

1

Receipt Retrieval

Fetch transaction receipts with filtering capabilities by payment status and bookingId

2

Document Processing

Handle receipt metadata including issued dates and amounts

3

File Download

Convert base64 encoded receipt files for download functionality

Get Transaction Receipts

Method: POST [{baseUrl}]/payment/get-receipts/

Headers:

- Access-Token: AmzbLArMYQ4Dtg5YgcJcbZIPMgECLaadHWVzI1va5v2rT3AT4UGuOjFvhiEhWoiD
- Content-Type: application/json

Request Payload

```
{
  "propertyId": "123456",
  "bookingId": "23456",
  }
```

Request Parameter

Field	Type	Required	Description
propertyId	string	Yes	Unique identifier for property.
bookingId	string	Yes	Booking Id of that user associated with property.

Status Filter Values: All, paid, pending, failed

Receipt Response Structure

```
{
   "status_code": 200,
   "status_message": "Success",
   "response_data": [
      {
         "payment_reference": "x3fektkLo",
         "status": "Paid",
         "paidAmount": 600000.00,
         "method" : "Bank transfer",
         "receipts": [
            {
               "name": "receipt_1",
               "receiptId": "rct001",
               "issuedDate": "2024-12-31",
               "amount": 300000.00
            },
            {
               "name": "receipt_2",
               "receiptId": "rct002",
               "issuedDate": "2025-01-05",
               "amount": 300000.00
            }
         ]
      },
      {
         "payment_reference": "y6uioErT",
         "status": "Partially Paid",
         "paidAmount": 300000.00,
         "method" : "Cheque",
         "receipts": [
            {
               "name": "receipt_3",
               "receiptId": "rct003",
               "issuedDate": "2025-03-01",
               "amount": 300000.00
            }
         ]
      }
   ]
}
```

Download Receipt File API

Method: POST [{baseUrl}]/payment/download-receipts/

Download Request payload

```
{
  "receiptId": "rct001"
}
```

Request Parameter

Field	Type	Required	Description
receiptId	string	Yes	Unique identifier for receipt created.

Download Response Success (200 ok)

```
{
   "status_code": 200,
   "status_message": "Success",
   "response_data": {
      "receiptId": "rct001",
      "fileName": "receipt_1.pdf",
      "fileType": "application/pdf",
      "base64Data": "encodedstring"
   }
}
```

1

Invalid Credentials Error Response(401)

Upon successful authentication, you'll receive a response containing your access token and other details:

```
{
  "status_code": 401,
  "status_message": "Unauthorized: Invalid or expired access token",
  }
```

2

Missing Parameter Error Response(404)

Upon successful authentication, you'll receive a response containing your access token and other details:

```
{
  "status_code": 404,
  "status_message": "Bad Request: Missing required field",
  }
```

3

Internal Server Error Response(500)

Upon successful authentication, you'll receive a response containing your access token and other details:

```
{
  "status_code": 500,
  "status_message": "Internal Server Error: Something went wrong on the server.",
  }
```

Made with GAMMA

Announcements API

Purpose:
The **Announcements API** provides residents or property owners with official updates, notices, and announcements related to their property or community. It acts as a centralized communication channel between the property management team and the residents, ensuring that important information such as surveys, policy updates, events, maintenance schedules, or regulatory notices is delivered in a structured and accessible format.

Key purposes include:

1. **Centralized Communication** – Ensures all property-related announcements are delivered through a single platform.
2. **Timely Updates** – Provides residents with up-to-date information such as surveys, upcoming events, maintenance alerts, or general notices.
3. **Validity Tracking** – Each announcement includes start and expiry dates, ensuring that only relevant and active announcements are visible.
4. **Author Transparency** – Clearly identifies the author or issuing authority for trust and authenticity.
5. **Attachment Support** – Allows announcements to include supporting documents, images, or PDFs (shared as base64-encoded data), which residents can view or download.
6. **Personalization** – By passing the `propertyId`, users receive announcements specific to their unit, property, or community.

Method: POST {{baseUrl}}/properties/announcements/

Headers:

- Access-Token: AmzbLArMYQ4Dtg5YgcJcbZIPMgECLaadHWVzI1va5v2rT3AT4UGuOjFvhiEhWoiD
- Content-Type: application/json

Request Payload

```
{
 "propertyId": "123456",
 "propertyUnitNumber": "H 401",
 "page" : 1,
 "limit" : 10
}
```

Request Parameter

Field	Type	Required	Description
propertyId	string	Yes	Unique identifier for property.
PropertUnitNumber	string	Yes	property Unit number of that user associated with property.
page	string	Yes	Page number for the API , by default it will be 1.
limit	string	Yes	limit for the API, by default it will be 10.

Response Success

```
{
  "status_code": 200,
  "status_message": "Success",
  "response_data": [
    {
      "id": 12356,
      "title": "Workspace Survey",
      "contents": "We are conducting ...",
      "date": "14/12/2024",
      "expiryDate": "14/12/2025",
      "author": "Team ABC",
      "attachments": [
        {
          "fileName": "image_1.pdf",
          "fileType": "application/pdf",
          "base64Data": "<base64-encoded-file-string>"
        },
        {
          "fileName": "image_2.pdf",
          "fileType": "application/pdf",
          "base64Data": "<base64-encoded-file-string>"
        }
      ]
    }
  ]
"pagination": {
    "current_page": 1,
    "per_page": 10,
    "total_items": 627,
    "total_pages": 63,
    "has_next": true,
    "has_prev": false
  }

}
```

1

Invalid Credentials Error Response(401)

Upon successful authentication, you'll receive a response containing your access token and other details:

```
{
 "status_code": 401,
"status_message": "Unauthorized: Invalid or expired access token",
}
```

2

Missing Parameter Error Response(404)

Upon successful authentication, you'll receive a response containing your access token and other details:

```
{
 "status_code": 404,
"status_message": "Bad Request: Missing required field",
}
```

3

Internal Server Error Response(500)

Upon successful authentication, you'll receive a response containing your access token and other details:

```
{
 "status_code": 500,
"status_message": "Internal Server Error: Something went wrong on the server.",
}
```

Made with GAMMA

Construction Updates

Purpose:
The **Construction Updates API** provides property owners and stakeholders with the latest progress details of ongoing construction projects. By passing a property ID, users can retrieve project-specific updates such as construction percentage, current work status, detailed descriptions, and monthly update notes.

Additionally, the API returns supporting media files (images, documents) as attachments, helping users visually track the development of their property. This ensures transparency, improves communication, and keeps customers informed about construction milestones in real time.

Method: POST {{baseUrl}}/projects/construction-updates/

Headers:

- Access-Token: AmzbLArMYQ4Dtg5YgcJcbZIPMgECLaadHWVzl1va5v2rT3AT4UGuOjFvhiEhWoiD
- Content-Type: application/json

Request Payload

```
{
 "propertyId": "123456",
 "propertyUnitNumber": "H 401",
 "page" : 1,
 "limit" : 10
}
```

Request parameter

Field	Type	Required	Description
propertyId	string	Yes	Unique identifier for property.
PropertUnitNumber	string	Yes	property Unit number of that user associated with property.
page	string	Yes	Page number for the API , by default it will be 1.
limit	string	Yes	limit for the API, by default it will be 10.

Response Success

```
{
   "status_code": 200,
   "status_message": "Success",
   "response_data": [
      {
         "id": 12356,
         "date": "14/12/2024",
         "project_name": "Emerald Heights - Tower A",
         "construction_progress": "33%",
         "construction_details": "Roofing work initiated and 3rd floor slab completed.",
         "monthlyUpdateText": "Structural framework progressing as per schedule.",
         "attachments": [
            {
               "name": "towerA_roofing",
               "imageUrl": "https://example.com/images/towerA_roofing.png",
               "extension": "PNG"
            },
            {
               "name": "towerA_progress",
               "imageUrl": "https://example.com/images/towerA_progress.jpg",
               "extension": "JPG"
            }
         ]
      },
      {
         "id": 12357,
         "date": "20/01/2025",
         "project_name": "Emerald Heights - Tower B",
         "construction_progress": "48%",
         "construction_details": "External plastering is 50% complete, plumbing work in progress.",
         "monthlyUpdateText": "Workforce increased to ensure timely completion.",
         "attachments": [
            {
               "name": "towerB_plaster",
               "imageUrl": "https://example.com/images/towerB_plaster.jpg",
               "extension": "JPG"
            }
         ]
      }
   ]
"pagination": {
      "current_page": 1,
      "per_page": 10,
      "total_items": 627,
      "total_pages": 63,
      "has_next": true,
      "has_prev": false
   }

}
```

1

Invalid Credentials Error Response(401)

Upon successful authentication, you'll receive a response containing your access token and other details:

```
{
 "status_code": 401,
 "status_message": "Unauthorized: Invalid or expired access token",
}
```

2

Missing Parameter Error Response(404)

Upon successful authentication, you'll receive a response containing your access token and other details:

```
{
 "status_code": 404,
 "status_message": "Bad Request: Missing required field",
}
```

3

Internal Server Error Response(500)

Upon successful authentication, you'll receive a response containing your access token and other details:

```
{
 "status_code": 500,
 "status_message": "Internal Server Error: Something went wrong on the server.",
}
```

Made with GAMMA

Service Request Management System

Request Categories
Fetch available service categories like Electricity, Plumbing for request classification

Status Tracking
Monitor request status through Closed, Pending, and other workflow states

Sub-Categories
Retrieve specific sub-categories based on parent category selection

Request Submission
Submit service requests with descriptions and attachments to Salesforce CRM

Service Request Endpoints

Headers:

- Access-Token: AnohLAr/MYQ4DtgS1fgcJcbZlPMgECLaadHWVzt1vu5v2rT3AT4UGuQjFvhEWnsD
- Content-Type: application/json

1. Get Request list

Note : This API will return data in descending order.

Method: POST [baseUrl]/properties/user/requests/

Request Payload

```
{
  "propertyUnitNumber": "H 401",
  "page" : 1,
  "limit" : 10
  "requestType" : "category" // values can be category , status, submmitted by
  "category" : "Electricity",
  "status": "Open",
  "submmitted_by" : "All" or "Myself" in case of myself we will pass user emailid or number

}
```

Request Parameter

Field	Type	Required	Description
PropertUnitNumber	string	Yes	property Unit number of that user associated with property.
page	string	Yes	Page number for the API , by default it will be 1.
limit	string	Yes	limit for the API, by default it will be 10.
requestType	string	No	requestType for filtering the tickets.
category	string	No	category filter for created cases , by default null.If passes null then will return all cases.
status	string	No	status filter for created cases , by default null. If passes null then will return all cases.
submmitted_by	string	No	submmitted_by filter for created cases , by default All.

Response Success

```
{
  "status_code": 200,
  "status_message": "Success",
  "response_data": [
    {
      "ticketId": 124,
      "propertyId": 12356,
      "propertyNumber": "H401",
      "category": "Electricity",
      "subCategory": "Basic SPA Copy",
      "description": "Turim Ipsum",
      "status": "Closed",
      "escalation_level": "L1",
      "timestamp": "14/12/2024 11:20:00 AM",
      "attachments": [
        {
          "name": "img_1",
          "imageUrl": "https://image.jpg",
          "extension": "PNG"
        },
        {
          "name": "img_2",
          "imageUrl": "https://image.jpg",
          "extension": "JPG"
        }
      ]
    }
  ]
"pagination": {
    "current_page": 1 ,
    "per_page": 10,
    "total_items": 627,
    "total_pages": 63,
    "has_next": true,
    "has_prev": false
  }
}
```

2. Get Request Categories

Method: POST [baseUrl]/properties/customer-requests-categories/

Request Payload

```
{
  "propertyUnitNumber": "H 401",
}
```

Request Parameter

Field	Type	Required	Description
PropertUnitNumber	string	Yes	property Unit number of that user associated with property.

Response Success

```
{
  "status_code": 200,
  "status_message": "Success",
  "response_data": [
      {
        "id": 124,
        "name": "Electric"
      },
      {
        "id": 124,
        "name": "Plumbing"
      }

  ]
}
```

3. Get Sub-Categories

Method: POST [baseUrl]/properties/customer-requests-sub-categories/

Request Payload

```
{
"propertyUnitNumber": "H 401",
  "parentCategoryId": "1"
}
```

Request Parameter

Field	Type	Required	Description
PropertyUnitNumber	string	Yes	property Unit number of that user associated with property.
parentCategoryId	string	Yes	Parent categoryId for which we want sub-category.

Response Success

```
{
  "status_code": 200,
  "status_message": "Success",
  "response_data": [
    {
      "id": 123,
      "name": "Inquiries"
    },
    {
      "id": 125,
      "name": "Finance"
    }
  ]
}
```

3. Get Status filters

Method: POST [baseUrl]/properties/service-request/status-filter

Request Payload

```
{
  "propertyUnitNumber": "H 401",
}
```

Field	Type	Required	Description
PropertyUnitNumber	string	Yes	property Unit number of that user associated with property.

Response Success

```
{
  "status_code": 200,
  "status_message": "Success",
  "response_data": [
    {
      "Open",
      "Closed",
      "other"
    }

  ]
}
```

4. Submit Service Request

Help Desk Attachment Validation Rules

1. **Maximum Number of Files** : A maximum of 5 files can be uploaded per request.
2. **Maximum Total File Size**: The combined size of all uploaded files must not exceed 25 MB.
3. **Allowed File Types Only the following file formats are permitted:**
   Images: .png, .jpg, .jpeg
   Documents: .pdf Videos:
   Common video formats (e.g., .mp4, .mov, .avi)

Method: POST [baseUrl]/properties/request-submit

Request Payload

```
{
"propertyId": 123456,
"propertyUnitNumber": "H 401",
"submitted_by" : "username" or mobile,
"categoryId": 124,
"subCategory": 125,
"description": "Lorem ipsum dolor sit amet...",
"attachments": [{
  "name": "img_1",
  "encodedString": "base64string",
  "extension": "PNG"
}]
}
```

Request Parameter

Field	Type	Required	Description
propertyId	string	Yes	Unique Identifier for property.
PropertyUnitNumber	string	Yes	property Unit number of that user associated with property.
categoryId	string	Yes	categoryId for selected category issue.
subcategory	string	Yes	subcategory for selected issue.
description	string	No	remark for particular issue.
attachments	object	No	Attachment for issue.

Response Success

```
{
  "status_code": 200,
  "status_message": "Request Raised Successfully",
}
```

The service request system integrates directly with Salesforce CRM for comprehensive ticket management. Each request includes detailed categorization, multimedia attachment support, and complete audit trail tracking with timestamps and status updates.

1

Invalid Credentials Error Response(401)

Upon successful authentication, you'll receive a response containing your access token and other details:

```
{
  "status_code": 401,
  "status_message": "Unauthorized: Invalid or expired access token",
}
```

2

Missing Parameter Error Response(404)

Upon successful authentication, you'll receive a response containing your access token and other details:

```
{
  "status_code": 404,
  "status_message": "Bad Request: Missing required field",
}
```

3

Internal Server Error Response(500)

Upon successful authentication, you'll receive a response containing your access token and other details:

```
{
  "status_code": 500,
  "status_message": "Internal Server Error: Something went wrong on the server.",
}
```

Made with GENIGMS

Project List & Detail API

Purpose:
The **Projects List API** provides a comprehensive list projects available in the system. It returns essential project details such as project ID, name, description, location, and associated attachments (e.g., images, brochures). This API acts as the **entry point for property discovery and selection**, enabling users to identify projects they are associated with or can explore further.

It is primarily used to:

- Display all available projects to customers in web or mobile applications.
- Provide identifiers (`projectId`) that serve as references for other APIs such as property units, payment summaries, announcements, or construction updates.
- Showcase project media (images or encoded files) for better visualization and marketing.

Note : This API will be handled by Anacity Team.

Made with GAMMA

Enquire API

Purpose:
This API will just to get the enquiry/interest of the user for the respective project.

Method: POST {{baseUrl}}/properties/contact-us/

Headers:

- Access-Token: AmzbLArMYQ4Dtg5YgcJcbZlPMgECLaadHWVzl1va5v2rT3AT4UGuOjFvhiEhWoiD
- Content-Type: application/json

Request payload

```
{
   "propertyName": "Casa Venero"
   "Username": "Raghav Saxena",
   "email": "raghavsaxena@gmail.com",
   "mobile": "9935672003"
}
```

Field	Type	Required	Description
propertyId	string	Yes	Unique identifier of the property for which the attachment is being uploaded.

```
Response Success (200 OK)
{
   "status_code": 200,
   "status_message": "Success",
}
```

1

Invalid Credentials Error Response(401)

Upon successful authentication, you'll receive a response containing your access token and other details:

```
{
  "status_code": 401,
 "status_message": "Unauthorized: Invalid or expired access token",
}
```

2

Missing Parameter Error Response(404)

Upon successful authentication, you'll receive a response containing your access token and other details:

```
{
  "status_code": 404,
 "status_message": "Bad Request",
}
```

3

Internal Server Error Response(500)

Upon successful authentication, you'll receive a response containing your access token and other details:

```
{
  "status_code": 500,
 "status_message": "Internal Server Error: Something went wrong on the server.",
}
```

Made with GAMMA

Unit Details & Unit Owner API

Purpose:
The **Unit Details API** provides comprehensive information about a specific unit within a property. It is primarily used to fetch **unit-specific metadata, area measurements, and booking/financial details**.

Key Objectives:

1. **Unit Identification** – Fetches unit details such as block name, unit number, and associated property name.
2. **Area Information** – Provides built-up, terrace, and plot areas for the unit to help users understand the size and layout.
3. **Booking & Financial Details** – Returns key financial information like agreement value, admin fees, and stamp duty.
4. **Support for Plots vs Apartments** – Handles both structured units (apartments) and plots with optional block names or plot areas.

Use Cases:

- Display detailed unit information in property portals or mobile apps.
- Generate booking or payment summaries for specific units.
- Assist sales teams and property managers in validating unit details before transactions.

1.Unit Details

Method: POST {{baseUrl}}/properties/referrals/

Headers:

- Access-Token: AmzbLArMYQ4Dtg5YgcJcbZIPMgECLaadHWVzI1va5v2rT3AT4UGuOjFvhiEhWoiD
- Content-Type: application/json

Request Payload

```
{
  "propertyId": "123456",
  "propertyUnitNumber": "H 401"
}
```

Request Parameters

Field	Type	Required	Description
propertyId	string	Yes	Unique identifier of the property for which details or actions are requested.
propertyUnitNumber	string	Yes	Unit or flat number of the property (e.g., "H 401").

Response Success

```
{
  "status_code": 200,
  "status_message": "Success",
  "response_data": [
    "unitData": {
      "blockName": "Block A", // In case of plots, this could be null or "Plot Area"
      "unitNumber": "H 401",
      "propertyName": "Casa Venero"
    },
    "area": {
      "builtUpArea": "5876 sq.ft",
      "terraceArea": "550 sq.ft",
      "plotArea": "2240 sq.ft"
    },
    "bookingDetails": {
      "agreementValue": "INR 78,782,787",
      "adminFee": "INR 2,345",
      "stampDuty": "INR 590"
    }
  ]
}
```

2.Unit Owners

Method: POST {{baseUrl}}/properties/referrals/

Headers:

- Access-Token: AmzbLArMYQ4Dtg5YgcJcbZIPMgECLaadHWVzI1va5v2rT3AT4UGuOjFvhiEhWoiD
- Content-Type: application/json

Request Payload

```
{
  "propertyId": "123456",
  "propertyUnitNumber": "H 401",
  "bookingId" : 50002
}
```

Request Parameter

Field	Type	Required	Description
propertyId	string	Yes	Unique identifier of the property for which details or actions are requested.
propertyUnitNumber	string	Yes	Unit or flat number of the property (e.g., "H 401").
bookingId	integer	Yes	Unique booking identifier associated with the property.

Response Success

```
{
  "status_code": 200,
  "status_message": "Success",
  "response_data": [
    {
      "name": "Mr. Rajesh Kumar",
      "mobile": "+918976543210",
      "adharnumber": "1234-5678-9012",
      "pannumber": "ABCDE1234F",
      "address": "Apartment H 401, Block A, Casa Venero, Dubai",
      "type": "Joint Owner"
    },
    {
      "name": "Mrs. Anjali Sharma",
      "mobile": "+918976543211",
      "adharnumber": "9876-5432-1098",
      "pannumber": "XYZAB5678G",
      "address": "Apartment H 402, Block A, Casa Venero, Dubai",
      "type": "Primary Owner"
    }
  ]
}
```

1

Invalid Credentials Error Response(401)

Upon successful authentication, you'll receive a response containing your access token and other details:

```
{
  "status_code": 401,
  "status_message": "Unauthorized: Invalid or expired access token",
}
```

2

Missing Parameter Error Response(404)

Upon successful authentication, you'll receive a response containing your access token and other details:

```
{
  "status_code": 404,
  "status_message": "Bad Request: Missing required field",
}
```

3

Internal Server Error Response(500)

Upon successful authentication, you'll receive a response containing your access token and other details:

```
{
  "status_code": 500,
  "status_message": "Internal Server Error: Something went wrong on the server.",
}
```

Made with GAMMA

Digi Safe Document & Download API's

Purpose:
The **Digi Safe Listing API** is used to fetch a categorized list of documents associated with a property. It provides a structured overview of all available documents, grouped by folder names such as *Sell, Identity, Payment*, etc.

Key Features / Use Cases:

- Retrieve all property-related documents for viewing or download.
- Categorizes documents into folders for easy navigation.
- Provides document IDs and names for reference.
- Useful for property owners or managers to quickly access property documents in a portal or app.

1.Digi Safe Document list

Method: POST {{baseUrl}}/properties/documents/

Headers:

- Access-Token: AmzbLArMYQ4Dtg5YgcJcbZIPMgECLaadHWVzl1va5v2rT3AT4UGuOjFvhiEhWoiD
- Content-Type: application/json

Request Payload

```
{
  "propertyId": "123456",
  "bookingId": "23456",
}
```

Field	Type	Required	Description
propertyId	string	Yes	Unique identifier of the property for which details or actions are requested.
bookingId	integer	Yes	Unique booking identifier associated with the property.

Response Structure

```
{
    "status_code": 200,
    "status_message": "Success",
    "response_data": [
      {
        "folderName": "Allotement letter",
        "fileNames": [
          {
            "id": 2155,
            "name": "Booking Form"
          },
          {
            "id": 2345,
            "name": "Signed Sell and Purchase Agreement"
          }
        ]
      },
      {
        "folderName": "Identity",
        "fileNames": [
          {
            "id": 2154,
            "name": "Passport Copy"
          },
          {
            "id": 2343,
            "name": "Emirates ID Copy"
          },
          {
            "id": 2344,
            "name": "Change of Address Letter"
          }
        ]
      }
    ]
}
```

2.Download Document

Method: POST {{baseUrl}}/properties/documents/download-document/

Download Request payload

```
{
    "propertyId": "123456",
    "documentid": "2154"
}
```

Field	Type	Required	Description
propertyId	string	Yes	Unique identifier of the property for which details or actions are requested.
documentId	string	Yes	Unique booking identifier associated with the document.

Download Response Success (200 ok)

```
{
    "status_code": 200,
    "status_message": "Success",
    "response_data": {
        "fileName": "receipt_1.pdf",
        "fileType": "application/pdf",
        "base64Data": "encodedstring"
    }
}
```

1

Invalid Credentials Error Response(401)

Upon successful authentication, you'll receive a response containing your access token and other details:

```
{
  "status_code": 401,
  "status_message": "Unauthorized: Invalid or expired access token",
}
```

2

Missing Parameter Error Response(404)

Upon successful authentication, you'll receive a response containing your access token and other details:

```
{
  "status_code": 404,
  "status_message": "Bad Request: Missing required field",
}
```

3

Internal Server Error Response(500)

Upon successful authentication, you'll receive a response containing your access token and other details:

```
{
  "status_code": 500,
  "status_message": "Internal Server Error: Something went wrong on the server.",
}
```

Made with GAMMA

User Profile API's

Purpose:
The **User Profile API** retrieves the detailed profile information of a user associated with a property or booking. This includes personal information (name, email, phone), profile image, and optionally other documents or attachments. It is used to display user details in the app or portal.

Key Features / Use Cases:

- Fetch user personal details (name, email, phone).
- Retrieve the user's profile image or uploaded attachments.
- Support for multiple attachments if required.

1.User Profile Info

Method: POST {{baseUrl}}/properties/user-info/

Headers:

- Access-Token: AmzbLArMYQ4Dtg5YgcJcbZIPMgECLaadHWVzI1va5v2rT3AT4UGuOjFvhiEhWoiD
- Content-Type: application/json

```
Response Success (200 OK)
{
  "status_code": 200,
  "status_message": "Success",
  "response_data": [
    {
      "name": "Mr. Jhon Doe",
      "email": "jhon@gmail.com",
      "phone": "+91786542367",
      "attachments": {
        "name": "img_11",
        "encodedString": "base64string",
        "extension": "PNG"
      }
    }
  ]
}
```

2.Update Profile Picture

Method: POST {{baseUrl}}/properties/user-info/modify-profile-pic/

Headers:

- Access-Token: AmzbLArMYQ4Dtg5YgcJcbZIPMgECLaadHWVzI1va5v2rT3AT4UGuOjFvhiEhWoiD
- Content-Type: application/json

```
{
 "propertyId": "123456",
 "bookingId": "50001",
 "name": "jhon11",
 "encodedString": "base64string",
 "extensions": "PNG"
}
```

Field	Type	Required	Description
propertyId	string	Yes	Unique identifier of the property for which the attachment is being uploaded.
bookingId	string	Yes	Unique booking identifier associated with the property.
name	string	Yes	Name or label of the file being uploaded.
encodedString	string	Yes	Base64-encoded string representation of the file content.
extensions	string	Yes	File extension or format (e.g., PNG, JPG, PDF).

Response Success

```
{
  "status_code": 200,
  "status_message": "User Profile Updated Successfully"
}
```

1

Invalid Credentials Error Response(401)

Upon successful authentication, you'll receive a response containing your access token and other details:

```
{
 "status_code": 401,
 "status_message": "Unauthorized: Invalid or expired access token",
}
```

2

Missing Parameter Error Response(404)

Upon successful authentication, you'll receive a response containing your access token and other details:

```
{
 "status_code": 404,
 "status_message": "Bad Request: Missing required field",
}
```

3

Internal Server Error Response(500)

Upon successful authentication, you'll receive a response containing your access token and other details:

```
{
 "status_code": 500,
 "status_message": "Internal Server Error: Something went wrong on the server.",
}
```

Made with GAMMA

Contact Us Section API's

Purpose:
This API provides the contact details of the Relationship Manager (or support contact) for a specific property or project. It helps users quickly find whom to contact, along with working hours and available communication channels (email/phone).

Method: POST {{baseUrl}}/properties/contact-us/

Headers:

- Access-Token: AmzbLArMYQ4Dtg5YgcJcbZlPMgECLaadHWVzl1va5v2rT3AT4UGuOjFvhiEhWoiD
- Content-Type: application/json

Request payload

```
{
  "propertyId": "123456"
}
```

Field	Type	Required	Description
propertyId	string	Yes	Unique identifier of the property for which the attachment is being uploaded.

```
Response Success (200 OK)
{
  "status_code": 200,
  "status_message": "Success",
  "response_data": {
    "contact_person": {
      "name": "Raghav Saxena",
      "designation": "Relationship Manager",
      "profile_initial": "R",
      "email": "raghav.saxena@gmail.com",
      "phone": "+91-9876543210"
    },
    "available_hours": {
      "monday_friday": "09:00 AM - 07:00 PM",
      "saturday": "09:00 AM - 05:00 PM",
      "sunday": "Closed"
    },
    "actions": {
      "email": "mailto:raghav.saxena@gmail.com",
      "call_now": "tel:+919876543210"
    }
  }
}
```

1

Invalid Credentials Error Response(401)

Upon successful authentication, you'll receive a response containing your access token and other details:

```
{
 "status_code": 401,
 "status_message": "Unauthorized: Invalid or expired access token",
}
```

2

Missing Parameter Error Response(404)

Upon successful authentication, you'll receive a response containing your access token and other details:

```
{
 "status_code": 404,
 "status_message": "Contact details not found for the provided propertyId",
}
```

3

Internal Server Error Response(500)

Upon successful authentication, you'll receive a response containing your access token and other details:

```
{
 "status_code": 500,
 "status_message": "Internal Server Error: Something went wrong on the server.",
}
```

Made with GAMMA