




Practical No. 6

Aim:- To implement Simplified-DES product cipher.


Theory:
Simplified Data Encryption Standard (S-DES) is a simple version of the DES Algorithm. It is similar to the DES algorithm but is a smaller algorithm and has fewer parameters than DES. It was made for educational purposes so that understanding DES would become simpler. It is a block cipher that takes a block of plain text and converts it into ciphertext. It takes a block of 8 bit.

It is a symmetric key cipher i.e. they use the same key for both encryption and decryption. In this article, we are going to demonstrate key generation for s-des encryption and decryption algorithm. We take a random 10-bit key and produce two 8-bit keys which will be used for encryption and decryption.


Key Generation Concept: In the key generation algorithm, we accept the 10-bit key and convert it into two 8 bit keys. This key is shared between both sender and receiver.




1. Permutation P10




2. Permutation P8




3. Left Shift



LS-1



LS-2



Step 1: We accepted a 10-bit key and permuted the bits by putting them in the P10 table.

Key = 1 0 1 0 0 0 0 0 1 0

$(k_1, k_2, k_3, k_4, k_5, k_6, k_7, k_8, k_9, k_{10}) = (1, 0, 1, 0, 0, 0, 0, 0, 1, 0)$



P10 Permutation is: $P10(k1, k2, k3, k4, k5, k6, k7, k8, k9, k10) = (k3, k5, k2, k7, k4, k10, k1, k9, k8, k6)$

After P10, we get 1 0 0 0 0 0 1 1 0 0

Step 2: We divide the key into 2 halves of 5-bit each.

$l = 1\ 0\ 0\ 0\ 0, r = 0\ 1\ 1\ 0\ 0$

Step 3: Now we apply one bit left-shift on each key.

$l = 0\ 0\ 0\ 0\ 1, r = 1\ 1\ 0\ 0\ 0$

Step 4: Combine both keys after step 3 and permute the bits by putting them in the P8 table. The output of the given table is the first key K1.

After LS-1 combined, we get 0 0 0 0 1 1 1 0 0 0

P8 permutation is: $P8(k1, k2, k3, k4, k5, k6, k7, k8, k9, k10) = (k6, k3, k7, k4, k8, k5, k10, k9)$

After P8, we get Key-1 : 1 0 1 0 0 1 0 0

Step 5: The output obtained from step 3 i.e. 2 halves after one bit left shift should again undergo the process of two-bit left shift.

Step 3 output - $l = 0\ 0\ 0\ 0\ 1, r = 1\ 1\ 0\ 0\ 0$

After two bit shift - $l = 0\ 0\ 1\ 0\ 0, r = 0\ 0\ 0\ 1\ 1$

Step 6: Combine the 2 halves obtained from step 5 and permute them by putting them in the P8 table. The output of the given table is the second key K2.

After LS-2 combined = 0 0 1 0 0 0 0 0 1 1

P8 permutation is: $P8(k1, k2, k3, k4, k5, k6, k7, k8, k9, k10) = (k6, k3, k7, k4, k8, k5, k10, k9)$

After P8, we get Key-2 : 0 1 0 0 0 0 1 1

Final Output:

Key-1 is: 1 0 1 0 0 1 0 0

Key-2 is: 0 1 0 0 0 0 1 1

Conclusion: Simplified-DES implemented Successfully.

Viva Voce:-

1. What is difference between S-DES and DES?
2. What is key size in S-DES?
3. What are disadvantages of S-DES?