

WETHINKCODE_

WEB II

PROJECT II

Darkly:

There is something wrong...

Developer

Sibonelo NKOSI

Username: SINKOSI

Assessor

Mufaro SIMBISAYI

October 2020



CONTENTS

1	Introduction	2
2	Getting Started	2
2.1	Windows	2
2.1.1	Create Virtual Machine	2
2.1.2	Name & Operating System	3
2.1.3	Memory Size	3
2.1.4	Hard Disk File Type	3
2.1.5	Storage Type	4
2.1.6	File Location & Size	5
2.1.7	Mount Disk Image	5
2.1.8	Run Disk Image	7
2.1.9	Running but Incomplete	7
2.1.10	Set Network Bridge	8
2.1.11	Don't Panic! Loading Screen	8
2.1.12	More Loading Screens	9
2.1.13	Up & Running	9
2.1.14	BornToSec	10
2.2	Linux	10
2.2.1	Create Virtual Machine	10
2.2.2	Name & Operating System	10
2.2.3	Memory Size	11
2.2.4	Hard Disk File Type	12
2.2.5	Storage Type	12
2.2.6	File Location & Size	12
2.2.7	Mount Disk Image	13
2.2.8	Run Disk Image	14
2.2.9	Running but Incomplete	14
2.2.10	Set Network Bridge	15
2.2.11	Don't Panic! Loading Screen	15
2.2.12	More Loading Screens	15
2.2.13	Up & Running	16
2.2.14	BornToSec	17
2.3	MacOS	18
3	Flag #01	18
4	Flag #02	18
5	Flag #03	19
6	Flag #04	20
7	Bibliography	21
8	Student Honesty Declaration	21

1 INTRODUCTION

The aim of this project is to introduce you to computer security in the web domain. You will be able to discover OWASP, which is, no more and no less, the biggest web security project to date. You will also understand what a lot of frameworks do in an automatic and completely transparent way for you.

You will need to use a virtual machine (i386) to validate this project. Once your machine is started with the ISO supplied with the subject. Requirements:

- Virtual Box
- darkly.iso ([download here](#))
- Other stuff

2 GETTING STARTED

2.1 Windows

Windows Installation*: Ensure that you have the latest version of VirtualBox for Windows or download it from the [VirtualBox Website](#) or Windows Store.

2.1.1 Create Virtual Machine




Figure 1: New Virtual Machine Setup

Begin by Creating a new Virtual Machine. To do this click on the blue icon labelled new as shown in Figure 1.

* Information provided is correct for current users configuration i.e Windows Home 10:2004, results may differ for other configurations

2.1.2 Name & Operating System




Figure 2: Setup Of Operating System Type and Name

You have to give your Virtual Machine a new name, I have chosen 'Darkly'. Make sure to pick a folder for storage of the Virtual Machine or leave it to the default provided by Virtual Box.

You will have to choose the 'type' of machine you are creating. At this point you must select 'Linux' as this is what the Darkly.iso is based from. You will be given options or 'flavours' to choose from. Pick 'Other 64-bit'. This is best shown in Figure 2.

Please do take note that the Darkly VM will not work if it is not 64-bit.

2.1.3 Memory Size

Selecting a memory size is the next step. Darkly will not be actively running as another Virtual Machine would. Therefore only a limited amount of RAM is required. The recommended size is 512MB.

To set the memory size, a slide is used, as shown in Figure 3 on the following page.

You can also set it using manually by typing in the value.

2.1.4 Hard Disk File Type

Select VirtualBox Disk Image as shown in Figure 4 on the next page. This is the best decision because the Machine will not be migrated to other Virtual Machine Players like VMWare etc. The use is short-term.




Figure 3: Virtual Box Memory Size Settings




Figure 4: Virtual Box Disk Type

2.1.5 Storage Type

Ensure that you have the size Dynamically allocated as shown in Figure 5 on the following page. If you would like a fixed size, it is okay, but this entails your Hard Disk being allocated upfront.




Figure 5: Virtual Box Storage Type

Please note, you have not selected your Hard Disk size so it is key to ensure you are aware of how much space you have free before allocating a fixed space size.

2.1.6 File Location & Size

This is where you can set up the location for your Virtual Box Machine to store its data. Remember that the machine can be stored in one location but the simulation of its Hard Disk can be stored on a Flash Drive or External Drive if you wish.

I have decided to retain the local drive as the storage location. This is the default VirtualBox directory. You can select any size you wish, I have selected 1,99GB to keep my box small as shown in [Figure 6 on the next page](#). I can ammend this later if I need to.

2.1.7 Mount Disk Image

The next step is to mount the Darkly.iso disk as a form of storage. Click on your image 'Darkly' or whatever you may have named it, on the lefthand navigation panel as shown in [Figure 7 on the following page](#).




Figure 6: Virtual Box Hard Disk Location and Size




Figure 7: Virtual Box Setup of Disk Drive Mount Darkly.iso Image

Next click on Settings -> Storage -> IDE Secondary Master. After this, navigate to the folder where the ISO is located. Mount it and you will see it listed as shown in Figure 7.

Click Start (Green arrow pointing right) to commence running the image.




Figure 8: Virtual Box Start-up Disk Selector

2.1.8 Run Disk Image

As shown in Figure 8, you are expected to select 'Darkly_i386.iso' as the start-up disk. This will then complete the Installation process.

2.1.9 Running but Incomplete




Figure 9: Virtual Box Landing, on Ubuntu

You have successfully installed the VM and it is running. The IP address is printed on the screen. ...I bet that the IP address does not really work...

This needs you to go to settings as shown in Figure 10 on the next page




Figure 10: *Virtual Box Landing*, on Ubuntu

2.1.10 Set Network Bridge

On the lefthand navigation-bar, Select Network -> Adaptor 1. Change the settings from a NAT Adaptor as would be the default, and set it to a 'Bridge' connection. as shown in Figure 10.

2.1.11 Don't Panic! Loading Screen



Figure 11: Virtual Box Loading Screen Splash with Hitchhiker's Guide Robot

Don't Panic, it's just a loading screen

2.1.12 More Loading Screens




Figure 12: More Virtual Box Loading Screens

If you are seeing the figure shown in Figure 12 you are making good progress and must hang in there.

2.1.13 Up & Running




Figure 13: Virtual Box Fully Loaded Screen with IP Address & Prompt

The new IP Address should look different to the first one and should be similar to your own IP address after running 'ifconfig'.

You should see a similar figure to that shown in Figure 13 on the preceding page.

2.1.14 *BornToSec*




Figure 14: BornToSec Homepage

If you see the same figure on your screen as the one shown on Figure 14, then you have successfully setup your Virtual Machine.

TIME TO DO THE FUN STUFF!

2.2 Linux

Linux Installation^{**}: Begin by ensuring that you have Virtual Box installed on your system, if not type:

```
$ sudo apt-get install virtualbox
```

2.2.1 *Create Virtual Machine*

Begin by Creating a new Virtual Machine. To do this click on the blue icon labelled new as shown in Figure 15 on the following page.

2.2.2 *Name & Operating System*

You have to give your Virtual Machine a new name, I have chosen 'Darkly'. Make sure to pick a folder for storage of the Virtual Machine or leave it to the default provided by Virtual Box.

You will have to choose the 'type' of machine you are creating. At this point you must select 'Linux' as this is what the Darkly.iso is based from. You will be given options or 'flavours' to choose from. Pick 'Other 64-bit'. This is best shown in Figure 16 on the next page.

^{**} Snap install is not available for all Linux Distros, this is expected to work on Ubuntu and Debian flavours




Figure 15: New Virtual Machine Setup




Figure 16: Setup Of Operating System Type and Name

Please do take note that the Darkly VM will not work if it is not 64-bit.

2.2.3 Memory Size




Figure 17: Virtual Box Memory Size Settings

Selecting a memory size is the next step. Darkly will not be actively running as another Virtual Machine would. Therefore only a limited amount of RAM is required. The recommended size is 512MB but in my opinion I believe 1024MB is the best.

To set the memory size, a slide is used, as shown in Figure 17 on the preceding page.

You can also set it using manually by typing in the value.

2.2.4 Hard Disk File Type




Figure 18: Virtual Box Disk Type

Select VirtualBox Disk Image as shown in Figure 18. This is the best decision because the Machine will not be migrated to other Virtual Machine Players like VMWare etc. The use is short-term.

2.2.5 Storage Type

Ensure that you have the size Dynamically allocated as shown in Figure 19 on the following page. If you would like a fixed size, it is okay, but this entails your Hard Disk being allocated upfront.

Please note, you have not selected your Hard Disk size so it is key to ensure you are aware of how much space you have free before allocating a fixed space size.

2.2.6 File Location & Size

This is where you can set up the location for your Virtual Box Machine to store its data. Remember that the machine can be stored in one location but the simulation of its Hard Disk can be stored on a Flash Drive or External Drive if you wish.



Figure 19: Virtual Box Storage Type




Figure 20: Virtual Box Hard Disk Location and Size

I have decided to retain the local drive as the storage location. This is the default VirtualBox directory. You can select any size you wish, I have selected 1,99GB to keep my box small as shown in Figure 20. I can amend this later if I need to.

2.2.7 Mount Disk Image

The next step is to mount the Darkly.iso disk as a form of storage. Click on your image 'Darkly' or whatever you may have named it, on the lefthand navigation panel as shown in Figure 21 on the following page.

Next click on Settings -> Storage -> IDE Secondary Master. After this, navigate to the folder where the ISO is located. Mount it and




Figure 21: Virtual Box Setup of Disk Drive Mount Darkly.iso Image

you will see it listed as shown in Figure 21.

Click Start (Green arrow pointing right) to commence running the image.

2.2.8 Run Disk Image




Figure 22: Virtual Box Start-up Disk Selector

As shown in Figure 22, you are expected to select 'Darkly_i386.iso' as the start-up disk. This will then complete the Installation process.

2.2.9 Running but Incomplete

You have successfully installed the VM and it is running. The IP address is printed on the screen. ...I bet that the IP address does not really work...




Figure 23: Virtual Box Landing, on Ubuntu

This needs you to go to settings as shown in Figure 24

2.2.10 Set Network Bridge




Figure 24: Set the Network to Bridge not NAT

On the lefthand navigation-bar, Select Network -> Adaptor 1. Change the settings from a NAT Adaptor as would be the default, and set it to a 'Bridge' connection. as shown in Figure 24.

2.2.11 Don't Panic! Loading Screen

Don't Panic, it's just a loading screen

2.2.12 More Loading Screens

If you are seeing the figure shown in Figure 26 on the next page you are making good progress and must hang in there.



Figure 25: Virtual Box Loading Screen Splash with Hitchhiker's Guide Robot




Figure 26: More Virtual Box Loading Screens

2.2.13 Up & Running

The new IP Address should look different to the first one and should be similar to your own IP address after running 'ifconfig'. You should see a similar figure to that shown in Figure 27 on the following page.




Figure 27: Virtual Box Fully Loaded Screen with IP Address & Prompt




Figure 28: BornToSec Homepage

2.2.14 *BornToSec*

If you see the same figure on your screen as the one shown on Figure 28, then you have successfully setup your Virtual Machine.

TIME TO DO THE FUN STUFF!

2.3 MacOS

At the time of typing this document a Mac was not available to conduct testing but the documentation^[1] does have instructions

3 FLAG #01

4 FLAG #02

A Section or subsection covering extensively unit testing will be key either here or on it's own chapter

5 FLAG #03

6 FLAG #04

7 BIBLIOGRAPHY

REFERENCES

- [1] Docker Documentation Website. Install docker on macOS. <https://docs.docker.com/docker-for-mac/install/#install-and-run-docker-desktop-on-mac>, Current Version, 2020.

8 STUDENT HONESTY DECLARATION

Engaging in any cheating or dishonesty in any form of assessment, assignment, test or examination or other WeThinkCode_ prescribed work is considered cheating and is grounds for disciplinary action. Plagiarism, which is to present work (or a portion of work) as your own when it is not, is considered cheating and is not accepted at WeThinkCode_.

An evaluator can flag one for plagiarism on one of the following grounds :

- The evaluator (marker) identifies that the student does not understand all or part of the work they have submitted.
- If all or part of the work presented is plagiarised i.e. copied from another source without reference.

Cheating in group projects

The main purpose for a group project is to give students the experience of working in a team, by coming up with a solution to a problem together.

- Each member must be able to show which portion of the project they worked on.
- Failure to do so will result in the student being flagged for cheating which will be grounds for disciplinary action.
- This is to avoid single members doing the majority of the group project at the benefit of a member who is not contributing.
- In this way we are able to ensure fair assessment of each WTC_ student's competence.

Group projects can be approached in two ways.

1. Divide and conquer: This is usually preferred and advised when working on big projects. The project is divided into segments, in which each member of the group can accomplish. Once completed, the group will then integrate the segments to complete the project
2. One for all: This method is usually preferred and advised when a group is working on a small project. The group will work on the solution together from the start of the project until the end. This will require the members to move at a pace in which everyone in the team can keep up with.

NOTE: At the end of each group project, each member should have a general and basic understanding of the project and the solution found. This will include running, testing and explaining the solutions of the project.

DECLARATION

I hereby declare that the work submitted by me and/or my group members is:

- Original (not plagiarised)
- References listed
- Honest & in Good Faith
- Subject to WeThinkCode_policies

Sibonelo NKOSI
Username: SINKOSI
Developer