## Pages and active keys

This table lists what the active keys do for each page (function keys are not listed).

#Page	Name	Active keys behavior
0	Start splash	
1	Main page	
20	Rover page	[X]: go to page 1
30	Track page	[X]: go to page 1
31	Select and load track from file	[ <b>Up</b> ],[ <b>Down</b> ]: browse through files [ <b>X</b> ]: go to page 30
32	Track view	[X]: go to page 30
33	Save track (uppercase)	[Left]: backspace [Right]: space [Enter]: new line
34	Save track (lowercase)	
35	Save track (numbers)	[X]: go to page 30
40	Logbook	[X] go to page 1
41	Logbook (uppercase)	[Left]: backspace [Right]: space [Enter]: new line [X]: go to page 40
42	Logbook (lowercase)	
43	Logbook (numbers)	
50	Destination	[X] go to page 1
51	Select and load destination from file	[ <b>Up</b> ],[ <b>Down</b> ]: browse through files [ <b>X</b> ]: go to page 50
52	Save (uppercase)	[Left]: backspace
53	Save (lowercase)	[Right]: space [Enter]: new line
54	Save (numbers)	[X]: go to page 50
55	Type d. Latitude (numbers)	[Left]: backspace
56	Type d. Longitude (numbers)	[Right]: space [Enter]: accept [X]: go to page 50

70	Datalog page	[X] go to page 1
71	Load datalog from file	[ <b>Up</b> ],[ <b>Down</b> ]: browse through files [ <b>X</b> ]: go to page 70
72	Data log view	[ <b>X</b> ]: go to page 70
75	Select data sources	[ <b>X</b> ]: go to page 70
76	Add data source from list	[ <b>X</b> ]: go to page 75
77	Delete data source from list	[ <b>X</b> ]: go to page 75
83	Save datalog (uppercase)	[Left]: backspace
84	Save datalog (lowercase)	[Right]: space [Enter]: enter
85	Save datalog (numbers)	[X]: go to page 70
100	Settings	[X] go to page 1
101	Type marker thickness	[ <b>X</b> ]: go to page 70
102	Type data sampling time interval	
103	Type track sampling time interval	