

Dash - Dash Layout

Create file layout_app.py

Launch and view the app

```
ubuntu@ip-172-31-18-113:~/datascientest-data-engineering/dash$ python3 layout_app.py
Dash is running on http://0.0.0.0:8050/

* Serving Flask app 'layout_app'
* Debug mode: on
```

Open URL <http://0.0.0.0:8050/> to view page

First application

First Sentence

header_1	header_2
my_column_1	my_column_2

Create file layout_app_two.py

Launch and view the app

```
(.venv) ubuntu@ip-172-31-18-113:~/datascientest-data-engineering/dash$ python3 layout_app_two.py
Dash is running on http://0.0.0.0:8050/

* Serving Flask app 'layout_app_two'
* Debug mode: on
Address already in use
Port 8050 is in use by another program. Either identify and stop that program, or start the server with a different port.
```

Open URL <http://0.0.0.0:8050/> to view page

Second application

header_1	header_2
my_column_1	my_column_2

First Sentence

Create file layout_dropdown.py

Launch and view the app

```
(.venv) ubuntu@ip-172-31-18-113:~/datascientest-data-engineering/dash$ python3 layout_dropdown.py
Dash is running on http://0.0.0.0:8050/

* Serving Flask app 'layout_dropdown'
* Debug mode: on
```

Open URL <http://0.0.0.0:8050/> to view page (dropdown)

population x ▾

population x ▲
life expectancy
population

life expectancy x ▾


Create file layout_slider.py

Launch and view the app

```
[1]: Killed python3 layout_slider.py
(.venv) ubuntu@ip-172-31-18-113:~/datascientest-data-engineering/dash$ python3 layout_slider.py
Dash is running on http://0.0.0.0:8050/

* Serving Flask app 'layout_slider'
* Debug mode: on
```

Open URL <http://0.0.0.0:8050/> to view page (slider)




Create file layout_graph.py

Launch and view the app

```
(.venv) ubuntu@ip-172-31-18-113:~/datascientest-data-engineering/dash$ python3 layout_graph.py
[1]: Killed python3 layout_slider.py
Dash is running on http://0.0.0.0:8050/

* Serving Flask app 'layout_graph'
* Debug mode: on
```

Open URL <http://0.0.0.0:8050/> to view page (graph)



Create file layout_complete.py

Launch and view the app

```
(.venv) ubuntu@ip-172-31-18-113:~/datascientest-data-engineering/dash$ python3 layout_complete.py
[1]+  Killed                  python3 layout_graph.py
Dash is running on http://0.0.0.0:8050/

* Serving Flask app 'layout_complete'
* Debug mode: on
```

Open URL <http://0.0.0.0:8050/> to view page (dropdown, slider, graph)

