

transNEO_Summary_of_clinical_variables

Contents

Table 1: Summarization of clinical variables stratified by subtype

	level	MC1	MC2	MC3	MC4	p	test
n		31	46	50	26		
Subtype (%)	MCMC1	31 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	<0.001	exact
	MCMC2	0 (0.0)	46 (100.0)	0 (0.0)	0 (0.0)		
	MCMC3	0 (0.0)	0 (0.0)	50 (100.0)	0 (0.0)		
	MCMC4	0 (0.0)	0 (0.0)	0 (0.0)	26 (100.0)		
LN.status.at.diagnosis (%)	Negative	12 (38.7)	15 (32.6)	30 (60.0)	17 (65.4)	0.009	
	Positive	19 (61.3)	31 (67.4)	20 (40.0)	9 (34.6)		
ER.status (%)	Negative	4 (12.9)	2 (4.3)	25 (50.0)	20 (76.9)	<0.001	
	Positive	27 (87.1)	44 (95.7)	25 (50.0)	6 (23.1)		
HER2.status (%)	Negative	16 (51.6)	31 (67.4)	30 (60.0)	17 (65.4)	0.539	
	Positive	15 (48.4)	15 (32.6)	20 (40.0)	9 (34.6)		
Grade.pre.NAT (%)	Grade 1	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	<0.001	exact
	Grade 2	4 (12.9)	34 (73.9)	17 (34.0)	4 (15.4)		
	Grade 3	27 (87.1)	12 (26.1)	33 (66.0)	22 (84.6)		
	Grade 4	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)		
pCR.RD (%)	pCR	2 (6.5)	4 (8.7)	21 (42.0)	14 (53.8)	<0.001	
	Residual Disease	29 (93.5)	42 (91.3)	29 (58.0)	12 (46.2)		
Age (median [IQR])		53.00 [48.50, 58.50]	50.00 [44.25, 56.00]	49.00 [39.25, 56.50]	50.00 [36.50, 58.50]	0.328	nonnorm
T.stage (%)	T1	2 (6.5)	3 (6.5)	4 (8.0)	3 (11.5)	0.572	exact
	T2	18 (58.1)	26 (56.5)	33 (66.0)	15 (57.7)		
	T3	8 (25.8)	16 (34.8)	12 (24.0)	5 (19.2)		
	T4	3 (9.7)	1 (2.2)	1 (2.0)	3 (11.5)		
PAM50 (%)	Basal-like	0 (0.0)	1 (2.2)	18 (36.7)	19 (73.1)	<0.001	exact
	HER2+	11 (35.5)	5 (10.9)	14 (28.6)	5 (19.2)		
	Luminal B	18 (58.1)	19 (41.3)	9 (18.4)	2 (7.7)		
	Luminal A	2 (6.5)	17 (37.0)	3 (6.1)	0 (0.0)		
	Normal-like	0 (0.0)	4 (8.7)	5 (10.2)	0 (0.0)		
	Unknown	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)		
iC10 (%)	iC1	4 (12.9)	4 (8.7)	1 (2.0)	0 (0.0)	<0.001	exact
	iC2	6 (19.4)	4 (8.7)	1 (2.0)	0 (0.0)		
	iC3	0 (0.0)	4 (8.7)	3 (6.0)	0 (0.0)		
	iC4	1 (3.2)	1 (2.2)	9 (18.0)	2 (7.7)		
	iC5	9 (29.0)	9 (19.6)	14 (28.0)	5 (19.2)		
	iC6	5 (16.1)	5 (10.9)	1 (2.0)	1 (3.8)		

Table 1: Summarization of clinical variables stratified by subtype (*continued*)

	level	MC1	MC2	MC3	MC4	p	test
	iC7	0 (0.0)	6 (13.0)	2 (4.0)	0 (0.0)		
	iC8	0 (0.0)	10 (21.7)	2 (4.0)	0 (0.0)		
	iC9	6 (19.4)	2 (4.3)	7 (14.0)	3 (11.5)		
	iC10	0 (0.0)	1 (2.2)	10 (20.0)	15 (57.7)		
NAT.regimen (%)	EC-T	1 (3.2)	0 (0.0)	0 (0.0)	1 (3.8)	0.333	exact
	EC-T + Trastuzumab	0 (0.0)	0 (0.0)	1 (2.0)	0 (0.0)		
	EC + Trastuzumab	0 (0.0)	1 (2.2)	0 (0.0)	0 (0.0)		
	FEC-T	1 (3.2)	1 (2.2)	2 (4.0)	1 (3.8)		
	FEC-T + Trastuzumab	13 (41.9)	11 (23.9)	16 (32.0)	6 (23.1)		
	FEC-T + Trastuzumab + Pertuzumab	1 (3.2)	2 (4.3)	0 (0.0)	1 (3.8)		
	P-Carboplatin	0 (0.0)	0 (0.0)	1 (2.0)	0 (0.0)		
	P-EC	0 (0.0)	0 (0.0)	2 (4.0)	2 (7.7)		
	P-FEC	0 (0.0)	1 (2.2)	1 (2.0)	3 (11.5)		
	P + Trastuzumab	0 (0.0)	1 (2.2)	0 (0.0)	0 (0.0)		
	T	0 (0.0)	0 (0.0)	1 (2.0)	0 (0.0)		
	T-Carboplatin	0 (0.0)	2 (4.3)	0 (0.0)	0 (0.0)		
	T-EC	3 (9.7)	4 (8.7)	1 (2.0)	0 (0.0)		
	T-FEC	11 (35.5)	20 (43.5)	22 (44.0)	8 (30.8)		
	T-FEC + Trastuzumab	0 (0.0)	0 (0.0)	1 (2.0)	0 (0.0)		
	T-FEC + Trastuzumab + Pertuzumab	0 (0.0)	1 (2.2)	1 (2.0)	0 (0.0)		
	T + Pertuzumab + Trastuzumab	0 (0.0)	0 (0.0)	0 (0.0)	1 (3.8)		
	TC	0 (0.0)	1 (2.2)	0 (0.0)	2 (7.7)		
	TC + Trastuzumab	1 (3.2)	1 (2.2)	1 (2.0)	1 (3.8)		
Chemo.cycles		5.97 ± 0.41	5.83 ± 0.64	5.90 ± 0.74	5.88 ± 0.95	0.704	
aHER2.cycles (median [IQR])		3.00 [2.00, 3.00]	3.00 [2.00, 3.00]	2.50 [2.00, 3.00]	3.00 [3.00, 3.00]	0.342	nonnorm
RCB.score (median [IQR])		2.07 [1.05, 2.94]	2.94 [1.63, 3.57]	0.92 [0.00, 1.87]	0.00 [0.00, 1.71]	<0.001	nonnorm
STAT1.gsva (median [IQR])		-0.33 [-0.45, 0.19]	-0.48 [-0.63, 0.01]	0.56 [0.34, 0.66]	-0.08 [-0.54, 0.41]	<0.001	nonnorm
GGI.gsva (median [IQR])		0.35 [0.11, 0.52]	-0.51 [-0.61, -0.18]	0.04 [-0.49, 0.36]	0.54 [0.22, 0.59]	<0.001	nonnorm
ESC.gsva (median [IQR])		0.19 [-0.03, 0.36]	-0.26 [-0.46, -0.05]	-0.05 [-0.38, 0.15]	0.36 [0.08, 0.51]	<0.001	nonnorm
TMB (median [IQR])		1.80 [1.38, 3.19]	1.00 [0.75, 1.39]	1.75 [0.94, 3.07]	2.53 [1.67, 3.05]	<0.001	nonnorm
HRD.sum (median [IQR])		27.00 [21.00, 35.00]	14.50 [10.00, 19.75]	23.00 [16.00, 39.00]	32.00 [25.50, 37.75]	<0.001	nonnorm