

transNEO_Summary_of_clinical_variables

Contents

Table 1: Summarization of clinical variables stratified by subtype

	level	MC1	MC2	MC3	MC4	p	test
n		30	46	52	25		
Subtype (%)	MCMC1	30 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	<0.001	exact
	MCMC2	0 (0.0)	46 (100.0)	0 (0.0)	0 (0.0)		
	MCMC3	0 (0.0)	0 (0.0)	52 (100.0)	0 (0.0)		
	MCMC4	0 (0.0)	0 (0.0)	0 (0.0)	25 (100.0)		
LN.status.at.diagnosis (%)	Negative	11 (36.7)	15 (32.6)	31 (59.6)	17 (68.0)	0.005	
	Positive	19 (63.3)	31 (67.4)	21 (40.4)	8 (32.0)		
ER.status (%)	Negative	3 (10.0)	2 (4.3)	27 (51.9)	19 (76.0)	<0.001	
	Positive	27 (90.0)	44 (95.7)	25 (48.1)	6 (24.0)		
HER2.status (%)	Negative	15 (50.0)	31 (67.4)	32 (61.5)	16 (64.0)	0.491	
	Positive	15 (50.0)	15 (32.6)	20 (38.5)	9 (36.0)		
Grade.pre.NAT (%)	Grade 1	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	<0.001	exact
	Grade 2	4 (13.3)	34 (73.9)	17 (32.7)	4 (16.0)		
	Grade 3	26 (86.7)	12 (26.1)	35 (67.3)	21 (84.0)		
	Grade 4	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)		
pCR.RD (%)	pCR	2 (6.7)	4 (8.7)	21 (40.4)	14 (56.0)	<0.001	
	Residual Disease	28 (93.3)	42 (91.3)	31 (59.6)	11 (44.0)		
Age (median [IQR])		53.00 [48.25, 57.75]	50.00 [44.25, 56.00]	49.00 [38.75, 57.00]	50.00 [41.00, 59.00]	0.442	nonnorm
T.stage (%)	T1	2 (6.7)	3 (6.5)	4 (7.7)	3 (12.0)	0.784	exact
	T2	17 (56.7)	26 (56.5)	34 (65.4)	15 (60.0)		
	T3	8 (26.7)	16 (34.8)	12 (23.1)	5 (20.0)		
	T4	3 (10.0)	1 (2.2)	2 (3.8)	2 (8.0)		
PAM50 (%)	Basal-like	0 (0.0)	1 (2.2)	19 (37.3)	18 (72.0)	<0.001	exact
	HER2+	10 (33.3)	5 (10.9)	15 (29.4)	5 (20.0)		
	Luminal B	18 (60.0)	19 (41.3)	9 (17.6)	2 (8.0)		
	Luminal A	2 (6.7)	17 (37.0)	3 (5.9)	0 (0.0)		
	Normal-like	0 (0.0)	4 (8.7)	5 (9.8)	0 (0.0)		
	Unknown	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)		
iC10 (%)	iC1	4 (13.3)	4 (8.7)	1 (1.9)	0 (0.0)	<0.001	exact
	iC2	6 (20.0)	4 (8.7)	1 (1.9)	0 (0.0)		
	iC3	0 (0.0)	4 (8.7)	3 (5.8)	0 (0.0)		
	iC4	0 (0.0)	1 (2.2)	10 (19.2)	2 (8.0)		
	iC5	9 (30.0)	9 (19.6)	14 (26.9)	5 (20.0)		
	iC6	5 (16.7)	5 (10.9)	1 (1.9)	1 (4.0)		

Table 1: Summarization of clinical variables stratified by subtype (*continued*)

	level	MC1	MC2	MC3	MC4	p	test
	iC7	0 (0.0)	6 (13.0)	2 (3.8)	0 (0.0)		
	iC8	0 (0.0)	10 (21.7)	2 (3.8)	0 (0.0)		
	iC9	6 (20.0)	2 (4.3)	7 (13.5)	3 (12.0)		
	iC10	0 (0.0)	1 (2.2)	11 (21.2)	14 (56.0)		
NAT.regimen (%)	EC-T	1 (3.3)	0 (0.0)	1 (1.9)	0 (0.0)	0.369	exact
	EC-T + Trastuzumab	0 (0.0)	0 (0.0)	1 (1.9)	0 (0.0)		
	EC + Trastuzumab	0 (0.0)	1 (2.2)	0 (0.0)	0 (0.0)		
	FEC-T	1 (3.3)	1 (2.2)	2 (3.8)	1 (4.0)		
	FEC-T + Trastuzumab	13 (43.3)	11 (23.9)	16 (30.8)	6 (24.0)		
	FEC-T + Trastuzumab + Pertuzumab	1 (3.3)	2 (4.3)	0 (0.0)	1 (4.0)		
	P-Carboplatin	0 (0.0)	0 (0.0)	1 (1.9)	0 (0.0)		
	P-EC	0 (0.0)	0 (0.0)	2 (3.8)	2 (8.0)		
	P-FEC	0 (0.0)	1 (2.2)	1 (1.9)	3 (12.0)		
	P + Trastuzumab	0 (0.0)	1 (2.2)	0 (0.0)	0 (0.0)		
	T	0 (0.0)	0 (0.0)	1 (1.9)	0 (0.0)		
	T-Carboplatin	0 (0.0)	2 (4.3)	0 (0.0)	0 (0.0)		
	T-EC	3 (10.0)	4 (8.7)	1 (1.9)	0 (0.0)		
	T-FEC	10 (33.3)	20 (43.5)	23 (44.2)	8 (32.0)		
	T-FEC + Trastuzumab	0 (0.0)	0 (0.0)	1 (1.9)	0 (0.0)		
	T-FEC + Trastuzumab + Pertuzumab	0 (0.0)	1 (2.2)	1 (1.9)	0 (0.0)		
	T + Pertuzumab + Trastuzumab	0 (0.0)	0 (0.0)	0 (0.0)	1 (4.0)		
	TC	0 (0.0)	1 (2.2)	0 (0.0)	2 (8.0)		
	TC + Trastuzumab	1 (3.3)	1 (2.2)	1 (1.9)	1 (4.0)		
Chemo.cycles		5.97 ± 0.41	5.83 ± 0.64	5.88 ± 0.73	5.92 ± 0.95	0.711	
aHER2.cycles (median [IQR])		3.00 [2.00, 3.00]	3.00 [2.00, 3.00]	2.50 [2.00, 3.00]	3.00 [3.00, 3.00]	0.342	nonnorm
RCB.score (median [IQR])		1.97 [1.02, 2.98]	2.94 [1.63, 3.57]	0.98 [0.00, 1.93]	0.00 [0.00, 1.67]	<0.001	nonnorm
STAT1.gsva (median [IQR])		-0.32 [-0.46, 0.20]	-0.48 [-0.63, 0.01]	0.55 [0.29, 0.66]	-0.10 [-0.55, 0.44]	<0.001	nonnorm
GGI.gsva (median [IQR])		0.36 [0.12, 0.52]	-0.51 [-0.61, -0.18]	0.04 [-0.48, 0.35]	0.56 [0.21, 0.59]	<0.001	nonnorm
ESC.gsva (median [IQR])		0.20 [-0.02, 0.37]	-0.26 [-0.46, -0.05]	-0.05 [-0.40, 0.15]	0.39 [0.06, 0.52]	<0.001	nonnorm
TMB (median [IQR])		1.82 [1.35, 3.24]	1.00 [0.75, 1.39]	1.78 [0.97, 3.01]	2.61 [1.67, 3.10]	<0.001	nonnorm
HRD.sum (median [IQR])		27.50 [21.50, 35.50]	14.50 [10.00, 19.75]	23.00 [15.75, 39.00]	33.00 [25.00, 38.00]	<0.001	nonnorm