

transNEO_Summary_of_clinical_variables

Contents

Table 1: Summarization of clinical variables stratified by subtype

	level	wMKL1	wMKL3	wMKL4	wMKL5	wMKL6	wMKL7	wMKL8	p	test
n		42	37	40	12	12	9	1		
Subtype (%)	wMKLwMKL	42 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	<0.001	exact
	wMKLwMKL	0 (0.0)	37 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)		
	wMKLwMKL	0 (0.0)	0 (0.0)	40 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)		
	wMKLwMKL	0 (0.0)	0 (0.0)	0 (0.0)	12 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)		
	wMKLwMKL	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	12 (100.0)	0 (0.0)	0 (0.0)		
	wMKLwMKL	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	9 (100.0)	0 (0.0)		
	wMKLwMKL	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (100.0)		
LN.statu (%)	Negative	20 (47.6)	17 (45.9)	24 (60.0)	7 (58.3)	3 (25.0)	2 (22.2)	1 (100.0)	0.184	exact
	Positive	22 (52.4)	20 (54.1)	16 (40.0)	5 (41.7)	9 (75.0)	7 (77.8)	0 (0.0)		
ER.statu (%)	Negative	15 (35.7)	4 (10.8)	30 (75.0)	2 (16.7)	0 (0.0)	0 (0.0)	0 (0.0)	<0.001	exact
	Positive	27 (64.3)	33 (89.2)	10 (25.0)	10 (83.3)	12 (100.0)	9 (100.0)	1 (100.0)		
HER2.st (%)	Negative	28 (66.7)	16 (43.2)	32 (80.0)	4 (33.3)	8 (66.7)	6 (66.7)	0 (0.0)	0.009	exact
	Positive	14 (33.3)	21 (56.8)	8 (20.0)	8 (66.7)	4 (33.3)	3 (33.3)	1 (100.0)		
Grade.pr (%)	Grade 1	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	<0.001	exact
	Grade 2	24 (57.1)	11 (29.7)	5 (12.5)	7 (58.3)	9 (75.0)	3 (33.3)	0 (0.0)		
	Grade 3	18 (42.9)	26 (70.3)	35 (87.5)	5 (41.7)	3 (25.0)	6 (66.7)	1 (100.0)		
	Grade 4	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)		
pCR.RD (%)	pCR	9 (21.4)	7 (18.9)	21 (52.5)	2 (16.7)	1 (8.3)	0 (0.0)	1 (100.0)	0.001	exact
	Residual Disease	33 (78.6)	30 (81.1)	19 (47.5)	10 (83.3)	11 (91.7)	9 (100.0)	0 (0.0)		
Age (median [IQR])		51.00 [46.25, 55.75]	52.00 [40.00, 57.00]	49.00 [38.00, 57.50]	50.00 [42.75, 57.50]	50.50 [47.50, 57.50]	56.00 [48.00, 66.00]	48.00 [48.00, 48.00]	0.832	nonnorm
T.stage (%)	T1	6 (14.3)	1 (2.7)	1 (2.5)	3 (25.0)	0 (0.0)	1 (11.1)	0 (0.0)	0.067	exact
	T2	20 (47.6)	21 (56.8)	30 (75.0)	6 (50.0)	8 (66.7)	6 (66.7)	1 (100.0)		
	T3	16 (38.1)	11 (29.7)	6 (15.0)	2 (16.7)	4 (33.3)	2 (22.2)	0 (0.0)		
	T4	0 (0.0)	4 (10.8)	3 (7.5)	1 (8.3)	0 (0.0)	0 (0.0)	0 (0.0)		
PAM50 (%)	Basal-like	5 (11.9)	0 (0.0)	33 (82.5)	0 (0.0)	0 (0.0)	0 (0.0)	0 (NaN)	<0.001	exact
	HER2+	10 (23.8)	14 (37.8)	7 (17.5)	4 (33.3)	0 (0.0)	0 (0.0)	0 (NaN)		
	Luminal B	8 (19.0)	20 (54.1)	0 (0.0)	7 (58.3)	4 (33.3)	9 (100.0)	0 (NaN)		
	Luminal A	11 (26.2)	3 (8.1)	0 (0.0)	0 (0.0)	8 (66.7)	0 (0.0)	0 (NaN)		
	Normal-like	8 (19.0)	0 (0.0)	0 (0.0)	1 (8.3)	0 (0.0)	0 (0.0)	0 (NaN)		

Table 1: Summarization of clinical variables stratified by subtype (continued)

	level	wMKL1	wMKL3	wMKL4	wMKL5	wMKL6	wMKL7	wMKL8	p	test
iC10 (%)	Unknown	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (NaN)	<0.001	exact
	iC1	3 (7.1)	6 (16.2)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)		
	iC2	3 (7.1)	6 (16.2)	0 (0.0)	1 (8.3)	0 (0.0)	1 (11.1)	0 (0.0)		
	iC3	5 (11.9)	0 (0.0)	1 (2.5)	1 (8.3)	0 (0.0)	0 (0.0)	0 (0.0)		
	iC4	9 (21.4)	0 (0.0)	2 (5.0)	2 (16.7)	0 (0.0)	0 (0.0)	0 (0.0)		
	iC5	7 (16.7)	15 (40.5)	5 (12.5)	6 (50.0)	3 (25.0)	0 (0.0)	1 (100.0)		
	iC6	4 (9.5)	4 (10.8)	1 (2.5)	1 (8.3)	0 (0.0)	2 (22.2)	0 (0.0)		
	iC7	3 (7.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	5 (55.6)	0 (0.0)		
	iC8	3 (7.1)	1 (2.7)	0 (0.0)	0 (0.0)	8 (66.7)	0 (0.0)	0 (0.0)		
	iC9	3 (7.1)	5 (13.5)	7 (17.5)	1 (8.3)	1 (8.3)	1 (11.1)	0 (0.0)		
NAT.regime (%)	iC10	2 (4.8)	0 (0.0)	24 (60.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0.014	exact
	EC-T	0 (0.0)	1 (2.7)	1 (2.5)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)		
	EC-T + Trastuzu	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (11.1)	0 (0.0)		
	EC + Trastuzumab	0 (0.0)	0 (0.0)	0 (0.0)	1 (8.3)	0 (0.0)	0 (0.0)	0 (0.0)		
	FEC-T	0 (0.0)	1 (2.7)	2 (5.0)	0 (0.0)	1 (8.3)	1 (11.1)	0 (0.0)		
	FEC-T + Trastuzumab	12 (28.6)	16 (43.2)	8 (20.0)	5 (41.7)	3 (25.0)	1 (11.1)	1 (100.0)		
	FEC-T + Trastuzu + Per-tuzumab	0 (0.0)	3 (8.1)	0 (0.0)	0 (0.0)	1 (8.3)	0 (0.0)	0 (0.0)		
	P- Carboplatin	1 (2.4)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)		
	P-EC	1 (2.4)	0 (0.0)	3 (7.5)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)		
	P-FEC	1 (2.4)	0 (0.0)	4 (10.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)		
	P + Trastuzu	0 (0.0)	0 (0.0)	0 (0.0)	1 (8.3)	0 (0.0)	0 (0.0)	0 (0.0)		
	T	0 (0.0)	0 (0.0)	1 (2.5)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)		
	T- Carboplatin	2 (4.8)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)		
	T-EC	2 (4.8)	4 (10.8)	0 (0.0)	1 (8.3)	1 (8.3)	0 (0.0)	0 (0.0)		
	T-FEC	20 (47.6)	9 (24.3)	20 (50.0)	2 (16.7)	6 (50.0)	4 (44.4)	0 (0.0)		
	T-FEC + Trastuzumab	1 (2.4)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)		
	T-FEC + Trastuzu + Per-tuzumab	0 (0.0)	2 (5.4)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)		
	T + Per-tuzumab + Trastuzumab	0 (0.0)	0 (0.0)	0 (0.0)	1 (8.3)	0 (0.0)	0 (0.0)	0 (0.0)		
	TC	1 (2.4)	0 (0.0)	1 (2.5)	0 (0.0)	0 (0.0)	1 (11.1)	0 (0.0)		
	TC + Trastuzumab	1 (2.4)	1 (2.7)	0 (0.0)	1 (8.3)	0 (0.0)	1 (11.1)	0 (0.0)		
Chemo.c		5.88 ± 0.59	6.05 ± 0.47	5.97 ± 0.83	5.33 ± 0.98	5.92 ± 0.29	5.56 ± 0.88	6.00 ± NA	NA	nonnorm
aHER2.cycles (median [IQR])		2.00 [2.00, 3.00]	3.00 [3.00, 3.00]	3.00 [2.00, 3.00]	3.00 [2.00, 3.00]	3.00 [2.50, 3.00]	3.00 [3.00, 3.50]	1.00 [1.00, 1.00]	0.149	
RCB.sco (median [IQR])		2.04 [0.74, 3.23]	1.57 [0.89, 2.77]	0.00 [0.00, 1.63]	1.76 [1.09, 3.02]	2.51 [1.22, 3.35]	3.37 [3.02, 3.58]	0.00 [0.00, 0.00]	<0.001	

Table 1: Summarization of clinical variables stratified by subtype (*continued*)

level	wMKL1	wMKL3	wMKL4	wMKL5	wMKL6	wMKL7	wMKL8	p	test
STAT1.gsva (median [IQR])	-0.33 [-0.57, 0.25]	-0.27 [-0.44, 0.48]	0.47 [-0.02, 0.59]	-0.01 [-0.34, 0.23]	-0.27 [-0.62, 0.23]	0.34 [-0.50, 0.44]	0.74 [0.74, 0.74]	0.001	nonnorm
GGI.gsva (median [IQR])	-0.55 [-0.67, -0.30]	0.31 [0.04, 0.51]	0.41 [0.30, 0.57]	-0.15 [-0.33, 0.10]	-0.56 [-0.68, -0.23]	0.04 [-0.31, 0.24]	0.04 [0.04, 0.04]	<0.001	nonnorm
ESC.gsva (median [IQR])	-0.44 [-0.50, -0.22]	0.08 [-0.05, 0.36]	0.25 [0.06, 0.43]	-0.17 [-0.29, 0.03]	-0.21 [-0.36, -0.01]	-0.19 [-0.44, 0.19]	0.05 [0.05, 0.05]	<0.001	nonnorm
TMB (median [IQR])	1.24 [0.75, 1.88]	1.78 [1.10, 2.81]	2.66 [1.86, 3.52]	1.31 [0.77, 1.91]	1.09 [0.84, 1.60]	1.05 [0.83, 1.32]	0.59 [0.59, 0.59]	<0.001	nonnorm
HRD.sum (median [IQR])	18.50 [13.25, 24.75]	24.00 [20.00, 33.00]	37.00 [28.00, 54.50]	17.00 [13.75, 27.00]	12.00 [5.75, 21.25]	14.00 [13.00, 15.00]	12.00 [12.00, 12.00]	<0.001	nonnorm