

Summary of ordinal clinical variables

Contents

Table 1: Summary of ordinal clinical variables

Variable	Levels	MONET1	MONET2	MONET3	p	test
number of lymphn-odes positive by ihc (%)	0	48 (92.3)	46 (71.9)	38 (86.4)	0.3376	JT
	1	1 (1.9)	14 (21.9)	3 (6.8)		
	2	2 (3.8)	2 (3.1)	2 (4.5)		
	3	0 (0.0)	1 (1.6)	0 (0.0)		
	4	1 (1.9)	1 (1.6)	0 (0.0)		
number of lymphn-odes positive by he (%)	8	0 (0.0)	0 (0.0)	1 (2.3)	0.4026	JT
	0	70 (60.3)	89 (59.7)	48 (52.2)		
	1	16 (13.8)	15 (10.1)	16 (17.4)		
	2	8 (6.9)	13 (8.7)	11 (12.0)		
	3	5 (4.3)	6 (4.0)	5 (5.4)		
	4	4 (3.4)	5 (3.4)	3 (3.3)		
	5	2 (1.7)	3 (2.0)	2 (2.2)		
	6	1 (0.9)	0 (0.0)	2 (2.2)		
	7	1 (0.9)	0 (0.0)	0 (0.0)		
	8	1 (0.9)	1 (0.7)	2 (2.2)		
	9	3 (2.6)	0 (0.0)	1 (1.1)		
	10	1 (0.9)	3 (2.0)	1 (1.1)		
	12	0 (0.0)	3 (2.0)	0 (0.0)		
	13	0 (0.0)	1 (0.7)	1 (1.1)		
	14	0 (0.0)	1 (0.7)	0 (0.0)		
	15	0 (0.0)	2 (1.3)	0 (0.0)		
	16	1 (0.9)	0 (0.0)	0 (0.0)		
	18	1 (0.9)	2 (1.3)	0 (0.0)		
	19	1 (0.9)	1 (0.7)	0 (0.0)		
	22	0 (0.0)	1 (0.7)	0 (0.0)		
	25	0 (0.0)	2 (1.3)	0 (0.0)		
	26	0 (0.0)	1 (0.7)	0 (0.0)		
	27	1 (0.9)	0 (0.0)	0 (0.0)		