

Summary of ordinal clinical variables

Contents

Table 1: Summary of ordinal clinical variables

Variable	Levels	NEMO1	NEMO2	p	test
number of lymphnodes positive by ihc (%)	0	79 (78.2)	53 (89.8)	0.0884	JT
	1	15 (14.9)	3 (5.1)		
	2	4 (4.0)	2 (3.4)		
	3	1 (1.0)	0 (0.0)		
	4	1 (1.0)	1 (1.7)		
number of lymphnodes positive by he (%)	8	1 (1.0)	0 (0.0)	0.1208	JT
	0	127 (55.2)	80 (63.0)		
	1	30 (13.0)	17 (13.4)		
	2	24 (10.4)	8 (6.3)		
	3	11 (4.8)	5 (3.9)		
	4	8 (3.5)	4 (3.1)		
	5	5 (2.2)	2 (1.6)		
	6	2 (0.9)	1 (0.8)		
	7	0 (0.0)	1 (0.8)		
	8	3 (1.3)	1 (0.8)		
	9	1 (0.4)	3 (2.4)		
	10	4 (1.7)	1 (0.8)		
	12	3 (1.3)	0 (0.0)		
	13	2 (0.9)	0 (0.0)		
	14	1 (0.4)	0 (0.0)		
	15	2 (0.9)	0 (0.0)		
	16	0 (0.0)	1 (0.8)		
	18	2 (0.9)	1 (0.8)		
	19	1 (0.4)	1 (0.8)		
	22	1 (0.4)	0 (0.0)		
	25	2 (0.9)	0 (0.0)		
	26	1 (0.4)	0 (0.0)		
	27	0 (0.0)	1 (0.8)		