

transNEO_Summary_of_clinical_variables

Contents

Table 1: Summarization of clinical variables stratified by subtype

	level	Spectrum1	Spectrum2	p	test
n		58	95		
Subtype (%)	Spectrum1	58 (100.0)	0 (0.0)	<0.001	
	Spectrum2	0 (0.0)	95 (100.0)		
LN.status (%)	Negative	37 (63.8)	37 (38.9)	0.005	
	Positive	21 (36.2)	58 (61.1)		
ER.status (%)	Negative	44 (75.9)	7 (7.4)	<0.001	
	Positive	14 (24.1)	88 (92.6)		
HER2.status (%)	Negative	39 (67.2)	55 (57.9)	0.327	
	Positive	19 (32.8)	40 (42.1)		
Grade.pre.op (%)	Grade 1	0 (0.0)	0 (0.0)	<0.001	exact
	Grade 2	10 (17.2)	49 (51.6)		
	Grade 3	48 (82.8)	46 (48.4)		
	Grade 4	0 (0.0)	0 (0.0)		
pCR.RD (%)	pCR	28 (48.3)	13 (13.7)	<0.001	
	Residual Disease	30 (51.7)	82 (86.3)		
Age (median [IQR])		50.50 [39.50, 57.00]	50.00 [44.00, 57.50]	0.630	nonnorm
T.stage (%)	T1	4 (6.9)	8 (8.4)	0.488	exact
	T2	38 (65.5)	54 (56.8)		
	T3	12 (20.7)	29 (30.5)		
	T4	4 (6.9)	4 (4.2)		
PAM50 (%)	Basal-like	38 (65.5)	0 (0.0)	<0.001	exact
	HER2+	16 (27.6)	19 (20.2)		
	Luminal B	0 (0.0)	48 (51.1)		
	Luminal A	0 (0.0)	22 (23.4)		
	Normal-like	4 (6.9)	5 (5.3)		
	Unknown	0 (0.0)	0 (0.0)		
iC10 (%)	iC1	0 (0.0)	9 (9.5)	<0.001	exact
	iC2	0 (0.0)	11 (11.6)		
	iC3	1 (1.7)	6 (6.3)		

Table 1: Summarization of clinical variables stratified by subtype (*continued*)

	level	Spectrum1	Spectrum2	p	test
	iC4	9 (15.5)	4 (4.2)		
	iC5	13 (22.4)	24 (25.3)		
	iC6	1 (1.7)	11 (11.6)		
	iC7	0 (0.0)	8 (8.4)		
	iC8	0 (0.0)	12 (12.6)		
	iC9	8 (13.8)	10 (10.5)		
	iC10	26 (44.8)	0 (0.0)		
NAT.regi (%)	EC-T	1 (1.7)	1 (1.1)	0.157	exact
	EC-T +	0 (0.0)	1 (1.1)		
	Trastuzumab				
	EC +	0 (0.0)	1 (1.1)		
	Trastuzu				
	FEC-T	2 (3.4)	3 (3.2)		
	FEC-T	16 (27.6)	30 (31.6)		
	+				
	Trastuzu				
	FEC-T	1 (1.7)	3 (3.2)		
	+				
	Trastuzumab				
	+ Per-				
	tuzumab				
	P-	0 (0.0)	1 (1.1)		
	Carbople				
	P-EC	3 (5.2)	1 (1.1)		
	P-FEC	4 (6.9)	1 (1.1)		
	P +	0 (0.0)	1 (1.1)		
	Trastuzumab				
	T	1 (1.7)	0 (0.0)		
	T-	1 (1.7)	1 (1.1)		
	Carboplatin				
	T-EC	0 (0.0)	8 (8.4)		
	T-FEC	25 (43.1)	36 (37.9)		
	T-FEC	0 (0.0)	1 (1.1)		
	+				
	Trastuzu				
	T-FEC	0 (0.0)	2 (2.1)		
	+				
	Trastuzumab				
	+ Per-				
	tuzumab				
	T +	1 (1.7)	0 (0.0)		
	Per-				
	tuzumab				
	+				
	Trastuzu				
	TC	2 (3.4)	1 (1.1)		
	TC +	1 (1.7)	3 (3.2)		
	Trastuzu				
Chemo.cycles		5.90 ± 0.83	5.88 ± 0.60	0.922	
aHER2.c		3.00 [2.00,	3.00 [2.00,	0.699	nonnorm
(me-		3.00]	3.00]		
dian					
[IQR])					
RCB.score		0.89 [0.00,	2.19 [1.09,	<0.001	nonnorm
(me-		1.71]	3.21]		
dian					
[IQR])					
STAT1.g		0.39	-0.29	<0.001	nonnorm
(me-		[-0.30,	[-0.52,		
dian		0.58]	0.34]		
[IQR])					

Table 1: Summarization of clinical variables stratified by subtype (*continued*)

	level	Spectrum1	Spectrum2	p	test
GGI.gsva (me- dian [IQR])		0.35 [-0.22, 0.51]	-0.17 [-0.55, 0.28]	<0.001	nonnorm
ESC.gsv (me- dian [IQR])		0.14 [-0.18, 0.38]	-0.08 [-0.44, 0.11]	0.001	nonnorm
TMB (me- dian [IQR])		2.29 [1.55, 3.32]	1.25 [0.83, 2.00]	<0.001	nonnorm
HRD.sur (me- dian [IQR])		33.00 [21.25, 45.25]	19.00 [13.00, 26.50]	<0.001	nonnorm