

Summary_of_clinical_variables

Contents

Table 1: Summarization of clinical variables stratified by subtype

	level	COCA1	COCA2	p	test
n		557	68		
Subtype (%)	COCA1	557 (100.0)	0 (0.0)	<0.001	
	COCA2	0 (0.0)	68 (100.0)		
vital status (%)	Alive	147 (93.0)	16 (100.0)	0.602	exact
	Dead	11 (7.0)	0 (0.0)		
days to birth (median [IQR])		-21089.00 [- 24346.50, -17727.00]	-22688.50 [- 25890.00, -19477.00]	0.073	nonnorm
days to death (median [IQR])		1376.50 [575.50, 2430.00]	1457.50 [496.25, 2486.25]	0.963	nonnorm
days to last followup (median [IQR])		763.50 [476.75, 1642.00]	690.50 [442.75, 1176.00]	0.340	nonnorm
race list (%)	AMERICAN INDIAN OR ALASKA NATIVE	1 (0.2)	0 (0.0)	0.419	exact
	ASIAN	27 (4.9)	5 (7.6)		
	BLACK OR AFRICAN AMERICAN	108 (19.8)	16 (24.2)		
	WHITE	410 (75.1)	45 (68.2)		
history of neoadjuvant treatment (%)	No	551 (99.3)	66 (97.1)	0.132	exact
	Yes	4 (0.7)	2 (2.9)		
age at initial pathologic diagnosis (median [IQR])		57.00 [48.00, 66.00]	60.50 [50.75, 70.25]	0.121	nonnorm
ethnicity (%)	HISPANIC OR LATINO	27 (5.4)	0 (0.0)	0.102	exact
	NOT HISPANIC OR LATINO	476 (94.6)	61 (100.0)		
primary lymph node presentation assessment (%)	NO	24 (5.4)	2 (3.6)	0.756	exact
	YES	420 (94.6)	54 (96.4)		

Table 1: Summarization of clinical variables stratified by subtype (*continued*)

	level	COCA1	COCA2	p	test
histological type (%)	Infiltrating Carcinoma NOS	1 (0.2)	0 (0.0)	0.371	exact
	Infiltrating Ductal Carcinoma	390 (70.1)	46 (67.6)		
	Infiltrating Lobular Carcinoma	105 (18.9)	13 (19.1)		
	Medullary Carcinoma	4 (0.7)	1 (1.5)		
	Metaplastic Carcinoma	6 (1.1)	1 (1.5)		
	Mixed Histology (please specify)	16 (2.9)	5 (7.4)		
	Mucinous Carcinoma	9 (1.6)	1 (1.5)		
	Other, specify	25 (4.5)	1 (1.5)		
menopause status (%)	Indeterminate (neither Pre or Postmenopausal)	13 (2.6)	1 (1.5)	0.732	exact
	Peri (6-12 months since last menstrual period)	19 (3.7)	1 (1.5)		
	Post (prior bilateral ovariectomy OR >12 mo since LMP with no prior hysterectomy)	354 (69.7)	51 (77.3)		
	Pre (<6 months since LMP AND no prior bilateral ovariectomy AND not on estrogen replacement)	122 (24.0)	13 (19.7)		
breast carcinoma progesterone receptor status (%)	Indeterminate	2 (0.4)	0 (0.0)	0.737	exact
	Negative	162 (31.1)	22 (33.8)		
	Positive	357 (68.5)	43 (66.2)		
breast carcinoma estrogen receptor status (%)	Negative	116 (22.2)	14 (21.5)	1.000	
	Positive	406 (77.8)	51 (78.5)		
lab proc her2 neu immuno-histochemistry receptor status (%)	Equivocal	91 (20.2)	19 (33.9)	0.005	exact
	Indeterminate	7 (1.6)	3 (5.4)		
	Negative	291 (64.5)	25 (44.6)		
	Positive	62 (13.7)	9 (16.1)		

Table 1: Summarization of clinical variables stratified by subtype (*continued*)

	level	COCA1	COCA2	p	test
number of lymphnodes positive by ihc (median [IQR])		0.00 [0.00, 0.00]	0.00 [0.00, 0.00]	0.327	nonnorm
number of lymphnodes positive by he (median [IQR])		1.00 [0.00, 3.00]	1.00 [0.00, 3.50]	1.000	nonnorm
er level cell percentage category (%)	<10%	34 (12.9)	1 (3.4)	0.563	exact
	10-19%	17 (6.5)	3 (10.3)		
	20-29%	3 (1.1)	1 (3.4)		
	30-39%	4 (1.5)	1 (3.4)		
	40-49%	3 (1.1)	0 (0.0)		
	50-59%	8 (3.0)	0 (0.0)		
	60-69%	6 (2.3)	1 (3.4)		
	70-79%	36 (13.7)	4 (13.8)		
	80-89%	16 (6.1)	2 (6.9)		
	90-99%	136 (51.7)	16 (55.2)		
progesterone receptor level cell percent category (%)	<10%	69 (29.0)	10 (40.0)	0.165	exact
	10-19%	15 (6.3)	3 (12.0)		
	20-29%	6 (2.5)	2 (8.0)		
	30-39%	6 (2.5)	2 (8.0)		
	40-49%	11 (4.6)	0 (0.0)		
	50-59%	10 (4.2)	0 (0.0)		
	60-69%	12 (5.0)	0 (0.0)		
	70-79%	26 (10.9)	3 (12.0)		
	80-89%	23 (9.7)	0 (0.0)		
	90-99%	60 (25.2)	5 (20.0)		
distant metastasis present ind2 (%)	NO	227 (97.4)	26 (100.0)	1.000	exact
	YES	6 (2.6)	0 (0.0)		
stage event pathologic stage (%)	Stage I	48 (8.7)	2 (3.0)	0.820	exact
	Stage IA	43 (7.8)	6 (9.0)		
	Stage IB	3 (0.5)	0 (0.0)		
	Stage II	5 (0.9)	0 (0.0)		
	Stage IIA	178 (32.2)	24 (35.8)		
	Stage IIB	134 (24.2)	14 (20.9)		
	Stage III	2 (0.4)	0 (0.0)		
	Stage IIIA	88 (15.9)	12 (17.9)		
	Stage IIIB	12 (2.2)	2 (3.0)		
	Stage IIIC	30 (5.4)	6 (9.0)		
	Stage IV	6 (1.1)	1 (1.5)		

Table 1: Summarization of clinical variables stratified by subtype (*continued*)

level	COCA1	COCA2	p	test
Stage X	4 (0.7)	0 (0.0)		