

transNEO_Summary_of_clinical_variables

Contents

Table 1: Summarization of clinical variables stratified by subtype

	level	wMKL1	wMKL3	wMKL4	wMKL5	wMKL6	wMKL7	wMKL8	p	test
n		35	2	14	40	48	1	13		
Subtype (%)	wMKLwMKL3	35 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	<0.001	exact
	wMKLwMKL4	0 (0.0)	2 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)		
	wMKLwMKL5	0 (0.0)	0 (0.0)	14 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)		
	wMKLwMKL6	0 (0.0)	0 (0.0)	0 (0.0)	40 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)		
	wMKLwMKL7	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	48 (100.0)	0 (0.0)	0 (0.0)		
	wMKLwMKL8	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (100.0)	0 (0.0)		
LN.statu: (%)	Negative	22 (62.9)	1 (50.0)	3 (21.4)	24 (60.0)	21 (43.8)	0 (0.0)	3 (23.1)	0.019	exact
	Positive	13 (37.1)	1 (50.0)	11 (78.6)	16 (40.0)	27 (56.2)	1 (100.0)	10 (76.9)		
ER.statu (%)	Negative	14 (40.0)	0 (0.0)	0 (0.0)	32 (80.0)	4 (8.3)	1 (100.0)	0 (0.0)	<0.001	exact
	Positive	21 (60.0)	2 (100.0)	14 (100.0)	8 (20.0)	44 (91.7)	0 (0.0)	13 (100.0)		
HER2.st: (%)	Negative	18 (51.4)	1 (50.0)	11 (78.6)	35 (87.5)	18 (37.5)	0 (0.0)	11 (84.6)	<0.001	exact
	Positive	17 (48.6)	1 (50.0)	3 (21.4)	5 (12.5)	30 (62.5)	1 (100.0)	2 (15.4)		
Grade.pr (%)	Grade 1	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	<0.001	exact
	Grade 2	17 (48.6)	0 (0.0)	12 (85.7)	6 (15.0)	12 (25.0)	1 (100.0)	11 (84.6)		
	Grade 3	18 (51.4)	2 (100.0)	2 (14.3)	34 (85.0)	36 (75.0)	0 (0.0)	2 (15.4)		
	Grade 4	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)		
pCR.RD (%)	pCR	8 (22.9)	1 (50.0)	1 (7.1)	21 (52.5)	9 (18.8)	0 (0.0)	1 (7.7)	0.001	exact
	Residual Disease	27 (77.1)	1 (50.0)	13 (92.9)	19 (47.5)	39 (81.2)	1 (100.0)	12 (92.3)		
Age (median [IQR])		52.00 [48.00, 55.00]	47.00 [46.50, 47.50]	48.50 [39.00, 58.25]	49.00 [35.00, 59.50]	50.50 [41.75, 57.25]	81.00 [81.00, 81.00]	53.00 [48.00, 62.00]	0.424	nonnorm
T.stage (%)	T1	7 (20.0)	0 (0.0)	1 (7.1)	1 (2.5)	3 (6.2)	0 (0.0)	0 (0.0)	0.091	exact
	T2	18 (51.4)	2 (100.0)	7 (50.0)	29 (72.5)	27 (56.2)	0 (0.0)	9 (69.2)		
	T3	10 (28.6)	0 (0.0)	6 (42.9)	7 (17.5)	14 (29.2)	0 (0.0)	4 (30.8)		
	T4	0 (0.0)	0 (0.0)	0 (0.0)	3 (7.5)	4 (8.3)	1 (100.0)	0 (0.0)		
PAM50 (%)	Basal-like	3 (8.6)	0 (0.0)	0 (0.0)	35 (87.5)	0 (0.0)	0 (0.0)	0 (0.0)	<0.001	exact
	HER2+	11 (31.4)	0 (0.0)	0 (0.0)	4 (10.0)	19 (39.6)	1 (100.0)	0 (0.0)		
	Luminal B	8 (22.9)	1 (100.0)	9 (64.3)	0 (0.0)	26 (54.2)	0 (0.0)	4 (30.8)		
	Luminal A	6 (17.1)	0 (0.0)	4 (28.6)	0 (0.0)	3 (6.2)	0 (0.0)	9 (69.2)		
	Normal-like	7 (20.0)	0 (0.0)	1 (7.1)	1 (2.5)	0 (0.0)	0 (0.0)	0 (0.0)		

Table 1: Summarization of clinical variables stratified by subtype (*continued*)

	level	wMKL1	wMKL3	wMKL4	wMKL5	wMKL6	wMKL7	wMKL8	p	test
iC10 (%)	Unknown	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	<0.001	exact
	iC1	2 (5.7)	0 (0.0)	2 (14.3)	0 (0.0)	5 (10.4)	0 (0.0)	0 (0.0)		
	iC2	2 (5.7)	0 (0.0)	2 (14.3)	0 (0.0)	6 (12.5)	0 (0.0)	1 (7.7)		
	iC3	5 (14.3)	0 (0.0)	0 (0.0)	2 (5.0)	0 (0.0)	0 (0.0)	0 (0.0)		
	iC4	10 (28.6)	0 (0.0)	0 (0.0)	2 (5.0)	0 (0.0)	1 (100.0)	0 (0.0)		
	iC5	10 (28.6)	1 (50.0)	1 (7.1)	3 (7.5)	20 (41.7)	0 (0.0)	2 (15.4)		
	iC6	3 (8.6)	0 (0.0)	3 (21.4)	1 (2.5)	5 (10.4)	0 (0.0)	0 (0.0)		
	iC7	2 (5.7)	1 (50.0)	3 (21.4)	0 (0.0)	2 (4.2)	0 (0.0)	0 (0.0)		
	iC8	0 (0.0)	0 (0.0)	1 (7.1)	0 (0.0)	1 (2.1)	0 (0.0)	10 (76.9)		
	iC9	0 (0.0)	0 (0.0)	2 (14.3)	7 (17.5)	9 (18.8)	0 (0.0)	0 (0.0)		
NAT.regime (%)	EC-T	1 (2.9)	0 (0.0)	0 (0.0)	25 (62.5)	0 (0.0)	0 (0.0)	0 (0.0)	<0.001	exact
	FEC-T	0 (0.0)	0 (0.0)	0 (0.0)	1 (2.5)	1 (2.1)	0 (0.0)	0 (0.0)		
	EC-T + Trastuzu	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (2.1)	0 (0.0)	0 (0.0)		
	EC + Trastuzumab	1 (2.9)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)		
	FEC-T	0 (0.0)	0 (0.0)	1 (7.1)	2 (5.0)	1 (2.1)	0 (0.0)	1 (7.7)		
	FEC-T + Trastuzumab	12 (34.3)	1 (50.0)	2 (14.3)	5 (12.5)	25 (52.1)	0 (0.0)	1 (7.7)		
	FEC-T + Trastuzu + Per-tuzumab	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	3 (6.2)	0 (0.0)	1 (7.7)		
	P- Carboplatin	1 (2.9)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)		
	P-EC	1 (2.9)	0 (0.0)	0 (0.0)	3 (7.5)	0 (0.0)	0 (0.0)	0 (0.0)		
	P-FEC	0 (0.0)	0 (0.0)	0 (0.0)	5 (12.5)	0 (0.0)	0 (0.0)	0 (0.0)		
	P + Trastuzu	0 (0.0)	0 (0.0)	1 (7.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)		
	T	0 (0.0)	0 (0.0)	0 (0.0)	1 (2.5)	0 (0.0)	0 (0.0)	0 (0.0)		
	T- Carboplatin	0 (0.0)	0 (0.0)	1 (7.1)	1 (2.5)	0 (0.0)	0 (0.0)	0 (0.0)		
	T-EC	2 (5.7)	0 (0.0)	2 (14.3)	0 (0.0)	3 (6.2)	0 (0.0)	1 (7.7)		
	T-FEC	13 (37.1)	1 (50.0)	6 (42.9)	21 (52.5)	12 (25.0)	0 (0.0)	8 (61.5)		
	T-FEC + Trastuzumab	1 (2.9)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)		
	T-FEC + Trastuzu + Per-tuzumab	1 (2.9)	0 (0.0)	0 (0.0)	0 (0.0)	1 (2.1)	0 (0.0)	0 (0.0)		
	T + Per-tuzumab + Trastuzumab	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (100.0)	0 (0.0)		
	TC	1 (2.9)	0 (0.0)	0 (0.0)	1 (2.5)	0 (0.0)	0 (0.0)	1 (7.7)		
	TC + Trastuzumab	2 (5.7)	0 (0.0)	1 (7.1)	0 (0.0)	1 (2.1)	0 (0.0)	0 (0.0)		
Chemo.c		5.74 ± 0.78	6.00 ± 0.00	5.71 ± 0.73	6.00 ± 0.85	6.02 ± 0.39	4.00 ± NA	5.77 ± 0.60	NA	nonnorm
aHER2.cycles		3.00 [2.00, 3.00]	1.00 [1.00, 1.00]	3.50 [3.00, 4.00]	3.00 [2.00, 3.00]	3.00 [2.00, 3.00]	4.00 [4.00, 4.00]	2.00 [1.50, 2.50]	0.057	
RCB.sco		1.80 [0.78, 2.75]	1.79 [0.90, 2.69]	3.32 [2.13, 3.74]	0.00 [0.00, 1.68]	1.63 [0.83, 2.88]	4.07 [4.07, 4.07]	2.97 [1.59, 3.60]	<0.001	

Table 1: Summarization of clinical variables stratified by subtype (*continued*)

level	wMKL1	wMKL3	wMKL4	wMKL5	wMKL6	wMKL7	wMKL8	p	test
STAT1.gsva (median [IQR])	-0.27 [-0.48, 0.23]	0.01 [-0.36, 0.38]	-0.39 [-0.63, -0.05]	0.47 [-0.27, 0.59]	0.07 [-0.41, 0.47]	-0.70 [-0.70, -0.70]	-0.50 [-0.61, 0.20]	0.002	nonnorm
GGI.gsva (median [IQR])	-0.54 [-0.68, -0.23]	-0.19 [-0.30, -0.08]	-0.49 [-0.58, -0.24]	0.41 [0.22, 0.57]	0.32 [0.04, 0.51]	-0.60 [-0.60, -0.60]	-0.55 [-0.62, -0.44]	<0.001	nonnorm
ESC.gsva (median [IQR])	-0.43 [-0.49, -0.20]	-0.23 [-0.37, -0.09]	-0.32 [-0.52, -0.09]	0.19 [0.01, 0.43]	0.15 [-0.05, 0.36]	-0.32 [-0.32, -0.32]	-0.30 [-0.40, -0.13]	<0.001	nonnorm
TMB (median [IQR])	1.10 [0.74, 1.73]	0.56 [0.54, 0.58]	0.86 [0.75, 1.50]	2.66 [1.85, 3.52]	1.77 [1.09, 2.95]	3.51 [3.51, 3.51]	1.16 [0.86, 1.60]	<0.001	nonnorm
HRD.sum (median [IQR])	19.00 [13.00, 24.50]	8.00 [6.00, 10.00]	13.50 [10.50, 15.75]	37.00 [28.00, 54.50]	25.00 [20.00, 34.00]	17.00 [17.00, 17.00]	9.00 [6.00, 16.00]	<0.001	nonnorm