

Summary of ordinal clinical variables

Contents

Table 1: Summary of ordinal clinical variables

Variable	Levels	MFA1	MFA2	MFA3	p	tes
number of lymphnodes positive by ihc (%)	0	65 (74.7)	50 (86.2)	35 (94.6)	0.0032	JT
	1	17 (19.5)	7 (12.1)	2 (5.4)		
	2	2 (2.3)	1 (1.7)	0 (0.0)		
	3	2 (2.3)	0 (0.0)	0 (0.0)		
	4	1 (1.1)	0 (0.0)	0 (0.0)		
number of lymphnodes positive by he (%)	0	108 (43.2)	76 (37.6)	68 (59.6)	0.1774	JT
	1	54 (21.6)	36 (17.8)	15 (13.2)		
	2	24 (9.6)	21 (10.4)	12 (10.5)		
	3	16 (6.4)	15 (7.4)	3 (2.6)		
	4	11 (4.4)	11 (5.4)	1 (0.9)		
	5	8 (3.2)	10 (5.0)	2 (1.8)		
	6	2 (0.8)	9 (4.5)	4 (3.5)		
	7	2 (0.8)	3 (1.5)	1 (0.9)		
	8	2 (0.8)	5 (2.5)	0 (0.0)		
	9	3 (1.2)	1 (0.5)	2 (1.8)		
	10	1 (0.4)	2 (1.0)	3 (2.6)		
	11	3 (1.2)	3 (1.5)	1 (0.9)		
	12	4 (1.6)	2 (1.0)	0 (0.0)		
	13	1 (0.4)	1 (0.5)	0 (0.0)		
	14	1 (0.4)	3 (1.5)	1 (0.9)		
	17	0 (0.0)	1 (0.5)	0 (0.0)		
	19	2 (0.8)	0 (0.0)	0 (0.0)		
	20	1 (0.4)	0 (0.0)	0 (0.0)		
	21	2 (0.8)	0 (0.0)	0 (0.0)		
	22	1 (0.4)	0 (0.0)	0 (0.0)		
	23	1 (0.4)	0 (0.0)	0 (0.0)		
	24	0 (0.0)	1 (0.5)	0 (0.0)		
	27	2 (0.8)	0 (0.0)	0 (0.0)		
	28	0 (0.0)	1 (0.5)	0 (0.0)		
	29	1 (0.4)	1 (0.5)	0 (0.0)		
	35	0 (0.0)	0 (0.0)	1 (0.9)		