

transNEO_Summary_of_clinical_variables

Contents

Table 1: Summarization of clinical variables stratified by subtype

	level	MSNE1	MSNE2	MSNE3	MSNE4	MSNE5	p	test
n		22	28	25	34	44		
Subtype (%)	MSNE	MSNE122 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	<0.001	exact
	MSNE	0 (0.0)	28 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)		
	MSNE3	0 (0.0)	0 (0.0)	25 (100.0)	0 (0.0)	0 (0.0)		
	MSNE	0 (0.0)	0 (0.0)	0 (0.0)	34 (100.0)	0 (0.0)		
	MSNE5	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	44 (100.0)		
LN.status.at. (%)	Negative	13 (59.1)	8 (28.6)	10 (40.0)	18 (52.9)	25 (56.8)	0.105	
	Positive	9 (40.9)	20 (71.4)	15 (60.0)	16 (47.1)	19 (43.2)		
ER.status (%)	Negative	17 (77.3)	0 (0.0)	3 (12.0)	14 (41.2)	17 (38.6)	<0.001	
	Positive	5 (22.7)	28 (100.0)	22 (88.0)	20 (58.8)	27 (61.4)		
HER2.status (%)	Negative	18 (81.8)	22 (78.6)	9 (36.0)	17 (50.0)	28 (63.6)	0.003	
	Positive	4 (18.2)	6 (21.4)	16 (64.0)	17 (50.0)	16 (36.4)		
Grade.pre.N. (%)	Grade 1	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	<0.001	exact
	Grade 2	2 (9.1)	20 (71.4)	5 (20.0)	8 (23.5)	24 (54.5)		
	Grade 3	20 (90.9)	8 (28.6)	20 (80.0)	26 (76.5)	20 (45.5)		
	Grade 4	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)		
pCR.RD (%)	pCR	13 (59.1)	2 (7.1)	3 (12.0)	15 (44.1)	8 (18.2)	<0.001	
	Residual Disease	9 (40.9)	26 (92.9)	22 (88.0)	19 (55.9)	36 (81.8)		
Age (median [IQR])		49.50 [36.75, 61.25]	49.00 [39.75, 62.00]	53.00 [49.00, 57.00]	49.00 [37.50, 56.50]	51.00 [46.00, 56.00]	0.690	nonnorm
T.stage (%)	T1	0 (0.0)	1 (3.6)	2 (8.0)	3 (8.8)	6 (13.6)	0.143	exact
	T2	15 (68.2)	18 (64.3)	13 (52.0)	23 (67.6)	23 (52.3)		
	T3	4 (18.2)	7 (25.0)	7 (28.0)	8 (23.5)	15 (34.1)		
	T4	3 (13.6)	2 (7.1)	3 (12.0)	0 (0.0)	0 (0.0)		
PAM50 (%)	Basal-like	20 (90.9)	0 (0.0)	0 (0.0)	12 (36.4)	6 (13.6)	<0.001	exact
	HER2+	1 (4.5)	2 (7.1)	12 (48.0)	9 (27.3)	11 (25.0)		

Table 1: Summarization of clinical variables stratified by subtype
(continued)

	level	MSNE1	MSNE2	MSNE3	MSNE4	MSNE5	p	test
	Luminal B	1 (4.5)	17 (60.7)	11 (44.0)	9 (27.3)	10 (22.7)		
	Luminal A	0 (0.0)	8 (28.6)	2 (8.0)	2 (6.1)	10 (22.7)		
	Normal-like	0 (0.0)	1 (3.6)	0 (0.0)	1 (3.0)	7 (15.9)		
	Unknown	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)		
iC10 (%)	iC1	0 (0.0)	4 (14.3)	2 (8.0)	1 (2.9)	2 (4.5)	<0.001	exact
	iC2	0 (0.0)	4 (14.3)	4 (16.0)	0 (0.0)	3 (6.8)		
	iC3	0 (0.0)	1 (3.6)	0 (0.0)	1 (2.9)	5 (11.4)		
	iC4	0 (0.0)	0 (0.0)	1 (4.0)	3 (8.8)	9 (20.5)		
	iC5	2 (9.1)	4 (14.3)	9 (36.0)	12 (35.3)	10 (22.7)		
	iC6	1 (4.5)	4 (14.3)	3 (12.0)	1 (2.9)	3 (6.8)		
	iC7	0 (0.0)	3 (10.7)	0 (0.0)	2 (5.9)	3 (6.8)		
	iC8	0 (0.0)	6 (21.4)	0 (0.0)	2 (5.9)	4 (9.1)		
	iC9	4 (18.2)	2 (7.1)	6 (24.0)	4 (11.8)	2 (4.5)		
	iC10	15 (68.2)	0 (0.0)	0 (0.0)	8 (23.5)	3 (6.8)		
NAT.regimen (%)	EC-T	1 (4.5)	1 (3.6)	0 (0.0)	0 (0.0)	0 (0.0)	0.052	exact
	EC-T + Trastuzumat	0 (0.0)	0 (0.0)	0 (0.0)	1 (2.9)	0 (0.0)		
	EC + Trastuzumab	0 (0.0)	0 (0.0)	0 (0.0)	1 (2.9)	0 (0.0)		
	FEC-T	1 (4.5)	1 (3.6)	1 (4.0)	2 (5.9)	0 (0.0)		
	FEC-T + Trastuzumab	3 (13.6)	5 (17.9)	13 (52.0)	13 (38.2)	12 (27.3)		
	FEC-T + Trastuzumat + Per-tuzumab	1 (4.5)	2 (7.1)	1 (4.0)	0 (0.0)	0 (0.0)		
	P-Carboplatin	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (2.3)		
	P-EC	2 (9.1)	0 (0.0)	0 (0.0)	1 (2.9)	1 (2.3)		
	P-FEC	3 (13.6)	0 (0.0)	0 (0.0)	0 (0.0)	2 (4.5)		
	P + Trastuzumat	0 (0.0)	1 (3.6)	0 (0.0)	0 (0.0)	0 (0.0)		
	T	1 (4.5)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)		
	T-Carboplatin	0 (0.0)	1 (3.6)	0 (0.0)	0 (0.0)	1 (2.3)		
	T-EC	0 (0.0)	4 (14.3)	2 (8.0)	1 (2.9)	1 (2.3)		
	T-FEC	9 (40.9)	12 (42.9)	6 (24.0)	13 (38.2)	21 (47.7)		
	T-FEC + Trastuzumab	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (2.3)		
	T-FEC + Trastuzumat + Per-tuzumab	0 (0.0)	0 (0.0)	0 (0.0)	1 (2.9)	1 (2.3)		

Table 1: Summarization of clinical variables stratified by subtype
(continued)

	level	MSNE1	MSNE2	MSNE3	MSNE4	MSNE5	p	test
	T + Per- tuzumab + Trastuzumab	0 (0.0)	0 (0.0)	1 (4.0)	0 (0.0)	0 (0.0)		
	TC	1 (4.5)	1 (3.6)	0 (0.0)	0 (0.0)	1 (2.3)		
	TC + Trastuzumab	0 (0.0)	0 (0.0)	1 (4.0)	1 (2.9)	2 (4.5)		
Chemo.cycle		5.95 ± 1.13	5.86 ± 0.52	5.88 ± 0.60	5.88 ± 0.54	5.89 ± 0.69	0.997	
aHER2.cycles (median [IQR])		3.00 [3.00, 3.00]	3.00 [3.00, 3.00]	3.00 [2.00, 3.00]	3.00 [2.00, 3.00]	3.00 [2.00, 3.00]	0.289	nonnorm
RCB.score (median [IQR])		0.00 [0.00, 1.65]	3.10 [2.06, 3.54]	1.72 [0.98, 2.77]	1.04 [0.00, 1.69]	1.82 [0.93, 3.06]	<0.001	nonnorm
STAT1.gsva (median [IQR])		0.27 [-0.50, 0.48]	-0.36 [-0.56, 0.07]	-0.26 [-0.44, 0.18]	0.58 [0.53, 0.68]	-0.35 [-0.58, 0.15]	<0.001	nonnorm
GGI.gsva (median [IQR])		0.56 [0.41, 0.59]	-0.26 [-0.56, 0.42]	0.31 [0.03, 0.47]	0.20 [-0.18, 0.37]	-0.53 [-0.68, -0.27]	<0.001	nonnorm
ESC.gsva (median [IQR])		0.44 [0.29, 0.53]	-0.06 [-0.37, 0.15]	0.18 [-0.06, 0.35]	0.02 [-0.06, 0.15]	-0.41 [-0.50, -0.14]	<0.001	nonnorm
TMB (median [IQR])		2.62 [1.93, 3.18]	1.10 [0.76, 1.56]	1.78 [1.32, 3.40]	2.09 [1.10, 3.33]	1.21 [0.79, 1.82]	<0.001	nonnorm
HRD.sum (median [IQR])		33.50 [26.00, 46.00]	15.50 [10.00, 20.50]	27.00 [21.00, 36.00]	27.00 [16.25, 44.50]	18.50 [13.00, 25.25]	<0.001	nonnorm