

Summary_of_clinical_variables

Contents

Table 1: Summarization of clinical variables stratified by subtype

	level	MOFA1	MOFA2	MOFA3	p	test
n		202	111	151		
Subtype (%)	MOFA1	202 (100.0)	0 (0.0)	0 (0.0)	<0.001	
	MOFA2	0 (0.0)	111 (100.0)	0 (0.0)		
	MOFA3	0 (0.0)	0 (0.0)	151 (100.0)		
vital status (%)	Alive	5 (100.0)	4 (80.0)	2 (100.0)	1.000	exact
	Dead	0 (0.0)	1 (20.0)	0 (0.0)		
days to birth (median [IQR])		-22635.50 [- 25951.00, -18726.00]	-19521.50 [- 22791.50, -16773.75]	-22880.50 [- 25997.25, -18828.00]	<0.001	nonnorm
days to death (median [IQR])		1850.50 [973.50, 2965.00]	1011.50 [785.25, 1658.00]	1134.50 [796.75, 1919.50]	0.309	nonnorm
days to last followup (median [IQR])		865.00 [546.00, 1613.00]	984.00 [440.75, 2063.25]	797.00 [376.75, 1517.50]	0.125	nonnorm
race list (%)	ASIAN	6 (3.4)	6 (5.8)	17 (16.0)	<0.001	exact
	BLACK OR AFRICAN AMERICAN	12 (6.9)	30 (29.1)	15 (14.2)		
	WHITE	156 (89.7)	67 (65.0)	74 (69.8)		
history of neoadjuvant treatment (%)	No	200 (99.0)	111 (100.0)	146 (96.7)	0.066	exact
	Yes	2 (1.0)	0 (0.0)	5 (3.3)		
age at initial pathologic diagnosis (median [IQR])		61.00 [51.00, 70.75]	52.00 [45.50, 62.00]	62.00 [50.50, 70.50]	<0.001	nonnorm
ethnicity (%)	HISPANIC OR LATINO	8 (4.9)	1 (1.1)	1 (1.0)	0.148	exact
	NOT HISPANIC OR LATINO	154 (95.1)	93 (98.9)	97 (99.0)		
primary lymph node presentation assessment (%)	NO	1 (0.9)	0 (0.0)	1 (2.2)	0.458	exact
	YES	113 (99.1)	54 (100.0)	45 (97.8)		

Table 1: Summarization of clinical variables stratified by subtype (*continued*)

	level	MOFA1	MOFA2	MOFA3	p	test
histological type (%)	Infiltrating Ductal Carcinoma	110 (54.5)	100 (90.1)	130 (86.1)	<0.001	exact
	Infiltrating Lobular Carcinoma	72 (35.6)	2 (1.8)	12 (7.9)		
	Medullary Carcinoma	0 (0.0)	1 (0.9)	0 (0.0)		
	Metaplastic Carcinoma	0 (0.0)	3 (2.7)	0 (0.0)		
	Mixed Histology (please specify)	5 (2.5)	2 (1.8)	1 (0.7)		
	Mucinous Carcinoma	6 (3.0)	0 (0.0)	1 (0.7)		
	Other, specify	9 (4.5)	3 (2.7)	7 (4.6)		
menopause status (%)	Indeterminate (neither Pre or Postmenopausal)	5 (2.7)	7 (6.8)	8 (5.4)	0.233	exact
	Peri (6-12 months since last menstrual period)	9 (4.8)	4 (3.9)	5 (3.4)		
	Post (prior bilateral ovariectomy OR >12 mo since LMP with no prior hysterectomy)	138 (73.4)	63 (61.2)	106 (72.1)		
	Pre (<6 months since LMP AND no prior bilateral ovariectomy AND not on estrogen replacement)	36 (19.1)	29 (28.2)	28 (19.0)		
breast carcinoma progesterone receptor status (%)	Indeterminate	0 (0.0)	0 (0.0)	2 (1.4)	<0.001	exact
	Negative	18 (9.0)	95 (88.0)	47 (32.0)		
	Positive	181 (91.0)	13 (12.0)	98 (66.7)		
breast carcinoma estrogen receptor status (%)	Indeterminate	0 (0.0)	0 (0.0)	2 (1.4)	<0.001	exact
	Negative	3 (1.5)	92 (85.2)	16 (10.9)		
	Positive	196 (98.5)	16 (14.8)	129 (87.8)		
lab proc her2 neu immuno-histochemistry receptor status (%)	Equivocal	32 (18.4)	17 (17.9)	22 (15.9)	<0.001	exact
	Indeterminate	2 (1.1)	0 (0.0)	0 (0.0)		
	Negative	119 (68.4)	63 (66.3)	62 (44.9)		
	Positive	21 (12.1)	15 (15.8)	54 (39.1)		
number of lymphnodes positive by ihc (median [IQR])		0.00 [0.00, 1.00]	0.00 [0.00, 0.00]	0.00 [0.00, 0.00]	0.018	nonnorm

Table 1: Summarization of clinical variables stratified by subtype (*continued*)

	level	MOFA1	MOFA2	MOFA3	p	test
number of lymphnodes positive by he (median [IQR])		0.00 [0.00, 2.00]	0.00 [0.00, 1.00]	1.00 [0.00, 2.00]	0.199	nonnorm
er level cell percentage category (median [IQR])		1.00 [1.00, 11.00]	1.00 [1.00, 2.00]	1.00 [1.00, 2.00]	<0.001	nonnorm
progesterone receptor level cell percent category (median [IQR])		1.00 [1.00, 8.00]	1.00 [1.00, 2.00]	1.00 [1.00, 1.50]	<0.001	nonnorm
distant metastasis present ind2 (%)	NO	69 (98.6)	31 (93.9)	29 (93.5)	0.267	exact
	YES	1 (1.4)	2 (6.1)	2 (6.5)		
stage event pathologic stage (%)	Stage I	25 (12.6)	6 (5.6)	9 (6.0)	0.004	exact
	Stage IA	23 (11.6)	11 (10.2)	4 (2.6)		
	Stage IB	1 (0.5)	0 (0.0)	2 (1.3)		
	Stage IIA	64 (32.2)	46 (42.6)	46 (30.5)		
	Stage IIB	38 (19.1)	27 (25.0)	41 (27.2)		
	Stage IIIA	20 (10.1)	10 (9.3)	24 (15.9)		
	Stage IIIB	3 (1.5)	2 (1.9)	7 (4.6)		
	Stage IIIC	15 (7.5)	4 (3.7)	9 (6.0)		
	Stage IV	4 (2.0)	2 (1.9)	6 (4.0)		
	Stage X	6 (3.0)	0 (0.0)	3 (2.0)		