

Summary of ordinal clinical variables

Contents

Table 1: Summary of ordinal clinical variables

Variable	Levels	MONET1	MONET2	MONET3	p	test
number of lymphn-odes positive by ihc (%)	0	49 (92.5)	63 (75.9)	38 (82.6)	0.1492	JT
	1	4 (7.5)	15 (18.1)	7 (15.2)		
	2	0 (0.0)	2 (2.4)	1 (2.2)		
	3	0 (0.0)	2 (2.4)	0 (0.0)		
	4	0 (0.0)	1 (1.2)	0 (0.0)		
number of lymphn-odes positive by he (%)	0	89 (55.6)	105 (43.0)	58 (35.8)	2e-04	JT
	1	25 (15.6)	52 (21.3)	28 (17.3)		
	2	17 (10.6)	29 (11.9)	11 (6.8)		
	3	5 (3.1)	16 (6.6)	13 (8.0)		
	4	1 (0.6)	10 (4.1)	12 (7.4)		
	5	5 (3.1)	5 (2.0)	10 (6.2)		
	6	5 (3.1)	3 (1.2)	7 (4.3)		
	7	1 (0.6)	3 (1.2)	2 (1.2)		
	8	1 (0.6)	1 (0.4)	5 (3.1)		
	9	1 (0.6)	2 (0.8)	3 (1.9)		
	10	3 (1.9)	2 (0.8)	1 (0.6)		
	11	2 (1.2)	4 (1.6)	1 (0.6)		
	12	0 (0.0)	4 (1.6)	2 (1.2)		
	13	0 (0.0)	1 (0.4)	1 (0.6)		
	14	1 (0.6)	1 (0.4)	3 (1.9)		
	17	0 (0.0)	0 (0.0)	1 (0.6)		
	19	0 (0.0)	2 (0.8)	0 (0.0)		
	20	0 (0.0)	1 (0.4)	0 (0.0)		
	21	0 (0.0)	2 (0.8)	0 (0.0)		
	22	0 (0.0)	0 (0.0)	1 (0.6)		
	23	1 (0.6)	0 (0.0)	0 (0.0)		
	24	0 (0.0)	0 (0.0)	1 (0.6)		
	27	1 (0.6)	1 (0.4)	0 (0.0)		

Table 1: Summary of ordinal clinical variables (*continued*)

Variable	Levels	MONET1	MONET2	MONET3	p	test
	28	0 (0.0)	0 (0.0)	1 (0.6)		
	29	1 (0.6)	0 (0.0)	1 (0.6)		
	35	1 (0.6)	0 (0.0)	0 (0.0)		