

transNEO_Summary_of_clinical_variables

Contents

Table 1: Summarization of clinical variables stratified by subtype

	level	MONET1	MONET2	MONET3	p	test
n		53	52	48		
Subtype (%)	MONETMONET3	53 (100.0)	0 (0.0)	0 (0.0)	<0.001	
	MONETMONET3	0 (0.0)	52 (100.0)	0 (0.0)		
	MONETMONET3	0 (0.0)	0 (0.0)	48 (100.0)		
LN.status.at. (%)	Negative	34 (64.2)	21 (40.4)	19 (39.6)	0.017	
	Positive	19 (35.8)	31 (59.6)	29 (60.4)		
ER.status (%)	Negative	39 (73.6)	9 (17.3)	3 (6.2)	<0.001	
	Positive	14 (26.4)	43 (82.7)	45 (93.8)		
HER2.status (%)	Negative	36 (67.9)	35 (67.3)	23 (47.9)	0.067	
	Positive	17 (32.1)	17 (32.7)	25 (52.1)		
Grade.pre.N. (%)	Grade 1	0 (0.0)	0 (0.0)	0 (0.0)	<0.001	exact
	Grade 2	7 (13.2)	34 (65.4)	18 (37.5)		
	Grade 3	46 (86.8)	18 (34.6)	30 (62.5)		
	Grade 4	0 (0.0)	0 (0.0)	0 (0.0)		
pCR.RD (%)	pCR	28 (52.8)	5 (9.6)	8 (16.7)	<0.001	
	Residual Disease	25 (47.2)	47 (90.4)	40 (83.3)		
Age (median [IQR])		50.00 [38.00, 57.00]	51.50 [46.00, 56.50]	50.50 [42.00, 58.25]	0.579	nonnorm
T.stage (%)	T1	4 (7.5)	5 (9.6)	3 (6.2)	0.246	exact
	T2	35 (66.0)	31 (59.6)	26 (54.2)		
	T3	10 (18.9)	16 (30.8)	15 (31.2)		
	T4	4 (7.5)	0 (0.0)	4 (8.3)		
PAM50 (%)	Basal-like	37 (71.2)	1 (1.9)	0 (0.0)	<0.001	exact
	HER2+	14 (26.9)	9 (17.3)	12 (25.0)		
	Luminal B	0 (0.0)	15 (28.8)	33 (68.8)		
	Luminal A	0 (0.0)	19 (36.5)	3 (6.2)		

Table 1: Summarization of clinical variables stratified by subtype
(continued)

	level	MONET1	MONET2	MONET3	p	test
	Normal-like	1 (1.9)	8 (15.4)	0 (0.0)		
	Unknown	0 (0.0)	0 (0.0)	0 (0.0)		
iC10 (%)	iC1	0 (0.0)	2 (3.8)	7 (14.6)	<0.001	exact
	iC2	0 (0.0)	6 (11.5)	5 (10.4)		
	iC3	1 (1.9)	6 (11.5)	0 (0.0)		
	iC4	6 (11.3)	7 (13.5)	0 (0.0)		
	iC5	12 (22.6)	8 (15.4)	17 (35.4)		
	iC6	1 (1.9)	4 (7.7)	7 (14.6)		
	iC7	0 (0.0)	4 (7.7)	4 (8.3)		
	iC8	0 (0.0)	12 (23.1)	0 (0.0)		
	iC9	8 (15.1)	2 (3.8)	8 (16.7)		
	iC10	25 (47.2)	1 (1.9)	0 (0.0)		
NAT.regimen (%)	EC-T	1 (1.9)	0 (0.0)	1 (2.1)	0.039	exact
	EC-T + Trastuzumab	0 (0.0)	0 (0.0)	1 (2.1)		
	EC + Trastuzumab	0 (0.0)	1 (1.9)	0 (0.0)		
	FEC-T	2 (3.8)	1 (1.9)	2 (4.2)		
	FEC-T + Trastuzumab	15 (28.3)	14 (26.9)	17 (35.4)		
	FEC-T + Trastuzumab + Per-tuzumab	0 (0.0)	0 (0.0)	4 (8.3)		
	P-Carboplatin	0 (0.0)	1 (1.9)	0 (0.0)		
	P-EC	3 (5.7)	1 (1.9)	0 (0.0)		
	P-FEC	4 (7.5)	1 (1.9)	0 (0.0)		
	P + Trastuzumab	0 (0.0)	1 (1.9)	0 (0.0)		
	T	1 (1.9)	0 (0.0)	0 (0.0)		
	T-Carboplatin	0 (0.0)	1 (1.9)	1 (2.1)		
	T-EC	0 (0.0)	4 (7.7)	4 (8.3)		
	T-FEC	23 (43.4)	24 (46.2)	14 (29.2)		
	T-FEC + Trastuzumab	0 (0.0)	1 (1.9)	0 (0.0)		
	T-FEC + Trastuzumab + Per-tuzumab	0 (0.0)	0 (0.0)	2 (4.2)		
	T + Per-tuzumab + Trastuzumab	1 (1.9)	0 (0.0)	0 (0.0)		
	TC	2 (3.8)	1 (1.9)	0 (0.0)		

Table 1: Summarization of clinical variables stratified by subtype
(continued)

	level	MONET1	MONET2	MONET3	p	test
	TC + Trastuzumab	1 (1.9)	1 (1.9)	2 (4.2)		
Chemo.cycle		5.87 ± 0.86	5.81 ± 0.66	6.00 ± 0.51	0.242	
aHER2.cycles (median [IQR])		3.00 [2.00, 3.00]	3.00 [2.00, 3.00]	3.00 [3.00, 3.00]	0.082	nonnorm
RCB.score (median [IQR])		0.00 [0.00, 1.62]	2.44 [1.47, 3.41]	2.05 [0.91, 3.06]	<0.001	nonnorm
STAT1.gsva (median [IQR])		0.46 [-0.27, 0.59]	-0.35 [-0.58, 0.20]	0.01 [-0.44, 0.46]	<0.001	nonnorm
GGI.gsva (median [IQR])		0.36 [0.04, 0.52]	-0.53 [-0.68, -0.27]	0.25 [-0.22, 0.49]	<0.001	nonnorm
ESC.gsva (median [IQR])		0.15 [-0.06, 0.39]	-0.37 [-0.50, -0.11]	0.08 [-0.09, 0.35]	<0.001	nonnorm
TMB (median [IQR])		2.31 [1.52, 3.40]	1.11 [0.75, 1.61]	1.59 [1.05, 2.78]	<0.001	nonnorm
HRD.sum (median [IQR])		33.00 [23.00, 48.00]	16.00 [10.00, 22.25]	22.50 [18.00, 28.25]	<0.001	nonnorm