Models	2
Book:	2
Views	2
CreateBook:	2
DeleteBookById:	3
GetBook:	3
GetBookByld:	3
GetAllBooks:	4
EditBookByld:	4
GetSumOfAllBookPrices:	5
CreateFile:	5

# **Donated Books API v1.0.0**

## **Models**

File is located at "Book Database/DonatedBooks/Api/models.py".

#### Book:

```
A Book object represents a donated book. It appears in the following form

{
    "Id": int (auto created),
    "Title": string,
    "AuthorFirstName": string,
    "AuthorLastName": string,
    "Price": float,
    "Quantity": int
}
```

# **Views**

File is located at "Book Database/DonatedBooks/Api/views.py". These functions represent the endpoints that are hittable by the user.

#### **CreateBook:**

```
URL Path: http://127.0.0.1:8000/CreateBook/
HTTP Method: POST
Returns: HTTP Status
Parameters: JSON string in the form of
{
    "Title": "title",
    "AuthorFirstName": "Sally",
    "AuthorLastName": "Johnson",
    "Price": 12.83,
    "Quantity": 1
}
```

### DeleteBookByld:

```
URL Path: http://127.0.0.1:8000/DeleteBookByld/id/
```

HTTP Method: DELETE Returns: HTTP Status Parameters: id - int

#### GetBook:

```
URL Path: http://127.0.0.1:8000/GetBook/title/authorFirstName/authorLastName/
```

**HTTP Method:** GET

```
Returns: HTTP Status or JSON string in the form of {
    "Id": 1,
    "Title": "title",
    "AuthorFirstName": "Sally",
    "AuthorLastName": "Johnson",
    "Price": 12.83,
    "Quantity": 1
```

Parameters: title - string, authorFirstName - string, authorLastName - string

### GetBookByld:

Parameters: id - int

```
URL Path: http://127.0.0.1:8000/GetBookByld/id/
HTTP Method: GET
Returns: HTTP Status or JSON string in the form of
{
    "Id": 1,
    "Title": "title",
    "AuthorFirstName": "Sally",
    "AuthorLastName": "Johnson",
    "Price": 12.83,
    "Quantity": 1
}
```

### GetAllBooks:

```
URL Path: http://127.0.0.1:8000/GetAllBooks/
HTTP Method: GET
Returns: HTTP Status or JSON string in the form of
[
   {
       "Id": 1,
       "Title": "title",
       "AuthorFirstName": "Sally",
       "AuthorLastName": "Johnson",
       "Price": 12.83,
       "Quantity": 1
   },
   {
       "ld": 2,
       "Title": "idk",
       "AuthorFirstName": "Sion",
       "AuthorLastName": "Pixley",
       "Price": 43.99,
       "Quantity": 2
   }
1
```

Parameters: None

#### EditBookByld:

URL Path: http://127.0.0.1:8000/EditBookById/id/property/newData/

HTTP Method: PATCH Returns: HTTP Status

Parameters: id - int, property - string, newData - string

Notes: Cannot edit Id property. If editing the Price or Quantity property, please enter the

new price or quantity as a string for the newData parameter.

## **GetSumOfAllBookPrices:**

```
URL Path: http://127.0.0.1:8000/GetSumOfAllBookPrices/
HTTP Method: GET
Returns: HTTP Status or JSON string in the form of
{
    "Total": 123.67
}
```

Parameters: None

# **CreateFile:**

**URL Path:** http://127.0.0.1:8000/CreateFile/

HTTP Method: POST Returns: HTTP Status Parameters: None

Notes: Creates a .txt file located at "Book Database/DonatedBooks/Books.txt". This file

contains a catalog of all the books in the database.