API Reference

Api Documentation

API Version: 1.0

Api Documentation

CONTACT

Terms of service: urn:tos

INDEX

1. ASSETS-CONTROLLER	6
1.1 GET /api/assets	6
1.2 GET /api/assets/{id}	6
2. AUTH-CONTROLLER	8
2.1 POST /api/auth/forgot-password	8
2.2 POST /api/auth/login	9
<pre>2.3 GET /api/auth/recovery-password/{recoveryId}</pre>	10
<pre>2.4 POST /api/auth/recovery-password/{recoveryId}</pre>	11
2.5 POST /api/auth/register	12
3. CM-CONTROLLER	14
3.1 GET /api/cm	14
3.2 GET /api/cm/{id}	14
4. INDOPAY-CONTROLLER	16
4.1 GET /api/indopay/cm	16
4.2 PUT /api/indopay/cm	16
4.3 POST /api/indopay/cm	17
4.4 GET /api/indopay/cm/{taskId}	17
4.5 GET /api/indopay/deploy	18
4.6 PUT /api/indopay/deploy	18
4.7 POST /api/indopay/deploy	19
4.8 GET /api/indopay/deploy/{taskId}	21
4.9 GET /api/indopay/pm	21
4.10 PUT /api/indopay/pm	22
4.11 POST /api/indopay/pm	22
4.12 GET /api/indopay/pm/{taskId}	22
5. INGENICO-CONTROLLER	24
5.1 GET /api/ingenico/activities	24
5.2 PUT /api/ingenico/activities	24
5.3 POST /api/ingenico/activities	25
5.4 GET /api/ingenico/activities/{id}	25
5.5 GET /api/ingenico/cm	25
5.6 PUT /api/ingenico/cm	26
5.7 POST /api/ingenico/cm	26
5.8 GET /api/ingenico/cm/{id}	27
5.9 GET /api/ingenico/inventory	27
5.10 PUT /api/ingenico/inventory	28
5.11 POST /api/ingenico/inventory	28
5.12 GET /api/ingenico/inventory/{id}	29
5.13 GET /api/ingenico/jobHistory	29

5.14 PUT /api/ingenico/jobHistory	30
5.15 POST /api/ingenico/jobHistory	30
5.16 GET /api/ingenico/jobHistory/{id}	30
6. INTEGRA-CONTROLLER	32
6.1 GET /api/integra/activities	32
6.2 PUT /api/integra/activities	32
6.3 POST /api/integra/activities	33
<pre>6.4 GET /api/integra/activities/{id}</pre>	33
6.5 GET /api/integra/inventory	33
6.6 PUT /api/integra/inventory	34
6.7 POST /api/integra/inventory	34
<pre>6.8 GET /api/integra/inventory/{id}</pre>	35
6.9 GET /api/integra/jobHistory	35
6.10 PUT /api/integra/jobHistory	36
6.11 POST /api/integra/jobHistory	36
<pre>6.12 GET /api/integra/jobHistory/{id}</pre>	37
7. INVENTORY-CONTROLLER	38
7.1 POST /api/inventory/add	38
7.2 GET /api/inventory/all	38
7.3 POST /api/inventory/update	38
8. JADIN-CONTROLLER	40
8.1 GET /api/jadin/activities	40
8.2 PUT /api/jadin/activities	40
8.3 POST /api/jadin/activities	41
8.4 GET /api/jadin/activities/{id}	41
8.5 GET /api/jadin/allJobs	41
8.6 PUT /api/jadin/allJobs	42
8.7 POST /api/jadin/allJobs	42
8.8 GET /api/jadin/allJobs/{id}	43
8.9 GET /api/jadin/inventory	43
8.10 PUT /api/jadin/inventory	44
8.11 POST /api/jadin/inventory	44
<pre>8.12 GET /api/jadin/inventory/{id}</pre>	45
9. MAHAPAY-CONTROLLER	46
9.1 GET /api/mahapay/activities	46
9.2 PUT /api/mahapay/activities	46
9.3 POST /api/mahapay/activities	47
<pre>9.4 GET /api/mahapay/activities/{id}</pre>	47
10. MAIN-CONTROLLER	48
10.1 GET /api/main/getBeanExampleModel	48

10.3 GET /api/main/tryRefreshScope	48
11. MANAGE-ROLE-CONTROLLER	50
11.1 POST /api/role/addMenuRoleApi	50
11.2 POST /api/role/addRole	51
11.3 GET /api/role/getMenus	52
11.4 GET /api/role/getRoles	53
12. MANAGE-USER-CONTROLLER	55
12.1 GET /api/user	55
12.2 POST /api/user/activeUser	56
12.3 GET /api/user/adminAccess	57
12.4 PUT /api/user/avatar	58
12.5 GET /api/user/avatar/{userId}	59
12.6 PUT /api/user/changePassword	60
12.7 POST /api/user/changeRole	61
12.8 POST /api/user/checkEmail	62
12.9 GET /api/user/me	63
12.10 GET /api/user/unconfirmedUsers	64
12.11 PUT /api/user/updateUser	65
13. MDM-CONTROLLER	66
13.1 POST /api/mdm/cm/add	66
13.2 GET /api/mdm/cm/list	66
13.3 GET /api/mdm/cm/{id}	66
13.4 GET /api/mdm/cm/{id}/delete	67
13.5 PATCH /api/mdm/cm/{id}/update	67
13.6 POST /api/mdm/installation/add	68
13.7 GET /api/mdm/installation/list	68
13.8 GET /api/mdm/installation/{id}	68
13.9 GET /api/mdm/installation/{id}/delete	69
13.10 PATCH /api/mdm/installation/{id}/update	69
13.11 POST /api/mdm/pm/add	70
13.12 GET /api/mdm/pm/list	71
13.13 GET /api/mdm/pm/{CaseId}/delete	71
13.14 PATCH /api/mdm/pm/{CaseId}/update	72
13.15 GET /api/mdm/pm/{Caseid}	73
14. PRIMA-VISTA-CONTROLLER	75
14.1 GET /api/primavista/activities	75
14.2 PUT /api/primavista/activities	75
14.3 POST /api/primavista/activities	76
14.4 GET /api/primavista/activities/{id}	76
15. TELKOM-CONTROLLER	77
15.1 GET /api/telkom/cm	77

15.2 PUT /api/telkom/cm	77
15.3 POST /api/telkom/cm	78
15.4 GET /api/telkom/cm/{noSpk}	78
15.5 GET /api/telkom/installation	79
15.6 PUT /api/telkom/installation	79
15.7 POST /api/telkom/installation	80
15.8 GET /api/telkom/installation/{nomorWo}	81
15.9 GET /api/telkom/pm	81
15.10 PUT /api/telkom/pm	82
15.11 POST /api/telkom/pm	83
15.12 GET /api/telkom/pm/{id}	84
16. VISIONET-CONTROLLER	85
16.1 GET /api/visionet/edcStatusServicePoint	85
16.2 PUT /api/visionet/edcStatusServicePoint	85
16.3 POST /api/visionet/edcStatusServicePoint	86
<pre>16.4 GET /api/visionet/edcStatusServicePoint/{id}</pre>	86
16.5 GET /api/visionet/mtiVisionet	86
16.6 PUT /api/visionet/mtiVisionet	87
16.7 POST /api/visionet/mtiVisionet	87
16.8 GET /api/visionet/mtiVisionet/{id}	88
16.9 GET /api/visionet/preventiveMaintenance	88
16.10 PUT /api/visionet/preventiveMaintenance	89
16.11 POST /api/visionet/preventiveMaintenance	89
16.12 GET /api/visionet/preventiveMaintenance/{id}	90

API

1. ASSETS-CONTROLLER

Assets Controller

1.1 GET /api/assets

getAll

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
sn	string	sn
simSn	string	simSn
samSn	string	samSn
page	string	page
size	string	size

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

1.2 GET /api/assets/{id}

getByld

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	string	id

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
```

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found

2. AUTH-CONTROLLER

Auth Controller

2.1 POST /api/auth/forgot-password

forgotPassword

REQUEST

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
body {
}
statusCode enum
```

ALLOWED: 100 CONTINUE, 101 SWITCHING_PROTOCOLS, 102 PROCESSING, 103 CHECKPOINT, 200 OK, 201 CREATED, 202 ACCEPTED, 203 NON_AUTHORITATIVE_INFORMATION, 204 NO_CONTENT, 205 RESET_CONTENT, 206 PARTIAL_CONTENT, 207 MULTI_STATUS, 208 ALREADY_REPORTED, 226 IM_USED, 300 MULTIPLE_CHOICES, 301 MOVED_PERMANENTLY, 302 FOUND, 302 MOVED_TEMPORARILY, 303 SEE_OTHER, 304 NOT_MODIFIED, 305 USE_PROXY, 307 TEMPORARY_REDIRECT, 308 PERMANENT_REDIRECT, 400 BAD_REQUEST, 401 UNAUTHORIZED, 402 PAYMENT_REQUIRED, 403 FORBIDDEN, 404 NOT_FOUND, 405 METHOD_NOT_ALLOWED, 406 NOT_ACCEPTABLE. 407 PROXY_AUTHENTICATION_REQUIRED, 408 REQUEST_TIMEOUT, 409 CONFLICT, 410 GONE, 411 LENGTH_REQUIRED, 412 PRECONDITION_FAILED, 413 PAYLOAD_TOO_LARGE, 413 REQUEST_ENTITY_TOO_LARGE, 414 URI_TOO_LONG, 414 REQUEST_URI_TOO_LONG, 415 UNSUPPORTED_MEDIA_TYPE, 416 REQUESTED_RANGE_NOT_SATISFIABLE, 417 EXPECTATION_FAILED, 418 I_AM_A_TEAPOT, 419 INSUFFICIENT_SPACE_ON_RESOURCE, 420 METHOD_FAILURE, 421 DESTINATION_LOCKED, 422 UNPROCESSABLE_ENTITY, 423 LOCKED, 424 FAILED_DEPENDENCY, 425 TOO_EARLY, 426 UPGRADE_REQUIRED, 428 PRECONDITION_REQUIRED, 429 TOO_MANY_REQUESTS, 431 REQUEST_HEADER_FIELDS_TOO_LARGE, 451 UNAVAILABLE_FOR_LEGAL_REASONS, 500 INTERNAL_SERVER_ERROR, 501 NOT_IMPLEMENTED, 502 BAD_GATEWAY, 503 SERVICE_UNAVAILABLE, 504 GATEWAY_TIMEOUT, 505 HTTP_VERSION_NOT_SUPPORTED, 506 VARIANT_ALSO_NEGOTIATES, 507 INSUFFICIENT_STORAGE, 508 LOOP_DETECTED, 509 BANDWIDTH_LIMIT_EXCEEDED, 510 NOT_EXTENDED, 511 NETWORK_AUTHENTICATION_REQUIRED

statusCodeValue integer
}

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 404: Not Found

2.2 POST /api/auth/login

login

REQUEST

```
REQUEST BODY - application/json
{
   password string
   username string
}

RESPONSE
```

RESPONSE MODEL - */*
{
body {
}

statusCode

STATUS CODE - 200: OK

enum

ALLOWED: 100 CONTINUE, 101 SWITCHING_PROTOCOLS, 102 PROCESSING, 103 CHECKPOINT, 200 OK, 201 CREATED, 202 ACCEPTED, 203 NON_AUTHORITATIVE_INFORMATION, 204 NO_CONTENT, 205 RESET_CONTENT, 206 PARTIAL_CONTENT, 207 MULTI_STATUS, 208 ALREADY_REPORTED, 226 IM_USED, 300 MULTIPLE_CHOICES, 301 MOVED_PERMANENTLY, 302 FOUND, 302 MOVED_TEMPORARILY, 303 SEE_OTHER, 304 NOT_MODIFIED, 305 USE_PROXY, 307 TEMPORARY_REDIRECT, 308 PERMANENT_REDIRECT, 400 BAD_REQUEST, 401 UNAUTHORIZED, 402 PAYMENT_REQUIRED, 403 FORBIDDEN, 404 NOT_FOUND, 405 METHOD_NOT_ALLOWED, 406 NOT_ACCEPTABLE, 407 PROXY_AUTHENTICATION_REQUIRED, 408 REQUEST_TIMEOUT, 409 CONFLICT, 410 GONE, 411 LENGTH_REQUIRED, 412 PRECONDITION_FAILED, 413 PAYLOAD_TOO_LARGE, 413 REQUEST_ENTITY_TOO_LARGE, 414 URI_TOO_LONG, 414 REQUEST_URI_TOO_LONG, 415 UNSUPPORTED_MEDIA_TYPE, 416 REQUESTED_RANGE_NOT_SATISFIABLE, 417 EXPECTATION_FAILED, 418 I_AM_A_TEAPOT, 419 INSUFFICIENT_SPACE_ON_RESOURCE, 420 METHOD_FAILURE, 421 DESTINATION_LOCKED, 422 UNPROCESSABLE_ENTITY, 423 LOCKED, 424 FAILED_DEPENDENCY, 425 TOO_EARLY, 426 UPGRADE_REQUIRED, 428 PRECONDITION_REQUIRED, 429 TOO_MANY_REQUESTS, 431 REQUEST_HEADER_FIELDS_TOO_LARGE, 451 UNAVAILABLE_FOR_LEGAL_REASONS, 500 INTERNAL_SERVER_ERROR, 501 NOT_IMPLEMENTED, 502 BAD_GATEWAY, 503 SERVICE_UNAVAILABLE, 504 GATEWAY_TIMEOUT, 505 HTTP_VERSION_NOT_SUPPORTED, 506 VARIANT_ALSO_NEGOTIATES, 507 INSUFFICIENT_STORAGE, 508 LOOP_DETECTED, 509 BANDWIDTH_LIMIT_EXCEEDED, 510 NOT_EXTENDED, 511 NETWORK_AUTHENTICATION_REQUIRED

statusCodeValue integer

}

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found

2.3 GET /api/auth/recovery-password/{recoveryId}

checkPasswordRecovery

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*recoveryId	string	recoveryId

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
    body {
    }
    statusCode enum
```

ALLOWED: 100 CONTINUE, 101 SWITCHING_PROTOCOLS, 102 PROCESSING, 103 CHECKPOINT, 200 OK, 201 CREATED, 202 ACCEPTED, 203 NON_AUTHORITATIVE_INFORMATION, 204 NO_CONTENT, 205 RESET_CONTENT, 206 PARTIAL_CONTENT, 207 MULTI_STATUS, 208 ALREADY_REPORTED, 226 IM_USED, 300 MULTIPLE_CHOICES, 301 MOVED_PERMANENTLY, 302 FOUND, 302 MOVED_TEMPORARILY, 303 SEE_OTHER, 304 NOT_MODIFIED, 305 USE_PROXY, 307 TEMPORARY_REDIRECT, 308 PERMANENT_REDIRECT, 400 BAD_REQUEST, 401 UNAUTHORIZED, 402 PAYMENT_REQUIRED, 403 FORBIDDEN, 404 NOT_FOUND, 405 METHOD_NOT_ALLOWED, 406 NOT_ACCEPTABLE, 407 PROXY AUTHENTICATION REQUIRED. 408 REQUEST_TIMEOUT, 409 CONFLICT, 410 GONE, 411 LENGTH_REQUIRED, 412 PRECONDITION_FAILED, 413 PAYLOAD_TOO_LARGE, 413 REQUEST_ENTITY_TOO_LARGE, 414 URI_TOO_LONG, 414 REQUEST_URI_TOO_LONG, 415 UNSUPPORTED_MEDIA_TYPE, 416 REQUESTED_RANGE_NOT_SATISFIABLE, 417 EXPECTATION_FAILED, 418 I_AM_A_TEAPOT, 419 INSUFFICIENT_SPACE_ON_RESOURCE, 420 METHOD_FAILURE, 421 DESTINATION_LOCKED, 422 UNPROCESSABLE_ENTITY, 423 LOCKED, 424 FAILED_DEPENDENCY, 425 TOO_EARLY, 426 UPGRADE_REQUIRED, 428 PRECONDITION_REQUIRED, 429 TOO_MANY_REQUESTS, 431 REQUEST_HEADER_FIELDS_TOO_LARGE, 451 UNAVAILABLE_FOR_LEGAL_REASONS, 500 INTERNAL_SERVER_ERROR, 501 NOT_IMPLEMENTED, 502 BAD_GATEWAY, 503 SERVICE_UNAVAILABLE, 504

GATEWAY_TIMEOUT, 505 HTTP_VERSION_NOT_SUPPORTED, 506
VARIANT_ALSO_NEGOTIATES, 507 INSUFFICIENT_STORAGE, 508
LOOP_DETECTED, 509 BANDWIDTH_LIMIT_EXCEEDED, 510
NOT_EXTENDED, 511 NETWORK_AUTHENTICATION_REQUIRED

```
statusCodeValue integer
}
STATUS CODE - 401: Unauthorized
STATUS CODE - 403: Forbidden
STATUS CODE - 404: Not Found
```

2.4 POST /api/auth/recovery-password/{recoveryId}

recoveryPassword

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*recoveryId	string	recoveryId

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
    body {
    }
    statusCode enum
```

ALLOWED: 100 CONTINUE, 101 SWITCHING_PROTOCOLS, 102 PROCESSING, 103 CHECKPOINT, 200 OK, 201 CREATED, 202 ACCEPTED, 203 NON_AUTHORITATIVE_INFORMATION, 204 NO_CONTENT, 205 RESET_CONTENT, 206 PARTIAL_CONTENT, 207 MULTI_STATUS, 208 ALREADY_REPORTED, 226 IM_USED, 300 MULTIPLE_CHOICES, 301 MOVED_PERMANENTLY, 302 FOUND, 302 MOVED_TEMPORARILY, 303 SEE_OTHER, 304 NOT_MODIFIED, 305 USE_PROXY, 307 TEMPORARY_REDIRECT, 308 PERMANENT_REDIRECT, 400 BAD_REQUEST, 401 UNAUTHORIZED, 402 PAYMENT_REQUIRED, 403 FORBIDDEN, 404 NOT_FOUND, 405 METHOD_NOT_ALLOWED, 406 NOT_ACCEPTABLE, 407 PROXY_AUTHENTICATION_REQUIRED, 408 REQUEST_TIMEOUT, 409 CONFLICT, 410 GONE, 411 LENGTH_REQUIRED, 412 PRECONDITION_FAILED, 413 PAYLOAD_TOO_LARGE, 413 REQUEST_ENTITY_TOO_LARGE, 414 URI_TOO_LONG, 414 REQUEST_URI_TOO_LONG, 415 UNSUPPORTED_MEDIA_TYPE, 416 REQUESTED_RANGE_NOT_SATISFIABLE, 417 EXPECTATION_FAILED, 418 I_AM_A_TEAPOT, 419 INSUFFICIENT_SPACE_ON_RESOURCE, 420 METHOD_FAILURE, 421 DESTINATION_LOCKED, 422 UNPROCESSABLE_ENTITY, 423 LOCKED, 424 FAILED_DEPENDENCY, 425 TOO_EARLY, 426 UPGRADE_REQUIRED, 428 PRECONDITION_REQUIRED, 429 TOO_MANY_REQUESTS, 431 REQUEST_HEADER_FIELDS_TOO_LARGE, 451 UNAVAILABLE_FOR_LEGAL_REASONS, 500 INTERNAL_SERVER_ERROR,

501 NOT_IMPLEMENTED, 502 BAD_GATEWAY, 503

SERVICE_UNAVAILABLE, 504 GATEWAY_TIMEOUT, 505 HTTP_VERSION_NOT_SUPPORTED, 506 VARIANT_ALSO_NEGOTIATES, 507 INSUFFICIENT_STORAGE, 508 LOOP_DETECTED, 509 BANDWIDTH_LIMIT_EXCEEDED, 510 NOT_EXTENDED, 511 NETWORK_AUTHENTICATION_REQUIRED

```
statusCodeValue integer
}
STATUS CODE - 201: Created
STATUS CODE - 401: Unauthorized
STATUS CODE - 403: Forbidden
STATUS CODE - 404: Not Found
```

2.5 POST /api/auth/register

register

REQUEST

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
    body {
    }
    statusCode enum
```

ALLOWED: 100 CONTINUE, 101 SWITCHING_PROTOCOLS, 102 PROCESSING, 103 CHECKPOINT, 200 OK, 201 CREATED, 202 ACCEPTED, 203 NON_AUTHORITATIVE_INFORMATION, 204 NO_CONTENT, 205 RESET_CONTENT, 206 PARTIAL_CONTENT, 207 MULTI_STATUS, 208 ALREADY_REPORTED, 226 IM_USED, 300 MULTIPLE_CHOICES, 301 MOVED_PERMANENTLY, 302 FOUND, 302 MOVED_TEMPORARILY, 303 SEE_OTHER, 304 NOT_MODIFIED, 305 USE_PROXY, 307 TEMPORARY_REDIRECT, 308 PERMANENT_REDIRECT, 400 BAD_REQUEST, 401 UNAUTHORIZED, 402 PAYMENT_REQUIRED, 403 FORBIDDEN, 404 NOT_FOUND, 405 METHOD_NOT_ALLOWED, 406 NOT_ACCEPTABLE, 407 PROXY_AUTHENTICATION_REQUIRED, 408 REQUEST_TIMEOUT, 409 CONFLICT, 410 GONE, 411 LENGTH_REQUIRED, 412 PRECONDITION_FAILED, 413 PAYLOAD_TOO_LARGE, 413 REQUEST_ENTITY_TOO_LARGE, 414 URI_TOO_LONG, 414 REQUEST_URI_TOO_LONG, 415 UNSUPPORTED_MEDIA_TYPE, 416 REQUESTED_RANGE_NOT_SATISFIABLE, 417 EXPECTATION_FAILED, 418 I_AM_A_TEAPOT, 419 INSUFFICIENT_SPACE_ON_RESOURCE, 420 METHOD_FAILURE, 421 DESTINATION_LOCKED, 422 UNPROCESSABLE_ENTITY, 423 LOCKED, 424 FAILED_DEPENDENCY, 425 TOO_EARLY, 426 UPGRADE_REQUIRED, 428 PRECONDITION_REQUIRED, 429 TOO_MANY_REQUESTS, 431 REQUEST_HEADER_FIELDS_TOO_LARGE, 451 UNAVAILABLE_FOR_LEGAL_REASONS, 500 INTERNAL_SERVER_ERROR, 501 NOT_IMPLEMENTED, 502 BAD_GATEWAY, 503 SERVICE_UNAVAILABLE, 504 GATEWAY_TIMEOUT, 505 HTTP_VERSION_NOT_SUPPORTED, 506 VARIANT_ALSO_NEGOTIATES, 507 INSUFFICIENT_STORAGE, 508 LOOP_DETECTED, 509

BANDWIDTH_LIMIT_EXCEEDED, 510 NOT_EXTENDED, 511 NETWORK_AUTHENTICATION_REQUIRED

statusCodeValue integer
}

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found

3. CM-CONTROLLER

Cm Controller

3.1 GET /api/cm

getAll

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
caseId	string	caseld
tid	string	tid
mid	string	mid
page	string	page
size	string	size
type	string	type

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

3.2 GET /api/cm/{id}

getByld

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	string	id

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}
```

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found

4. INDOPAY-CONTROLLER

Indopay Controller

4.1 GET /api/indopay/cm

getAllCm

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
st	string	st
ed	string	ed
taskId	string	taskld
taskType	string	taskType
taskStatus	string	taskStatus
mid	string	mid
tid	string	tid
page	int32	page
size	int32	size
sort	string	sort
order	string	order

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

4.2 PUT /api/indopay/cm

updateIndopayCm

REQUEST

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*
```

```
}
STATUS CODE - 201: Created
STATUS CODE - 401: Unauthorized
STATUS CODE - 403: Forbidden
STATUS CODE - 404: Not Found
```

4.3 POST /api/indopay/cm

add Indopay Cm

REQUEST

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

4.4 GET /api/indopay/cm/{taskId}

getIndopayCmWithTaskId

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*taskId	string	taskld

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

4.5 GET /api/indopay/deploy

getAllDeploy

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
st	string	st
ed	string	ed
taskId	string	taskld
taskType	string	taskType
taskStatus	string	taskStatus
mid	string	mid
tid	string	tid
page	int32	page
size	int32	size
sort	string	sort
order	string	order

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

4.6 PUT /api/indopay/deploy

updateIndopayDeploy

REQUEST

```
REQUEST BODY - application/json
{
  additionalTid
                    string
  address1
                     string
  address2
                    string
  assignToUsername string
  city
                     string
  client
                    string
  createdBy
                   string
  dateTimeStatus
                   string
  edcColumn
                    string
  edcCondition
                   string
  edcType
                     string
```

```
fieldSupport
                       string
    id
                       string
    insertedDateTime string
    kanwil
                       string
    latitude
                       string
    longitude
                       string
    merchantCondition string
    mid
                       string
    mvf
                       string
                       string
    note
    paper
                       string
    phone
                       string
    photo1
                       string
    photo2
                       string
    photo3
                       string
    photo4
                       string
    photo5
                       string
    photo6
                       string
    pic
                       string
    servicePoint
                       string
    signature
                       string
    snNew
                       string
    sn0ld
                       string
    spkKey
                       string
    spkNumber
                       string
    taskId
                       string
    taskStatus
                       string
    taskType
                       string
    terminalName
                       string
    ticketId
                       string
    tid
                       string
    updatedBy
                       string
    updatedDateTime
                       string
 }
RESPONSE
 STATUS CODE - 200: OK
   RESPONSE MODEL - */*
   }
 STATUS CODE - 201: Created
 STATUS CODE - 401: Unauthorized
 STATUS CODE - 403: Forbidden
 STATUS CODE - 404: Not Found
```

4.7 POST /api/indopay/deploy

addIndopaydeploy

REQUEST

REQUEST BODY - application/json

```
{
    additionalTid
                        string
    address1
                        string
    address2
                        string
    assignToUsername
                        string
    city
                        string
    client
                        string
    createdBy
                        string
    dateTimeStatus
                        string
    edcColumn
                        string
    edcCondition
                        string
    edcType
                        string
    fieldSupport
                        string
    id
                        string
    insertedDateTime
                        string
    kanwil
                        string
    latitude
                        string
    longitude
                        string
    merchantCondition string
    mid
                        string
    mvf
                        string
    note
                        string
    paper
                        string
    phone
                        string
    photo1
                        string
    photo2
                        string
    photo3
                        string
    photo4
                        string
    photo5
                        string
    photo6
                        string
    pic
                        string
    servicePoint
                        string
    signature
                        string
    snNew
                        string
    sn0ld
                        string
    spkKey
                        string
    spkNumber
                        string
    taskId
                        string
    taskStatus
                        string
    taskType
                        string
    terminalName
                        string
    ticketId
                        string
    tid
                        string
    updatedBy
                        string
    updatedDateTime
                        string
 }
RESPONSE
 STATUS CODE - 200: OK
   RESPONSE MODEL - */*
   }
 STATUS CODE - 201: Created
 STATUS CODE - 401: Unauthorized
```

4.8 GET /api/indopay/deploy/{taskId}

getIndopayDeployWithTaskId

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*taskId	string	taskld

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

4.9 GET /api/indopay/pm

getAllPm

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
st	string	st
ed	string	ed
taskId	string	taskld
taskType	string	taskType
taskStatus	string	taskStatus
mid	string	mid
tid	string	tid
page	int32	page
size	int32	size
sort	string	sort
order	string	order

```
STATUS CODE - 200: OK
   RESPONSE MODEL - */*
 STATUS CODE - 401: Unauthorized
 STATUS CODE - 403: Forbidden
 STATUS CODE - 404: Not Found
4.10 PUT /api/indopay/pm
updateIndopayPm
REQUEST
RESPONSE
 STATUS CODE - 200: OK
   RESPONSE MODEL - */*
 STATUS CODE - 201: Created
 STATUS CODE - 401: Unauthorized
 STATUS CODE - 403: Forbidden
 STATUS CODE - 404: Not Found
4.11 POST /api/indopay/pm
addIndopayPm
REQUEST
RESPONSE
 STATUS CODE - 200: OK
   RESPONSE MODEL - */*
 STATUS CODE - 201: Created
 STATUS CODE - 401: Unauthorized
 STATUS CODE - 403: Forbidden
 STATUS CODE - 404: Not Found
```

4.12 GET /api/indopay/pm/{taskId}

getIndopayPmWithTaskId

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*taskId	string	taskld

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}
STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

5. INGENICO-CONTROLLER

Ingenico Controller

5.1 GET /api/ingenico/activities

getAllActivities

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
st	string	st
ed	string	ed
tid	string	tid
merchantName	string	merchantName
page	int32	page
size	int32	size
sort	string	sort
order	string	order

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

5.2 PUT /api/ingenico/activities

updateByIdPr

REQUEST

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized
```

5.3 POST /api/ingenico/activities

addActivities

REQUEST

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

5.4 GET /api/ingenico/activities/{id}

getAllActivities

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	string	id

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

5.5 GET /api/ingenico/cm

cmGetAll

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
st	string	st
ed	string	ed
tid	string	tid
merchantName	string	merchantName
page	int32	page
size	int32	size
sort	string	sort
order	string	order

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

5.6 PUT /api/ingenico/cm

cmUpdate

REQUEST

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

5.7 POST /api/ingenico/cm

cmAdd

REQUEST

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

5.8 GET /api/ingenico/cm/{id}

cmGetById

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	string	id

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

5.9 GET /api/ingenico/inventory

getAllInventory

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
st	string	st
ed	string	ed
tid	string	tid
merchantName	string	merchantName
merchantName page	string int32	merchantName page

NAME	TYPE	DESCRIPTION
order	string	order

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

5.10 PUT /api/ingenico/inventory

updateDataIntegraInventory

REQUEST

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

5.11 POST /api/ingenico/inventory

addInventory

REQUEST

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden
```

5.12 GET /api/ingenico/inventory/{id}

get By Id Data Integral nventory

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	string	id

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

5.13 GET /api/ingenico/jobHistory

getAllJobHistory

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
st	string	st
ed	string	ed
samcard1	string	samcard1
samcard2	string	samcard2
snSim	string	snSim
tid	string	tid
merchantName	string	merchantName
page	int32	page
size	int32	size
sort	string	sort
order	string	order

RESPONSE

STATUS CODE - 200: OK

```
RESPONSE MODEL - */*
   }
 STATUS CODE - 401: Unauthorized
 STATUS CODE - 403: Forbidden
 STATUS CODE - 404: Not Found
5.14 PUT /api/ingenico/jobHistory
updateJobHistory
REQUEST
RESPONSE
 STATUS CODE - 200: OK
   RESPONSE MODEL - */*
 STATUS CODE - 201: Created
 STATUS CODE - 401: Unauthorized
 STATUS CODE - 403: Forbidden
 STATUS CODE - 404: Not Found
5.15 POST /api/ingenico/jobHistory
addJobHistory
REQUEST
RESPONSE
 STATUS CODE - 200: OK
   RESPONSE MODEL - */*
 STATUS CODE - 201: Created
 STATUS CODE - 401: Unauthorized
 STATUS CODE - 403: Forbidden
 STATUS CODE - 404: Not Found
```

5.16 GET /api/ingenico/jobHistory/{id}

getJobHistoryByld

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION		
*id	string	id		

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

6. INTEGRA-CONTROLLER

Integra Controller

6.1 GET /api/integra/activities

getAllActivities

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
st	string	st
ed	string	ed
tid	string	tid
merchantName	string	merchantName
page	int32	page
size	int32	size
sort	string	sort
order	string	order

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

6.2 PUT /api/integra/activities

updateByIdPr

REQUEST

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized
```

STATUS CODE - 404: Not Found

6.3 POST /api/integra/activities

addActivities

REQUEST

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

6.4 GET /api/integra/activities/{id}

getAllActivities

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	string	id

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

6.5 GET /api/integra/inventory

getAllInventory

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
st	string	st
ed	string	ed
tid	string	tid
merchantName	string	merchantName
page	int32	page
size	int32	size
sort	string	sort
order	string	order

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

6.6 PUT /api/integra/inventory

updateDataIntegraInventory

REQUEST

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

6.7 POST /api/integra/inventory

addInventory

REQUEST

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

6.8 GET /api/integra/inventory/{id}

getByldDataIntegraInventory

REQUEST

PATH PARAMETERS

NAME TYPE	DESCRIPTION
*id string	id

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

6.9 GET /api/integra/jobHistory

getAllJobHistory

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
st	string	st
ed	string	ed
samcard1	string	samcard1
samcard2	string	samcard2
snSim	string	snSim
tid	string	tid
merchantName	string	merchantName

NAME	TYPE	DESCRIPTION
page	int32	page
size	int32	size
sort	string	sort
order	string	order

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

6.10 PUT /api/integra/jobHistory

updateJobHistory

REQUEST

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

6.11 POST /api/integra/jobHistory

 $add \\ Job \\ History$

REQUEST

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}
```

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found

6.12 GET /api/integra/jobHistory/{id}

getJobHistoryById

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
	string	id

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

7. INVENTORY-CONTROLLER

Inventory Controller

7.1 POST /api/inventory/add

assets

REQUEST

HEADER PARAMETERS

NAME	TYPE	DESCRIPTION
*Authorization	string	Authorization

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

7.2 GET /api/inventory/all

getAllAsset

REQUEST

No request parameters

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

7.3 POST /api/inventory/update

updateAsset

REQUEST

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

8. JADIN-CONTROLLER

Jadin Controller

8.1 GET /api/jadin/activities

getJadinActivitiesAll

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
st	string	st
ed	string	ed
tid	string	tid
merchantName	string	merchantName
page	int32	page
size	int32	size
sort	string	sort
order	string	order

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

8.2 PUT /api/jadin/activities

updateJadinActivities

REQUEST

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized
```

STATUS CODE - 404: Not Found

8.3 POST /api/jadin/activities

addJadinActivities

REQUEST

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

8.4 GET /api/jadin/activities/{id}

getJadinActivitiesById

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	string	id

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

8.5 GET /api/jadin/allJobs

getJadinAllJobsAll

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
st	string	st
ed	string	ed
tid	string	tid
merchantName	string	merchantName
page	int32	page
size	int32	size
sort	string	sort
order	string	order

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

8.6 PUT /api/jadin/allJobs

updateJadinActivities

REQUEST

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

8.7 POST /api/jadin/allJobs

addJadinInventory

REQUEST

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

8.8 GET /api/jadin/allJobs/{id}

getJadinAllJobsByld

REQUEST

PATH PARAMETERS

NAME TYPE	DESCRIPTION
*id string	id

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

8.9 GET /api/jadin/inventory

getJadinInventoryAll

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
st	string	st
ed	string	ed
tid	string	tid
${\tt merchantName}$	string	merchantName
merchantName page	string int32	merchantName page

NAME	TYPE	DESCRIPTION
order	string	order

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

8.10 PUT /api/jadin/inventory

updateJadinActivities

REQUEST

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

8.11 POST /api/jadin/inventory

addJadinInventory

REQUEST

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden
```

8.12 GET /api/jadin/inventory/{id}

getJadinInventoryById

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	string	id

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

9. MAHAPAY-CONTROLLER

Mahapay Controller

9.1 GET /api/mahapay/activities

getMahapayActivitiesAll

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
st	string	st
ed	string	ed
tid	string	tid
name	string	name
page	int32	page
size	int32	size
sort	string	sort
order	string	order

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

9.2 PUT /api/mahapay/activities

updateMahapayActivities

REQUEST

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized
```

9.3 POST /api/mahapay/activities

addMahapayActivities

REQUEST

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

9.4 GET /api/mahapay/activities/{id}

getMahapayActivitiesByld

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	string	id

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

10. MAIN-CONTROLLER

Main Controller

10.1 GET /api/main/getBeanExampleModel

getBeanExampleModel

REQUEST

No request parameters

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
    gaskeun string
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

10.2 GET /api/main/hit

hit

REQUEST

No request parameters

RESPONSE

```
STATUS CODE - 200: OK

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

10.3 GET /api/main/tryRefreshScope

tryRefreshScope

REQUEST

No request parameters

RESPONSE

STATUS CODE - 200: OK

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found

11. MANAGE-ROLE-CONTROLLER

Manage Role Controller

11.1 POST /api/role/addMenuRoleApi

addMenuRoleApi

REQUEST

```
REQUEST BODY - application/json
{
    menuDescription string
    menuId string
    menuMethod string
    menuName string
    menuPath string
    roleNames [string]
}
```

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
    body {
    }
    statusCode enum
```

ALLOWED: 100 CONTINUE, 101 SWITCHING_PROTOCOLS, 102 PROCESSING, 103 CHECKPOINT, 200 OK, 201 CREATED, 202 ACCEPTED, 203 NON_AUTHORITATIVE_INFORMATION, 204 NO_CONTENT, 205 RESET_CONTENT, 206 PARTIAL_CONTENT, 207 MULTI_STATUS, 208 ALREADY_REPORTED, 226 IM_USED, 300 MULTIPLE_CHOICES, 301 MOVED_PERMANENTLY, 302 FOUND, 302 MOVED_TEMPORARILY, 303 SEE_OTHER, 304 NOT_MODIFIED, 305 USE_PROXY, 307 TEMPORARY_REDIRECT, 308 PERMANENT_REDIRECT, 400 BAD_REQUEST, 401 UNAUTHORIZED, 402 PAYMENT_REQUIRED, 403 FORBIDDEN, 404 NOT_FOUND, 405 METHOD_NOT_ALLOWED, 406 NOT_ACCEPTABLE, 407 PROXY_AUTHENTICATION_REQUIRED, 408 REQUEST_TIMEOUT, 409 CONFLICT, 410 GONE, 411 LENGTH_REQUIRED, 412 PRECONDITION_FAILED, 413 PAYLOAD_TOO_LARGE, 413 REQUEST_ENTITY_TOO_LARGE, 414 URI_TOO_LONG, 414 REQUEST_URI_TOO_LONG, 415 UNSUPPORTED_MEDIA_TYPE, 416 REQUESTED_RANGE_NOT_SATISFIABLE, 417 EXPECTATION_FAILED, 418 I_AM_A_TEAPOT, 419 INSUFFICIENT_SPACE_ON_RESOURCE, 420 METHOD_FAILURE, 421 DESTINATION_LOCKED, 422 UNPROCESSABLE_ENTITY, 423 LOCKED, 424 FAILED_DEPENDENCY, 425 TOO_EARLY, 426 UPGRADE_REQUIRED, 428 PRECONDITION_REQUIRED, 429 TOO_MANY_REQUESTS, 431 REQUEST_HEADER_FIELDS_TOO_LARGE, 451 UNAVAILABLE_FOR_LEGAL_REASONS, 500 INTERNAL_SERVER_ERROR, 501 NOT_IMPLEMENTED, 502 BAD_GATEWAY, 503 SERVICE_UNAVAILABLE, 504 GATEWAY_TIMEOUT, 505 HTTP_VERSION_NOT_SUPPORTED, 506 VARIANT_ALSO_NEGOTIATES, 507 INSUFFICIENT_STORAGE, 508 LOOP_DETECTED, 509

```
statusCodeValue integer
}
STATUS CODE - 201: Created
STATUS CODE - 401: Unauthorized
STATUS CODE - 403: Forbidden
STATUS CODE - 404: Not Found
```

11.2 POST /api/role/addRole

addRole

REQUEST

```
REQUEST BODY - application/json
{
  createDate
                     string
  description
                     string
  id
                     string
  name
                     string
  status {
     description string
                  string
     name
                  string
     parent
                  {recursive} MainStatus
  }
  updateDate
                     string
}
```

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
    body {
    }
    statusCode enum
```

ALLOWED: 100 CONTINUE, 101 SWITCHING_PROTOCOLS, 102 PROCESSING, 103 CHECKPOINT, 200 OK, 201 CREATED, 202 ACCEPTED, 203 NON_AUTHORITATIVE_INFORMATION, 204 NO_CONTENT, 205 RESET_CONTENT, 206 PARTIAL_CONTENT, 207 MULTI_STATUS, 208 ALREADY_REPORTED, 226 IM_USED, 300 MULTIPLE_CHOICES, 301 MOVED_PERMANENTLY, 302 FOUND, 302 MOVED_TEMPORARILY, 303 SEE_OTHER, 304 NOT_MODIFIED, 305 USE_PROXY, 307 TEMPORARY_REDIRECT, 308 PERMANENT_REDIRECT, 400 BAD_REQUEST, 401 UNAUTHORIZED, 402 PAYMENT_REQUIRED, 403 FORBIDDEN, 404 NOT_FOUND, 405 METHOD_NOT_ALLOWED, 406 NOT_ACCEPTABLE, 407 PROXY_AUTHENTICATION_REQUIRED, 408 REQUEST_TIMEOUT, 409 CONFLICT, 410 GONE, 411 LENGTH_REQUIRED, 412 PRECONDITION_FAILED, 413 PAYLOAD_TOO_LARGE, 413 REQUEST_ENTITY_TOO_LARGE, 414 URI_TOO_LONG, 414 REQUEST_URI_TOO_LONG, 415 UNSUPPORTED_MEDIA_TYPE, 416

REQUESTED_RANGE_NOT_SATISFIABLE, 417 EXPECTATION_FAILED, 418 I_AM_A_TEAPOT, 419 INSUFFICIENT_SPACE_ON_RESOURCE, 420 METHOD_FAILURE, 421 DESTINATION_LOCKED, 422 UNPROCESSABLE_ENTITY, 423 LOCKED, 424 FAILED_DEPENDENCY, 425 TOO_EARLY, 426 UPGRADE_REQUIRED, 428 PRECONDITION_REQUIRED, 429 TOO_MANY_REQUESTS, 431 REQUEST_HEADER_FIELDS_TOO_LARGE, 451 UNAVAILABLE_FOR_LEGAL_REASONS, 500 INTERNAL_SERVER_ERROR, 501 NOT_IMPLEMENTED, 502 BAD_GATEWAY, 503 SERVICE_UNAVAILABLE, 504 GATEWAY_TIMEOUT, 505 HTTP_VERSION_NOT_SUPPORTED, 506 VARIANT_ALSO_NEGOTIATES, 507 INSUFFICIENT_STORAGE, 508 LOOP_DETECTED, 509 BANDWIDTH_LIMIT_EXCEEDED, 510 NOT_EXTENDED, 511 NETWORK_AUTHENTICATION_REQUIRED

```
statusCodeValue integer
}
STATUS CODE - 201: Created
STATUS CODE - 401: Unauthorized
STATUS CODE - 403: Forbidden
STATUS CODE - 404: Not Found
```

11.3 GET /api/role/getMenus

getMenus

REQUEST

No request parameters

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
    body {
    }
    statusCode enum
```

ALLOWED: 100 CONTINUE, 101 SWITCHING_PROTOCOLS, 102 PROCESSING, 103 CHECKPOINT, 200 OK, 201 CREATED, 202 ACCEPTED, 203 NON_AUTHORITATIVE_INFORMATION, 204 NO_CONTENT, 205 RESET_CONTENT, 206 PARTIAL_CONTENT, 207 MULTI_STATUS, 208 ALREADY_REPORTED, 226 IM_USED, 300 MULTIPLE_CHOICES, 301 MOVED_PERMANENTLY, 302 FOUND, 302 MOVED_TEMPORARILY, 303 SEE_OTHER, 304 NOT_MODIFIED, 305 USE_PROXY, 307 TEMPORARY_REDIRECT, 308 PERMANENT_REDIRECT, 400 BAD_REQUEST, 401 UNAUTHORIZED, 402 PAYMENT_REQUIRED, 403 FORBIDDEN, 404 NOT_FOUND, 405 METHOD_NOT_ALLOWED, 406 NOT_ACCEPTABLE, 407 PROXY_AUTHENTICATION_REQUIRED, 408 REQUEST_TIMEOUT, 409 CONFLICT, 410 GONE, 411 LENGTH_REQUIRED, 412 PRECONDITION_FAILED, 413 PAYLOAD_TOO_LARGE, 413 REQUEST_ENTITY_TOO_LARGE, 414 URI_TOO_LONG, 414 REQUEST_URI_TOO_LONG, 415 UNSUPPORTED_MEDIA_TYPE, 416 REQUESTED_RANGE_NOT_SATISFIABLE, 417 EXPECTATION_FAILED, 418 I_AM_A_TEAPOT, 419 INSUFFICIENT_SPACE_ON_RESOURCE, 420 METHOD_FAILURE, 421 DESTINATION_LOCKED, 422
UNPROCESSABLE_ENTITY, 423 LOCKED, 424 FAILED_DEPENDENCY,
425 TOO_EARLY, 426 UPGRADE_REQUIRED, 428
PRECONDITION_REQUIRED, 429 TOO_MANY_REQUESTS, 431
REQUEST_HEADER_FIELDS_TOO_LARGE, 451
UNAVAILABLE_FOR_LEGAL_REASONS, 500 INTERNAL_SERVER_ERROR,
501 NOT_IMPLEMENTED, 502 BAD_GATEWAY, 503
SERVICE_UNAVAILABLE, 504 GATEWAY_TIMEOUT, 505
HTTP_VERSION_NOT_SUPPORTED, 506 VARIANT_ALSO_NEGOTIATES,
507 INSUFFICIENT_STORAGE, 508 LOOP_DETECTED, 509
BANDWIDTH_LIMIT_EXCEEDED, 510 NOT_EXTENDED, 511
NETWORK_AUTHENTICATION_REQUIRED

```
statusCodeValue integer
}
STATUS CODE - 401: Unauthorized
STATUS CODE - 403: Forbidden
STATUS CODE - 404: Not Found
```

11.4 GET /api/role/getRoles

getRoles

REQUEST

No request parameters

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
    body {
    }
    statusCode enum
```

ALLOWED: 100 CONTINUE, 101 SWITCHING_PROTOCOLS, 102 PROCESSING, 103 CHECKPOINT, 200 OK, 201 CREATED, 202 ACCEPTED, 203 NON_AUTHORITATIVE_INFORMATION, 204 NO_CONTENT, 205 RESET_CONTENT, 206 PARTIAL_CONTENT, 207 MULTI_STATUS, 208 ALREADY_REPORTED, 226 IM_USED, 300 MULTIPLE_CHOICES, 301 MOVED_PERMANENTLY, 302 FOUND, 302 MOVED_TEMPORARILY, 303 SEE_OTHER, 304 NOT_MODIFIED, 305 USE_PROXY, 307 TEMPORARY_REDIRECT, 308 PERMANENT_REDIRECT, 400 BAD_REQUEST, 401 UNAUTHORIZED, 402 PAYMENT_REQUIRED, 403 FORBIDDEN, 404 NOT_FOUND, 405 METHOD_NOT_ALLOWED, 406 NOT_ACCEPTABLE, 407 PROXY_AUTHENTICATION_REQUIRED, 408 REQUEST_TIMEOUT, 409 CONFLICT, 410 GONE, 411 LENGTH_REQUIRED, 412 PRECONDITION_FAILED, 413 PAYLOAD_TOO_LARGE, 413 REQUEST_ENTITY_TOO_LARGE, 414 URI_TOO_LONG, 414 REQUEST_URI_TOO_LONG, 415 UNSUPPORTED_MEDIA_TYPE, 416 REQUESTED_RANGE_NOT_SATISFIABLE, 417 EXPECTATION_FAILED. 418 I_AM_A_TEAPOT, 419 INSUFFICIENT_SPACE_ON_RESOURCE, 420 METHOD_FAILURE, 421 DESTINATION_LOCKED, 422 UNPROCESSABLE_ENTITY, 423 LOCKED, 424 FAILED_DEPENDENCY, 425 TOO_EARLY, 426 UPGRADE_REQUIRED, 428

PRECONDITION_REQUIRED, 429 TOO_MANY_REQUESTS, 431
REQUEST_HEADER_FIELDS_TOO_LARGE, 451
UNAVAILABLE_FOR_LEGAL_REASONS, 500 INTERNAL_SERVER_ERROR,
501 NOT_IMPLEMENTED, 502 BAD_GATEWAY, 503
SERVICE_UNAVAILABLE, 504 GATEWAY_TIMEOUT, 505
HTTP_VERSION_NOT_SUPPORTED, 506 VARIANT_ALSO_NEGOTIATES,
507 INSUFFICIENT_STORAGE, 508 LOOP_DETECTED, 509
BANDWIDTH_LIMIT_EXCEEDED, 510 NOT_EXTENDED, 511
NETWORK_AUTHENTICATION_REQUIRED

statusCodeValue integer
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found

12. MANAGE-USER-CONTROLLER

Manage User Controller

12.1 GET /api/user

getUsers

REQUEST

No request parameters

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
   body {
   }
   statusCode enum
```

ALLOWED: 100 CONTINUE, 101 SWITCHING_PROTOCOLS, 102 PROCESSING, 103 CHECKPOINT, 200 OK, 201 CREATED, 202 ACCEPTED, 203 NON_AUTHORITATIVE_INFORMATION, 204 NO_CONTENT, 205 RESET_CONTENT, 206 PARTIAL_CONTENT, 207 MULTI_STATUS, 208 ALREADY_REPORTED, 226 IM_USED, 300 MULTIPLE_CHOICES, 301 MOVED_PERMANENTLY, 302 FOUND, 302 MOVED_TEMPORARILY, 303 SEE_OTHER, 304 NOT_MODIFIED, 305 USE_PROXY, 307 TEMPORARY_REDIRECT, 308 PERMANENT_REDIRECT, 400 BAD_REQUEST, 401 UNAUTHORIZED, 402 PAYMENT_REQUIRED, 403 FORBIDDEN, 404 NOT_FOUND, 405 METHOD_NOT_ALLOWED, 406 NOT_ACCEPTABLE, 407 PROXY_AUTHENTICATION_REQUIRED, 408 REQUEST_TIMEOUT, 409 CONFLICT, 410 GONE, 411 LENGTH_REQUIRED, 412 PRECONDITION_FAILED, 413 PAYLOAD_TOO_LARGE, 413 REQUEST_ENTITY_TOO_LARGE, 414 URI_TOO_LONG, 414 REQUEST_URI_TOO_LONG, 415 UNSUPPORTED_MEDIA_TYPE, 416 REQUESTED_RANGE_NOT_SATISFIABLE, 417 EXPECTATION_FAILED, 418 I_AM_A_TEAPOT, 419 INSUFFICIENT_SPACE_ON_RESOURCE, 420 METHOD_FAILURE, 421 DESTINATION_LOCKED, 422 UNPROCESSABLE_ENTITY, 423 LOCKED, 424 FAILED_DEPENDENCY, 425 TOO_EARLY, 426 UPGRADE_REQUIRED, 428 PRECONDITION_REQUIRED, 429 TOO_MANY_REQUESTS, 431 REQUEST_HEADER_FIELDS_TOO_LARGE, 451 UNAVAILABLE_FOR_LEGAL_REASONS, 500 INTERNAL_SERVER_ERROR, 501 NOT_IMPLEMENTED, 502 BAD_GATEWAY, 503 SERVICE_UNAVAILABLE, 504 GATEWAY_TIMEOUT, 505 HTTP_VERSION_NOT_SUPPORTED, 506 VARIANT_ALSO_NEGOTIATES. 507 INSUFFICIENT_STORAGE, 508 LOOP_DETECTED, 509 BANDWIDTH_LIMIT_EXCEEDED, 510 NOT_EXTENDED, 511 NETWORK_AUTHENTICATION_REQUIRED

```
}
STATUS CODE - 401: Unauthorized
```

statusCodeValue integer

STATUS CODE - 403: Forbidden

12.2 POST /api/user/activeUser

```
activeUser
```

```
REQUEST
```

```
REQUEST BODY - application/json { }
```

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
body {
}
```

enum

statusCode

ALLOWED: 100 CONTINUE, 101 SWITCHING_PROTOCOLS, 102 PROCESSING, 103 CHECKPOINT, 200 OK, 201 CREATED, 202 ACCEPTED, 203 NON_AUTHORITATIVE_INFORMATION, 204 NO_CONTENT, 205 RESET_CONTENT, 206 PARTIAL_CONTENT, 207 MULTI_STATUS, 208 ALREADY_REPORTED, 226 IM_USED, 300 MULTIPLE_CHOICES, 301 MOVED_PERMANENTLY, 302 FOUND, 302 MOVED_TEMPORARILY, 303 SEE_OTHER, 304 NOT_MODIFIED, 305 USE_PROXY, 307 TEMPORARY_REDIRECT, 308 PERMANENT_REDIRECT, 400 BAD_REQUEST, 401 UNAUTHORIZED, 402 PAYMENT_REQUIRED, 403 FORBIDDEN, 404 NOT_FOUND, 405 METHOD_NOT_ALLOWED, 406 NOT_ACCEPTABLE, 407 PROXY_AUTHENTICATION_REQUIRED, 408 REQUEST_TIMEOUT, 409 CONFLICT, 410 GONE, 411 LENGTH_REQUIRED, 412 PRECONDITION_FAILED, 413 PAYLOAD_TOO_LARGE, 413 REQUEST_ENTITY_TOO_LARGE, 414 URI_TOO_LONG, 414 REQUEST_URI_TOO_LONG, 415 UNSUPPORTED_MEDIA_TYPE, 416 REQUESTED_RANGE_NOT_SATISFIABLE, 417 EXPECTATION_FAILED, 418 I_AM_A_TEAPOT, 419 INSUFFICIENT_SPACE_ON_RESOURCE, 420 METHOD_FAILURE, 421 DESTINATION_LOCKED, 422 UNPROCESSABLE_ENTITY, 423 LOCKED, 424 FAILED_DEPENDENCY, 425 TOO_EARLY, 426 UPGRADE_REQUIRED, 428 PRECONDITION_REQUIRED, 429 TOO_MANY_REQUESTS, 431 REQUEST_HEADER_FIELDS_TOO_LARGE, 451 UNAVAILABLE_FOR_LEGAL_REASONS, 500 INTERNAL_SERVER_ERROR, 501 NOT_IMPLEMENTED, 502 BAD_GATEWAY, 503 SERVICE_UNAVAILABLE, 504 GATEWAY_TIMEOUT, 505 HTTP_VERSION_NOT_SUPPORTED, 506 VARIANT_ALSO_NEGOTIATES, 507 INSUFFICIENT_STORAGE, 508 LOOP_DETECTED, 509 BANDWIDTH_LIMIT_EXCEEDED, 510 NOT_EXTENDED, 511 NETWORK_AUTHENTICATION_REQUIRED

```
statusCodeValue integer
```

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

12.3 GET /api/user/adminAccess

adminAccess

REQUEST

No request parameters

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
    body {
    }
    statusCode enum
```

ALLOWED: 100 CONTINUE, 101 SWITCHING_PROTOCOLS, 102 PROCESSING, 103 CHECKPOINT, 200 OK, 201 CREATED, 202 ACCEPTED, 203 NON_AUTHORITATIVE_INFORMATION, 204 NO_CONTENT, 205 RESET_CONTENT, 206 PARTIAL_CONTENT, 207 MULTI_STATUS, 208 ALREADY_REPORTED, 226 IM_USED, 300 MULTIPLE_CHOICES, 301 MOVED_PERMANENTLY, 302 FOUND, 302 MOVED_TEMPORARILY, 303 SEE_OTHER, 304 NOT_MODIFIED, 305 USE_PROXY, 307 TEMPORARY_REDIRECT, 308 PERMANENT_REDIRECT, 400 BAD_REQUEST, 401 UNAUTHORIZED, 402 PAYMENT_REQUIRED, 403 FORBIDDEN, 404 NOT_FOUND, 405 METHOD_NOT_ALLOWED, 406 NOT_ACCEPTABLE, 407 PROXY_AUTHENTICATION_REQUIRED, 408 REQUEST_TIMEOUT, 409 CONFLICT, 410 GONE, 411 LENGTH_REQUIRED, 412 PRECONDITION_FAILED, 413 PAYLOAD_TOO_LARGE, 413 REQUEST_ENTITY_TOO_LARGE, 414 URI_TOO_LONG, 414 REQUEST_URI_TOO_LONG, 415 UNSUPPORTED_MEDIA_TYPE, 416 REQUESTED_RANGE_NOT_SATISFIABLE, 417 EXPECTATION_FAILED, 418 I_AM_A_TEAPOT, 419 INSUFFICIENT_SPACE_ON_RESOURCE, 420 METHOD_FAILURE, 421 DESTINATION_LOCKED, 422 UNPROCESSABLE_ENTITY, 423 LOCKED, 424 FAILED_DEPENDENCY, 425 TOO_EARLY, 426 UPGRADE_REQUIRED, 428 PRECONDITION_REQUIRED, 429 TOO_MANY_REQUESTS, 431 REQUEST_HEADER_FIELDS_TOO_LARGE, 451 UNAVAILABLE FOR LEGAL REASONS. 500 INTERNAL SERVER ERROR. 501 NOT_IMPLEMENTED, 502 BAD_GATEWAY, 503 SERVICE_UNAVAILABLE, 504 GATEWAY_TIMEOUT, 505 HTTP_VERSION_NOT_SUPPORTED, 506 VARIANT_ALSO_NEGOTIATES, 507 INSUFFICIENT_STORAGE, 508 LOOP_DETECTED, 509 BANDWIDTH_LIMIT_EXCEEDED, 510 NOT_EXTENDED, 511 NETWORK_AUTHENTICATION_REQUIRED

STATUS CODE - 401: Unauthorized
STATUS CODE - 403: Forbidden
STATUS CODE - 404: Not Found

statusCodeValue integer

12.4 PUT /api/user/avatar

updateAvatar

REQUEST

FORM DATA PARAMETERS

NAME	TYPE	DESCRIPTION
image	string(binary)	image

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
   body {
   }
   statusCode enum
```

ALLOWED: 100 CONTINUE, 101 SWITCHING_PROTOCOLS, 102 PROCESSING, 103 CHECKPOINT, 200 OK, 201 CREATED, 202 ACCEPTED, 203 NON_AUTHORITATIVE_INFORMATION, 204 NO_CONTENT, 205 RESET_CONTENT, 206 PARTIAL_CONTENT, 207 MULTI_STATUS, 208 ALREADY_REPORTED, 226 IM_USED, 300 MULTIPLE_CHOICES, 301 MOVED_PERMANENTLY, 302 FOUND, 302 MOVED_TEMPORARILY, 303 SEE_OTHER, 304 NOT_MODIFIED, 305 USE_PROXY, 307 TEMPORARY_REDIRECT, 308 PERMANENT_REDIRECT, 400 BAD_REQUEST, 401 UNAUTHORIZED, 402 PAYMENT_REQUIRED, 403 FORBIDDEN, 404 NOT_FOUND, 405 METHOD_NOT_ALLOWED, 406 NOT_ACCEPTABLE, 407 PROXY_AUTHENTICATION_REQUIRED, 408 REQUEST_TIMEOUT, 409 CONFLICT, 410 GONE, 411 LENGTH_REQUIRED, 412 PRECONDITION_FAILED, 413 PAYLOAD_TOO_LARGE, 413 REQUEST_ENTITY_TOO_LARGE, 414 URI_TOO_LONG, 414 REQUEST_URI_TOO_LONG, 415 UNSUPPORTED_MEDIA_TYPE, 416 REQUESTED_RANGE_NOT_SATISFIABLE, 417 EXPECTATION_FAILED, 418 I_AM_A_TEAPOT, 419 INSUFFICIENT_SPACE_ON_RESOURCE, 420 METHOD_FAILURE, 421 DESTINATION_LOCKED, 422 UNPROCESSABLE_ENTITY, 423 LOCKED, 424 FAILED_DEPENDENCY, 425 TOO_EARLY, 426 UPGRADE_REQUIRED, 428 PRECONDITION_REQUIRED, 429 TOO_MANY_REQUESTS, 431 REQUEST_HEADER_FIELDS_TOO_LARGE, 451 UNAVAILABLE_FOR_LEGAL_REASONS, 500 INTERNAL_SERVER_ERROR, 501 NOT_IMPLEMENTED, 502 BAD_GATEWAY, 503 SERVICE_UNAVAILABLE, 504 GATEWAY_TIMEOUT, 505 HTTP_VERSION_NOT_SUPPORTED, 506 VARIANT_ALSO_NEGOTIATES, 507 INSUFFICIENT_STORAGE, 508 LOOP_DETECTED, 509 BANDWIDTH_LIMIT_EXCEEDED, 510 NOT_EXTENDED, 511 NETWORK_AUTHENTICATION_REQUIRED

```
statusCodeValue integer
}
STATUS CODE - 201: Created
STATUS CODE - 401: Unauthorized
```

STATUS CODE - 403: Forbidden

12.5 GET /api/user/avatar/{userId}

getAvatar

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*userId	string	userld

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
   body {
   }
   statusCode enum
```

ALLOWED: 100 CONTINUE, 101 SWITCHING_PROTOCOLS, 102 PROCESSING, 103 CHECKPOINT, 200 OK, 201 CREATED, 202 ACCEPTED, 203 NON_AUTHORITATIVE_INFORMATION, 204 NO_CONTENT, 205 RESET_CONTENT, 206 PARTIAL_CONTENT, 207 MULTI_STATUS, 208 ALREADY_REPORTED, 226 IM_USED, 300 MULTIPLE_CHOICES, 301 MOVED_PERMANENTLY, 302 FOUND, 302 MOVED_TEMPORARILY, 303 SEE_OTHER, 304 NOT_MODIFIED, 305 USE_PROXY, 307 TEMPORARY_REDIRECT, 308 PERMANENT_REDIRECT, 400 BAD_REQUEST, 401 UNAUTHORIZED, 402 PAYMENT_REQUIRED, 403 FORBIDDEN, 404 NOT_FOUND, 405 METHOD_NOT_ALLOWED, 406 NOT_ACCEPTABLE, 407 PROXY_AUTHENTICATION_REQUIRED, 408 REQUEST_TIMEOUT, 409 CONFLICT, 410 GONE, 411 LENGTH_REQUIRED, 412 PRECONDITION_FAILED, 413 PAYLOAD_TOO_LARGE, 413 REQUEST_ENTITY_TOO_LARGE, 414 URI_TOO_LONG, 414 REQUEST_URI_TOO_LONG, 415 UNSUPPORTED_MEDIA_TYPE, 416 REQUESTED_RANGE_NOT_SATISFIABLE, 417 EXPECTATION_FAILED, 418 I_AM_A_TEAPOT, 419 INSUFFICIENT_SPACE_ON_RESOURCE, 420 METHOD_FAILURE, 421 DESTINATION_LOCKED, 422 UNPROCESSABLE_ENTITY, 423 LOCKED, 424 FAILED_DEPENDENCY, 425 TOO_EARLY, 426 UPGRADE_REQUIRED, 428 PRECONDITION_REQUIRED, 429 TOO_MANY_REQUESTS, 431 REQUEST_HEADER_FIELDS_TOO_LARGE, 451 UNAVAILABLE_FOR_LEGAL_REASONS, 500 INTERNAL_SERVER_ERROR, 501 NOT_IMPLEMENTED, 502 BAD_GATEWAY, 503 SERVICE_UNAVAILABLE, 504 GATEWAY_TIMEOUT, 505 HTTP_VERSION_NOT_SUPPORTED, 506 VARIANT_ALSO_NEGOTIATES, 507 INSUFFICIENT_STORAGE, 508 LOOP_DETECTED, 509 BANDWIDTH_LIMIT_EXCEEDED, 510 NOT_EXTENDED, 511 NETWORK_AUTHENTICATION_REQUIRED

```
statusCodeValue integer
}
```

STATUS CODE - 401: Unauthorized STATUS CODE - 403: Forbidden

12.6 PUT /api/user/changePassword

changePassword

REQUEST

```
REQUEST BODY - application/json
{
    email string
    newPassword string
    oldPassword string
    username string
}

RESPONSE
```

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
    body {
    }
    statusCode enum
```

statusCodeValue integer

}

ALLOWED: 100 CONTINUE, 101 SWITCHING_PROTOCOLS, 102 PROCESSING, 103 CHECKPOINT, 200 OK, 201 CREATED, 202 ACCEPTED, 203 NON_AUTHORITATIVE_INFORMATION, 204 NO_CONTENT, 205 RESET_CONTENT, 206 PARTIAL_CONTENT, 207 MULTI_STATUS, 208 ALREADY_REPORTED, 226 IM_USED, 300 MULTIPLE_CHOICES, 301 MOVED_PERMANENTLY, 302 FOUND, 302 MOVED_TEMPORARILY, 303 SEE_OTHER, 304 NOT_MODIFIED, 305 USE_PROXY, 307 TEMPORARY_REDIRECT, 308 PERMANENT_REDIRECT, 400 BAD_REQUEST, 401 UNAUTHORIZED, 402 PAYMENT_REQUIRED, 403 FORBIDDEN, 404 NOT_FOUND, 405 METHOD_NOT_ALLOWED, 406 NOT_ACCEPTABLE, 407 PROXY_AUTHENTICATION_REQUIRED, 408 REQUEST_TIMEOUT, 409 CONFLICT, 410 GONE, 411 LENGTH_REQUIRED, 412 PRECONDITION_FAILED, 413 PAYLOAD_TOO_LARGE, 413 REQUEST_ENTITY_TOO_LARGE, 414 URI_TOO_LONG, 414 REQUEST_URI_TOO_LONG. 415 UNSUPPORTED_MEDIA_TYPE, 416 REQUESTED_RANGE_NOT_SATISFIABLE, 417 EXPECTATION_FAILED, 418 I_AM_A_TEAPOT, 419 INSUFFICIENT_SPACE_ON_RESOURCE, 420 METHOD_FAILURE, 421 DESTINATION_LOCKED, 422 UNPROCESSABLE_ENTITY, 423 LOCKED, 424 FAILED_DEPENDENCY, 425 TOO_EARLY, 426 UPGRADE_REQUIRED, 428 PRECONDITION_REQUIRED, 429 TOO_MANY_REQUESTS, 431 REQUEST_HEADER_FIELDS_TOO_LARGE, 451 UNAVAILABLE_FOR_LEGAL_REASONS, 500 INTERNAL_SERVER_ERROR, 501 NOT_IMPLEMENTED, 502 BAD_GATEWAY, 503 SERVICE_UNAVAILABLE, 504 GATEWAY_TIMEOUT, 505 HTTP_VERSION_NOT_SUPPORTED, 506 VARIANT_ALSO_NEGOTIATES, 507 INSUFFICIENT_STORAGE, 508 LOOP_DETECTED, 509 BANDWIDTH_LIMIT_EXCEEDED, 510 NOT_EXTENDED, 511 NETWORK_AUTHENTICATION_REQUIRED

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found

12.7 POST /api/user/changeRole

changeRole

REQUEST

```
REQUEST BODY - application/json
{
    roleName string
    username string
}
```

```
STATUS CODE - 200: OK
```

```
RESPONSE MODEL - */*
{
   body {
   }
   statusCode enum
```

ALLOWED: 100 CONTINUE, 101 SWITCHING_PROTOCOLS, 102 PROCESSING, 103 CHECKPOINT, 200 OK, 201 CREATED, 202 ACCEPTED, 203 NON_AUTHORITATIVE_INFORMATION, 204 NO_CONTENT, 205 RESET_CONTENT, 206 PARTIAL_CONTENT, 207 MULTI_STATUS, 208 ALREADY_REPORTED, 226 IM_USED, 300 MULTIPLE_CHOICES, 301 MOVED_PERMANENTLY, 302 FOUND, 302 MOVED_TEMPORARILY, 303 SEE_OTHER, 304 NOT_MODIFIED, 305 USE_PROXY, 307 TEMPORARY_REDIRECT, 308 PERMANENT_REDIRECT, 400 BAD_REQUEST, 401 UNAUTHORIZED, 402 PAYMENT_REQUIRED, 403 FORBIDDEN, 404 NOT_FOUND, 405 METHOD_NOT_ALLOWED, 406 NOT_ACCEPTABLE, 407 PROXY_AUTHENTICATION_REQUIRED, 408 REQUEST_TIMEOUT, 409 CONFLICT, 410 GONE, 411 LENGTH_REQUIRED, 412 PRECONDITION_FAILED, 413 PAYLOAD_TOO_LARGE, 413 REQUEST_ENTITY_TOO_LARGE, 414 URI_TOO_LONG, 414 REQUEST_URI_TOO_LONG, 415 UNSUPPORTED_MEDIA_TYPE, 416 REQUESTED_RANGE_NOT_SATISFIABLE, 417 EXPECTATION_FAILED, 418 I_AM_A_TEAPOT, 419 INSUFFICIENT_SPACE_ON_RESOURCE, 420 METHOD_FAILURE, 421 DESTINATION_LOCKED, 422 UNPROCESSABLE_ENTITY, 423 LOCKED, 424 FAILED_DEPENDENCY, 425 TOO_EARLY, 426 UPGRADE_REQUIRED, 428 PRECONDITION_REQUIRED, 429 TOO_MANY_REQUESTS, 431 REQUEST_HEADER_FIELDS_TOO_LARGE, 451 UNAVAILABLE_FOR_LEGAL_REASONS, 500 INTERNAL_SERVER_ERROR, 501 NOT_IMPLEMENTED, 502 BAD_GATEWAY, 503 SERVICE_UNAVAILABLE, 504 GATEWAY_TIMEOUT, 505 HTTP_VERSION_NOT_SUPPORTED, 506 VARIANT_ALSO_NEGOTIATES, 507 INSUFFICIENT_STORAGE, 508 LOOP_DETECTED, 509 BANDWIDTH_LIMIT_EXCEEDED, 510 NOT_EXTENDED, 511 NETWORK_AUTHENTICATION_REQUIRED

```
statusCodeValue integer
}
STATUS CODE - 201: Created
STATUS CODE - 401: Unauthorized
STATUS CODE - 403: Forbidden
STATUS CODE - 404: Not Found
```

12.8 POST /api/user/checkEmail

checkEmail

REQUEST

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
   body {
   }
   statusCode enum
```

ALLOWED: 100 CONTINUE, 101 SWITCHING_PROTOCOLS, 102 PROCESSING, 103 CHECKPOINT, 200 OK, 201 CREATED, 202 ACCEPTED, 203 NON_AUTHORITATIVE_INFORMATION, 204 NO_CONTENT, 205 RESET_CONTENT, 206 PARTIAL_CONTENT, 207 MULTI_STATUS, 208 ALREADY_REPORTED, 226 IM_USED, 300 MULTIPLE_CHOICES, 301 MOVED_PERMANENTLY, 302 FOUND, 302 MOVED_TEMPORARILY, 303 SEE_OTHER, 304 NOT_MODIFIED, 305 USE_PROXY, 307 TEMPORARY_REDIRECT, 308 PERMANENT_REDIRECT, 400 BAD_REQUEST, 401 UNAUTHORIZED, 402 PAYMENT_REQUIRED, 403 FORBIDDEN, 404 NOT_FOUND, 405 METHOD_NOT_ALLOWED, 406 NOT_ACCEPTABLE, 407 PROXY_AUTHENTICATION_REQUIRED, 408 REQUEST_TIMEOUT, 409 CONFLICT, 410 GONE, 411 LENGTH_REQUIRED, 412 PRECONDITION_FAILED, 413 PAYLOAD_TOO_LARGE, 413 REQUEST_ENTITY_TOO_LARGE, 414 URI_TOO_LONG, 414 REQUEST_URI_TOO_LONG, 415 UNSUPPORTED_MEDIA_TYPE, 416 REQUESTED_RANGE_NOT_SATISFIABLE, 417 EXPECTATION_FAILED, 418 I_AM_A_TEAPOT, 419 INSUFFICIENT_SPACE_ON_RESOURCE, 420 METHOD_FAILURE, 421 DESTINATION_LOCKED, 422 UNPROCESSABLE_ENTITY, 423 LOCKED, 424 FAILED_DEPENDENCY, 425 TOO_EARLY, 426 UPGRADE_REQUIRED, 428 PRECONDITION_REQUIRED, 429 TOO_MANY_REQUESTS, 431 REQUEST_HEADER_FIELDS_TOO_LARGE, 451 UNAVAILABLE_FOR_LEGAL_REASONS, 500 INTERNAL_SERVER_ERROR, 501 NOT_IMPLEMENTED, 502 BAD_GATEWAY, 503 SERVICE_UNAVAILABLE, 504 GATEWAY_TIMEOUT, 505 HTTP_VERSION_NOT_SUPPORTED, 506 VARIANT_ALSO_NEGOTIATES, 507 INSUFFICIENT_STORAGE, 508 LOOP_DETECTED, 509 BANDWIDTH_LIMIT_EXCEEDED, 510 NOT_EXTENDED, 511 NETWORK_AUTHENTICATION_REQUIRED

statusCodeValue integer

}

STATUS CODE - 201: Created
STATUS CODE - 401: Unauthorized

STATUS CODE - 404: Not Found

STATUS CODE - 403: Forbidden

12.9 GET /api/user/me

getMe

REQUEST

No request parameters

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
    body {
    }
    statusCode enum
```

ALLOWED: 100 CONTINUE, 101 SWITCHING_PROTOCOLS, 102 PROCESSING, 103 CHECKPOINT, 200 OK, 201 CREATED, 202 ACCEPTED, 203 NON_AUTHORITATIVE_INFORMATION, 204 NO_CONTENT, 205 RESET_CONTENT, 206 PARTIAL_CONTENT, 207 MULTI_STATUS, 208 ALREADY_REPORTED, 226 IM_USED, 300 MULTIPLE_CHOICES, 301 MOVED_PERMANENTLY, 302 FOUND, 302 MOVED_TEMPORARILY, 303 SEE_OTHER, 304 NOT_MODIFIED, 305 USE_PROXY, 307 TEMPORARY_REDIRECT, 308 PERMANENT_REDIRECT, 400 BAD_REQUEST, 401 UNAUTHORIZED, 402 PAYMENT_REQUIRED. 403 FORBIDDEN, 404 NOT_FOUND, 405 METHOD_NOT_ALLOWED, 406 NOT_ACCEPTABLE, 407 PROXY_AUTHENTICATION_REQUIRED, 408 REQUEST_TIMEOUT, 409 CONFLICT, 410 GONE, 411 LENGTH_REQUIRED, 412 PRECONDITION_FAILED, 413 PAYLOAD_TOO_LARGE, 413 REQUEST_ENTITY_TOO_LARGE, 414 URI_TOO_LONG, 414 REQUEST_URI_TOO_LONG, 415 UNSUPPORTED_MEDIA_TYPE, 416 REQUESTED_RANGE_NOT_SATISFIABLE, 417 EXPECTATION_FAILED, 418 I_AM_A_TEAPOT, 419 INSUFFICIENT_SPACE_ON_RESOURCE, 420 METHOD_FAILURE, 421 DESTINATION_LOCKED, 422 UNPROCESSABLE_ENTITY, 423 LOCKED, 424 FAILED_DEPENDENCY, 425 TOO_EARLY, 426 UPGRADE_REQUIRED, 428 PRECONDITION_REQUIRED, 429 TOO_MANY_REQUESTS, 431 REQUEST_HEADER_FIELDS_TOO_LARGE, 451 UNAVAILABLE_FOR_LEGAL_REASONS, 500 INTERNAL_SERVER_ERROR, 501 NOT_IMPLEMENTED, 502 BAD_GATEWAY, 503 SERVICE_UNAVAILABLE, 504 GATEWAY_TIMEOUT, 505 HTTP_VERSION_NOT_SUPPORTED, 506 VARIANT_ALSO_NEGOTIATES, 507 INSUFFICIENT_STORAGE, 508 LOOP_DETECTED, 509 BANDWIDTH_LIMIT_EXCEEDED, 510 NOT_EXTENDED, 511 NETWORK_AUTHENTICATION_REQUIRED

statusCodeValue integer

STATUS CODE - 401: Unauthorized

12.10 GET /api/user/unconfirmedUsers

getUnconfirmedUsers

REQUEST

No request parameters

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
   body {
   }
   statusCode enum
```

ALLOWED: 100 CONTINUE, 101 SWITCHING_PROTOCOLS, 102 PROCESSING, 103 CHECKPOINT, 200 OK, 201 CREATED, 202 ACCEPTED, 203 NON_AUTHORITATIVE_INFORMATION, 204 NO_CONTENT, 205 RESET_CONTENT, 206 PARTIAL_CONTENT, 207 MULTI_STATUS, 208 ALREADY_REPORTED, 226 IM_USED, 300 MULTIPLE_CHOICES, 301 MOVED_PERMANENTLY, 302 FOUND, 302 MOVED_TEMPORARILY, 303 SEE_OTHER, 304 NOT_MODIFIED, 305 USE_PROXY, 307 TEMPORARY_REDIRECT, 308 PERMANENT_REDIRECT, 400 BAD_REQUEST, 401 UNAUTHORIZED, 402 PAYMENT_REQUIRED, 403 FORBIDDEN, 404 NOT_FOUND, 405 METHOD_NOT_ALLOWED, 406 NOT_ACCEPTABLE, 407 PROXY_AUTHENTICATION_REQUIRED, 408 REQUEST_TIMEOUT, 409 CONFLICT, 410 GONE, 411 LENGTH_REQUIRED, 412 PRECONDITION_FAILED, 413 PAYLOAD_TOO_LARGE, 413 REQUEST_ENTITY_TOO_LARGE, 414 URI_TOO_LONG, 414 REQUEST_URI_TOO_LONG, 415 UNSUPPORTED_MEDIA_TYPE, 416 REQUESTED_RANGE_NOT_SATISFIABLE, 417 EXPECTATION_FAILED, 418 I_AM_A_TEAPOT, 419 INSUFFICIENT_SPACE_ON_RESOURCE, 420 METHOD_FAILURE, 421 DESTINATION_LOCKED, 422 UNPROCESSABLE_ENTITY, 423 LOCKED, 424 FAILED_DEPENDENCY, 425 TOO_EARLY, 426 UPGRADE_REQUIRED, 428 PRECONDITION_REQUIRED, 429 TOO_MANY_REQUESTS, 431 REQUEST_HEADER_FIELDS_TOO_LARGE, 451 UNAVAILABLE_FOR_LEGAL_REASONS, 500 INTERNAL_SERVER_ERROR, 501 NOT_IMPLEMENTED, 502 BAD_GATEWAY, 503 SERVICE_UNAVAILABLE, 504 GATEWAY_TIMEOUT, 505 HTTP_VERSION_NOT_SUPPORTED, 506 VARIANT_ALSO_NEGOTIATES, 507 INSUFFICIENT_STORAGE, 508 LOOP_DETECTED, 509 BANDWIDTH_LIMIT_EXCEEDED, 510 NOT_EXTENDED, 511 NETWORK_AUTHENTICATION_REQUIRED

```
STATUS CODE - 401: Unauthorized
STATUS CODE - 403: Forbidden
STATUS CODE - 404: Not Found
```

}

statusCodeValue integer

12.11 PUT /api/user/updateUser

updateUser

REQUEST

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
    body {
    }
    statusCode enum
```

ALLOWED: 100 CONTINUE, 101 SWITCHING_PROTOCOLS, 102 PROCESSING, 103 CHECKPOINT, 200 OK, 201 CREATED, 202 ACCEPTED, 203 NON_AUTHORITATIVE_INFORMATION, 204 NO_CONTENT, 205 RESET_CONTENT, 206 PARTIAL_CONTENT, 207 MULTI_STATUS, 208 ALREADY_REPORTED, 226 IM_USED, 300 MULTIPLE_CHOICES, 301 MOVED_PERMANENTLY, 302 FOUND, 302 MOVED_TEMPORARILY, 303 SEE_OTHER, 304 NOT_MODIFIED, 305 USE_PROXY, 307 TEMPORARY_REDIRECT, 308 PERMANENT_REDIRECT, 400 BAD_REQUEST, 401 UNAUTHORIZED, 402 PAYMENT_REQUIRED, 403 FORBIDDEN, 404 NOT_FOUND, 405 METHOD_NOT_ALLOWED, 406 NOT_ACCEPTABLE, 407 PROXY_AUTHENTICATION_REQUIRED, 408 REQUEST_TIMEOUT, 409 CONFLICT, 410 GONE, 411 LENGTH_REQUIRED, 412 PRECONDITION_FAILED, 413 PAYLOAD_TOO_LARGE, 413 REQUEST_ENTITY_TOO_LARGE, 414 URI_TOO_LONG, 414 REQUEST_URI_TOO_LONG, 415 UNSUPPORTED_MEDIA_TYPE, 416 REQUESTED_RANGE_NOT_SATISFIABLE, 417 EXPECTATION_FAILED, 418 I_AM_A_TEAPOT, 419 INSUFFICIENT_SPACE_ON_RESOURCE, 420 METHOD_FAILURE, 421 DESTINATION_LOCKED, 422 UNPROCESSABLE_ENTITY, 423 LOCKED, 424 FAILED_DEPENDENCY, 425 TOO_EARLY, 426 UPGRADE_REQUIRED, 428 PRECONDITION_REQUIRED, 429 TOO_MANY_REQUESTS, 431 REQUEST_HEADER_FIELDS_TOO_LARGE, 451 UNAVAILABLE_FOR_LEGAL_REASONS, 500 INTERNAL_SERVER_ERROR, 501 NOT_IMPLEMENTED, 502 BAD_GATEWAY, 503 SERVICE_UNAVAILABLE, 504 GATEWAY_TIMEOUT, 505 HTTP_VERSION_NOT_SUPPORTED, 506 VARIANT_ALSO_NEGOTIATES, 507 INSUFFICIENT_STORAGE, 508 LOOP_DETECTED, 509 BANDWIDTH_LIMIT_EXCEEDED, 510 NOT_EXTENDED, 511 NETWORK_AUTHENTICATION_REQUIRED

```
statusCodeValue integer
}
```

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found

13. MDM-CONTROLLER

```
Mdm Controller
```

13.1 POST /api/mdm/cm/add

addDataCM

REQUEST

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

13.2 GET /api/mdm/cm/list

getDatacm

REQUEST

No request parameters

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

13.3 GET /api/mdm/cm/{id}

detailsCM

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	int64	id

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

13.4 GET /api/mdm/cm/{id}/delete

deleteDataCM

REQUEST

PATH PARAMETERS

NAME TYPE	DESCRIPTION
*id string	id

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

13.5 PATCH /api/mdm/cm/{id}/update

UpdateDataCM

REQUEST

PATH PARAMETERS

NAME TYPE	DESCRIPTION
*id int64	id

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*
```

```
}
 STATUS CODE - 204: No Content
 STATUS CODE - 401: Unauthorized
 STATUS CODE - 403: Forbidden
13.6 POST /api/mdm/installation/add
PostDataInstallation
REQUEST
RESPONSE
 STATUS CODE - 200: OK
   RESPONSE MODEL - */*
 STATUS CODE - 201: Created
 STATUS CODE - 401: Unauthorized
 STATUS CODE - 403: Forbidden
 STATUS CODE - 404: Not Found
13.7 GET /api/mdm/installation/list
getDataInstallation
REQUEST
 No request parameters
RESPONSE
 STATUS CODE - 200: OK
   RESPONSE MODEL - */*
 STATUS CODE - 401: Unauthorized
 STATUS CODE - 403: Forbidden
 STATUS CODE - 404: Not Found
```

13.8 GET /api/mdm/installation/{id}

GetByld

REQUEST

PATH PARAMETERS

```
NAME TYPE DESCRIPTION

*id int64 id
```

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

13.9 GET /api/mdm/installation/{id}/delete

delete

REQUEST

PATH PARAMETERS

	YPE	DESCRIPTION
*id i	Int64	id

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

13.10 PATCH /api/mdm/installation/{id}/update

UpdateDataInstalation

REQUEST

PATH PARAMETERS

NAME TYPE	DESCRIPTION
*id int64	id

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 204: No Content

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden
```

13.11 POST /api/mdm/pm/add

addLitPMList

REQUEST

```
REQUEST BODY - application/json
  assignedAt
                                string
  assignedBy
                                string
  assignedTo
                                string
  caseId
                                string
  connectionType
                                string
  createdAt
                                string
  createdBy
                                string
  edcBankLainnya
                                string
  edcCondition
                                string
  edcService
                                string
  finishedAt
                                string
  finishedBy
                                string
  finishedTimeWork
                                string
  id
                               integer
  linkPdf
                               string
  merchantAddress
                                string
  merchantCity
                                string
  merchantCondition
                                string
  merchantName
                                string
  mid
                                string
  noTicket
                                string
  note
                                string
  noteTicketDetail
                                string
  paperOnsite
                                string
  paperSupply
                                string
  phone
                                string
  pic
                                string
  priority
                                string
  snEdc
                                string
  snSam
                                string
  snSim
                                string
  startTimeWork
                                string
  status
                                string
  targetTicket
                                string
  tesTrxCicilan
                                string
  tesTrxCredit
                                string
  tesTrxDebit
                                string
  tesTrxPrepaid
                                string
```

```
tesTrxQr
                                 string
    tid
                                 string
    tidLama
                                 string
    trainerName
                                 string
    trainingMerchant
                                 string
    trainingRedeemPoint
                                 string
    trainingRefund
                                 string
    trainingSaleVoidSettlement string
    trainingTesKoneksi string
    trainingTopUp
                                 string
    type
                                 string
    validatedAt
                                 string
    versionType
                                 string
RESPONSE
 STATUS CODE - 200: OK
   RESPONSE MODEL - */*
   }
 STATUS CODE - 201: Created
 STATUS CODE - 401: Unauthorized
 STATUS CODE - 403: Forbidden
 STATUS CODE - 404: Not Found
13.12 GET /api/mdm/pm/list
getLitPMList
REQUEST
 No request parameters
RESPONSE
 STATUS CODE - 200: OK
   RESPONSE MODEL - */*
 STATUS CODE - 401: Unauthorized
 STATUS CODE - 403: Forbidden
 STATUS CODE - 404: Not Found
```

13.13 GET /api/mdm/pm/{CaseId}/delete

deleteDataPM

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*CaseId	int64	Caseld

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

13.14 PATCH /api/mdm/pm/{CaseId}/update

updateDataPM

REQUEST

PATH PARAMETERS

```
REQUEST BODY - application/json
  assignedAt
                                string
  assignedBy
                                string
  assignedTo
                                string
  caseId
                                string
  connectionType
                                string
  createdAt
                                string
  createdBy
                                string
  edcBankLainnya
                                string
  edcCondition
                                string
  edcService
                                string
  finishedAt
                                string
  finishedBy
                                string
  finishedTimeWork
                                string
  id
                                integer
  linkPdf
                                string
  merchantAddress
                                string
  merchantCity
                                string
  merchantCondition
                                string
  merchantName
                                string
  mid
                                string
  noTicket
                                string
  note
                                string
  noteTicketDetail
                                string
  paperOnsite
                                string
```

```
paperSupply
                               string
  phone
                               string
  pic
                               string
  priority
                               string
  snEdc
                               string
  snSam
                               string
  snSim
                               string
  startTimeWork
                               string
  status
                               string
  targetTicket
                               string
  tesTrxCicilan
                               string
  tesTrxCredit
                               string
  tesTrxDebit
                               string
  tesTrxPrepaid
                               string
  tesTrxQr
                               string
  tid
                               string
  tidLama
                               string
  trainerName
                               string
  trainingMerchant
                              string
  trainingRedeemPoint
                              string
  trainingRefund
                              string
  trainingSaleVoidSettlement string
  trainingTesKoneksi
                              string
  trainingTopUp
                              string
  type
                              string
  validatedAt
                               string
  versionType
                               string
}
```

RESPONSE

```
STATUS CODE - 200: OK
  RESPONSE MODEL - */*
  {
  }
STATUS CODE - 204: No Content
STATUS CODE - 401: Unauthorized
STATUS CODE - 403: Forbidden
```

13.15 GET /api/mdm/pm/{Caseid}

getDetailsPm

REQUEST

PATH PARAMETERS

NAME TYPE	DESCRIPTION
*id int64	id

RESPONSE

STATUS CODE - 200: OK

```
RESPONSE MODEL - */*
{
}
STATUS CODE - 401: Unauthorized
STATUS CODE - 403: Forbidden
STATUS CODE - 404: Not Found
```

14. PRIMA-VISTA-CONTROLLER

Prima Vista Controller

14.1 GET /api/primavista/activities

getAllActivities

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
st	string	st
ed	string	ed
no	string	no
noTicket	string	noTicket
page	int32	page
size	int32	size
sort	string	sort
order	string	order

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

14.2 PUT /api/primavista/activities

updateByIdPr

REQUEST

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}
STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized
```

14.3 POST /api/primavista/activities

addActivities

REQUEST

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

14.4 GET /api/primavista/activities/{id}

getAllActivities

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	string	id

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

15. TELKOM-CONTROLLER

Telkom Controller

15.1 GET /api/telkom/cm

getAllCm

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
st	string	st
ed	string	ed
noSpk	string	noSpk
tipe	string	tipe
status	string	status
mid	string	mid
tid	string	tid
page	int32	page
size	int32	size
sort	string	sort
order	string	order

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

15.2 PUT /api/telkom/cm

update Telkom Cm

REQUEST

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*
```

```
}
STATUS CODE - 201: Created
STATUS CODE - 401: Unauthorized
STATUS CODE - 403: Forbidden
STATUS CODE - 404: Not Found
```

15.3 POST /api/telkom/cm

addTelkomCm

REQUEST

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

15.4 GET /api/telkom/cm/{noSpk}

getTelkomCmWithTaskId

REQUEST

PATH PARAMETERS

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

15.5 GET /api/telkom/installation

getAllInstallation

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
st	string	st
ed	string	ed
nomorWo	string	nomorWo
tipeWo	string	tipeWo
statusWo	string	statusWo
mid	string	mid
tid	string	tid
page	int32	page
size	int32	size
sort	string	sort
order	string	order

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

15.6 PUT /api/telkom/installation

updateTelkomInstallation

```
REQUEST BODY - application/json
{
  alamatMerchant
                      string
  batasSla
                      string
  id
                      string
  mid
                      string
  namaMerchant
                      string
  namaPic
                      string
  nomorWo
                      string
  remarks
                      string
  snAdaptor
                      string
  snDongle
                      string
  snEdc
                      string
```

```
snSam
                        string
    snSim
                        string
    sp
                        string
    statusKategori
                      string
    statusSubKategori string
    statusWo
                        string
    tanggalKunjungan string
    teknisi
                        string
    telpHpPic
                        string
    tglInput
                        string
    tid
                        string
    tipeWo
                        string
 }
RESPONSE
 STATUS CODE - 200: OK
   RESPONSE MODEL - */*
 STATUS CODE - 201: Created
 STATUS CODE - 401: Unauthorized
 STATUS CODE - 403: Forbidden
 STATUS CODE - 404: Not Found
```

15.7 POST /api/telkom/installation

addTelkomInstallation

```
REQUEST BODY - application/json
{
  alamatMerchant
                      string
  batasSla
                      string
  id
                      string
  \operatorname{mid}
                      string
  namaMerchant
                      string
  namaPic
                      string
  nomorWo
                      string
  remarks
                      string
  snAdaptor
                      string
  snDongle
                      string
  snEdc
                      string
  snSam
                      string
  snSim
                      string
  sp
                      string
  statusKategori
                      string
  statusSubKategori string
  statusWo
                      string
  tanggalKunjungan string
  teknisi
                      string
  telpHpPic
                      string
```

```
tglInput
tid string
tipeWo string
}

RESPONSE

STATUS CODE - 200: OK

RESPONSE MODEL - */*
{
}

STATUS CODE - 201: Created
STATUS CODE - 401: Unauthorized
STATUS CODE - 403: Forbidden
```

15.8 GET /api/telkom/installation/{nomorWo}

get TelkomInstallation With Nomor Wo

STATUS CODE - 404: Not Found

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*nomorWo strin		nomorWo

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

15.9 GET /api/telkom/pm

getAllTelkomPm

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
st	string	st
ed	string	ed

NAME	TYPE	DESCRIPTION
page	int32	page
size	int32	size
sort	string	sort
order	string	order

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

15.10 PUT /api/telkom/pm

updateTelkomPm

```
REQUEST BODY - application/json
{
  alamatMerchant
                     string
  bankLain
                      string
  changePart
                      string
  cluster
                      string
  eos
                      string
  id
                      string
  jenisMerchant
                      string
  macrol
                      string
  mid
                      string
  ms
                      string
  namaMerchant
                      string
  namaPic
                      string
  periodePm
                      string
  pmStatus
                      string
  remarks
                      string
  snAdaptor
                      string
  snDongle
                      string
  snEdc
                      string
  snSam
                      string
  snSim
                      string
  sp
                      string
  statusKategori
                      string
  statusSubKategori string
  tanggalKunjungan
                     string
  teknisi
                      string
  telpHpPic
                      string
  tid
                      string
```

```
versiSoftware string
}

RESPONSE

STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

15.11 POST /api/telkom/pm

addTelkomPm

REQUEST

```
REQUEST BODY - application/json
  alamatMerchant
                     string
  bankLain
                      string
  changePart
                      string
  cluster
                      string
  eos
                      string
  id
                      string
  jenisMerchant
                      string
  macrol
                      string
  mid
                      string
  ms
                      string
  namaMerchant
                      string
  namaPic
                      string
  periodePm
                      string
  pmStatus
                      string
  remarks
                      string
  snAdaptor
                      string
  snDongle
                      string
  snEdc
                      string
  snSam
                      string
  snSim
                      string
  sp
                      string
  statusKategori
                      string
  statusSubKategori string
  tanggalKunjungan
                     string
  teknisi
                      string
  telpHpPic
                      string
  tid
                      string
  versiSoftware
                      string
}
```

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

15.12 GET /api/telkom/pm/{id}

getTelkomCmWithTaskId

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	string	id

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
st	string	st
ed	string	ed

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

16. VISIONET-CONTROLLER

Visionet Controller

16.1 GET /api/visionet/edcStatusServicePoint

getEdcStatusServicePointAll

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
st	string	st
ed	string	ed
tid	string	tid
prodName	string	prodName
page	int32	page
size	int32	size
sort	string	sort
order	string	order

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

16.2 PUT /api/visionet/edcStatusServicePoint

updateEdcStatusServicePoint

REQUEST

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized
```

16.3 POST /api/visionet/edcStatusServicePoint

addEdcStatusServicePoint

REQUEST

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

16.4 GET /api/visionet/edcStatusServicePoint/{id}

getEdcStatusServicePointById

REQUEST

PATH PARAMETERS

NAME	TYPE	DESCRIPTION
*id	string	id

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

16.5 GET /api/visionet/mtiVisionet

getMtiVisionetAll

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
st	string	st
ed	string	ed
tid	string	tid
merchantName	string	merchantName
page	int32	page
size	int32	size
sort	string	sort
order	string	order

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

16.6 PUT /api/visionet/mtiVisionet

update Mti Vision et

REQUEST

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

16.7 POST /api/visionet/mtiVisionet

addMtiVisionet

REQUEST

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

16.8 GET /api/visionet/mtiVisionet/{id}

getMtiVisionetById

REQUEST

PATH PARAMETERS

NAME TYPE	DESCRIPTION
*id string	id

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

16.9 GET /api/visionet/preventiveMaintenance

getPreventiveMaintenanceAll

REQUEST

QUERY PARAMETERS

NAME	TYPE	DESCRIPTION
st	string	st
ed	string	ed
tid	string	tid
merchantName	string	merchantName
merchantName page	string int32	merchantName page

NAME	TYPE	DESCRIPTION
order	string	order

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

16.10 PUT /api/visionet/preventiveMaintenance

updatePreventiveMaintenance

REQUEST

RESPONSE

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```

16.11 POST /api/visionet/preventiveMaintenance

addPreventiveMaintenance

REQUEST

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 201: Created

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden
```

16.12 GET /api/visionet/preventiveMaintenance/{id}

getPreventiveMaintenanceByld

REQUEST

PATH PARAMETERS

NAME TYPE	DESCRIPTION
*id string	id

```
STATUS CODE - 200: OK

RESPONSE MODEL - */*

{
}

STATUS CODE - 401: Unauthorized

STATUS CODE - 403: Forbidden

STATUS CODE - 404: Not Found
```