

# THE TITLE OF THE BOOK

AUTHOR NAME

Invalid Date

# Table of contents

<b>Preface</b>	<b>3</b>
<b>1 Introduction</b>	<b>4</b>
<b>I Early Section</b>	<b>5</b>
<b>2 Early Section Topic</b>	<b>7</b>
<b>II Late Section</b>	<b>8</b>
<b>3 R Playground</b>	<b>10</b>
3.1 Introduction . . . . .	10
3.2 Playground . . . . .	10
3.3 Things you can do . . . . .	10
<b>References</b>	<b>13</b>

# Preface

This is a Quarto book, generated using the `sipbs-compbiol-book-template` GitHub template.

The Preface page is intended as a frontispiece with brief introductory information about the book and, maybe, its authors.

To learn more about Quarto books visit <https://quarto.org/docs/books>.

# 1 Introduction

The Introduction page is intended as a short introduction to the book.

Like most Quarto books, this is a book created from markdown and executable code.

This kind of book is an example of literate programming - the intertwining of nicely-formatted text and images, and executable code. For example, the R code cell below executes and produces output when the book is compiled:

```
1 + 1
```

```
[1] 2
```

But the R code cell below does not:

```
summary(cars)
```

See Knuth (1984) for additional discussion of literate programming.

**Part I**

**Early Section**

This `.qmd` file introduces a **Part** of the Quarto book. We use the `{#sec-REFERENCE}` option to make it cross-referenceable elsewhere in the text, and the `{.unnumbered}` option to avoid giving it a section number.

## 2 Early Section Topic

This .qmd file represents some topic-related text. We use the `{#sec-REFERENCE}` option to make it cross-referenceable elsewhere in the text.

**Part II**

**Late Section**



This `.qmd` file introduces a **Part** of the Quarto book. We use the `{#sec-REFERENCE}` option to make it cross-referenceable elsewhere in the text, and the `{.unnumbered}` option to avoid giving it a section number.

## 3 R Playground

```
#| context: setup

# Download reporter data
download.file('https://raw.githubusercontent.com/sipbs-compbiol/BM214-Workshop-3/main/assets/

library(ggplot2)
library(palmerpenguins)
library(tidyverse)
```

### 3.1 Introduction

This page provides a WebR cell for you to use as a playground to experiment with some example datasets. You can use this page to explore data management and visualisation in R.

### 3.2 Playground

```
# Use this WebR cell to experiment with some practice biological datasets
```

### 3.3 Things you can do

This WebR instance has three packages installed:

- ggplot2
- GGally
- tidyverse
- palmerpenguins

Open the callout boxes below to see some examples you can try in the code cell above.

### 💡 Play with data from a GitHub repository

One of our [BM214 workshops](#) involves a WebR-supported interactive exercise involving simulated reporter curves. We preload this data in the `setup` cell (see source code), and you can interact with it below with the code:

```
data <- read.csv("reporter_curves.csv")
glimpse(data)
```

### 💡 Investigate Palmer's Penguins

The `penguins` dataset contains data about three different species of penguins. Take a look at the format of the dataset:

```
glimpse(penguins)
```

You'll see there are eight variables, including `species`, `weight`, `sex`, etc. - some of these variables are *categorical* (i.e. a category, like `species`), and others are *continuous* (i.e. numerical). You can see a visual overview of how the data is related using the `plot()` function:

```
plot(penguins)
```

We can visualise the number of penguins of each species in a bar chart:

```
fig <- ggplot(penguins, aes(species, fill=species)) +
  geom_bar()
fig
```

And break this down in a facet plot, by sex:

```
fig <- ggplot(penguins, aes(species, fill=species)) +
  geom_bar() +
  facet_wrap(~sex)
fig
```

We can make a box and whisker plot of penguin body mass by species:

```
fig <- ggplot(penguins, aes(x=species, y=body_mass_g, fill=species)) +
  geom_boxplot()
fig
```

And plot the body mass for each sex side-by-side

```
fig <- ggplot(penguins, aes(x=species, y=body_mass_g, fill=sex)) +  
  geom_boxplot()  
fig
```

We can investigate correlations, such as between body mass and flipper length:

```
fig <- ggplot(penguins, aes(x=body_mass_g, y=flipper_length_mm)) +  
  geom_point()  
fig
```

We can colour datapoints by species:

```
fig <- ggplot(penguins, aes(x=body_mass_g, y=flipper_length_mm, colour=species)) +  
  geom_point()  
fig
```

And fit a linear regression to each species separately:

```
fig <- ggplot(penguins, aes(x=body_mass_g, y=flipper_length_mm, colour=species)) +  
  geom_point() +  
  geom_smooth(method="lm")  
fig
```

#### **i** Note

R comes with a number of example datasets you can practice with, including:

- **mtcars**: fuel consumption and other statistic for 32 automobiles
- **Titanic**: information on the fate of passengers on the fatal maiden voyage of the ocean liner *Titanic*

You can see a full list by running the command

```
library(help = "datasets")
```

## References

Knuth, Donald E. 1984. “Literate Programming.” *Comput. J.* 27 (2): 97–111. <https://doi.org/10.1093/comjnl/27.2.97>.