



SPECIAL RELEASE

Registered Deaths in the Philippines, 2024

Date of Release: 30 January 2026

Reference No. 2026-38

Explanatory Notes

Data on deaths presented in this release were obtained from the timely and late registered deaths at the Office of the City/Municipal Civil Registrars nationwide and submitted to the Office of the Civil Registrar General through the Philippine Statistics Authority (PSA)–Provincial Statistical Offices (PSOs) and subsequently processed by the PSA–Civil Registration Service (CRS). The information presented includes deaths that occurred from January to December 2024, including the 10 leading causes of death based on the data received as of 30 September 2025. Data on deaths of Filipinos whose usual residence is abroad and of foreign nationals, whose deaths occurred in the country during the reference period, are included. Deaths of Filipinos abroad which were reported to the Philippine Foreign Service Posts are presented in a separate report. The figures presented herein were not adjusted for under registration.

Registered Deaths up by 1.0 percent in 2024

The Philippines registered a total of 701,884 deaths in 2024, reflecting a 1.0 percent increase from 694,821 deaths registered in 2023. This corresponds to a crude death rate (CDR)¹ of 6.2, or about six deaths per 1,000 population, the same as in the previous year.

From 2015 to 2024, the number of registered deaths has undergone dynamic shifts, with notable declines observed in 2017, 2020 and 2022. Over the ten-year period, total registered deaths increased by 25.2 percent, rising from 560,605 in 2015 to 701,884 in 2024.

On the average, 1,918 deaths were registered per day in 2024, equivalent to about 80 deaths per hour or approximately one death per minute. (Figure 1 and Table 1)

¹ Population estimate used was taken from the updated population projections based on the 2020 Census of Population and Housing available at www.psa.gov.ph/statistics/census/projected-population



Certificate No. PHP
QMS 24 93 0203 - 001



Figure 1. Number and Percentage Change of Registered Deaths in the Philippines: 2015 to 2024



Source: Philippine Statistics Authority (Data on deaths are based on registration at the Office of the City/Municipal Civil Registrars nationwide, and submitted to the Office of the Civil Registrar General; derived from Certificate of Death-Municipal Form No. 103)


Note: Figures are results of actual registration without any adjustment for under registration

Highest number of deaths reported in CALABARZON

CALABARZON recorded the highest number of registered deaths by usual residence in 2024, with 105,239 deaths, accounting for 15.0 percent of the total. This was followed by Central Luzon with 86,131 deaths (12.3%), and the National Capital Region (NCR) with 84,035 deaths (12.0%). Collectively, these three regions accounted for more than one-third (39.2%) of all registered deaths nationwide.

In contrast, Bangsamoro Autonomous Region in Muslim Mindanao (BARMM), Cordillera Administrative Region (CAR) and Caraga Region recorded the lowest numbers of registered deaths. BARMM reported 5,552 deaths (0.8%), CAR had 10,323 (1.5%), and Caraga recorded 18,014 (2.6%). Together, these regions accounted for only 4.8 percent of the total registered deaths in the Philippines in 2024. (Figure 2 and Table 2)

Figure 2. Percentage Distribution of Registered Deaths by Region of Usual Residence, Philippines: 2024




Source: Philippine Statistics Authority (Data on deaths are based on registration at the Office of the City/Municipal Civil Registrars nationwide, and submitted to the Office of the Civil Registrar General; derived from Certificate of Death-Municipal Form No. 103)

Note: Figures are results of actual registration without any adjustment for under registration

August records the highest average daily deaths

Figure 3. Daily Average of Registered Deaths by Month of Occurrence, Philippines: 2024



Source: Philippine Statistics Authority (Data on deaths are based on registration at the Office of the City/Municipal Civil Registrars nationwide, and submitted to the Office of the Civil Registrar General; derived from Certificate of Death-Municipal Form No. 103)

Note: Figures are results of actual registration without any adjustment for under registration


In 2024, the highest average number of deaths registered per day was recorded in August at 2,027, equivalent to approximately 84 deaths per hour. In contrast, the month of March registered the lowest average daily deaths at 1,833 or about 76 deaths per hour. (Figure 3 and Table 3)

The daily index refers to the increase or decrease relative to the overall national daily average of event occurrences. The months of January, April to May, and August to September registered daily index values above the

national benchmark of 100.0, indicating that the average daily number of deaths during these months was higher than the national daily average of 1,918 deaths. (Figure 3 and Table 3)

More male deaths than female deaths recorded

The age-sex structure of registered deaths in 2024, as shown in Figure 4, reveals an inverted pyramid, with fewer deaths at the younger ages, except among children under one year old, and progressively increasing numbers as age increases. In the Philippines, the number of male deaths (395,953 or 56.4%) was higher than female deaths (305,931 or 43.6%). Among males, the highest proportion of deaths occurred in the 65 to 69 age group, with 47,423 or 12.0 percent of total male deaths. For females, the largest share of deaths was recorded in the oldest age group, 85 years old and over (53,786 or 17.6% of total female deaths). (Figure 4 and Table 4)



Source: Philippine Statistics Authority (Data on deaths are based on registration at the Office of the City/Municipal Civil Registrars nationwide, and submitted to the Office of the Civil Registrar General; derived from Certificate of Death-Municipal Form No. 103)


Note: Figures are results of actual registration without any adjustment for under registration.

The overall sex ratio of deaths was 129, indicating that approximately 129 male deaths occurred for every 100 female deaths. A sex ratio above 100 was observed across all age groups below 80 years old, which means that there were higher male deaths in these age groups. On the other hand, among the older age groups (80 years old and over), a higher proportion of female deaths was observed compared with their male counterparts. (Figure 4 and Table 4)

Six out of ten deaths were attended by a health care provider

An attendant refers to a private physician, public health officer, hospital authority, or any other allied health care provider who attended the deceased.


In 2024, out of 701,884 registered deaths, 401,100 were attended by health care providers, accounting for about 6 out of every 10 deaths. Across regions, three reported a higher number of unattended deaths than attended deaths, namely the Negros Island Region, Eastern Visayas, and SOCCSKSARGEN. (Figure 5 and Table 5)



Source: Philippine Statistics Authority (Data on deaths are based on registration at the Office of the City/Municipal Civil Registrars nationwide, and submitted to the Office of the Civil Registrar General; derived from Certificate of Death-Municipal Form No. 103)

Note: Figures are results of actual registration without any adjustment for under registration

Registered deaths occurred in health facilities and at home were nearly equal



Source: Philippine Statistics Authority (Data on deaths are based on registration at the Office of the City/Municipal Civil Registrars nationwide, and submitted to the Office of the Civil Registrar General; derived from Certificate of Death-Municipal Form No. 103)

Note: Figures are results of actual registration without any adjustment for under registration
0.0% - less than 0.05%


In 2024, a total of 348,771 deaths, or 49.7 percent of the total registered deaths, occurred in health facilities, while 346,473 or 49.4 percent, occurred at home. A small proportion (0.9%) of deaths took place in locations other than homes or health facilities, such as on the street, in public places, or while in transit by vehicle, airplane or vessel. A minimal percentage of deaths had undetermined or unspecified places of occurrence due to missing information on the decedents' place of death.

Among the 18 regions, NCR recorded the highest proportion of deaths occurring in health facilities at 70.9 percent, followed by Northern Mindanao (53.9%), Davao Region (50.6%), and Central Luzon (50.3%). (Figure 6 and Table 6)

Most death records were registered on time

Death registration must be completed within 30 days of its occurrence. In 2024, most of the death records were registered on time. A total of 692,121 deaths or 98.6 percent were registered within the prescribed period, while 9,763 deaths or 1.4 percent were registered late.

Ilocos Region recorded the highest proportion of timely registration at 99.6 percent, followed by CALABARZON and Western Visayas, both at 99.4 percent. In contrast, BARMM recorded a proportion of timely registration below 90 percent, indicating a relatively high incidence of delayed death registration in the region. (Figure 7 and Table 7)




Source: Philippine Statistics Authority (Data on deaths are based on registration at the Office of the City/Municipal Civil Registrars nationwide, and submitted to the Office of the Civil Registrar General; derived from Certificate of Death-Municipal Form No. 103)

Note: Figures are results of actual registration without any adjustment for under registration

Highest number of infant deaths recorded in CALABARZON

Infant deaths refer to deaths occurring before reaching one year of age. In 2024, a total of 20,529 infant deaths were registered nationwide, with males accounting for the majority at 11,714 deaths or 57.1 percent. The regions with the highest numbers of infant deaths were CALABARZON, which recorded 3,458 cases (16.8%), Central Luzon with 2,847 cases (13.9%), and NCR with 2,815 cases (13.7%).

On the other hand, BARMM recorded the lowest number of infant deaths at 109 cases (0.5%), followed by CAR with 208 cases (1.0%), and Caraga with 444 cases (2.2%). (Figure 8 and Table 8)




Source: Philippine Statistics Authority (Data on deaths are based on registration at the Office of the City/Municipal Civil Registrars nationwide, and submitted to the Office of the Civil Registrar General; derived from Certificate of Death-Municipal Form No. 103)

Note: Figures are results of actual registration without any adjustment for under registration

Highest number of maternal deaths recorded in CALABARZON

A maternal death is defined by the World Health Organization as, “the death of a woman while pregnant or within 42 days of termination of pregnancy, irrespective of the duration and the site of the pregnancy, from any cause related to or aggravated by the pregnancy or its management, but not from accidental or incidental causes.”

In 2024, the Philippines recorded a total of 1,852 maternal deaths. Among all regions, CALABARZON recorded the highest number of maternal deaths with 307 cases (16.6%), followed by NCR with 223 cases (12.0%), and Central Luzon with 187 cases (10.1%). In contrast, the regions with the least numbers of maternal deaths were BARMM with 27 cases (1.5%) and CAR with 32 cases (1.7%). (Figure 9 and Table 9)




Source: Philippine Statistics Authority (Data on deaths are based on registration at the Office of the City/Municipal Civil Registrars nationwide, and submitted to the Office of the Civil Registrar General; derived from Certificate of Death-Municipal Form No. 103)

Note: Figures are results of actual registration without any adjustment for under registration

Ischaemic heart diseases, neoplasms, and cerebrovascular diseases were the leading causes of death

In 2024, ischaemic heart diseases emerged as the leading cause of death in the Philippines, accounting for 19.1 percent (134,074) of the total registered deaths. Neoplasms followed as the second leading cause, which made up 11.0 percent (77,504) of deaths. Mortality due to cerebrovascular diseases, including stroke, ranked third at 9.8 percent (68,729). Pneumonia ranked fourth, contributing 6.7 percent (47,260) of the total deaths.

By sex, a generally similar pattern in the leading cause of death was observed, with some variations in ranking between males and females. (Figure 10 and Table 10)



Source: Philippine Statistics Authority (Data on deaths are based on registration at the Office of the City/Municipal Civil Registrars nationwide, and submitted to the Office of the Civil Registrar General; derived from Certificate of Death-Municipal Form No. 103)


Notes: Figures are results of actual registration without any adjustment for under registration

Causes of death are coded based on the ICD-10 Rules and Guidelines and mortality grouping is based on the Mortality Tabulation List 1 (General Mortality, Condensed List of the ICD-10), Fifth Edition (2016)

Registered fetal deaths highest in CALABARZON

Fetal death refers to the death of a fetus irrespective of the duration of pregnancy prior to complete expulsion or extraction of a product of conception from the mother's womb.

In 2024, a total of 8,839 fetal deaths were registered in the Philippines. By region of the mother's usual residence, CALABARZON recorded the highest number with 1,727 cases, representing 19.5 percent of the total. This was followed by the NCR with 1,354 cases (15.3%) and Central Luzon with 1,008 cases (11.4%). (Figure 11 and Table 11)



Source: Philippine Statistics Authority (Data on deaths are based on registration at the Office of the City/Municipal Civil Registrars nationwide, and submitted to the Office of the Civil Registrar General; derived from Certificate of Fetal Death-Municipal Form No. 103A)

Note: Figures are results of actual registration without any adjustment for under registration
0.0 - less than 0.05

CLAIRE DENNIS S. MAPA, PhD

Undersecretary

National Statistician and Civil Registrar General

MEPE/MBG/MBV