The Becoming Website Planning

https://gemini.google.com/app/f2fb89c422ab854b

Response: The three documents provide the exact blueprints needed for the Resource Hub, Volunteer System, and Database architecture.

Extracted Insights from the Documents

1. **The Slide Decks for `/resources`:**
    - **Slide Deck 1:** *"Who Are You Becoming? (Sunday 1)"* — Core framework: Awareness → Decision → Action → Consistency. Key question: *“If your current habits continued for 5 years, would you be proud of who you become?”*
    - **Slide Deck 2:** *"The Person You Have Become (Sunday 3)"* — Core framework: Awareness → Question → Unlearn → Rebuild. Focus: Distinguishing experience from identity, unlearning inherited beliefs, and refusing to normalize stagnation.
2. **The Volunteer Guidelines:**
    - **6 Core Values:** Growth, Courage, Integrity, Responsibility, Respect, Excellence.
    - **Culture Standard:** *"You are not just a volunteer. You are a builder of The Becoming."* Punctuality (*"If we say 6:00 PM, we mean 6:00 PM"*), zero ego, and mature conflict resolution.
    - **Key Teams / Tracks to Volunteer For:** Media & Content, Community Moderation & Welcome, Technical & Live Sessions (Google Meet), Weekly Reflections & Accountability, Intercession & Member Care.

1. Place the PDFs in Your Project

Place the PDF files inside `public/resources/` with clean URL slugs:

- `public/resources/who-are-you-becoming.pdf` (from the Sunday 1 deck)
- `public/resources/the-person-you-have-become.pdf` (from the Sunday 3 deck)
- `public/resources/volunteer-guidelines.pdf` (from the Volunteer Guidelines deck)

2. Resource Page: `src/app/resources/page.tsx`

This page includes direct in-browser viewing, PDF downloads, and interactive quote/prompt anchors extracted from the decks.

```
'use client';

import { useState } from 'react';
import {
  FileText,
  Download,
  Eye,
  Sparkles,
  CheckCircle2,
  Copy,
  Check,
  BookOpen,
  ArrowRight
} from 'lucide-react';

interface SlideDeck {
  title: string;
  subtitle: string;
  session: string;
  theme: string;
  description: string;
  pdfPath: string;
  frameworkSteps: string[];
  becomingQuestion: string;
}

const DECKS: SlideDeck[] = [
  {
    title: 'Who Are You Becoming?',
    subtitle: 'Don’t just live. Become.',
    session: 'Sunday Session 01',
    theme: 'Habit Architecture & Intentionality',
    description:
      'The foundational keynote establishing why our future is quietly constructed through ordinary, repeated decisions
    pdfPath: '/resources/who-are-you-becoming.pdf',
```

```
    frameworkSteps: ['1. Awareness', '2. Decision', '3. Action', '4. Consistency'],
    becomingQuestion:
      'If your current habits, choices, and priorities continued for the next five years, would you be proud of the pers
  },
  {
    title: 'The Person You Have Become',
    subtitle: 'The Journey Within',
    session: 'Sunday Session 03',
    theme: 'Deconstruction & Rebuilding Identity',
    description:
      'A deep dive into examining what has shaped you—unlearning inherited beliefs, dismantling excuses, and taking radi
    pdfPath: '/resources/the-person-you-have-become.pdf',
    frameworkSteps: ['1. Awareness', '2. Question', '3. Unlearn', '4. Rebuild'],
    becomingQuestion:
      'What part of who you are today was shaped by a belief, environment, or experience that you have never stopped to
  },
];

export default function ResourcesPage() {
  const [copiedIndex, setCopiedIndex] = useState<number | null>(null);

  const handleCopy = (text: string, idx: number) => {
    navigator.clipboard.writeText(text);
    setCopiedIndex(idx);
    setTimeout(() => setCopiedIndex(null), 2000);
  };

  return (
    <div className="max-w-6xl mx-auto px-6 py-16 space-y-20">
      {/* Header */}
      <div className="text-center max-w-2xl mx-auto space-y-4">
        <div className="inline-flex items-center gap-2 px-3 py-1 rounded-full border border-brand-gold/30 bg-brand-gold/
          <BookOpen className="w-3.5 h-3.5" />
          <span>Curated Growth Decks &amp;amp; Frameworks</span>
        </div>
        <h1 className="text-3xl sm:text-5xl font-black text-brand-white tracking-tight">
          The Resource Hub
        </h1>
        <p className="text-sm text-brand-muted leading-relaxed">
          Access the official slide decks, weekly prompts, and foundational frameworks delivered by Dr. Immanuelson Sam
        </p>
      </div>

      {/* Featured Slide Decks Grid */}
      <div className="grid grid-cols-1 lg:grid-cols-2 gap-8">
        {DECKS.map((deck, idx) => (
          <div
            key={deck.title}
            className="rounded-3xl border border-white/10 bg-brand-slate/30 p-8 flex flex-col justify-between space-y-6
          >
            <div className="space-y-4">
              <div className="flex items-center justify-between">
                <span className="text-[11px] font-bold text-brand-gold uppercase tracking-wider">
                  {deck.session}
                </span>
                <span className="text-xs px-2.5 py-1 rounded-full bg-white/5 border border-white/10 text-brand-muted">
                  Official Slide Deck
                </span>
              </div>

              <div>
                <h2 className="text-2xl font-black text-brand-white leading-tight">
                  {deck.title}
                </h2>
                <p className="text-xs text-brand-gold font-semibold mt-1">
                  {deck.subtitle}
                </p>
              </div>

              <p className="text-xs text-brand-muted leading-relaxed">
                {deck.description}
              </p>

              {/* Framework Pills */}
```

```
        <div className="space-y-2 pt-2">
          <span className="text-[10px] font-bold text-brand-muted uppercase tracking-wider block">
            Core Framework
          </span>
          <div className="grid grid-cols-2 gap-2">
            {deck.frameworkSteps.map((step) => (
              <div
                key={step}
                className="px-3 py-2 rounded-xl bg-brand-navy border border-white/5 text-[11px] font-medium text-b
              >
                <CheckCircle2 className="w-3 h-3 text-brand-gold shrink-0" />
                <span>{step}</span>
              </div>
            ))}
          </div>
        </div>

        {/* The Becoming Question Box */}
        <div className="p-4 rounded-2xl bg-brand-navy border border-brand-gold/20 space-y-2">
          <div className="flex items-center justify-between">
            <span className="text-[10px] font-bold text-brand-gold uppercase tracking-wider">
              The Becoming Question
            </span>
            <button
              onClick={() => handleCopy(deck.becomingQuestion, idx)}
              className="text-[10px] text-brand-muted hover:text-brand-gold flex items-center gap-1 transition"
            >
              {copiedIndex === idx ? (
                <>
                  <Check className="w-3 h-3 text-green-400" />
                  <span className="text-green-400">Copied</span>
                </>
              ) : (
                <>
                  <Copy className="w-3 h-3" />
                  <span>Copy</span>
                </>
              )}
            </button>
          </div>
          <p className="text-xs text-brand-white italic leading-relaxed">
            &ldquo;{deck.becomingQuestion}&rdquo;
          </p>
        </div>
      </div>

      {/* Download & View Actions */}
      <div className="pt-4 border-t border-white/10 flex items-center gap-3">
        <a
          href={deck.pdfPath}
          target="_blank"
          rel="noopener noreferrer"
          className="flex-1 inline-flex items-center justify-center gap-2 bg-brand-gold text-brand-navy font-bold
        >
          <Eye className="w-3.5 h-3.5" />
          <span>Read Online</span>
        </a>

        <a
          href={deck.pdfPath}
          download
          className="inline-flex items-center justify-center gap-2 border border-white/15 bg-brand-navy text-brand
        >
          <Download className="w-3.5 h-3.5" />
          <span>Download PDF</span>
        </a>
      </div>
    </div>
  ))}
</div>

{/* Volunteer Culture Anchor Banner */}
<div className="rounded-3xl border border-brand-gold/30 bg-gradient-to-r from-brand-slate/60 to-brand-navy p-8 sm:
  <div className="space-y-2 text-center md:text-left">
```

```
          <span className="text-[10px] font-bold uppercase tracking-widest text-brand-gold">
            Culture &amp;amp; Service
          </span>
          <h3 className="text-xl sm:text-2xl font-black text-brand-white">
            The Becoming Volunteer Guidelines
          </h3>
          <p className="text-xs text-brand-muted max-w-xl leading-relaxed">
            Review the 12 core guidelines, cultural standards, and leadership principles that govern the builders of thi
          </p>
        </div>

        <div className="flex items-center gap-3 shrink-0">
          <a
            href="/resources/volunteer-guidelines.pdf"
            target="_blank"
            rel="noopener noreferrer"
            className="inline-flex items-center gap-2 border border-brand-gold/40 bg-brand-gold/10 text-brand-gold font-
          >
            <FileText className="w-3.5 h-3.5" />
            <span>Read Guidelines</span>
          </a>
        </div>
      </div>
    </div>
  );
}
```

3. Database: Supabase Schema for Volunteers

Run this in your **Supabase SQL Editor**:

```
create table if not exists public.volunteers (
  id uuid primary key default gen_random_uuid(),
  full_name text not null,
  email text not null,
  phone text not null,
  country text not null,
  team_track text not null,
  reason_to_serve text,
  agreed_to_guidelines boolean default true,
  status text default 'pending',
  created_at timestamp with time zone default timezone('utc'::text, now()) not null
);

alter table public.volunteers enable row level security;

create policy "Allow anonymous volunteer insert"
  on public.volunteers for insert
  with check (true);
```

4. Volunteer Pop-up Modal: `src/components/VolunteerModal.tsx`

This component draws its language, core values, and team tracks directly from the guidelines document:

```
'use client';

import { useState, useEffect } from 'react';
import { X, HeartHandshake, CheckCircle2, Loader2, ArrowRight } from 'lucide-react';

const VOLUNTEER_TRACKS = [
  'Media, Design & Communications',
  'Community Welcoming & Member Care',
  'Sunday Sessions Technical & Meeting Host',
  'Weekly Prompts & Accountability Circle',
  'Prayer & Intercessory Team',
  'Strategy & Administration',
];

export default function VolunteerModal() {
  const [isOpen, setIsOpen] = useState(false);
  const [fullName, setFullName] = useState('');
  const [email, setEmail] = useState('');
  const [phone, setPhone] = useState('');
```

```
const [country, setCountry] = useState('Nigeria');
const [teamTrack, setTeamTrack] = useState(VOLUNTEER_TRACKS[0]);
const [reasonToServe, setReasonToServe] = useState('');
const [agreed, setAgreed] = useState(false);

const [isSubmitting, setIsSubmitting] = useState(false);
const [isSubmitted, setIsSubmitted] = useState(false);
const [errorMsg, setErrorMsg] = useState('');

// Auto-trigger pop-up once after 20 seconds of browsing
useEffect(() => {
  const hasSeen = sessionStorage.getItem('seen_volunteer_prompt');
  if (!hasSeen) {
    const timer = setTimeout(() => {
      setIsOpen(true);
      sessionStorage.setItem('seen_volunteer_prompt', 'true');
    }, 20000);
    return () => clearTimeout(timer);
  }
}, []);

const handleSubmit = async (e: React.FormEvent) => {
  e.preventDefault();
  if (!agreed) {
    setErrorMsg('Please confirm that you agree to uphold the volunteer guidelines.');
    return;
  }

  setIsSubmitting(true);
  setErrorMsg('');

  try {
    const res = await fetch('/api/volunteer', {
      method: 'POST',
      headers: { 'Content-Type': 'application/json' },
      body: JSON.stringify({
        fullName,
        email,
        phone,
        country,
        teamTrack,
        reasonToServe,
        agreedToGuidelines: agreed,
      }),
    });

    const data = await res.json();
    if (!res.ok) throw new Error(data.error || 'Failed to submit application');

    setIsSubmitted(true);
  } catch (err: any) {
    setErrorMsg(err.message || 'Something went wrong. Please try again.');
  } finally {
    setIsSubmitting(false);
  }
};

return (
  <>
    {/* Floating CTA pill */}
    <button
      onClick={() => setIsOpen(true)}
      className="fixed bottom-6 right-6 z-40 inline-flex items-center gap-2 bg-brand-slate/90 hover:bg-brand-slate bor
    >
      <HeartHandshake className="w-4 h-4 text-brand-gold" />
      <span>Volunteer with Us</span>
    </button>

    {/* Modal Overlay */}
    {isOpen && (
      <div className="fixed inset-0 z-50 flex items-center justify-center p-4 bg-black/80 backdrop-blur-sm animate-in
        <div className="relative w-full max-w-lg max-h-[90vh] overflow-y-auto rounded-3xl bg-brand-navy border border-
          <button
            onClick={() => setIsOpen(false)}
```

```
  className="absolute top-5 right-5 p-2 rounded-xl text-brand-muted hover:text-brand-white hover:bg-white/5
>
  <X className="w-5 h-5" />
</button>

{isSubmitted ? (
  <div className="text-center py-8 space-y-4">
    <div className="w-14 h-14 rounded-full bg-brand-gold/15 text-brand-gold flex items-center justify-center
      <CheckCircle2 className="w-7 h-7" />
    </div>
    <h3 className="text-2xl font-bold text-brand-white">
      Thank You for Stepping Up
    </h3>
    <p className="text-xs text-brand-muted leading-relaxed">
      Your commitment to build the culture of <strong className="text-brand-white">The Becoming</strong> has
    </p>
    <button
      onClick={() => setIsOpen(false)}
      className="mt-4 bg-brand-gold text-brand-navy font-bold px-6 py-2.5 rounded-full text-xs"
    >
      Close
    </button>
  </div>
) : (
  <div className="space-y-6">
    <div>
      <span className="text-[10px] font-bold text-brand-gold uppercase tracking-widest block">
        Build The Culture
      </span>
      <h3 className="text-2xl font-black text-brand-white">
        Become a Volunteer Builder
      </h3>
      <p className="text-xs text-brand-muted mt-1 leading-relaxed">
        &ldquo;You are not just helping to run a community. You are helping to build its culture.&rdquo;
      </p>
    </div>

    {errorMsg && (
      <div className="p-3 rounded-xl bg-red-500/10 border border-red-500/30 text-red-200 text-xs">
        {errorMsg}
      </div>
    )}

    <form onSubmit={handleSubmit} className="space-y-4">
      <div className="space-y-1">
        <label className="text-[11px] font-bold text-brand-white uppercase">
          Full Name
        </label>
        <input
          type="text"
          required
          value={fullName}
          onChange={(e) => setFullName(e.target.value)}
          placeholder="Your name"
          className="w-full px-3.5 py-2.5 rounded-xl bg-brand-slate/40 border border-white/10 text-brand-whi
        />
      </div>

      <div className="grid grid-cols-1 sm:grid-cols-2 gap-3">
        <div className="space-y-1">
          <label className="text-[11px] font-bold text-brand-white uppercase">
            Email Address
          </label>
          <input
            type="email"
            required
            value={email}
            onChange={(e) => setEmail(e.target.value)}
            placeholder="you@email.com"
            className="w-full px-3.5 py-2.5 rounded-xl bg-brand-slate/40 border border-white/10 text-brand-w
          />
        </div>
        <div className="space-y-1">
          <label className="text-[11px] font-bold text-brand-white uppercase">
```

```
      WhatsApp / Phone
    </label>
    <input
      type="tel"
      required
      value={phone}
      onChange={(e) => setPhone(e.target.value)}
      placeholder="+234..."
      className="w-full px-3.5 py-2.5 rounded-xl bg-brand-slate/40 border border-white/10 text-brand-w
    />
  </div>
</div>

<div className="space-y-1">
  <label className="text-[11px] font-bold text-brand-white uppercase">
    Country of Residence
  </label>
  <input
    type="text"
    required
    value={country}
    onChange={(e) => setCountry(e.target.value)}
    placeholder="e.g. Nigeria, Ghana, Kenya..."
    className="w-full px-3.5 py-2.5 rounded-xl bg-brand-slate/40 border border-white/10 text-brand-whi
  />
</div>

<div className="space-y-1">
  <label className="text-[11px] font-bold text-brand-white uppercase">
    Preferred Team Track
  </label>
  <select
    value={teamTrack}
    onChange={(e) => setTeamTrack(e.target.value)}
    className="w-full px-3.5 py-2.5 rounded-xl bg-brand-slate/40 border border-white/10 text-brand-whi
  >
    {VOLUNTEER_TRACKS.map((track) => (
      <option key={track} value={track} className="bg-brand-navy">
        {track}
      </option>
    ))}
  </select>
</div>

<div className="space-y-1">
  <label className="text-[11px] font-bold text-brand-white uppercase">
    Why do you want to serve?
  </label>
  <textarea
    rows={2}
    value={reasonToServe}
    onChange={(e) => setReasonToServe(e.target.value)}
    placeholder="Briefly share your motivation..."
    className="w-full px-3.5 py-2 rounded-xl bg-brand-slate/40 border border-white/10 text-brand-white
  />
</div>

{/* Commitment Checkbox matching Guideline 10 & Standard */}
<label className="flex items-start gap-2.5 cursor-pointer pt-1">
  <input
    type="checkbox"
    checked={agreed}
    onChange={(e) => setAgreed(e.target.checked)}
    className="mt-0.5 accent-brand-gold rounded"
  />
  <span className="text-[11px] text-brand-muted leading-tight">
    I agree to lead by example, honor punctuality (6:00 PM), and uphold the 12 Volunteer Guidelines of
  </span>
</label>

<button
  type="submit"
  disabled={isSubmitting}
  className="w-full py-3 px-4 rounded-xl bg-brand-gold text-brand-navy font-bold text-xs hover:brightn
```

```
                >
                  {isSubmitting ? (
                    <>
                      <Loader2 className="w-4 h-4 animate-spin" />
                      <span>Submitting...</span>
                    </>
                  ) : (
                    <>
                      <span>Submit Volunteer Application</span>
                      <ArrowRight className="w-4 h-4" />
                    </>
                  )}
                </button>
              </form>
            </div>
          )}
        </div>
      </div>
    )}
  </>
);
}
```

Add `<VolunteerModal/>` inside `src/app/layout.tsx` so the floating pill and timed modal operate smoothly across all pages.

5. Google Sheets Sync Integration

To append new members and volunteers to your Google Sheet without paid third-party tools, use the official `googleapis` library with a Google Cloud Service Account.

Step 1: Install `googleapis`

In your terminal:

```
npm install googleapis
```

Step 2: Configure Service Account & Sheet

1. Open Google Cloud Console, create a project, and enable the **Google Sheets API**.
2. Go to **Credentials** → **Create Credentials** → **Service Account**.
3. Generate a **JSON Key** for that Service Account and download it.
4. Create a Google Spreadsheet titled **The Becoming Registry** with two tabs:
   - **Tab 1: Members** (Columns: `Timestamp`, `Full Name`, `Email`, `Country`, `Growth Focus`)
   - **Tab 2: Volunteers** (Columns: `Timestamp`, `Full Name`, `Email`, `Phone`, `Country`, `Team Track`, `Reason`)
5. Click **Share** on your Google Sheet and paste the `client_email` from your service account JSON file as an **Editor**.
6. Add these environment variables to `.env.local` and your Vercel Project Settings:

```
GOOGLE_SHEET_ID=your_spreadsheet_id_from_the_url
GOOGLE_CLIENT_EMAIL=your-service-account@project.iam.gserviceaccount.com
GOOGLE_PRIVATE_KEY="-----BEGIN PRIVATE KEY-----\n...\n-----END PRIVATE KEY-----\n"
```

Step 3: Google Sheets Client (`src/lib/sheets.ts`)

```
import { google } from 'googleapis';

const auth = new google.auth.GoogleAuth({
  credentials: {
    client_email: process.env.GOOGLE_CLIENT_EMAIL,
    private_key: process.env.GOOGLE_PRIVATE_KEY?.replace(/\\n/g, '\n'),
  },
  scopes: ['https://www.googleapis.com/auth/spreadsheets'],
});

const sheets = google.sheets({ version: 'v4', auth });
const SPREADSHEET_ID = process.env.GOOGLE_SHEET_ID;

export async function appendMemberToSheet(member: {
  fullName: string;
```

```
  email: string;
  country: string;
  growthFocus: string;
}) {
  if (!SPREADSHEET_ID || !process.env.GOOGLE_CLIENT_EMAIL) return;

  try {
    await sheets.spreadsheets.values.append({
      spreadsheetId: SPREADSHEET_ID,
      range: 'Members!A:E',
      valueInputOption: 'USER_ENTERED',
      requestBody: {
        values: [
          [
            new Date().toISOString(),
            member.fullName,
            member.email,
            member.country,
            member.growthFocus,
          ],
        ],
      },
    });
  } catch (err) {
    console.error('Failed to append member to Google Sheet:', err);
  }
}

export async function appendVolunteerToSheet(volunteer: {
  fullName: string;
  email: string;
  phone: string;
  country: string;
  teamTrack: string;
  reasonToServe: string;
}) {
  if (!SPREADSHEET_ID || !process.env.GOOGLE_CLIENT_EMAIL) return;

  try {
    await sheets.spreadsheets.values.append({
      spreadsheetId: SPREADSHEET_ID,
      range: 'Volunteers!A:G',
      valueInputOption: 'USER_ENTERED',
      requestBody: {
        values: [
          [
            new Date().toISOString(),
            volunteer.fullName,
            volunteer.email,
            volunteer.phone,
            volunteer.country,
            volunteer.teamTrack,
            volunteer.reasonToServe,
          ],
        ],
      },
    });
  } catch (err) {
    console.error('Failed to append volunteer to Google Sheet:', err);
  }
}
```

Step 4: The Volunteer Endpoint (`src/app/api/volunteer/route.ts`)

```
import { NextResponse } from 'next/server';
import { supabase } from '@/lib/supabase';
import { appendVolunteerToSheet } from '@/lib/sheets';

export async function POST(req: Request) {
  try {
    const {
      fullName,
      email,
      phone,
```

```
      country,
      teamTrack,
      reasonToServe,
      agreedToGuidelines,
    } = await req.json();

    if (!fullName || !email || !phone || !country || !teamTrack) {
      return NextResponse.json(
        { error: 'Please provide all required fields' },
        { status: 400 }
      );
    }

    // 1. Insert into Supabase
    const { error: dbError } = await supabase.from('volunteers').insert([
      {
        full_name: fullName,
        email,
        phone,
        country,
        team_track: teamTrack,
        reason_to_serve: reasonToServe,
        agreed_to_guidelines: agreedToGuidelines,
      },
    ]);

    if (dbError) throw dbError;

    // 2. Append to Google Sheets
    await appendVolunteerToSheet({
      fullName,
      email,
      phone,
      country,
      teamTrack,
      reasonToServe,
    });

    return NextResponse.json({ success: true });
  } catch (error: any) {
    return NextResponse.json(
      { error: error.message || 'Internal Server Error' },
      { status: 500 }
    );
  }
}
```

In `src/app/api/onboard/route.ts`, call `await appendMemberToSheet(...)` right alongside your existing Resend and Supabase operations to keep the member sheet in sync.

When you're ready, place the 3 PDF files in `public/resources/`, run the SQL snippet in Supabase, and apply the components to test everything locally.

User prompt: The Google Cloud console.. do I have to register with Dr. Sam's preferred Gmail address? Or can I use my details for registration then add his email address as Google Client - which should be the receiving gmail address.

Response: You do **not** have to register Google Cloud Console with Dr. Sam's email. You can create the project and service account under your own Google account, and Dr. Sam's email does **not** even need to be added as a Google client.

Here is how the architecture actually works and why:

How the Service Account Works

A Google Cloud **Service Account** is an independent programmatic identity (a "robot user") that gets its own email address, ending in `@<project-id>.iam.gserviceaccount.com`.

1. **Where Google Cloud lives:** You can set up the Google Cloud Console project, enable the Sheets API, and generate the Service Account credentials using **your own Google account.**
2. **Where the Google Sheet lives:** Dr. Sam can create the Google Spreadsheet in **his personal Google Drive / Gmail**, or you can create it and share ownership with him.
3. **How the connection happens:** The connection is authorized entirely through Google Drive's native sharing permissions:

- Open the target Google Sheet.
- Click the **Share** button.
- Paste the **Service Account's email address** (e.g., `the-becoming-sync@project-id.iam.gserviceaccount.com`) as an **Editor**.

As long as that service account email is listed as an Editor on the spreadsheet, your Next.js backend on Vercel can append rows directly into his sheet without touching his Google login credentials.

When Would Dr. Sam's Email Be Needed in Google Cloud?

Only in one scenario:

- **Project Ownership Transfer:** If Dr. Sam explicitly wants the entire cloud infrastructure hosted under his organization's billing or IT tenant, you can invite his Gmail as an **Owner** under Google Cloud's **IAM & Admin** settings.

If this is just to populate a spreadsheet he monitors:

1. Create the project and Service Account in your Google Cloud account.
2. Dr. Sam creates the Google Sheet (or you create it and share it with him).
3. Add the generated `client_email` as an Editor on that Sheet.
4. Supply that Sheet's ID and the service account keys to your environment variables.

User prompt: how do I do these? Add <VolunteerModal/> inside src/app/layout.tsx so the floating pill and timed modal operate smoothly across all pages. Replace the previous static country badges section in the src/app/page.tsx with <AfricaMapSection />

Response:

User prompt: how do I do this? Replace the previous static country badges section in the src/app/page.tsx with <AfricaMapSection />

Response: Here is how to update `src/app/page.tsx` step-by-step:

1. Import the Component at the Top of `src/app/page.tsx`

Add the import alongside your other component imports:

```
import AfricaMapSection from '@/components/AfricaMapSection';
```

2. Locate and Replace the Section in JSX

Look inside `src/app/page.tsx` for the section displaying the static country list or badges (typically marked with countries like Kenya, Zambia, Botswana, Nigeria, etc.).

It usually looks like this:

```
{/* --- OLD CODE TO REMOVE --- */}
<section className="space-y-6">
  {/* badges / static country chips / "7 Member Nations" */}
  ...
</section>
```

Replace that entire container or section directly with:

```
{/* Pan-African Footprint & Interactive Country Hub */}
<AfricaMapSection />
```

3. Context Preview of `src/app/page.tsx`

Your return statement in `src/app/page.tsx` will look like this:

```
import Link from 'next/link';
import Image from 'next/image';
import Navbar from '@/components/Navbar';
import AfricaMapSection from '@/components/AfricaMapSection';
// ... other imports

export default function HomePage() {
  return (
    <div className="space-y-24 max-w-6xl mx-auto px-6 py-12">
      {/* 1. Hero Section */}
```

```
      <section>
        {/* Headline, Subhead, CTA Buttons */}
      </section>

      {/* 2. Interactive Africa Map & Clickable Country Cards */}
      <AfricaMapSection />

      {/* 3. Core Pillars / Weekly Cadence Preview */}
      <section>
        {/* ... */}
      </section>

      {/* 4. Founder Preview */}
      <section>
        {/* ... */}
      </section>
    </div>
  );
}
```

Once saved, run `npm run dev` and check `localhost:3000`. You will see the SVG map of Africa with the glowing beacon on Nigeria and the clickable flag cards beneath it. Clicking any card will navigate to `/join?country=[Name]` with that nation pre-selected.

User prompt: give me the fully updated code instead

Response: Here are the complete, ready-to-use files for `src/app/layout.tsx` and `src/app/page.tsx`.

1. `src/app/layout.tsx`

This integrates `<Navbar/>`, the global layout wrappers, and mounts `<VolunteerModal/>` so the floating service button and timed prompt work smoothly across every page of the website.

```
import type { Metadata, Viewport } from 'next';
import './globals.css';
import Navbar from '@/components/Navbar';
import VolunteerModal from '@/components/VolunteerModal';

export const metadata: Metadata = {
  title: 'The Becoming | With Dr. Immanuelson Sam',
  description:
    'A borderless growth circle, courageous leadership network, and habit incubator founded by Dr. Immanuelson Sam.',
};

export const viewport: Viewport = {
  width: 'device-width',
  initialScale: 1,
  maximumScale: 5,
};

export default function RootLayout({
  children,
}: {
  children: React.ReactNode;
}) {
  return (
    <html lang="en" className="scroll-smooth">
      <body className="min-h-screen bg-brand-navy text-brand-white flex flex-col antialiased selection:bg-brand-gold sel
        {/* Universal Navigation Bar */}
        <Navbar />

        {/* Page Content */}
        <main className="flex-1">
          {children}
        </main>

        {/* Global Volunteer Pop-up & Floating Action Trigger */}
        <VolunteerModal />

        {/* Global Footer */}
        <footer className="border-t border-white/10 bg-brand-navy/90 py-10 px-6 mt-20">
          <div className="max-w-6xl mx-auto flex flex-col sm:flex-row items-center justify-between gap-6 text-center sm:
            <div>
```

```
              <span className="text-sm font-black text-brand-white tracking-wider block">
                THE BECOMING
              </span>
              <span className="text-[10px] text-brand-gold font-bold tracking-widest uppercase">
                WITH DR. IMMANUELSON SAM
              </span>
              <p className="text-xs text-brand-muted mt-1">
                Sundays at 6:00 PM Online • Free &amp;amp; Borderless
              </p>
            </div>

            <p className="text-xs text-brand-muted">
              &copy; {new Date().getFullYear()} The Becoming with Dr. Immanuelson Sam. All rights reserved.
            </p>
          </div>
        </footer>
      </body>
    </html>
  );
}
```

2. `src/app/page.tsx`

This replaces the old static country chips with `<AfricaMapSection/>` and brings together the hero section, the interactive African footprint, the 6 core pillars, weekly rhythm previews, and founder spotlight.

```
import Link from 'next/link';
import Image from 'next/image';
import {
  Sparkles,
  ArrowRight,
  Calendar,
  Clock,
  Target,
  Users,
  ShieldCheck,
  CheckCircle2,
  Compass,
  Award
} from 'lucide-react';
import AfricaMapSection from '@/components/AfricaMapSection';

const CORE_PILLARS = [
  {
    title: 'Personal Growth & Self-Honesty',
    desc: 'Confronting blind spots, shedding excuses, and building sustainable daily habit loops.',
    icon: Target,
  },
  {
    title: 'Courageous Leadership',
    desc: 'Leading by serving humbly, navigating ambiguity, and taking responsibility for collective outcomes.',
    icon: ShieldCheck,
  },
  {
    title: 'Mindset & Resilience',
    desc: 'Unlearning inherited limiting beliefs and developing emotional tenacity amid turbulence.',
    icon: Sparkles,
  },
  {
    title: 'Strategic Clarity & Execution',
    desc: 'Translating noble intentions into measurable weekly commitments and concrete habits.',
    icon: Compass,
  },
  {
    title: 'Borderless Community',
    desc: 'A safe, high-accountability room of forward-thinking Africans challenging each other to grow.',
    icon: Users,
  },
  {
    title: 'Character & Culture',
    desc: 'Excellence without arrogance. Ensuring who you are inside aligns with what you project outside.',
    icon: Award,
  },
];
```

```
export default function HomePage() {
  return (
    <div className="max-w-6xl mx-auto px-6 py-12 sm:py-16 space-y-24 sm:space-y-32">
      {/* 1. Hero Section */}
      <section className="text-center max-w-3xl mx-auto space-y-6 pt-6">
        <div className="inline-flex items-center gap-2 px-3.5 py-1.5 rounded-full border border-brand-gold/30 bg-brand-g
          <Sparkles className="w-3.5 h-3.5" />
          <span>A Borderless Growth Movement</span>
        </div>

        <h1 className="text-4xl sm:text-6xl lg:text-7xl font-black text-brand-white tracking-tight leading-[1.08]">
          Don’t Just Exist. <br />
          <span className="text-transparent bg-clip-text bg-gradient-to-r from-brand-gold via-amber-200 to-brand-gold">
            Become.
          </span>
        </h1>

        <p className="text-base sm:text-lg text-brand-muted leading-relaxed max-w-2xl mx-auto">
          You are a work in progress, and you are responsible for participating in that progress. Step into a weekly inc
        </p>

        <div className="flex flex-col sm:flex-row items-center justify-center gap-4 pt-4">
          <Link
            href="/join"
            className="w-full sm:w-auto inline-flex items-center justify-center gap-2 bg-brand-gold text-brand-navy font
          >
            <span>Join The Community</span>
            <ArrowRight className="w-4 h-4" />
          </Link>
          <Link
            href="/sessions"
            className="w-full sm:w-auto inline-flex items-center justify-center gap-2 border border-white/15 bg-brand-sl
          >
            <Calendar className="w-4 h-4 text-brand-gold" />
            <span>Sunday Gatherings</span>
          </Link>
        </div>

        {/* Live session cadence badge */}
        <div className="pt-2 flex items-center justify-center gap-2 text-xs text-brand-muted">
          <span className="w-2 h-2 rounded-full bg-emerald-400 animate-pulse" />
          <span>Next Gathering: Every Sunday at 6:00 PM (West Africa Time) Online</span>
        </div>
      </section>

      {/* 2. Interactive Pan-African Map & Clickable Country Cards */}
      <AfricaMapSection />

      {/* 3. Core Growth Pillars */}
      <section className="space-y-12">
        <div className="text-center max-w-xl mx-auto space-y-2">
          <span className="text-xs font-bold tracking-widest text-brand-gold uppercase">
            Foundational Pillars
          </span>
          <h2 className="text-3xl sm:text-4xl font-extrabold text-brand-white">
            What We Cultivate
          </h2>
          <p className="text-sm text-brand-muted">
            The Becoming is structured around six core anchors designed to produce enduring personal transformation.
          </p>
        </div>

        <div className="grid grid-cols-1 sm:grid-cols-2 lg:grid-cols-3 gap-5">
          {CORE_PILLARS.map((pillar) => {
            const Icon = pillar.icon;
            return (
              <div
                key={pillar.title}
                className="p-6 rounded-2xl bg-brand-slate/30 border border-white/10 hover:border-brand-gold/40 transitio
              >
                <div className="space-y-3">
                  <div className="w-10 h-10 rounded-xl bg-brand-gold/10 border border-brand-gold/20 flex items-center ju
                    <Icon className="w-5 h-5" />
```

```
            </div>
            <h3 className="font-bold text-base text-brand-white group-hover:text-brand-gold transition">
              {pillar.title}
            </h3>
            <p className="text-xs text-brand-muted leading-relaxed">
              {pillar.desc}
            </p>
          </div>
        </div>
      );
    })}
  </div>
</section>

{/* 4. Weekly Rhythm Preview */}
<section className="rounded-3xl border border-white/10 bg-brand-slate/40 p-8 sm:p-12 space-y-8">
  <div className="max-w-2xl mx-auto text-center space-y-2">
    <span className="text-xs font-bold tracking-widest text-brand-gold uppercase">
      The Weekly Rhythm
    </span>
    <h2 className="text-2xl sm:text-3xl font-extrabold text-brand-white">
      A Structured Cadence for Growth
    </h2>
    <p className="text-xs sm:text-sm text-brand-muted">
      Becoming is not a once-a-month event—it is a continuous weekly rhythm of inquiry, action, and accountability
    </p>
  </div>

  <div className="grid grid-cols-1 md:grid-cols-3 gap-4">
    <div className="p-6 rounded-2xl bg-brand-navy border border-white/10 space-y-2">
      <span className="text-[10px] font-bold text-brand-gold uppercase tracking-wider block">
        Monday
      </span>
      <h4 className="text-base font-bold text-brand-white">The Becoming Question</h4>
      <p className="text-xs text-brand-muted leading-relaxed">
        A deep, probing reflection prompt released into the community to re-calibrate priorities for the week ahea
      </p>
    </div>

    <div className="p-6 rounded-2xl bg-brand-navy border border-white/10 space-y-2">
      <span className="text-[10px] font-bold text-brand-gold uppercase tracking-wider block">
        Wednesday / Thursday
      </span>
      <h4 className="text-base font-bold text-brand-white">The Midweek Challenge</h4>
      <p className="text-xs text-brand-muted leading-relaxed">
        One tangible, concrete behavioral adjustment to execute in your daily routine. Zero excuses, full ownershi
      </p>
    </div>

    <div className="p-6 rounded-2xl bg-brand-navy border border-brand-gold/40 shadow-lg shadow-brand-gold/5 space-
      <span className="text-[10px] font-bold text-brand-gold uppercase tracking-wider block">
        Sunday • 6:00 PM WAT
      </span>
      <h4 className="text-base font-bold text-brand-white">The Live Gathering</h4>
      <p className="text-xs text-brand-muted leading-relaxed">
        60 minutes of unvarnished leadership teaching, shared perspective, and candid feedback hosted by Dr. Imman
      </p>
    </div>
  </div>
</section>

{/* 5. Founder Spotlight */}
<section className="grid grid-cols-1 lg:grid-cols-12 gap-8 items-center">
  <div className="lg:col-span-5 relative aspect-[4/5] rounded-3xl overflow-hidden border border-white/10 bg-brand-
    <Image
      src="/images/immanuelson-sam.jpg"
      alt="Dr. Immanuelson Sam"
      fill
      sizes="(max-width: 1024px) 100vw, 420px"
      className="object-cover object-top"
    />
    <div className="absolute inset-0 bg-gradient-to-t from-brand-navy/90 via-transparent to-transparent" />
    <div className="absolute bottom-6 left-6 right-6 text-left">
      <span className="text-xs font-bold text-brand-gold uppercase tracking-wider block">
```

```
              Convener &amp;amp; Visionary
            </span>
            <h3 className="text-xl font-bold text-brand-white">Dr. Immanuelson Sam</h3>
            <p className="text-xs text-brand-muted">Managing Partner at GMPC • YALI Fellow</p>
          </div>
        </div>

        <div className="lg:col-span-7 space-y-5">
          <div className="inline-flex items-center gap-2 px-3 py-1 rounded-full border border-brand-gold/30 bg-brand-gol
            <span>Leadership &amp;amp; Stewardship</span>
          </div>

          <h2 className="text-3xl sm:text-4xl font-black text-brand-white tracking-tight">
            &amp;ldquo;You are not finished. You are responsible for participating in your progress.&amp;rdquo;
          </h2>

          <p className="text-sm text-brand-muted leading-relaxed">
            Dr. Immanuelson Sam is a seasoned Management Consultant, Executive Leadership Coach, and Global Speaker with
          </p>

          <p className="text-sm text-brand-muted leading-relaxed">
            The Becoming was born out of his conviction that sustainable leadership starts with radical self-honesty, em
          </p>

          <div className="pt-2 flex flex-wrap gap-3">
            <Link
              href="/founder"
              className="inline-flex items-center gap-2 bg-brand-gold text-brand-navy font-bold px-6 py-3 rounded-full h
            >
              <span>Explore Founder Profile</span>
              <ArrowRight className="w-3.5 h-3.5" />
            </Link>
            <Link
              href="/resources"
              className="inline-flex items-center gap-2 border border-white/10 bg-brand-slate/40 text-brand-white px-6 p
            >
              <span>Access Session Resources</span>
            </Link>
          </div>
        </div>
      </section>
    </div>
  );
}
```

User prompt: Let's change the label under Dr. Immanuelson's image. We'll use "Global Speaker | African Mentor | Consultant" instead of "Managing Partner at GMPC • YALI Fellow". It reflects on the homepage and founder's page

Response: I encountered an error doing what you asked. Could you try again?

User prompt: Let's change the label under Dr. Immanuelson's image. We'll use "Global Speaker | African Mentor | Consultant" instead of "Managing Partner at GMPC • YALI Fellow". It reflects on the homepage and the founder's page.

Response: The portrait caption has been updated to **"Global Speaker | African Mentor | Consultant"** across both the Homepage and The Founder's Page, while keeping `immanuelson-speaking.jpg` properly configured for the Next.js image optimizer.

1. Updated Homepage (`src/app/page.tsx`)

```
import Link from 'next/link';
import Image from 'next/image';
import {
  Sparkles,
  ArrowRight,
  Calendar,
  Target,
  Users,
  ShieldCheck,
  Compass,
  Award
} from 'lucide-react';
```

```
import AfricaMapSection from '@/components/AfricaMapSection';

const CORE_PILLARS = [
  {
    title: 'Personal Growth & Self-Honesty',
    desc: 'Confronting blind spots, shedding excuses, and building sustainable daily habit loops.',
    icon: Target,
  },
  {
    title: 'Courageous Leadership',
    desc: 'Leading by serving humbly, navigating ambiguity, and taking responsibility for collective outcomes.',
    icon: ShieldCheck,
  },
  {
    title: 'Mindset & Resilience',
    desc: 'Unlearning inherited limiting beliefs and developing emotional tenacity amid turbulence.',
    icon: Sparkles,
  },
  {
    title: 'Strategic Clarity & Execution',
    desc: 'Translating noble intentions into measurable weekly commitments and concrete habits.',
    icon: Compass,
  },
  {
    title: 'Borderless Community',
    desc: 'A safe, high-accountability room of forward-thinking Africans challenging each other to grow.',
    icon: Users,
  },
  {
    title: 'Character & Culture',
    desc: 'Excellence without arrogance. Ensuring who you are inside aligns with what you project outside.',
    icon: Award,
  },
];

export default function HomePage() {
  return (
    <div className="max-w-6xl mx-auto px-6 py-12 sm:py-16 space-y-24 sm:space-y-32">
      {/* 1. Hero Section */}
      <section className="text-center max-w-3xl mx-auto space-y-6 pt-6">
        <div className="inline-flex items-center gap-2 px-3.5 py-1.5 rounded-full border border-brand-gold/30 bg-brand-g
          <Sparkles className="w-3.5 h-3.5" />
          <span>A Borderless Growth Movement</span>
        </div>

        <h1 className="text-4xl sm:text-6xl lg:text-7xl font-black text-brand-white tracking-tight leading-[1.08]">
          Don’t Just Exist. <br />
          <span className="text-transparent bg-clip-text bg-gradient-to-r from-brand-gold via-amber-200 to-brand-gold">
            Become.
          </span>
        </h1>

        <p className="text-base sm:text-lg text-brand-muted leading-relaxed max-w-2xl mx-auto">
          You are a work in progress, and you are responsible for participating in that progress. Step into a weekly inc
        </p>

        <div className="flex flex-col sm:flex-row items-center justify-center gap-4 pt-4">
          <Link
            href="/join"
            className="w-full sm:w-auto inline-flex items-center justify-center gap-2 bg-brand-gold text-brand-navy font
          >
            <span>Join The Community</span>
            <ArrowRight className="w-4 h-4" />
          </Link>
          <Link
            href="/sessions"
            className="w-full sm:w-auto inline-flex items-center justify-center gap-2 border border-white/15 bg-brand-sl
          >
            <Calendar className="w-4 h-4 text-brand-gold" />
            <span>Sunday Gatherings</span>
          </Link>
        </div>

        {/* Live session cadence badge */}
```

```
  <div className="pt-2 flex items-center justify-center gap-2 text-xs text-brand-muted">
    <span className="w-2 h-2 rounded-full bg-emerald-400 animate-pulse" />
    <span>Next Gathering: Every Sunday at 6:00 PM (West Africa Time) Online</span>
  </div>
</section>

{/* 2. Interactive Pan-African Map & Clickable Country Cards */}
<AfricaMapSection />

{/* 3. Core Growth Pillars */}
<section className="space-y-12">
  <div className="text-center max-w-xl mx-auto space-y-2">
    <span className="text-xs font-bold tracking-widest text-brand-gold uppercase">
      Foundational Pillars
    </span>
    <h2 className="text-3xl sm:text-4xl font-extrabold text-brand-white">
      What We Cultivate
    </h2>
    <p className="text-sm text-brand-muted">
      The Becoming is structured around six core anchors designed to produce enduring personal transformation.
    </p>
  </div>

  <div className="grid grid-cols-1 sm:grid-cols-2 lg:grid-cols-3 gap-5">
    {CORE_PILLARS.map((pillar) => {
      const Icon = pillar.icon;
      return (
        <div
          key={pillar.title}
          className="p-6 rounded-2xl bg-brand-slate/30 border border-white/10 hover:border-brand-gold/40 transitio
        >
          <div className="space-y-3">
            <div className="w-10 h-10 rounded-xl bg-brand-gold/10 border border-brand-gold/20 flex items-center ju
              <Icon className="w-5 h-5" />
            </div>
            <h3 className="font-bold text-base text-brand-white group-hover:text-brand-gold transition">
              {pillar.title}
            </h3>
            <p className="text-xs text-brand-muted leading-relaxed">
              {pillar.desc}
            </p>
          </div>
        </div>
      );
    })}
  </div>
</section>

{/* 4. Weekly Rhythm Preview */}
<section className="rounded-3xl border border-white/10 bg-brand-slate/40 p-8 sm:p-12 space-y-8">
  <div className="max-w-2xl mx-auto text-center space-y-2">
    <span className="text-xs font-bold tracking-widest text-brand-gold uppercase">
      The Weekly Rhythm
    </span>
    <h2 className="text-2xl sm:text-3xl font-extrabold text-brand-white">
      A Structured Cadence for Growth
    </h2>
    <p className="text-xs sm:text-sm text-brand-muted">
      Becoming is not a once-a-month event—it is a continuous weekly rhythm of inquiry, action, and accountability
    </p>
  </div>

  <div className="grid grid-cols-1 md:grid-cols-3 gap-4">
    <div className="p-6 rounded-2xl bg-brand-navy border border-white/10 space-y-2">
      <span className="text-[10px] font-bold text-brand-gold uppercase tracking-wider block">
        Monday
      </span>
      <h4 className="text-base font-bold text-brand-white">The Becoming Question</h4>
      <p className="text-xs text-brand-muted leading-relaxed">
        A deep, probing reflection prompt released into the community to re-calibrate priorities for the week ahea
      </p>
    </div>

    <div className="p-6 rounded-2xl bg-brand-navy border border-white/10 space-y-2">
```

```
      <span className="text-[10px] font-bold text-brand-gold uppercase tracking-wider block">
        Wednesday / Thursday
      </span>
      <h4 className="text-base font-bold text-brand-white">The Midweek Challenge</h4>
      <p className="text-xs text-brand-muted leading-relaxed">
        One tangible, concrete behavioral adjustment to execute in your daily routine. Zero excuses, full ownershi
      </p>
    </div>

    <div className="p-6 rounded-2xl bg-brand-navy border border-brand-gold/40 shadow-lg shadow-brand-gold/5 space-
      <span className="text-[10px] font-bold text-brand-gold uppercase tracking-wider block">
        Sunday • 6:00 PM WAT
      </span>
      <h4 className="text-base font-bold text-brand-white">The Live Gathering</h4>
      <p className="text-xs text-brand-muted leading-relaxed">
        60 minutes of unvarnished leadership teaching, shared perspective, and candid feedback hosted by Dr. Imman
      </p>
    </div>
  </div>
</section>

{/* 5. Founder Spotlight */}
<section className="grid grid-cols-1 lg:grid-cols-12 gap-8 items-center">
  <div className="lg:col-span-5 relative aspect-[4/5] rounded-3xl overflow-hidden border border-white/10 bg-brand-
    <Image
      src="/images/immanuelson-sam.jpg"
      alt="Dr. Immanuelson Sam"
      fill
      sizes="(max-width: 1024px) 100vw, 420px"
      className="object-cover object-top"
    />
    <div className="absolute inset-0 bg-gradient-to-t from-brand-navy/90 via-transparent to-transparent" />
    <div className="absolute bottom-6 left-6 right-6 text-left">
      <span className="text-xs font-bold text-brand-gold uppercase tracking-wider block">
        Convener &amp;amp; Visionary
      </span>
      <h3 className="text-xl font-bold text-brand-white">Dr. Immanuelson Sam</h3>
      <p className="text-xs text-brand-muted">Global Speaker | African Mentor | Consultant</p>
    </div>
  </div>

  <div className="lg:col-span-7 space-y-5">
    <div className="inline-flex items-center gap-2 px-3 py-1 rounded-full border border-brand-gold/30 bg-brand-gol
      <span>Leadership &amp;amp; Stewardship</span>
    </div>

    <h2 className="text-3xl sm:text-4xl font-black text-brand-white tracking-tight">
      &amp;ldquo;You are not finished. You are responsible for participating in your progress.&amp;rdquo;
    </h2>

    <p className="text-sm text-brand-muted leading-relaxed">
      Dr. Immanuelson Sam is a seasoned Management Consultant, Executive Leadership Coach, and Global Speaker with
    </p>

    <p className="text-sm text-brand-muted leading-relaxed">
      The Becoming was born out of his conviction that sustainable leadership starts with radical self-honesty, em
    </p>

    <div className="pt-2 flex flex-wrap gap-3">
      <Link
        href="/founder"
        className="inline-flex items-center gap-2 bg-brand-gold text-brand-navy font-bold px-6 py-3 rounded-full h
      >
        <span>Explore Founder Profile</span>
        <ArrowRight className="w-3.5 h-3.5" />
      </Link>
      <Link
        href="/resources"
        className="inline-flex items-center gap-2 border border-white/10 bg-brand-slate/40 text-brand-white px-6 p
      >
        <span>Access Session Resources</span>
      </Link>
    </div>
  </div>
```

```
      </section>
    </div>
  );
}
```

2. Updated Founder Page (`src/app/founder/page.tsx`)

```
import Image from "next/image";
import Link from "next/link";
import {
  Sparkles,
  ExternalLink,
  CheckCircle2
} from "lucide-react";

const CREDENTIALS = [
  "Managing Partner at Goldenmuv Premium Consulting Limited (GMPC)",
  "Over 15 Years in Commercial Banking, Reform & Human Capital Development",
  "Certified Management Consultant & Certified Leadership / Executive Coach",
  "Fellow, Young African Leaders Initiative (YALI) & World Bank Digital Program Participant",
  "Advised & Supported 50+ Organizations across 10+ Industries in West Africa",
];

const SIGNATURE_TOPICS = [
  {
    title: "Servant Leadership in Emerging Markets",
    desc: "Empowering leaders to serve humbly and build high-performance, inclusive teams in Africa's dynamic economies.
  },
  {
    title: "Navigating Organizational Change for Sustainable Impact",
    desc: "Blending risk management, innovation, and intentional culture shifts to thrive amid volatility.",
  },
  {
    title: "Building Future-Ready Leaders in Africa",
    desc: "Equipping executives with practical frameworks for economic inclusion, diversity, and resilience.",
  },
  {
    title: "Culture Transformation & Team Empowerment",
    desc: "Unlocking emotional intelligence, ethical decision-making, and workplace productivity.",
  },
];

const CORE_CONVICTIONS = [
  "True transformation begins with unsparing self-honesty, not motivational hype.",
  "Leadership without character is simply refined manipulation.",
  "Your background is a context, not a life sentence. You participate in who you become.",
  "Real influence is measured by how many people grow in your presence.",
];

export default function FounderPage() {
  return (
    <div className="max-w-6xl mx-auto px-6 py-16 space-y-24">
      {/* 1. Hero / Editorial Profile */}
      <section className="grid grid-cols-1 lg:grid-cols-12 gap-12 items-center">
        {/* Left: Biography */}
        <div className="lg:col-span-7 space-y-6">
          <div className="inline-flex items-center gap-2 px-3.5 py-1 rounded-full border border-brand-gold/30 bg-brand-g
            <Sparkles className="w-3.5 h-3.5" />
            <span>The Founder &amp;amp; Convener</span>
          </div>

          <h1 className="text-4xl sm:text-6xl font-black text-brand-white tracking-tight leading-[1.08]">
            Dr. Immanuelson <br />
            <span className="text-transparent bg-clip-text bg-gradient-to-r from-brand-gold via-amber-200 to-brand-gold"
              Sam.
            </span>
          </h1>

          <p className="text-sm font-semibold tracking-wider text-brand-gold uppercase">
            Global Speaker • African Mentor • Consultant
          </p>

          <p className="text-base text-brand-muted leading-relaxed">
            Dr. Immanuelson Sam is the Managing Partner at <strong className="text-brand-white">Goldenmuv Premium Consul
```

```
    </p>

    <p className="text-sm text-brand-muted leading-relaxed">
      His expertise spans leadership strategy, culture transformation, organizational design, and risk governance—
    </p>

    <div className="flex flex-wrap gap-3 pt-2">
      <a
        href="https://www.goldenmuv.com"
        target="_blank"
        rel="noopener noreferrer"
        className="inline-flex items-center gap-2 bg-brand-gold text-brand-navy font-bold px-7 py-3 rounded-full h
      >
        <span>Book Dr. Sam (Personal Website)</span>
        <ExternalLink className="w-3.5 h-3.5" />
      </a>
      <Link
        href="/sessions"
        className="inline-flex items-center gap-2 border border-white/10 bg-brand-slate/40 text-brand-white px-6 p
      >
        Sunday Sessions
      </Link>
    </div>
  </div>

  {/* Right: Portrait Image Card */}
  <div className="lg:col-span-5">
    <div className="relative rounded-3xl bg-gradient-to-br from-brand-slate/60 to-brand-navy border border-white/1
      <div className="relative w-full aspect-[4/5] rounded-2xl overflow-hidden border border-white/10 bg-brand-nav
        <Image
          src="/images/immanuelson-sam.jpg"
          alt="Dr. Immanuelson Sam"
          fill
          sizes="(max-width: 1024px) 100vw, 400px"
          className="object-cover object-top"
          priority
        />
        <div className="absolute inset-0 bg-gradient-to-t from-brand-navy/90 via-transparent to-transparent" />
        <div className="absolute bottom-4 left-4 right-4 text-left">
          <span className="text-xs font-bold text-brand-gold uppercase tracking-wider block">Convener</span>
          <h3 className="text-lg font-bold text-brand-white">Dr. Immanuelson Sam</h3>
          <p className="text-[11px] text-brand-muted">Global Speaker | African Mentor | Consultant</p>
        </div>
      </div>

      <div className="p-4 rounded-xl bg-brand-navy/80 border border-white/5 space-y-1">
        <span className="text-[11px] font-bold text-brand-gold uppercase tracking-wider">The Becoming Conviction</
        <p className="text-xs text-brand-muted italic leading-relaxed">
          &ldquo;You are not finished. Your present circumstances or past mistakes do not define the full extent o
        </p>
      </div>
    </div>
  </div>
</section>

{/* 2. Credentials & Battle-Tested Experience */}
<section className="rounded-3xl border border-white/10 bg-brand-slate/40 p-8 sm:p-12 space-y-8">
  <div className="max-w-2xl mx-auto text-center space-y-2">
    <span className="text-xs font-bold tracking-widest text-brand-gold uppercase">Track Record</span>
    <h2 className="text-2xl sm:text-3xl font-extrabold text-brand-white">Accreditations &amp; Institutional Impact
  </div>

  <div className="grid grid-cols-1 sm:grid-cols-2 lg:grid-cols-3 gap-4 max-w-5xl mx-auto">
    {CREDENTIALS.map((cred, idx) => (
      <div key={idx} className="p-5 rounded-2xl bg-brand-navy border border-white/10 flex items-start gap-3.5">
        <CheckCircle2 className="w-5 h-5 text-brand-gold shrink-0 mt-0.5" />
        <p className="text-xs text-brand-white leading-relaxed font-medium">{cred}</p>
      </div>
    ))}
  </div>
</section>

{/* 3. Signature Keynotes with Speaking Stage Action Shot */}
<section className="space-y-10">
```

```
  <div className="text-center max-w-xl mx-auto space-y-2">
    <span className="text-xs font-bold tracking-widest text-brand-gold uppercase">Keynotes &amp;amp; Consulting</span>
    <h2 className="text-3xl sm:text-4xl font-extrabold text-brand-white">Signature Speaking Topics</h2>
    <p className="text-sm text-brand-muted">Tailored for corporate retreats, summits, governance councils, and lea
  </div>

  <div className="grid grid-cols-1 lg:grid-cols-12 gap-8 items-center">
    {/* Action Image Column */}
    <div className="lg:col-span-4 relative rounded-3xl overflow-hidden border border-white/10 bg-brand-navy aspect
      <Image
        src="/images/immanuelson-speaking.jpg"
        alt="Dr. Immanuelson Sam delivering keynote"
        fill
        sizes="(max-width: 1024px) 100vw, 380px"
        className="object-cover object-center group-hover:scale-105 transition-transform duration-500"
      />
      <div className="absolute inset-0 bg-gradient-to-t from-brand-navy/90 via-transparent to-transparent" />
      <div className="absolute bottom-4 left-4 right-4">
        <span className="text-[11px] font-bold text-brand-gold uppercase tracking-wider block">Keynote Facilitatio
        <p className="text-xs text-brand-white">Unlocking human potential across Africa</p>
      </div>
    </div>

    {/* Topics Grid Column */}
    <div className="lg:col-span-8 grid grid-cols-1 sm:grid-cols-2 gap-4">
      {SIGNATURE_TOPICS.map((topic) => (
        <div
          key={topic.title}
          className="p-6 rounded-2xl bg-brand-slate/30 border border-white/10 hover:border-brand-gold/40 transitio
        >
          <h3 className="font-bold text-base text-brand-white leading-snug">{topic.title}</h3>
          <p className="text-xs text-brand-muted leading-relaxed">{topic.desc}</p>
        </div>
      ))}
    </div>
  </div>
</section>

{/* 4. Core Convictions */}
<section className="max-w-4xl mx-auto space-y-8">
  <div className="text-center space-y-2">
    <span className="text-xs font-bold tracking-widest text-brand-gold uppercase">Philosophy</span>
    <h2 className="text-3xl font-extrabold text-brand-white">Foundational Convictions</h2>
  </div>

  <div className="grid grid-cols-1 sm:grid-cols-2 gap-4">
    {CORE_CONVICTIONS.map((conviction, index) => (
      <div key={index} className="p-5 rounded-2xl bg-brand-slate/20 border border-white/5 flex items-start gap-4">
        <CheckCircle2 className="w-5 h-5 text-brand-gold shrink-0 mt-0.5" />
        <p className="text-xs text-brand-white leading-relaxed">{conviction}</p>
      </div>
    ))}
  </div>
</section>

{/* 5. Booking Gateway */}
<section className="rounded-3xl border border-brand-gold/30 bg-gradient-to-r from-brand-slate/60 to-brand-navy p-1
  <h3 className="text-2xl sm:text-4xl font-extrabold text-brand-white">
    Book Dr. Immanuelson Sam
  </h3>
  <p className="text-xs sm:text-sm text-brand-muted max-w-xl mx-auto leading-relaxed">
    For keynotes, executive leadership retreats, strategic advisory, or one-on-one executive consultations, visit
  </p>
  <div className="pt-2 flex flex-col sm:flex-row items-center justify-center gap-4">
    <a
      href="https://www.goldenmuv.com"
      target="_blank"
      rel="noopener noreferrer"
      className="w-full sm:w-auto inline-flex items-center justify-center gap-2 bg-brand-gold text-brand-navy font
    >
      <span>Visit www.goldenmuv.com</span>
      <ExternalLink className="w-4 h-4" />
    </a>
    <Link
```

```
            href="/join"
            className="w-full sm:w-auto inline-flex items-center justify-center gap-2 border border-white/15 bg-brand-na
          >
            Join The Becoming Community
          </Link>
        </div>
      </section>
    </div>
  );
}
```

Once saved, test locally with `npm run dev` or commit and push directly to `main` to deploy the updates to Vercel.

User prompt: Let's implement the Vercel Cron snippet to keep my free Supabase database from pausing. Also, we need to fire Resend & Google Sheets in Parallel and Cache map pin in queries if possible.

Response: 1. Keep-Alive Vercel Cron Job (Prevents Supabase Free Tier Pausing)

Supabase pauses free-tier projects after 7 days of inactivity, and Vercel Hobby (Free) accounts require cron jobs to run at most once per day. Pinging the database daily at midnight keeps your Supabase instance awake indefinitely at zero cost.

A. Create `vercel.json` in your project root

```
{
  "crons": [
    {
      "path": "/api/cron/keep-alive",
      "schedule": "0 0 * * *"
    }
  ]
}
```

B. Create the Cron Endpoint (`src/app/api/cron/keep-alive/route.ts`)

```
import { NextResponse } from 'next/server';
import { supabase } from '@/lib/supabase';

export const dynamic = 'force-dynamic';

export async function GET(req: Request) {
  // Optional: Verify CRON_SECRET if configured in Vercel Environment Variables
  const authHeader = req.headers.get('authorization');
  if (
    process.env.CRON_SECRET &&
    authHeader !== `Bearer ${process.env.CRON_SECRET}`
  ) {
    return NextResponse.json({ error: 'Unauthorized' }, { status: 401 });
  }

  try {
    // Lightweight metadata query to register database activity
    const { count, error } = await supabase
      .from('becomers')
      .select('*', { count: 'exact', head: true });

    if (error) throw error;

    return NextResponse.json({
      ok: true,
      status: 'Supabase database pinged successfully',
      registeredBecomers: count ?? 0,
      timestamp: new Date().toISOString(),
    });
  } catch (err: any) {
    return NextResponse.json(
      { ok: false, error: err.message || 'Database ping failed' },
      { status: 500 }
    );
  }
}
```

C. Ensure Public Read Count Policy in Supabase SQL Editor

So both the cron job and the cached map counter can read the total row count cleanly, run this in your **Supabase SQL Editor**:

```
create policy "Allow public count on becomers"
  on public.becomers for select
  using (true);
```

2. Fire Resend & Google Sheets in Parallel (`Promise.allSettled`)

Executing Resend and Google Sheets sequentially adds unnecessary wait time to the user's registration spinner. Using `Promise.allSettled` fires both network requests simultaneously in the background after the database insert succeeds, cutting response latency in half while ensuring that a temporary glitch in either third-party service never crashes the user's registration.

Updated `src/app/api/onboard/route.ts`

```
import { NextResponse } from 'next/server';
import { Resend } from 'resend';
import { supabase } from '@/lib/supabase';
import { appendMemberToSheet } from '@/lib/sheets';

export const dynamic = 'force-dynamic';

export async function POST(req: Request) {
  try {
    const { fullName, email, country, growthFocus } = await req.json();

    if (!fullName || !email || !country) {
      return NextResponse.json(
        { error: 'Full name, email, and country are required.' },
        { status: 400 }
      );
    }

    // 1. Primary Database Insert
    const { error: dbError } = await supabase.from('becomers').insert([
      {
        full_name: fullName,
        email,
        country,
        growth_focus: growthFocus,
      },
    ]);

    if (dbError) {
      if (dbError.code === '23505') {
        return NextResponse.json(
          { error: 'This email is already registered in The Becoming.' },
          { status: 409 }
        );
      }
      throw dbError;
    }

    // 2. Fire Resend Email & Google Sheets Append in Parallel
    const resendApiKey = process.env.RESEND_API_KEY;
    const fromEmail = process.env.RESEND_FROM_EMAIL || 'onboarding@resend.dev';

    const emailPromise = resendApiKey
      ? new Resend(resendApiKey).emails.send({
          from: `The Becoming <${fromEmail}>`,
          to: email,
          subject: 'Welcome to The Becoming | With Dr. Immanuelson Sam',
          html: `
            <div style="font-family: sans-serif; max-width: 580px; margin: 0 auto; color: #0f172a; line-height: 1.6;">
              <h2 style="color: #0b132b;">Welcome to The Becoming, ${fullName}!</h2>
              <p>You have stepped into a borderless community of intentional people committed to personal growth, courag
              <div style="background: #f8fafc; border-left: 4px solid #f59e0b; padding: 16px; margin: 20px 0;">
                <strong>Weekly Live Gathering:</strong><br/>
                Every Sunday at 6:00 PM (West Africa Time) Online<br/>
                <strong>Your Selected Focus:</strong> ${growthFocus}
              </div>
              <p>Prepare to participate actively in your own progress. Don't just live—Become.</p>
              <p style="margin-top: 24px;">Warm regards,<br/><strong>Dr. Immanuelson Sam</strong><br/>Convener, The Beco
            </div>
          `,
```

```
        })
      : Promise.resolve();

    const sheetPromise = appendMemberToSheet({
      fullName,
      email,
      country,
      growthFocus,
    });

    const results = await Promise.allSettled([emailPromise, sheetPromise]);

    results.forEach((result, idx) => {
      if (result.status === 'rejected') {
        console.error(
          `Parallel task ${idx === 0 ? 'Resend' : 'Google Sheets'} failed:`,
          result.reason
        );
      }
    });

    return NextResponse.json({ success: true });
  } catch (error: any) {
    console.error('Onboarding error:', error);
    return NextResponse.json(
      { error: error.message || 'Internal Server Error' },
      { status: 500 }
    );
  }
}
```

3. Cached Map Pin & Live Member Queries (`unstable_cache`)

Instead of hitting Supabase on every single page visit to count members or map pins, we can wrap the query in Next.js's `unstable_cache` with a 1-hour revalidation window (`3600` seconds). Visitors get instant static-speed loading, and the live database numbers refresh automatically in the background.

A. Create the Cached Query Helper (`src/lib/cached-queries.ts`)

```
import { unstable_cache } from 'next/cache';
import { supabase } from '@/lib/supabase';

export interface CommunityStats {
  totalMembers: number;
  countryCounts: Record<string, number>;
}

export const getCachedCommunityStats = unstable_cache(
  async (): Promise<CommunityStats> => {
    try {
      const { data, count, error } = await supabase
        .from('becomers')
        .select('country', { count: 'exact' });

      if (error || !data) {
        return { totalMembers: 0, countryCounts: {} };
      }

      const countryCounts: Record<string, number> = {};
      for (const row of data) {
        const key = row.country?.trim() || 'Other';
        countryCounts[key] = (countryCounts[key] || 0) + 1;
      }

      return {
        totalMembers: count ?? data.length,
        countryCounts,
      };
    } catch {
      return { totalMembers: 0, countryCounts: {} };
    }
  },
  ['community-map-stats'],
```

```
  { revalidate: 3600, tags: ['community-stats'] }
);
```

B. Update `src/components/AfricaMapSection.tsx` to Accept Cached Stats

Update the component signature so it displays the live cached counts on the cards and map summary when available:

```
'use client';

import Link from 'next/link';
import { Globe, ArrowUpRight, Radio, Users } from 'lucide-react';

interface CountryItem {
  name: string;
  code: string;
  flagUrl: string;
  isOrigin?: boolean;
}

interface AfricaMapSectionProps {
  totalMembers?: number;
  countryCounts?: Record<string, number>;
}

const AFRICAN_NATIONS: CountryItem[] = [
  { name: 'Nigeria', code: 'NG', flagUrl: 'https://flagcdn.com/w80/ng.png', isOrigin: true },
  { name: 'Ghana', code: 'GH', flagUrl: 'https://flagcdn.com/w80/gh.png' },
  { name: 'Kenya', code: 'KE', flagUrl: 'https://flagcdn.com/w80/ke.png' },
  { name: 'Rwanda', code: 'RW', flagUrl: 'https://flagcdn.com/w80/rw.png' },
  { name: 'South Africa', code: 'ZA', flagUrl: 'https://flagcdn.com/w80/za.png' },
  { name: 'Liberia', code: 'LR', flagUrl: 'https://flagcdn.com/w80/lr.png' },
  { name: 'Uganda', code: 'UG', flagUrl: 'https://flagcdn.com/w80/ug.png' },
  { name: 'Zambia', code: 'ZM', flagUrl: 'https://flagcdn.com/w80/zm.png' },
  { name: 'Zimbabwe', code: 'ZW', flagUrl: 'https://flagcdn.com/w80/zw.png' },
];

export default function AfricaMapSection({
  totalMembers = 0,
  countryCounts = {},
}: AfricaMapSectionProps) {
  return (
    <section className="space-y-12">
      <div className="text-center max-w-2xl mx-auto space-y-3">
        <div className="inline-flex items-center gap-2 px-3 py-1 rounded-full border border-brand-gold/30 bg-brand-gold/
          <Globe className="w-3.5 h-3.5" />
          <span>Pan-African Footprint</span>
        </div>
        <h2 className="text-3xl sm:text-5xl font-black text-brand-white tracking-tight">
          One Movement across Africa
        </h2>
        <p className="text-sm text-brand-muted leading-relaxed">
          Founded and anchored in <strong className="text-brand-gold">Nigeria</strong>, The Becoming has expanded across
        </p>
      </div>

      {/* Map & Epicenter Visualization */}
      <div className="relative rounded-3xl border border-white/10 bg-gradient-to-b from-brand-slate/40 via-brand-navy to
        <div className="absolute top-1/2 left-1/2 -translate-x-1/2 -translate-y-1/2 w-96 h-96 bg-brand-gold/10 rounded-f

        <div className="grid grid-cols-1 lg:grid-cols-12 gap-8 items-center relative z-10">
          {/* African Continent Graphic with Pulsing Radar on Nigeria */}
          <div className="lg:col-span-6 flex flex-col items-center justify-center">
            <div className="relative w-full max-w-[340px] aspect-[4/5] flex items-center justify-center">
              <svg
                viewBox="0 0 400 480"
                className="w-full h-full text-slate-800/80 drop-shadow-xl"
                fill="currentColor"
              >
                <path d="M 120,40 Q 200,30 260,50 Q 340,90 350,140 Q 360,180 320,220 Q 340,260 300,320 Q 270,390 230,450
              </svg>

              {/* Nigeria Epicenter Radar Beacon */}
              <div className="absolute top-[37%] left-[36%] -translate-x-1/2 -translate-y-1/2 flex items-center justify-
                <span className="absolute w-12 h-12 rounded-full bg-brand-gold/30 animate-ping" />
```

```
          <span className="absolute w-6 h-6 rounded-full bg-brand-gold/60" />
          <span className="relative w-3.5 h-3.5 rounded-full bg-brand-gold shadow-lg shadow-brand-gold border-2 bo
        </div>

        {/* Nigeria Marker Tag */}
        <div className="absolute top-[28%] left-[42%] bg-brand-navy/95 border border-brand-gold/50 px-3 py-1.5 rou
          <Radio className="w-3 h-3 text-brand-gold animate-pulse" />
          <div>
            <span className="text-[10px] font-black text-brand-gold uppercase tracking-wider block">
              Epicenter &amp;amp; Origin
            </span>
            <span className="text-xs font-bold text-brand-white">
              Nigeria NG {countryCounts['Nigeria'] ? `• ${countryCounts['Nigeria']}` : ''}
            </span>
          </div>
        </div>

        {/* Sub-hubs pins */}
        <div className="absolute top-[40%] left-[28%] w-2 h-2 rounded-full bg-amber-200/80" title="Ghana" />
        <div className="absolute top-[48%] left-[68%] w-2 h-2 rounded-full bg-amber-200/80" title="Kenya & Rwanda"
        <div className="absolute top-[78%] left-[54%] w-2 h-2 rounded-full bg-amber-200/80" title="South Africa" /
      </div>
    </div>

    {/* Contextual Narrative */}
    <div className="lg:col-span-6 space-y-5 text-left">
      <span className="text-xs font-bold text-brand-gold tracking-widest uppercase">
        The Epicenter Mandate
      </span>
      <h3 className="text-2xl sm:text-3xl font-extrabold text-brand-white leading-tight">
        From West Africa to the Entire Continent
      </h3>
      <p className="text-sm text-brand-muted leading-relaxed">
        What sparked as an intentional gathering under the leadership of Dr. Immanuelson Sam in Nigeria has evolve
      </p>

      <div className="grid grid-cols-1 sm:grid-cols-2 gap-3 pt-2">
        <div className="p-4 rounded-2xl bg-brand-navy/90 border border-white/10 flex items-center gap-3.5">
          <div className="text-2xl font-black text-brand-gold">9+</div>
          <div className="text-xs text-brand-muted">
            Active national delegations connected weekly.
          </div>
        </div>

        {totalMembers > 0 && (
          <div className="p-4 rounded-2xl bg-brand-navy/90 border border-brand-gold/30 flex items-center gap-3.5">
            <Users className="w-6 h-6 text-brand-gold shrink-0" />
            <div>
              <div className="text-lg font-black text-brand-white">
                {totalMembers.toLocaleString()}+
              </div>
              <div className="text-[11px] text-brand-muted">
                Registered Becomers
              </div>
            </div>
          </div>
        )}
      </div>
    </div>
  </div>
</div>

{/* Flag Country Cards Grid */}
<div className="space-y-4">
  <div className="flex items-center justify-between">
    <span className="text-xs font-bold tracking-widest text-brand-gold uppercase">
      Select Your Nation to Join
    </span>
    <span className="text-xs text-brand-muted">Click a flag to pre-fill registration</span>
  </div>

  <div className="grid grid-cols-2 sm:grid-cols-3 md:grid-cols-5 gap-3.5">
    {AFRICAN_NATIONS.map((nation) => {
      const count = countryCounts[nation.name];
```

```
            return (
              <Link
                key={nation.name}
                href={`/join?country=${encodeURIComponent(nation.name)}`}
                className={`group p-4 rounded-2xl border transition-all duration-300 flex flex-col items-center text-cen
                  nation.isOrigin
                    ? 'bg-brand-slate/60 border-brand-gold/60 shadow-brand-gold/10'
                    : 'bg-brand-slate/30 border-white/10 hover:border-brand-gold/50 hover:bg-brand-slate/50'
                }`}
              >
                <div className="relative w-12 h-8 rounded shadow-md overflow-hidden border border-white/10 group-hover:s
                  <img
                    src={nation.flagUrl}
                    alt={`${nation.name} flag`}
                    className="w-full h-full object-cover"
                    loading="lazy"
                  />
                </div>

                <div className="space-y-0.5">
                  <span className="text-xs font-bold text-brand-white block group-hover:text-brand-gold transition">
                    {nation.name}
                  </span>
                  {nation.isOrigin ? (
                    <span className="text-[9px] font-semibold text-brand-gold tracking-wide uppercase">
                      Origin Base {count ? `• ${count}` : ''}
                    </span>
                  ) : (
                    <span className="text-[9px] text-brand-muted group-hover:text-brand-white/80 transition flex items-c
                      <span>{count ? `${count} Joined` : 'Join'}</span>
                      <ArrowUpRight className="w-2.5 h-2.5 opacity-60" />
                    </span>
                  )}
                </div>
              </Link>
            );
          })}

          {/* Your Nation Next Card */}
          <Link
            href="/join?country=other"
            className="group p-4 rounded-2xl border border-dashed border-brand-gold/40 bg-brand-gold/5 hover:bg-brand-go
          >
            <div className="w-12 h-8 rounded bg-brand-gold/20 border border-brand-gold/30 flex items-center justify-cent
              <Globe className="w-5 h-5" />
            </div>
            <div className="space-y-0.5">
              <span className="text-xs font-bold text-brand-gold block">
                Your Nation Next
              </span>
              <span className="text-[9px] text-brand-muted flex items-center justify-center gap-0.5">
                <span>Add yours</span>
                <ArrowUpRight className="w-2.5 h-2.5" />
              </span>
            </div>
          </Link>
        </div>
      </div>
    </section>
  );
}
```

C. Pass the Cached Data in `src/app/page.tsx`

In `src/app/page.tsx`, import `getCachedCommunityStats` and make `HomePage` an `async` Server Component:

```
import { getCachedCommunityStats } from '@/lib/cached-queries';
```

Then inside `export default async function HomePage()`:

```
const { totalMembers, countryCounts } = await getCachedCommunityStats();
```

And pass them to the map component:

```
<AfricaMapSection
  totalMembers={totalMembers}
  countryCounts={countryCounts}
/>
```

User prompt: We need to work on the footer.. maybe include a privacy policy. Suggest other features for the footer.

Response: The uploaded **Website Policies** document provides a comprehensive, global-standard governance framework. To match the caliber of Dr. Sam's brand—and satisfy the **Website Publication Checklist** on page 13 of your document—we should upgrade the footer from a simple copyright strip into a **4-Column Executive Footer** paired with a dedicated, anchored `/policies` hub and the required Join-Form Privacy Acknowledgement.

1. Recommended Features for the Upgraded Footer

1. **Column 1: Brand Identity & Mission Anchor**
   - Official title (*The Becoming with Dr. Immanuelson Sam*) and tagline (*"Don't just exist. Become."*).
   - Headquarters & Contact anchor: **Abuja, Nigeria** and `immanuelsonsam416@gmail.com` (directly from Section 1 of the Privacy Notice).
2. **Column 2: Platform Navigation**
   - Quick links to `Home`, `About the Movement`, `Sunday Sessions`, `The Resource Hub`, `The Founder`, and `Join the Community`.
3. **Column 3: Legal, Governance & Policies (From Your Document)**
   - Direct deep links to all 6 official policies[cite: 65, 77]:
     - Privacy Notice[cite: 65, 67]
     - Terms of Use[cite: 65, 70]
     - Cookie Notice[cite: 65, 72]
     - Community Standards[cite: 65, 73]
     - Mentorship Disclaimer[cite: 65, 74]
     - Media & Recording Consent[cite: 65, 75]
4. **Column 4: Weekly Rhythm & Executive Consulting**
   - A live status card highlighting **Sundays at 6:00 PM WAT (Google Meet & Telegram)**[cite: 67, 73].
   - Direct external link to Dr. Sam's consulting portal (`[www.goldenmuv.com](https://www.goldenmuv.com)`) and a quick download link for the *Volunteer Guidelines PDF*[cite: 4].
5. **Bottom Micro-Disclaimer Bar:**
   - A concise personal growth disclaimer right above the copyright line (*"Educational & mentorship perspectives only; not medical, financial, or legal advice"*) as specified in Section 5 of your policy PDF[cite: 74].

2. Create the Dedicated Policies Hub (`src/app/policies/page.tsx`)

This page houses all 6 policies from your document with an interactive quick-jump navigation bar so visitors can link directly to any section from the footer or the registration form[cite: 65, 77].

```
import Link from 'next/link';
import { Shield, FileText, Cookie, Users, AlertCircle, Camera, Mail, MapPin } from 'lucide-react';

export const metadata = {
  title: 'Website Policies & Governance | The Becoming',
  description: 'Privacy Notice, Terms of Use, Community Standards, and Disclaimers for The Becoming with Dr. Immanuelson
};

const POLICY_NAVS = [
  { id: 'privacy', label: '1. Privacy Notice', icon: Shield },
  { id: 'terms', label: '2. Terms of Use', icon: FileText },
  { id: 'cookies', label: '3. Cookie Notice', icon: Cookie },
  { id: 'standards', label: '4. Community Standards', icon: Users },
  { id: 'disclaimer', label: '5. Mentorship Disclaimer', icon: AlertCircle },
  { id: 'media', label: '6. Media Consent', icon: Camera },
];

export default function PoliciesPage() {
  return (
```

```
<div className="max-w-5xl mx-auto px-6 py-16 space-y-16">
  {/* Header */}
  <div className="space-y-4 text-center max-w-2xl mx-auto">
    <span className="text-xs font-bold tracking-widest text-brand-gold uppercase">
      Governance &amp;amp; Trust
    </span>
    <h1 className="text-3xl sm:text-5xl font-black text-brand-white tracking-tight">
      Website Policies
    </h1>
    <p className="text-xs sm:text-sm text-brand-muted leading-relaxed">
      Effective Date: 13 October 2026 • Last Updated: 13 October 2026
    </p>
  </div>

  {/* Quick Jump Navigation */}
  <div className="grid grid-cols-2 sm:grid-cols-3 gap-3 p-4 rounded-2xl bg-brand-slate/40 border border-white/10">
    {POLICY_NAVS.map((item) => {
      const Icon = item.icon;
      return (
        <a
          key={item.id}
          href={`#${item.id}`}
          className="flex items-center gap-2.5 p-3 rounded-xl bg-brand-navy/80 border border-white/5 hover:border-br
        >
          <Icon className="w-4 h-4 text-brand-gold shrink-0" />
          <span>{item.label}</span>
        </a>
      );
    })}
  </div>

  {/* Policy Sections */}
  <div className="space-y-12 text-sm text-brand-muted leading-relaxed">
    {/* 1. PRIVACY NOTICE */}
    <section id="privacy" className="scroll-mt-28 rounded-3xl border border-white/10 bg-brand-slate/20 p-8 sm:p-10 s
      <div className="border-b border-white/10 pb-4">
        <span className="text-[11px] font-bold text-brand-gold uppercase tracking-wider">Section 01</span>
        <h2 className="text-2xl font-black text-brand-white mt-1">Privacy Notice</h2>
      </div>

      <p>
        <strong className="text-brand-white">The Becoming with Dr. Immanuelson Sam</strong> (&ldquo;The Becoming&rdq
      </p>

      <div className="p-4 rounded-2xl bg-brand-navy border border-white/10 space-y-1 text-xs">
        <div className="font-bold text-brand-white">Data Controller &amp;amp; Contact Information:</div>
        <p>Responsible Party: <strong className="text-brand-white">The Becomers Community</strong></p>
        <p>Location: <strong className="text-brand-white">Abuja, Nigeria</strong></p>
        <p>Privacy Contact: <a href="mailto:immanuelsonsam416@gmail.com" className="text-brand-gold underline">imman
      </div>

      <div className="space-y-2">
        <h3 className="text-base font-bold text-brand-white">Information We Collect</h3>
        <ul className="list-disc pl-5 space-y-1.5 text-xs sm:text-sm">
          <li><strong className="text-brand-white">Registration details:</strong> Your name, email address, phone/Wh
          <li><strong className="text-brand-white">Community information:</strong> Details you choose to share in di
          <li><strong className="text-brand-white">Communications:</strong> Information provided when you contact us
          <li><strong className="text-brand-white">Technical information:</strong> Standard browser/device metadata
        </ul>
        <p className="text-xs italic text-amber-200/90 pt-1">
          Please do not submit sensitive personal information—such as health details, government identity documents,
        </p>
      </div>

      <div className="space-y-2">
        <h3 className="text-base font-bold text-brand-white">How We Use &amp;amp; Share Your Information</h3>
        <p className="text-xs sm:text-sm">
          We use your information to process your membership or volunteer request, send Sunday Session links and rem
        </p>
      </div>

      <div className="space-y-2">
        <h3 className="text-base font-bold text-brand-white">Your Rights &amp;amp; Retention</h3>
        <p className="text-xs sm:text-sm">
```

```
            We retain information only as long as reasonably necessary for membership administration and community saf
          </p>
        </div>
      </section>

      {/* 2. TERMS OF USE */}
      <section id="terms" className="scroll-mt-28 rounded-3xl border border-white/10 bg-brand-slate/20 p-8 sm:p-10 spa
        <div className="border-b border-white/10 pb-4">
          <span className="text-[11px] font-bold text-brand-gold uppercase tracking-wider">Section 02</span>
          <h2 className="text-2xl font-black text-brand-white mt-1">Website Terms of Use</h2>
        </div>
        <p className="text-xs sm:text-sm">
          By accessing this website or submitting a registration form, you agree to these Terms. Membership in The Bec
        </p>
        <p className="text-xs sm:text-sm">
          <strong className="text-brand-white">Intellectual Property:</strong> Original website text, branding, sessio
        </p>
      </section>

      {/* 3. COOKIE NOTICE */}
      <section id="cookies" className="scroll-mt-28 rounded-3xl border border-white/10 bg-brand-slate/20 p-8 sm:p-10 s
        <div className="border-b border-white/10 pb-4">
          <span className="text-[11px] font-bold text-brand-gold uppercase tracking-wider">Section 03</span>
          <h2 className="text-2xl font-black text-brand-white mt-1">Cookie &amp;amp; Similar Technologies Notice</h2>
        </div>
        <p className="text-xs sm:text-sm">
          This website uses strictly necessary browser storage (such as `sessionStorage` to remember if you have alrea
        </p>
      </section>

      {/* 4. COMMUNITY STANDARDS */}
      <section id="standards" className="scroll-mt-28 rounded-3xl border border-white/10 bg-brand-slate/20 p-8 sm:p-10
        <div className="border-b border-white/10 pb-4">
          <span className="text-[11px] font-bold text-brand-gold uppercase tracking-wider">Section 04</span>
          <h2 className="text-2xl font-black text-brand-white mt-1">Community Standards</h2>
        </div>
        <p className="text-xs sm:text-sm">
          Applies to all Sunday Sessions, Telegram spaces, and official channels:
        </p>
        <ul className="grid grid-cols-1 md:grid-cols-2 gap-3 text-xs">
          <li className="p-3.5 rounded-xl bg-brand-navy border border-white/5"><strong className="text-brand-gold bloc
          <li className="p-3.5 rounded-xl bg-brand-navy border border-white/5"><strong className="text-brand-gold bloc
          <li className="p-3.5 rounded-xl bg-brand-navy border border-white/5"><strong className="text-brand-gold bloc
          <li className="p-3.5 rounded-xl bg-brand-navy border border-white/5"><strong className="text-brand-gold bloc
        </ul>
      </section>

      {/* 5. DISCLAIMER */}
      <section id="disclaimer" className="scroll-mt-28 rounded-3xl border border-white/10 bg-brand-slate/20 p-8 sm:p-1
        <div className="border-b border-white/10 pb-4">
          <span className="text-[11px] font-bold text-brand-gold uppercase tracking-wider">Section 05</span>
          <h2 className="text-2xl font-black text-brand-white mt-1">Personal Growth &amp;amp; Mentorship Disclaimer</h2>
        </div>
        <p className="text-xs sm:text-sm">
          The Becoming provides educational content, personal-development conversations, leadership learning, reflecti
        </p>
      </section>

      {/* 6. MEDIA CONSENT */}
      <section id="media" className="scroll-mt-28 rounded-3xl border border-white/10 bg-brand-slate/20 p-8 sm:p-10 spa
        <div className="border-b border-white/10 pb-4">
          <span className="text-[11px] font-bold text-brand-gold uppercase tracking-wider">Section 06</span>
          <h2 className="text-2xl font-black text-brand-white mt-1">Media, Testimonials &amp;amp; Recording Consent</h2>
        </div>
        <p className="text-xs sm:text-sm">
          Participating in a live session does not automatically mean your image, voice, name, or story will be used i
        </p>
      </section>
    </div>
  </div>
 );
}
```

3. Create the Global Footer Component (`src/components/Footer.tsx`)

Create `src/components/Footer.tsx` to house all navigation, legal policy links, contact details, and the mentorship disclaimer:

```
import Link from 'next/link';
import {
  Globe,
  Mail,
  MapPin,
  ExternalLink,
  Calendar,
  ShieldCheck,
  ArrowUpRight,
  FileText
} from 'lucide-react';

export default function Footer() {
  return (
    <footer className="border-t border-white/10 bg-brand-navy/95 text-brand-muted mt-24">
      <div className="max-w-6xl mx-auto px-6 py-16 space-y-12">
        {/* Main 4-Column Grid */}
        <div className="grid grid-cols-1 sm:grid-cols-2 lg:grid-cols-12 gap-10">
          {/* Column 1: Brand & Origin (4 cols) */}
          <div className="lg:col-span-4 space-y-4">
            <div>
              <Link href="/" className="inline-block">
                <span className="text-lg font-black text-brand-white tracking-wider block">
                  THE BECOMING
                </span>
                <span className="text-[10px] text-brand-gold font-bold tracking-widest uppercase block">
                  WITH DR. IMMANUELSON SAM
                </span>
              </Link>
            </div>

            <p className="text-xs text-brand-muted leading-relaxed">
              Don&apos;t just exist. Become. A borderless Pan-African community for people committed to personal growth,
            </p>

            <div className="space-y-2 pt-1 text-xs">
              <div className="flex items-center gap-2 text-brand-white/90">
                <MapPin className="w-3.5 h-3.5 text-brand-gold shrink-0" />
                <span>Epicenter: Abuja, Nigeria (Serving 9+ African Nations)</span>
              </div>
              <div className="flex items-center gap-2">
                <Mail className="w-3.5 h-3.5 text-brand-gold shrink-0" />
                <a
                  href="mailto:immanuelsonsam416@gmail.com"
                  className="hover:text-brand-gold transition"
                >
                  immanuelsonsam416@gmail.com
                </a>
              </div>
            </div>
          </div>

          {/* Column 2: Quick Navigation (2 cols) */}
          <div className="lg:col-span-2 space-y-3">
            <h4 className="text-xs font-bold uppercase tracking-wider text-brand-white">
              Platform
            </h4>
            <ul className="space-y-2.5 text-xs">
              <li>
                <Link href="/" className="hover:text-brand-gold transition">
                  Home
                </Link>
              </li>
              <li>
                <Link href="/about" className="hover:text-brand-gold transition">
                  About Us
                </Link>
              </li>
              <li>
                <Link href="/sessions" className="hover:text-brand-gold transition">
                  Sunday Sessions
                </Link>
```

```
    </li>
    <li>
      <Link href="/resources" className="hover:text-brand-gold transition">
        Resource Hub
      </Link>
    </li>
    <li>
      <Link href="/founder" className="hover:text-brand-gold transition">
        The Founder
      </Link>
    </li>
    <li>
      <Link
        href="/join"
        className="text-brand-gold font-semibold hover:underline"
      >
        Join Community &rarr;
      </Link>
    </li>
  </ul>
</div>

{/* Column 3: Governance & Policies (3 cols) */}
<div className="lg:col-span-3 space-y-3">
  <h4 className="text-xs font-bold uppercase tracking-wider text-brand-white">
    Policies &amp; Standards
  </h4>
  <ul className="space-y-2.5 text-xs">
    <li>
      <Link href="/policies#privacy" className="hover:text-brand-gold transition">
        Privacy Notice
      </Link>
    </li>
    <li>
      <Link href="/policies#terms" className="hover:text-brand-gold transition">
        Website Terms of Use
      </Link>
    </li>
    <li>
      <Link href="/policies#cookies" className="hover:text-brand-gold transition">
        Cookie Notice
      </Link>
    </li>
    <li>
      <Link href="/policies#standards" className="hover:text-brand-gold transition">
        Community Standards
      </Link>
    </li>
    <li>
      <Link href="/policies#disclaimer" className="hover:text-brand-gold transition">
        Mentorship Disclaimer
      </Link>
    </li>
    <li>
      <Link href="/policies#media" className="hover:text-brand-gold transition">
        Media &amp; Recording Consent
      </Link>
    </li>
  </ul>
</div>

{/* Column 4: Live Cadence & Executive Portal (3 cols) */}
<div className="lg:col-span-3 space-y-4">
  <h4 className="text-xs font-bold uppercase tracking-wider text-brand-white">
    Weekly Gathering
  </h4>

  <div className="p-4 rounded-2xl bg-brand-slate/30 border border-white/10 space-y-2">
    <div className="flex items-center gap-2 text-brand-gold text-xs font-bold">
      <Calendar className="w-3.5 h-3.5" />
      <span>Every Sunday • 6:00 PM WAT</span>
    </div>
    <p className="text-[11px] leading-relaxed">
      Live online mentorship and accountability via Google Meet &amp; Telegram. Free &amp; open to intentional
```

```
              </p>
            </div>

            <div className="space-y-2 pt-1">
              <a
                href="https://www.goldenmuv.com"
                target="_blank"
                rel="noopener noreferrer"
                className="flex items-center justify-between p-3 rounded-xl bg-white/5 hover:bg-white/10 border border-w
              >
                <span>Goldenmuv Consulting Portal</span>
                <ExternalLink className="w-3.5 h-3.5 text-brand-gold" />
              </a>

              <a
                href="/resources/volunteer-guidelines.pdf"
                target="_blank"
                rel="noopener noreferrer"
                className="flex items-center justify-between p-3 rounded-xl bg-white/5 hover:bg-white/10 border border-w
              >
                <span>Volunteer Guidelines (PDF)</span>
                <FileText className="w-3.5 h-3.5 text-brand-gold" />
              </a>
            </div>
          </div>
        </div>

        {/* Bottom Disclaimer & Copyright Bar */}
        <div className="pt-8 border-t border-white/10 space-y-4 text-[11px] text-brand-muted/80">
          <p className="leading-relaxed">
            <strong className="text-brand-white/90">Disclaimer:</strong> The Becoming provides educational content, lead
          </p>

          <div className="flex flex-col sm:flex-row items-center justify-between gap-4 pt-2">
            <p>
              &copy; {new Date().getFullYear()} The Becoming with Dr. Immanuelson Sam (The Becomers Community). All righ
            </p>
            <div className="flex items-center gap-4">
              <Link href="/policies#privacy" className="hover:text-brand-gold transition">
                Privacy
              </Link>
              <span>•</span>
              <Link href="/policies#terms" className="hover:text-brand-gold transition">
                Terms
              </Link>
              <span>•</span>
              <Link href="/policies#standards" className="hover:text-brand-gold transition">
                Standards
              </Link>
            </div>
          </div>
        </div>
      </div>
    </footer>
  );
}
```

4. Mount `<Footer/>` in `src/app/layout.tsx`

Replace the inline `<footer>...</footer>` in `src/app/layout.tsx` with the new `<Footer/>` component:

```
import type { Metadata, Viewport } from 'next';
import './globals.css';
import Navbar from '@/components/Navbar';
import VolunteerModal from '@/components/VolunteerModal';
import Footer from '@/components/Footer';

export const metadata: Metadata = {
  title: 'The Becoming | With Dr. Immanuelson Sam',
  description:
    'A borderless growth circle, courageous leadership network, and habit incubator founded by Dr. Immanuelson Sam.',
};

export const viewport: Viewport = {
```

```
  width: 'device-width',
  initialScale: 1,
  maximumScale: 5,
};

export default function RootLayout({
  children,
}: {
  children: React.ReactNode;
}) {
  return (
    <html lang="en" className="scroll-smooth">
      <body className="min-h-screen bg-brand-navy text-brand-white flex flex-col antialiased selection:bg-brand-gold sel
        <Navbar />
        <main className="flex-1">{children}</main>
        <VolunteerModal />
        <Footer />
      </body>
    </html>
  );
}
```

5. Bonus Compliance Step: Add the Privacy Acknowledgement to `/join`

Section 7 of your **Website Policies** PDF recommends placing a short privacy notice and required acknowledgement checkbox right on the `/join` registration form[cite: 76]. Add this snippet right above the submit button in `src/app/join/page.tsx`:

```
{/* Privacy Notice & Affirmative Acknowledgement (Section 7 of Policy PDF) */}
<div className="p-4 rounded-2xl bg-brand-navy/60 border border-white/10 space-y-3 text-left">
  <p className="text-[11px] text-brand-muted leading-relaxed">
    We&apos;ll use the information you provide to process your request to join The Becoming, support onboarding, and sen
    <a href="/policies#privacy" target="_blank" className="text-brand-gold underline hover:brightness-110">
      Privacy Notice
    </a>
    . Please do not submit sensitive personal information.
  </p>

  <label className="flex items-start gap-2.5 cursor-pointer">
    <input
      type="checkbox"
      required
      className="mt-0.5 accent-brand-gold rounded"
    />
    <span className="text-[11px] text-brand-white leading-tight">
      I have read the{' '}
      <a href="/policies#privacy" target="_blank" className="text-brand-gold underline">
        Privacy Notice
      </a>{' '}
      and agree to the{' '}
      <a href="/policies#standards" target="_blank" className="text-brand-gold underline">
        Community Standards
      </a>
      .
    </span>
  </label>
</div>
```

Would you like the full updated `src/app/join/page.tsx` file with this privacy acknowledgement checkbox already wired in?

User prompt: Yes please

Response: `src/app/join/page.tsx` is updated below with the short privacy copy, the required affirmative privacy and community standards acknowledgement checkbox, and the separate optional updates checkbox recommended in Section 7 of the Website Policies document.

Full Updated `src/app/join/page.tsx`

```
'use client';

import { Suspense, useState, useEffect, useRef } from 'react';
import { useSearchParams } from 'next/navigation';
import Link from 'next/link';
import { CheckCircle2, ArrowRight, Loader2, Sparkles, ShieldCheck } from 'lucide-react';
```

```
const COUNTRIES = [
  'Nigeria',
  'Ghana',
  'Kenya',
  'Rwanda',
  'South Africa',
  'Liberia',
  'Uganda',
  'Zambia',
  'Zimbabwe',
  'Other',
];

const GROWTH_AREAS = [
  'Personal Growth & Self-Discipline',
  'Courageous & Servant Leadership',
  'Career & Strategic Clarity',
  'Mindset, Resilience & Character',
  'Purpose & Impactful Living',
];

function JoinForm() {
  const searchParams = useSearchParams();
  const countryParam = searchParams.get('country');

  const [fullName, setFullName] = useState('');
  const [email, setEmail] = useState('');
  const [country, setCountry] = useState('Nigeria');
  const [customCountry, setCustomCountry] = useState('');
  const [growthFocus, setGrowthFocus] = useState(GROWTH_AREAS[0]);
  const [agreedToPrivacy, setAgreedToPrivacy] = useState(false);
  const [optionalUpdates, setOptionalUpdates] = useState(false);

  const [isSubmitting, setIsSubmitting] = useState(false);
  const [isSubmitted, setIsSubmitted] = useState(false);
  const [errorMsg, setErrorMsg] = useState('');

  const customCountryRef = useRef<HTMLInputElement>(null);

  useEffect(() => {
    if (countryParam) {
      if (countryParam.toLowerCase() === 'other') {
        setCountry('Other');
        setTimeout(() => customCountryRef.current?.focus(), 150);
      } else {
        const matched = COUNTRIES.find(
          (c) => c.toLowerCase() === countryParam.toLowerCase()
        );
        if (matched) {
          setCountry(matched);
        } else {
          setCountry('Other');
          setCustomCountry(countryParam);
        }
      }
    }
  }, [countryParam]);

  const handleSubmit = async (e: React.FormEvent) => {
    e.preventDefault();
    setErrorMsg('');

    if (!agreedToPrivacy) {
      setErrorMsg('Please confirm that you have read and acknowledged the Privacy Notice.');
      return;
    }

    const finalCountry = country === 'Other' ? customCountry.trim() : country;
    if (!finalCountry) {
      setErrorMsg('Please specify your country of residence.');
      return;
    }
```

```
  setIsSubmitting(true);

  try {
    const res = await fetch('/api/onboard', {
      method: 'POST',
      headers: { 'Content-Type': 'application/json' },
      body: JSON.stringify({
        fullName,
        email,
        country: finalCountry,
        growthFocus,
        agreedToPrivacy,
        optionalUpdates,
      }),
    });

    const data = await res.json();
    if (!res.ok) throw new Error(data.error || 'Failed to submit registration');

    setIsSubmitted(true);
  } catch (err: any) {
    setErrorMsg(err.message || 'Something went wrong. Please try again.');
  } finally {
    setIsSubmitting(false);
  }
};

if (isSubmitted) {
  return (
    <div className="rounded-3xl border border-brand-gold/30 bg-brand-slate/40 p-8 sm:p-12 text-center space-y-6 max-w-
      <div className="w-16 h-16 rounded-full bg-brand-gold/15 text-brand-gold flex items-center justify-center mx-auto
        <CheckCircle2 className="w-8 h-8" />
      </div>
      <div className="space-y-2">
        <h2 className="text-2xl sm:text-3xl font-extrabold text-brand-white">
          Welcome to The Becoming
        </h2>
        <p className="text-sm text-brand-muted leading-relaxed">
          You are now registered, <strong className="text-brand-white">{fullName}</strong>. A confirmation email with
        </p>
      </div>
      <div className="p-4 rounded-2xl bg-brand-navy border border-white/5 space-y-2">
        <span className="text-xs font-bold text-brand-gold uppercase tracking-wider block">
          Next Live Gathering
        </span>
        <p className="text-xs text-brand-white">
          Every Sunday • 6:00 PM (West Africa Time) Online
        </p>
      </div>
    </div>
  );
}

return (
  <form onSubmit={handleSubmit} className="space-y-6 max-w-lg mx-auto text-left">
    {errorMsg && (
      <div className="p-4 rounded-2xl bg-red-500/10 border border-red-500/30 text-red-200 text-xs">
        {errorMsg}
      </div>
    )}

    <div className="space-y-2">
      <label className="text-xs font-bold text-brand-white uppercase tracking-wider block">
        Full Name
      </label>
      <input
        type="text"
        required
        value={fullName}
        onChange={(e) => setFullName(e.target.value)}
        placeholder="e.g. Oluwaseun Adeleke"
        className="w-full px-4 py-3.5 rounded-xl bg-brand-navy border border-white/10 text-brand-white placeholder:tex
      />
    </div>
```

```
<div className="space-y-2">
  <label className="text-xs font-bold text-brand-white uppercase tracking-wider block">
    Email Address
  </label>
  <input
    type="email"
    required
    value={email}
    onChange={(e) => setEmail(e.target.value)}
    placeholder="e.g. seun@example.com"
    className="w-full px-4 py-3.5 rounded-xl bg-brand-navy border border-white/10 text-brand-white placeholder:tex
  />
</div>

<div className="space-y-2">
  <label className="text-xs font-bold text-brand-white uppercase tracking-wider block">
    Country of Residence
  </label>
  <select
    value={country}
    onChange={(e) => setCountry(e.target.value)}
    className="w-full px-4 py-3.5 rounded-xl bg-brand-navy border border-white/10 text-brand-white focus:border-br
  >
    {COUNTRIES.map((c) => (
      <option key={c} value={c} className="bg-brand-navy text-brand-white">
        {c}
      </option>
    ))}
  </select>
</div>

{country === 'Other' && (
  <div className="space-y-2 animate-in fade-in duration-200">
    <label className="text-xs font-bold text-brand-gold uppercase tracking-wider block">
      Enter Your Country
    </label>
    <input
      ref={customCountryRef}
      type="text"
      required
      value={customCountry}
      onChange={(e) => setCustomCountry(e.target.value)}
      placeholder="Type your country..."
      className="w-full px-4 py-3.5 rounded-xl bg-brand-navy border border-brand-gold/50 text-brand-white placehol
    />
  </div>
)}

<div className="space-y-2">
  <label className="text-xs font-bold text-brand-white uppercase tracking-wider block">
    Primary Area of Growth
  </label>
  <select
    value={growthFocus}
    onChange={(e) => setGrowthFocus(e.target.value)}
    className="w-full px-4 py-3.5 rounded-xl bg-brand-navy border border-white/10 text-brand-white focus:border-br
  >
    {GROWTH_AREAS.map((area) => (
      <option key={area} value={area} className="bg-brand-navy text-brand-white">
        {area}
      </option>
    ))}
  </select>
</div>

{/* Privacy Copy & Consent Checkboxes */}
<div className="p-4 rounded-2xl bg-brand-navy/80 border border-white/10 space-y-3.5">
  <div className="flex items-start gap-2.5">
    <ShieldCheck className="w-4 h-4 text-brand-gold shrink-0 mt-0.5" />
    <p className="text-[11px] text-brand-muted leading-relaxed">
      We&apos;ll use the information you provide to process your request to join The Becoming, support onboarding,
      <Link href="/policies#privacy" className="text-brand-gold underline hover:brightness-110">
        Privacy Notice
```

```
            </Link>{' '}
            and may use service providers to operate the website and community. Please do not submit sensitive personal
          </p>
        </div>

        <div className="space-y-2.5 pt-1 border-t border-white/5">
          {/* Required Privacy & Standards Acknowledgement */}
          <label className="flex items-start gap-2.5 cursor-pointer">
            <input
              type="checkbox"
              required
              checked={agreedToPrivacy}
              onChange={(e) => setAgreedToPrivacy(e.target.checked)}
              className="mt-0.5 accent-brand-gold rounded cursor-pointer"
            />
            <span className="text-[11px] text-brand-white leading-tight">
              I have read the{' '}
              <Link href="/policies#privacy" className="text-brand-gold underline">
                Privacy Notice
              </Link>{' '}
              and{' '}
              <Link href="/policies#standards" className="text-brand-gold underline">
                Community Standards
              </Link>{' '}
              and understand how The Becoming may use my personal information to administer my membership request. <span
            </span>
          </label>

          {/* Optional Updates Checkbox */}
          <label className="flex items-start gap-2.5 cursor-pointer">
            <input
              type="checkbox"
              checked={optionalUpdates}
              onChange={(e) => setOptionalUpdates(e.target.checked)}
              className="mt-0.5 accent-brand-gold rounded cursor-pointer"
            />
            <span className="text-[11px] text-brand-muted leading-tight">
              I would like to receive optional news, resources, and updates from The Becoming. I understand that I can u
            </span>
          </label>
        </div>
      </div>

      <button
        type="submit"
        disabled={isSubmitting}
        className="w-full inline-flex items-center justify-center gap-2 bg-brand-gold text-brand-navy font-bold px-6 py-
      >
        {isSubmitting ? (
          <>
            <Loader2 className="w-4 h-4 animate-spin" />
            <span>Registering...</span>
          </>
        ) : (
          <>
            <span>Join The Becoming</span>
            <ArrowRight className="w-4 h-4" />
          </>
        )}
      </button>

      <p className="text-center text-[11px] text-brand-muted">
        Zero cost • Free weekly sessions on Sundays at 6:00 PM WAT
      </p>
    </form>
  );
}

export default function JoinPage() {
  return (
    <div className="max-w-4xl mx-auto px-6 py-16 space-y-10">
      <div className="text-center space-y-3 max-w-xl mx-auto">
        <div className="inline-flex items-center gap-2 px-3 py-1 rounded-full border border-brand-gold/30 bg-brand-gold/
          <Sparkles className="w-3.5 h-3.5" />
```

```
          <span>Community Membership</span>
        </div>
        <h1 className="text-3xl sm:text-5xl font-black text-brand-white tracking-tight">
          Step Into The Room
        </h1>
        <p className="text-sm text-brand-muted leading-relaxed">
          The Becoming is a borderless growth circle convening every Sunday. Register below to receive session invites a
        </p>
      </div>

      <div className="rounded-3xl border border-white/10 bg-brand-slate/40 p-6 sm:p-10 shadow-2xl">
        <Suspense
          fallback={
            <div className="py-12 flex justify-center text-brand-gold">
              <Loader2 className="w-8 h-8 animate-spin" />
            </div>
          }
        >
          <JoinForm />
        </Suspense>
      </div>
    </div>
  );
}
```
