B. Tests C. Test blocks D. Test pattern 2. Select the component which is NOT part of Selenium suite. A. Selenium IDE B. Selenium RC C. SeleniumGrid D. Selenium Web 3. Is Web Driver a component of the Selenium? A. No B. Yes 4. Selenium IDE stands for A. Selenium Intialization Development Environment B. Selenium Interrelated Development Environment C. Selenium Integrated Development Environment D. Selenium Information Development Environment 5. Select the operating system which is NOT supported by Selenium IDE. A. Unix B. Linux C. Windows D. Solaris 6. The Web driver is used A. To execute tests on the HtmlUnit browser.

B. To design a test using Selenese

D. To test a web application against Firefox only.

C. To quickly create tests

1. What is a test suite made of?

A. Test packs

	elect the language which is supported by The Selenium Web river A. Perl B. Sql C. ASP D. Cobol
	elect the command which is used to print a string value or a ariable in Selenium IDE. A. The 'display' command B. The 'echo' command C. The 'print' command D. The 'printr' command
9. W	What is TestNG? A. TestNextGeneration B. TestNewGenerlization C. TestNewGeneration D. TestNextGenerations
10. p	Which Navigate command takes you forward by one age on the browser's history in Web driver Selenium. A. navigate.forward() B. navigate().forward() C. navigate()_forward() D. navigate_forword()
11.	By Default time of WAITFOR command is : A. 15 sec B. 20 sec

C. 25 sec D. 30 sec

Which are not the webdriver method to manage web-12. based alert? A. accept() B. dismiss () C. ignore() D. gettext() 13. How can we select background color in HTML? a.CSSValue("Background-color"); b.CSSText("Background-color") c.CSSvalue("bg-color") d.None of these Which access specifier is used to access classes from 14. different packages. A.protected **B.**private C.public D.none of these 15. How to set maximize window of x and y? A.driver.manage().windowsize(new dimension(400,500)) B.driver.mangage().windows().setsize(new dimension (400, 500)) C.driver.manage().windowset(dimension(400, 500)) D.driver.manage().windows().setsize(dimension (400, 500)) Which constructor is called automatically for implicit 16. command? a.default constructor b.null constructor c.empty constructor d. None of the above

17.	Selenium RC accepts javascript? A.true b. False
18.	Which of the following is best interface in selenium? a. Driver b. webdriver c. Selenium RC
Sys ^r)); <mark>A</mark>	The following codes both print same? tem.out.println(driver.getTitle()); tem.out.println(driver.findElement(By.tagName("title")).getText(true 5. false
B. C C. C	What does the term DOM refer to? Synamic object model Socument object model Socument object model Sone of these
B	Selenium tests DOS applications Browser-based applications GOUI applications None of the above
B C	Select the language which is NOT supported by the enium RC. ASP Java C. C# D. PHP

- 23. Which of the following can have control on object and class?
 - A.interface
 - B.package
 - C.constructor
 - D.None of these
- 24. Which are the select methods used in selenium.
 - A. selectByIndex()
 - B. selectByValue()
 - C. selectByVisibleText()
 - D. All the above
- 25. Select the syntax to locate an element using inner text.
 - A. css=tag:contains("inner text")
 - B. css=tag:value("inner text")
 - C. css=tag:attributes("inner text")
 - D. css=tag:class("inner text")
- 26. In Selenium, Following Axis is related to:
 - A. Selects all the siblings after the current element
 - B. Selects all elements that follow the closing tab of the current elements.
 - C. Selects all of the siblings before the current element
 - D. Selects all elements that are before the current element
- 27. In selenium can we write our own command?

A.we can write using java,c#,python,perl files

- B.we can write using javascript by adding an extension using .js file
- C.we cannot write our own commands.
- D.None of these

B. If C. a exec	We use relative path over absolute xpath? is default path. there is small change then it will fail to execute bsolute xpath contains large path and makes the cution slow oth are same
	<mark>ain()</mark> alize
B.dr C.dr	Which will count the no. of elements? iver.findElement(Byid("id")).size(); iver.findElement(Byid("id")).length(); iver.findElement(Byid("id")).getSize(); one of these
B.te C.te	Which of the following is correct command? xtToBePresentElement(By locator,string) xtToBePresentInElement(By locator,string) xtToBeElementInPresent(By locator,string) one of these
B	Which of the following is wildcard? . # .& .? .%
33.	Command used to set system property AT BD CC DX