

Command	What it does	Typical usage
docker version	Shows client/server versions and build info.	docker version --format '{{.Server.Version}}'
docker info	Displays system-wide information (CPU, memory, storage driver, etc.).	docker info --format '{{.Containers}}'
Images		
docker image ls (alias docker images)	List all local images.	docker images --filter "dangling=true"
docker image inspect <image>	Show low-level details of an image (JSON).	docker inspect alpine:latest
docker image pull <image>	Pull an image from a registry.	docker pull nginx:1.23
docker image build -t <tag> .	Build an image from a Dockerfile in the current directory.	docker build -t myapp:dev .
docker image rm <image>	Remove one or more images.	docker rmi \$(docker images -q)
docker image prune	Remove dangling/unreferenced images.	docker image prune -a
Containers		
docker container ls (alias docker ps)	List running containers.	docker ps -a --filter "status=exited"
docker container inspect <container>	Show detailed info (JSON).	docker inspect my_container
docker container run <options> <image>	Create & start a new container.	docker run -d --name web -p 80:80 nginx
docker container start <container>	Start a stopped container.	docker start my_container
docker container stop <container>	Gracefully stop a running container.	docker stop my_container
docker container pause <container>	Pause all processes in a container.	docker pause my_container
docker container unpause <container>	Resume a paused container.	docker unpause my_container
docker container restart <container>	Stop + start a container.	docker restart my_container
docker container kill <container>	Send SIGKILL to a container.	docker kill my_container
docker container rm <container>	Remove a stopped container.	docker rm \$(docker ps -a -q)
docker container exec <options> <container> <cmd>	Run a command inside a running container.	docker exec -it my_container bash
docker container logs <container>	Show stdout/stderr of a container.	docker logs -f my_container
docker container stats [<container>]	Live resource usage (CPU, memory).	docker stats my_container
Volumes		
docker volume ls	List all volumes.	docker volume ls --filter dangling=true
docker volume inspect <volume>	Show details of a volume.	docker inspect my_volume
docker volume create <name>	Create a named volume.	docker volume create data_vol
docker volume rm <volume>	Remove a volume.	docker volume rm \$(docker volume ls -q)
docker volume prune	Remove all unused volumes.	docker volume prune -f
Networks		
docker network ls	List all networks.	docker network ls --filter "driver=bridge"
docker network inspect <network>	Show details of a network.	docker inspect bridge
docker network create <name>	Create a new network.	docker network create mynet
docker network rm <network>	Remove a network.	docker network rm \$(docker network ls -q)
Registries & Authentication		
docker login [registry]	Authenticate to a registry.	docker login ghcr.io
docker logout [registry]	Log out from a registry.	docker logout ghcr.io
Docker Compose (CLI plugin)		
docker compose up [options]	Create & start services defined in docker-compose.yml.	docker compose up -d --build
docker compose down [options]	Stop & remove containers, networks.	docker compose down -v
docker compose ps	List containers managed by Compose.	docker compose ps
Docker Desktop & System		
docker system df	Show disk usage by images, containers, volumes.	docker system df -v
docker system prune [options]	Remove unused data (images, containers, networks, volumes).	docker system prune -a --volumes
BuildKit (experimental)		
docker buildx ls	List available builders.	docker buildx ls
docker buildx create --name mybuilder	Create a new builder instance.	
docker buildx use mybuilder	Switch to the builder.	
docker buildx build --push -t myimage:latest .	Build & push with BuildKit.	
Other useful commands		
docker exec -d <container> <cmd>	Run a command in background.	
docker attach <container>	Attach terminal to running container.	
docker export <container> > my_container.tar	Export filesystem of a container.	
docker import <tar>	Import tarball as an image.	
docker diff <container>	Show changes to container filesystem.	