

Lab 6 : MongoDB Basic Commands

Reg No : 23BCE7913

Name : K.Sai Srijja

1. Use MongoDB to implement the following DB operations

Code :

use vehicles

switched to db vehicles

// 2. Display all databases


show dbs

// 3. Create capped collections (max 10 docs, 1MB size)

db.createCollection("two_wheelers", { capped: true, size: 1048576, max: 10 })

db.createCollection("four_wheelers", { capped: true, size: 1048576, max: 10 })

Output :



```
Select mongosh mongodb://127.0.0.1:27017/?directConnection=true&serverSelectionTimeoutMS=2000
The server generated these startup warnings when booting
2026-03-11T20:31:46.257+05:30: Access control is not enabled for the database. Read and
-----
test> use vehicles
switched to db vehicles
vehicles> show dbs
admin    40.00 KiB
config   12.00 KiB
local    88.00 KiB
vehicles> db.createCollection("two_wheelers", { capped: true, size: 1048576, max: 10 })
{ ok: 1 }
vehicles> db.createCollection("four_wheelers", { capped: true, size: 1048576, max: 10 })
{ ok: 1 }
```

// 4. Add 5 two-wheelers

```
db.two_wheelers.insertMany([
  {
    bike_name: "Honda Activa",
    model: "gearless",
    category: "125cc",
    colors_available: ["red", "black", "blue"],
    manufacturer: "Honda",
```

```
performance: 8.5,  
timestamp: new Date("2024-03-15"),  
price: 85000  
},  
{  
  bike_name: "Bajaj Pulsar",  
  model: "gear",  
  category: "150cc",  
  colors_available: ["black", "red", "blue", "sport red"],  
  manufacturer: "Bajaj",  
  performance: 9.0,  
  timestamp: new Date("2023-11-20"),  
  price: 120000  
},  
{  
  bike_name: "TVS Apache",  
  model: "gear",  
  category: "200cc",  
  colors_available: ["matte black", "racing red"],  
  manufacturer: "TVS",  
  performance: 9.2,  
  timestamp: new Date("2024-01-10"),  
  price: 145000  
},  
{  
  bike_name: "Hero Splendor",  
  model: "gear",  
  category: "100cc",  
  colors_available: ["blue", "black"],  
  manufacturer: "Hero",  
  performance: 7.8,  
  timestamp: new Date("2023-09-05"),  
  price: 75000  
},  
{  
  bike_name: "Yamaha FZ",  
  model: "gear",  
  category: "150cc",  
  colors_available: ["dark blue", "racing blue"],  
  manufacturer: "Yamaha",
```

```

    performance: 8.8,
    timestamp: new Date("2024-02-28"),
    price: 135000
  }
])

```

Output :

```

    bike_name: "Yamaha FZ",
    model: "gear",
    category: "150cc",
    colors_available: ["dark blue", "racing blue"],
    manufacturer: "Yamaha",
    performance: 8.8,
    timestamp: new Date("2024-02-28"),
    price: 135000
  }
])
{
  acknowledged: true,
  insertedIds: {
    '0': ObjectId('69b197bcfd714a828a7c2907'),
    '1': ObjectId('69b197bcfd714a828a7c2908'),
    '2': ObjectId('69b197bcfd714a828a7c2909'),
    '3': ObjectId('69b197bcfd714a828a7c290a'),
    '4': ObjectId('69b197bcfd714a828a7c290b')
  }
}
vehicles>

```

// 5. Add 5 four-wheelers

```

db.four_wheelers.insertMany([
  {
    vehicle_name: "Swift",
    model: "own",
    category: "car",
    variants: ["VXi", "ZXi", "petrol"],
    manufacturer: "Maruti Suzuki",
    performance: 8.2,
    timestamp: new Date("2024-01-15"),
    price: 750000
  },
  {
    vehicle_name: "Ertiga",
    model: "own",
    category: "car",
    variants: ["VXi", "ZXi", "diesel"],
    manufacturer: "Maruti Suzuki",

```

```
performance: 8.0,  
timestamp: new Date("2023-12-10"),  
price: 950000  
},  
{  
  vehicle_name: "Ashok Leyland",  
  model: "commercial",  
  category: "lorry",  
  variants: ["diesel", "heavy duty"],  
  manufacturer: "Ashok Leyland",  
  performance: 9.5,  
  timestamp: new Date("2024-02-20"),  
  price: 2500000  
},  
{  
  vehicle_name: "Tata Ace",  
  model: "commercial",  
  category: "mini truck",  
  variants: ["diesel", "CNG"],  
  manufacturer: "Tata Motors",  
  performance: 8.7,  
  timestamp: new Date("2023-10-15"),  
  price: 550000  
},  
{  
  vehicle_name: "Eicher Pro",  
  model: "commercial",  
  category: "heavy truck",  
  variants: ["diesel", "13L engine"],  
  manufacturer: "Eicher",  
  performance: 9.3,  
  timestamp: new Date("2024-03-01"),  
  price: 3800000  
}  
])
```

Output :

```
|   category: "heavy truck",  
|   variants: ["diesel", "13L engine"],  
|   manufacturer: "Eicher",  
|   performance: 9.3,  
|   timestamp: new Date("2024-03-01"),  
|   price: 3800000  
| }  
| )  
|  
{  
  acknowledged: true,  
  insertedIds: {  
    '0': ObjectId('69b19855fd714a828a7c290c'),  
    '1': ObjectId('69b19855fd714a828a7c290d'),  
    '2': ObjectId('69b19855fd714a828a7c290e'),  
    '3': ObjectId('69b19855fd714a828a7c290f'),  
    '4': ObjectId('69b19855fd714a828a7c2910')  
  }  
}  
vehicles> █
```

```
// 6. Display all documents
db.two_wheelers.find().pretty()
```

Output :

```
vehicles> db.two_wheelers.find().pretty()
[
  {
    _id: ObjectId('69b197bcfd714a828a7c2907'),
    bike_name: 'Honda Activa',
    model: 'gearless',
    category: '125cc',
    colors_available: [ 'red', 'black', 'blue' ],
    manufacturer: 'Honda',
    performance: 8.5,
    timestamp: ISODate('2024-03-15T00:00:00.000Z'),
    price: 85000
  },
  {
    _id: ObjectId('69b197bcfd714a828a7c2908'),
    bike_name: 'Bajaj Pulsar',
    model: 'gear',
    category: '150cc',
    colors_available: [ 'black', 'red', 'blue', 'sport r' ],
    manufacturer: 'Bajaj',
    performance: 9,
    timestamp: ISODate('2023-11-20T00:00:00.000Z'),
    price: 120000
  },
  {
    _id: ObjectId('69b197bcfd714a828a7c2909'),
    bike_name: 'TVS Apache',
    model: 'gear',
    category: '200cc',
    colors_available: [ 'matte black', 'racing red' ],
    manufacturer: 'TVS',
    performance: 9.2,
    timestamp: ISODate('2024-01-10T00:00:00.000Z'),
    price: 145000
  },
  {
    _id: ObjectId('69b197bcfd714a828a7c290a'),
    bike_name: 'Hero Splendor',
    model: 'gear',
    category: '100cc',
    colors_available: [ 'blue', 'black' ],
    manufacturer: 'Hero',
    performance: 7.8,
    timestamp: ISODate('2023-09-05T00:00:00.000Z'),
    price: 75000
  },
  {
    _id: ObjectId('69b197bcfd714a828a7c290b'),
    bike_name: 'Yamaha FZ',
    model: 'gear',
    category: '150cc',
    colors_available: [ 'dark blue', 'racing blue' ],
    manufacturer: 'Yamaha',
    performance: 8.8,
    timestamp: ISODate('2024-02-28T00:00:00.000Z'),
    price: 135000
  }
]
vehicles> 
```

```
db.four_wheelers.find().pretty()
```

Output :

```
vehicles> db.four_wheelers.find().pretty()
[
  {
    _id: ObjectId('69b19855fd714a828a7c290c'),
    vehicle_name: 'Swift',
    model: 'own',
    category: 'car',
    variants: [ 'VXi', 'ZXi', 'petrol' ],
    manufacturer: 'Maruti Suzuki',
    performance: 8.2,
    timestamp: ISODate('2024-01-15T00:00:00.000Z'),
    price: 750000
  },
  {
    _id: ObjectId('69b19855fd714a828a7c290d'),
    vehicle_name: 'Ertiga',
    model: 'own',
    category: 'car',
    variants: [ 'VXi', 'ZXi', 'diesel' ],
    manufacturer: 'Maruti Suzuki',
    performance: 8,
    timestamp: ISODate('2023-12-10T00:00:00.000Z'),
    price: 950000
  },
  {
    _id: ObjectId('69b19855fd714a828a7c290e'),
    vehicle_name: 'Ashok Leyland',
    model: 'commercial',
    category: 'lorry',
    variants: [ 'diesel', 'heavy duty' ],
    manufacturer: 'Ashok Leyland',
    performance: 9.5,
    timestamp: ISODate('2024-02-20T00:00:00.000Z'),
    price: 2500000
  },
  {
    _id: ObjectId('69b19855fd714a828a7c290f'),
    vehicle_name: 'Tata Ace',
    model: 'commercial',
    category: 'mini truck',
    variants: [ 'diesel', 'CNG' ],
    manufacturer: 'Tata Motors',
    performance: 8.7,
    timestamp: ISODate('2023-10-15T00:00:00.000Z'),
    price: 550000
  },
  {
    _id: ObjectId('69b19855fd714a828a7c2910'),
    vehicle_name: 'Eicher Pro',
    model: 'commercial',
    category: 'heavy truck',
    variants: [ 'diesel', '13L engine' ],
    manufacturer: 'Eicher',
    performance: 9.3,
    timestamp: ISODate('2024-03-01T00:00:00.000Z'),
    price: 3800000
  }
]
vehicles>
```

```
// 7. Display only name and price from all collections
db.two_wheelers.find({}, {bike_name: 1, price: 1, _id: 0})
db.four_wheelers.find({}, {vehicle_name: 1, price: 1, _id: 0})
```

```
// 8. Two-wheelers from Honda
db.two_wheelers.find({manufacturer: "Honda"})
```

Output :

```
vehicles> db.two_wheelers.find({}, {bike_name: 1, price: 1, _id: 0})
[
  { bike_name: 'Honda Activa', price: 85000 },
  { bike_name: 'Bajaj Pulsar', price: 120000 },
  { bike_name: 'TVS Apache', price: 145000 },
  { bike_name: 'Hero Splendor', price: 75000 },
  { bike_name: 'Yamaha FZ', price: 135000 }
]
vehicles> db.four_wheelers.find({}, {vehicle_name: 1, price: 1, _id: 0})
[
  { vehicle_name: 'Swift', price: 750000 },
  { vehicle_name: 'Ertiga', price: 950000 },
  { vehicle_name: 'Ashok Leyland', price: 2500000 },
  { vehicle_name: 'Tata Ace', price: 550000 },
  { vehicle_name: 'Eicher Pro', price: 3800000 }
]
vehicles> db.two_wheelers.find({manufacturer: "Honda"})
[
  {
    _id: ObjectId('69b197bcfd714a828a7c2907'),
    bike_name: 'Honda Activa',
    model: 'gearless',
    category: '125cc',
    colors_available: [ 'red', 'black', 'blue' ],
    manufacturer: 'Honda',
    performance: 8.5,
    timestamp: ISODate('2024-03-15T00:00:00.000Z'),
    price: 85000
  }
]
```

```
// 9. Four-wheelers with diesel variants
db.four_wheelers.find({"variants": "diesel"})
```

Output :


```

vehicles> db.four_wheelers.find({"variants": "diesel"})
[
  {
    _id: ObjectId('69b19855fd714a828a7c290d'),
    vehicle_name: 'Ertiga',
    model: 'own',
    category: 'car',
    variants: [ 'VXi', 'ZXi', 'diesel' ],
    manufacturer: 'Maruti Suzuki',
    performance: 8,
    timestamp: ISODate('2023-12-10T00:00:00.000Z'),
    price: 950000
  },
  {
    _id: ObjectId('69b19855fd714a828a7c290e'),
    vehicle_name: 'Ashok Leyland',
    model: 'commercial',
    category: 'lorry',
    variants: [ 'diesel', 'heavy duty' ],
    manufacturer: 'Ashok Leyland',
    performance: 9.5,
    timestamp: ISODate('2024-02-20T00:00:00.000Z'),
    price: 2500000
  },
  {
    _id: ObjectId('69b19855fd714a828a7c290f'),
    vehicle_name: 'Tata Ace',
    model: 'commercial',
    category: 'mini truck',
    variants: [ 'diesel', 'CNG' ],
    manufacturer: 'Tata Motors',
    performance: 8.7,
    timestamp: ISODate('2023-10-15T00:00:00.000Z'),
    price: 550000
  },
  {
    _id: ObjectId('69b19855fd714a828a7c2910'),
    vehicle_name: 'Eicher Pro',
    model: 'commercial',
    category: 'heavy truck',
    variants: [ 'diesel', '13L engine' ],
    manufacturer: 'Eicher',
    performance: 9.3,
    timestamp: ISODate('2024-03-01T00:00:00.000Z'),
    price: 3800000
  }
]

```

// 10. Vehicles with performance > 5

```
db.two_wheelers.find({performance: {$gt: 5}}, {bike_name: 1, category: 1,
manufacturer: 1, _id: 0})
```

```
db.four_wheelers.find({performance: {$gt: 5}}, {vehicle_name: 1, category: 1,
manufacturer: 1, _id: 0})
```

Output :

```
vehicles> db.two_wheelers.find({performance: {$gt: 5}}, {bike_name: 1, category: 1, manu
[
  { bike_name: 'Honda Activa', category: '125cc', manufacturer: 'Honda' },
  { bike_name: 'Bajaj Pulsar', category: '150cc', manufacturer: 'Bajaj' },
  { bike_name: 'TVS Apache', category: '200cc', manufacturer: 'TVS' },
  { bike_name: 'Hero Splendor', category: '100cc', manufacturer: 'Hero' },
  { bike_name: 'Yamaha FZ', category: '150cc', manufacturer: 'Yamaha' }
]
vehicles> db.four_wheelers.find({performance: {$gt: 5}}, {vehicle_name: 1, category: 1,
[
  {
    vehicle_name: 'Swift',
    category: 'car',
    manufacturer: 'Maruti Suzuki'
  },
  {
    vehicle_name: 'Ertiga',
    category: 'car',
    manufacturer: 'Maruti Suzuki'
  },
  {
    vehicle_name: 'Ashok Leyland',
    category: 'lorry',
    manufacturer: 'Ashok Leyland'
  },
  {
    vehicle_name: 'Tata Ace',
    category: 'mini truck',
    manufacturer: 'Tata Motors'
  },
  {
    vehicle_name: 'Eicher Pro',
    category: 'heavy truck',
    manufacturer: 'Eicher'
  }
]
vehicles>
```

2. Use MongoDB to implement the following DB operations for a Zoo

Code:

```
// 1. Create & Select 'animal' database
use animal
```

```
// 2. Display all databases
show dbs
```

```
// 3. Create capped collections (max 10 docs, 1MB size)
db.createCollection("wild_animals", { capped: true, size: 1048576, max: 10 })
db.createCollection("domestic_animals", { capped: true, size: 1048576, max: 10 })
```

Output :

```
vehicles> use animal
switched to db animal
animal> show dbs
admin      40.00 KiB
config     108.00 KiB
local      88.00 KiB
vehicles    80.00 KiB
animal> db.createCollection("wild_animals", { capped: true, size: 1048576, max: 10 })
{ ok: 1 }
animal> db.createCollection("domestic_animals", { capped: true, size: 1048576, max: 10 })
{ ok: 1 }
animal> _
```

```
// 4. Add 5 wild animals
```

```
db.wild_animals.insertMany([
  {
    animal_name: "Royal Bengal Tiger",
    nature: "harm",
    favorite_foods: ["deer", "wild boar", "buffalo"],
    care_taker_name: "Ramesh Kumar",
    life_span: 15,
    timestamp: new Date("2024-01-15"),
    expenses: 250000
  },
  {
    animal_name: "African Lion",
    nature: "harm",
    favorite_foods: ["zebra", "wildebeest", "gazelle"],
```

```
    care_taker_name: "Suresh Patel",
    life_span: 12,
    timestamp: new Date("2023-11-20"),
    expenses: 220000
  },
  {
    animal_name: "Indian Elephant",
    nature: "harmless",
    favorite_foods: ["grass", "leaves", "branches", "fruit"],
    care_taker_name: "Anita Sharma",
    life_span: 60,
    timestamp: new Date("2024-02-10"),
    expenses: 180000
  },
  {
    animal_name: "White Rhino",
    nature: "harmless",
    favorite_foods: ["grass", "leaves"],
    care_taker_name: "Vikram Singh",
    life_span: 45,
    timestamp: new Date("2023-12-05"),
    expenses: 200000
  },
  {
    animal_name: "Saltwater Crocodile",
    nature: "harm",
    favorite_foods: ["fish", "birds", "mammals"],
    care_taker_name: "Priya Menon",
    life_span: 70,
    timestamp: new Date("2024-03-01"),
    expenses: 150000
  }
])
```

Output :

```

        care_taker_name: "Priya Menon",
        life_span: 70,
        timestamp: new Date("2024-03-01"),
        expenses: 150000
    }
])
{
  acknowledged: true,
  insertedIds: {
    '0': ObjectId('69b19b71fd714a828a7c2911'),
    '1': ObjectId('69b19b71fd714a828a7c2912'),
    '2': ObjectId('69b19b71fd714a828a7c2913'),
    '3': ObjectId('69b19b71fd714a828a7c2914'),
    '4': ObjectId('69b19b71fd714a828a7c2915')
  }
}
animal>

```

// 5. Add 5 domestic animals

```

db.domestic_animals.insertMany([
  {
    animal_name: "Labrador",
    gender: "male",
    favorite_foods: ["chicken", "rice", "vegetables"],
    animal_petname: "Bruno",
    life_span: 12,
    timestamp: new Date("2024-01-20"),
    expenses: 25000
  },
  {
    animal_name: "Persian Cat",
    gender: "female",
    favorite_foods: ["fish", "milk", "chicken"],
    animal_petname: "Snowball",
    life_span: 15,
    timestamp: new Date("2023-10-15"),
    expenses: 18000
  },
  {
    animal_name: "German Shepherd",
    gender: "male",
    favorite_foods: ["meat", "bones", "eggs"],
    animal_petname: "Max",

```

```

    life_span: 10,
    timestamp: new Date("2024-02-28"),
    expenses: 30000
  },
  {
    animal_name: "Siamese Cat",
    gender: "female",
    favorite_foods: ["tuna", "chicken", "mice"],
    animal_petname: "Luna",
    life_span: 14,
    timestamp: new Date("2023-12-12"),
    expenses: 20000
  },
  {
    animal_name: "Golden Retriever",
    gender: "male",
    favorite_foods: ["beef", "carrots", "apples"],
    animal_petname: "Rocky",
    life_span: 13,
    timestamp: new Date("2024-03-05"),
    expenses: 28000
  }
])

```

Output :

```

    },
    {
      animal_name: "Golden Retriever",
      gender: "male",
      favorite_foods: ["beef", "carrots", "apples"],
      animal_petname: "Rocky",
      life_span: 13,
      timestamp: new Date("2024-03-05"),
      expenses: 28000
    }
  ])
  {
    acknowledged: true,
    insertedIds: {
      '0': ObjectId('69b19b9bfd714a828a7c2916'),
      '1': ObjectId('69b19b9bfd714a828a7c2917'),
      '2': ObjectId('69b19b9bfd714a828a7c2918'),
      '3': ObjectId('69b19b9bfd714a828a7c2919'),
      '4': ObjectId('69b19b9bfd714a828a7c291a')
    }
  }
}

```

```
// 6. Display all documents
print("=== WILD ANIMALS ===")
db.wild_animals.find().pretty()
```

Output :

```
animal> print("=== WILD ANIMALS ===")
| db.wild_animals.find().pretty()
=== WILD ANIMALS ===
[
  {
    _id: ObjectId('69b19b71fd714a828a7c2911'),
    animal_name: 'Royal Bengal Tiger',
    nature: 'harm',
    favorite_foods: [ 'deer', 'wild boar', 'buffalo' ],
    care_taker_name: 'Ramesh Kumar',
    life_span: 15,
    timestamp: ISODate('2024-01-15T00:00:00.000Z'),
    expenses: 250000
  },
  {
    _id: ObjectId('69b19b71fd714a828a7c2912'),
    animal_name: 'African Lion',
    nature: 'harm',
    favorite_foods: [ 'zebra', 'wildebeest', 'gazelle' ],
    care_taker_name: 'Suresh Patel',
    life_span: 12,
    timestamp: ISODate('2023-11-20T00:00:00.000Z'),
    expenses: 220000
  },
  {
    _id: ObjectId('69b19b71fd714a828a7c2913'),
    animal_name: 'Indian Elephant',
    nature: 'harmless',
    favorite_foods: [ 'grass', 'leaves', 'branches', 'fru
    care_taker_name: 'Anita Sharma',
    life_span: 60,
    timestamp: ISODate('2024-02-10T00:00:00.000Z'),
    expenses: 180000
  },
  {
    _id: ObjectId('69b19b71fd714a828a7c2914'),
    animal_name: 'White Rhino',
    nature: 'harmless',
    favorite_foods: [ 'grass', 'leaves' ],
    care_taker_name: 'Vikram Singh',
    life_span: 45,
    timestamp: ISODate('2023-12-05T00:00:00.000Z'),
    expenses: 200000
  },
  {
    _id: ObjectId('69b19b71fd714a828a7c2915'),
    animal_name: 'Saltwater Crocodile',
    nature: 'harm',
    favorite_foods: [ 'fish', 'birds', 'mammals' ],
    care_taker_name: 'Priya Menon',
    life_span: 70,
    timestamp: ISODate('2024-03-01T00:00:00.000Z'),
    expenses: 150000
  }
]
animal>
```

```
print("=== DOMESTIC ANIMALS ===")
db.domestic_animals.find().pretty()
```

Output :

```
animal> print("=== DOMESTIC ANIMALS ===")
| db.domestic_animals.find().pretty()
=== DOMESTIC ANIMALS ===
[
  {
    _id: ObjectId('69b19b9bfd714a828a7c2916'),
    animal_name: 'Labrador',
    gender: 'male',
    favorite_foods: [ 'chicken', 'rice', 'vegetables' ],
    animal_petname: 'Bruno',
    life_span: 12,
    timestamp: ISODate('2024-01-20T00:00:00.000Z'),
    expenses: 25000
  },
  {
    _id: ObjectId('69b19b9bfd714a828a7c2917'),
    animal_name: 'Persian Cat',
    gender: 'female',
    favorite_foods: [ 'fish', 'milk', 'chicken' ],
    animal_petname: 'Snowball',
    life_span: 15,
    timestamp: ISODate('2023-10-15T00:00:00.000Z'),
    expenses: 18000
  },
  {
    _id: ObjectId('69b19b9bfd714a828a7c2918'),
    animal_name: 'German Shepherd',
    gender: 'male',
    favorite_foods: [ 'meat', 'bones', 'eggs' ],
    animal_petname: 'Max',
    life_span: 10,
    timestamp: ISODate('2024-02-28T00:00:00.000Z'),
    expenses: 30000
  },
  {
    _id: ObjectId('69b19b9bfd714a828a7c2919'),
    animal_name: 'Siamese Cat',
    gender: 'female',
    favorite_foods: [ 'tuna', 'chicken', 'mice' ],
    animal_petname: 'Luna',
    life_span: 14,
    timestamp: ISODate('2023-12-12T00:00:00.000Z'),
    expenses: 20000
  },
  {
    _id: ObjectId('69b19b9bfd714a828a7c291a'),
    animal_name: 'Golden Retriever',
    gender: 'male',
    favorite_foods: [ 'beef', 'carrots', 'apples' ],
    animal_petname: 'Rocky',
    life_span: 13,
    timestamp: ISODate('2024-03-05T00:00:00.000Z'),
    expenses: 28000
  }
]
animal>
```



```
// 7. Display only animal name and expenses
print("=== NAME & EXPENSES (WILD) ===")
db.wild_animals.find({}, {animal_name: 1, expenses: 1, _id: 0})
print("=== NAME & EXPENSES (DOMESTIC) ===")
db.domestic_animals.find({}, {animal_name: 1, expenses: 1, _id: 0})

// 8. Domestic animals with life span 12 years
print("=== DOMESTIC ANIMALS (12 years lifespan) ===")
db.domestic_animals.find({life_span: 12})
```

Output :

```
animal> print("=== NAME & EXPENSES (WILD) ===")
| db.wild_animals.find({}, {animal_name: 1, expenses: 1, _id: 0})
=== NAME & EXPENSES (WILD) ===
[
  { animal_name: 'Royal Bengal Tiger', expenses: 250000 },
  { animal_name: 'African Lion', expenses: 220000 },
  { animal_name: 'Indian Elephant', expenses: 180000 },
  { animal_name: 'White Rhino', expenses: 200000 },
  { animal_name: 'Saltwater Crocodile', expenses: 150000 }
]
animal> print("=== NAME & EXPENSES (DOMESTIC) ===")
| db.domestic_animals.find({}, {animal_name: 1, expenses: 1, _id: 0})
=== NAME & EXPENSES (DOMESTIC) ===
[
  { animal_name: 'Labrador', expenses: 25000 },
  { animal_name: 'Persian Cat', expenses: 18000 },
  { animal_name: 'German Shepherd', expenses: 30000 },
  { animal_name: 'Siamese Cat', expenses: 20000 },
  { animal_name: 'Golden Retriever', expenses: 28000 }
]
animal> print("=== DOMESTIC ANIMALS (12 years lifespan) ===")
| db.domestic_animals.find({life_span: 12})
=== DOMESTIC ANIMALS (12 years lifespan) ===
[
  {
    _id: ObjectId('69b19b9bfd714a828a7c2916'),
    animal_name: 'Labrador',
    gender: 'male',
    favorite_foods: [ 'chicken', 'rice', 'vegetables' ],
    animal_petname: 'Bruno',
    life_span: 12,
    timestamp: ISODate('2024-01-20T00:00:00.000Z'),
    expenses: 25000
  }
]
animal>
```

```
// 9. Wild animals under care_taker "Ramesh Kumar"
print("=== WILD ANIMALS - Ramesh Kumar ===")
db.wild_animals.find({care_taker_name: "Ramesh Kumar"})
```

Output :

```
animal> print("=== WILD ANIMALS - Ramesh Kumar ===")
| db.wild_animals.find({care_taker_name: "Ramesh Kumar"})
=== WILD ANIMALS - Ramesh Kumar ===
[
  {
    _id: ObjectId('69b19b71fd714a828a7c2911'),
    animal_name: 'Royal Bengal Tiger',
    nature: 'harm',
    favorite_foods: [ 'deer', 'wild boar', 'buffalo' ],
    care_taker_name: 'Ramesh Kumar',
    life_span: 15,
    timestamp: ISODate('2024-01-15T00:00:00.000Z'),
    expenses: 250000
  }
]
```

```
// 10. Animals with lifespan > 5 years
print("=== WILD ANIMALS (>5 years lifespan) ===")
db.wild_animals.find(
  {life_span: {$gt: 5}},
  {animal_name: 1, favorite_foods: 1, expenses: 1, _id: 0}
)
```

Output :

```

animal> print("=== WILD ANIMALS (>5 years lifespan) ===")
| db.wild_animals.find(
|   {life_span: {$gt: 5}},
|   {animal_name: 1, favorite_foods: 1, expenses: 1, _id: 0}
| )
=== WILD ANIMALS (>5 years lifespan) ===
[
  {
    animal_name: 'Royal Bengal Tiger',
    favorite_foods: [ 'deer', 'wild boar', 'buffalo' ],
    expenses: 250000
  },
  {
    animal_name: 'African Lion',
    favorite_foods: [ 'zebra', 'wildebeest', 'gazelle' ],
    expenses: 220000
  },
  {
    animal_name: 'Indian Elephant',
    favorite_foods: [ 'grass', 'leaves', 'branches', 'fruit' ],
    expenses: 180000
  },
  {
    animal_name: 'White Rhino',
    favorite_foods: [ 'grass', 'leaves' ],
    expenses: 200000
  },
  {
    animal_name: 'Saltwater Crocodile',
    favorite_foods: [ 'fish', 'birds', 'mammals' ],
    expenses: 150000
  }
]

```

```

print("=== DOMESTIC ANIMALS (>5 years lifespan) ===")
db.domestic_animals.find(
  {life_span: {$gt: 5}},
  {animal_name: 1, favorite_foods: 1, expenses: 1, _id: 0}
)

```

Output :

```
animal> print("=== DOMESTIC ANIMALS (>5 years lifespan) ===")
| db.domestic_animals.find(
|   {life_span: {$gt: 5}},
|   {animal_name: 1, favorite_foods: 1, expenses: 1, _id: 0}
| )
|
=== DOMESTIC ANIMALS (>5 years lifespan) ===
[
  {
    animal_name: 'Labrador',
    favorite_foods: [ 'chicken', 'rice', 'vegetables' ],
    expenses: 25000
  },
  {
    animal_name: 'Persian Cat',
    favorite_foods: [ 'fish', 'milk', 'chicken' ],
    expenses: 18000
  },
  {
    animal_name: 'German Shepherd',
    favorite_foods: [ 'meat', 'bones', 'eggs' ],
    expenses: 30000
  },
  {
    animal_name: 'Siamese Cat',
    favorite_foods: [ 'tuna', 'chicken', 'mice' ],
    expenses: 20000
  },
  {
    animal_name: 'Golden Retriever',
    favorite_foods: [ 'beef', 'carrots', 'apples' ],
    expenses: 28000
  }
]
animal>
```