测验, 4 个问题



未选择的是正确的

测验, 4 个问题

1/1分

<mark>2</mark> م

Choose correct statements about the vanishing gradient problem:

Vanishing gradient problem is easy to detect.

未选择的是正确的

 $\overline{\hspace{1cm}}$ Both nonlinearity and the recurrent weight matrix W cause the vanishing gradient problem.

正确

That is true!

Orthogonal initialization of the recurrent weight matrix helps with the vanishing gradient problem.

正确

That is true!

Truncated BPTT helps with the vanishing gradient problem.

未选择的是正确的



1/1分


3。

Consider the LSTM architecture:

Modern RNN $\left(egin{array}{c} s_{g_t} \ i_t \ o_t \ f. \end{array}
ight) = \left(egin{array}{c} ilde{f} \ \sigma \ \sigma \ \sigma \end{array}
ight) (Vx_t + Wh_{t-1} + b)$

4/4 分 (100%)

$$c_t = f_t \cdot c_{t-1} + i_t \cdot g_t, \quad h_t = o_t \cdot ilde{f}\left(c_t
ight)$$



Choose correct statements about this architecture:

The LSTM needs four times more parameters than the simple RNN.

正确

For each gate we need its own set of parameters and there are 3 gates in the LSTM architecture.

Gradients do not vanish on the way through memory cells c in the LSTM with forget gate.

未选择的是正确的

There is a combination of the gates values which makes the LSTM completely equivalent to the simple RNN.

未选择的是正确的

The exploding gradient problem is still possible in LSTM on the way between h_{t-1} and h_t .

正确

4/4 分 (100%)

测验, 4 个问题




1/1分

4

Consider the GRU architecture:

$$g_t = ilde{f}\left(V_g x_t + W_g (h_{t-1} \cdot r_t) + b_g
ight)$$

$$h_t = (1-u_t) \cdot g_t + u_t \cdot h_{t-1}$$



Which combination of the gate values makes this model equivalent to the simple RNN? Here value zero corresponds to a closed gate and value one corresponds to an open gate.

- Both reset and update gates are open.
- Both reset and update gates are closed.
- Reset gate is open and update gate is closed.

正确

That is it!

Update gate is open and reset gate is closed.



Modern RNNs

4/4 分 (100%)

测验, 4 个问题