

http://localhost:8080/api/v1/question/addQuestion

POST http://localhost:8080/api/v1/question/addQuestion

Send

Query 1 question quiz question quiz question

Limit to 1000 rows

1 • SELECT \* FROM quiz\_db.question;

	id	category	correct_answer	difficulty	option1	option2	option3	option4	question_title
1	0	main	0	class	public	void	main		Which of the following is not a Java keyword?
2	0	4 bytes	0	2 bytes	4 bytes	8 bytes	Depends on OS		What is the size of an int variable in Java?
3	0	Scanner	0	Scanner	Cin	InputStreamReader	BufferedReader		Which of the following is used to take input in Java?
4	0	Platform Dependent	1	Object-Oriented	Platform Dependent	Secure	Robust		Which of the following is ***not*** a feature of Java?
5	0	ArithmeticException	1	NullPointerException	ArithmeticException	NumberFormatException	IllegalArgumentException		Which exception is thrown when dividing a number by zero in Java?
6	2	@SpringBootApplication	0	@SpringBoot	@SpringApplication	@SpringBootApplication	@EnableAutoConfiguration		What annotation is used to mark the main class of a Spring Boot application?
7	2	application.properties	1	settings.gradle	application.properties	pom.xml	log4j.properties		Which file is typically used to define Spring Boot configuration values?
8	NULL	NULL	NULL	NULL	NULL	NULL	NULL		

http://localhost:8080/api/v1/question/getQuestionById/7

GET http://localhost:8080/api/v1/question/getQuestionById/7

Send

Params Authorization Headers (7) Body Scripts Tests Settings

Body Cookies Headers (5) Test Results Visualize

200 OK 184 ms 462 B

```
{
  "id": 7,
  "questionTitle": "Which file is typically used to define Spring Boot configuration values?",
  "option1": "settings.gradle",
  "option2": "application.properties",
  "option3": "pom.xml",
  "option4": "log4j.properties",
  "correctAnswer": "application.properties",
  "difficulty": "MEDIUM",
  "category": "SPRINGBOOT"
}
```

http://localhost:8080/api/v1/question/updateQuestion/5

PUT http://localhost:8080/api/v1/question/updateQuestion/5

Send

Params Authorization Headers (9) Body Scripts Tests Settings

none form-data x-www-form-urlencoded raw binary GraphQL JSON

```
{
  "questionTitle": "What will be the output of: System.out.println(\"10\" + \"20\" + \"30\");",
  "option1": "102030",
  "option2": "30",
  "option3": "3030",
  "option4": "3030,0",
  "correctAnswer": "102030",
  "difficulty": "MEDIUM",
  "category": "JAVA"
}
```

Limit to 1000 rows

1 • SELECT \* FROM quiz\_db.question;

	id	category	correct_answer	difficulty	option1	option2	option3	option4	question_title
1	0	main	0	class	public	void	main		Which of the following is not a Java keyword?
2	0	4 bytes	0	2 bytes	4 bytes	8 bytes	Depends on OS		What is the size of an int variable in Java?
3	0	Scanner	0	Scanner	Cin	InputStreamReader	BufferedReader		Which of the following is used to take input in Java?
4	0	Platform Dependent	1	Object-Oriented	Platform Dependent	Secure	Robust		Which of the following is ***not*** a feature of Java?
5	0	102030	1	102030	30	3030	3030,0		What will be the output of: System.out.println("10" + "20" + "30");
6	2	@SpringBootApplication	0	@SpringBoot	@SpringApplication	@SpringBootApplication	@EnableAutoConfiguration		What annotation is used to mark the main class of a Spring Boot application?
7	2	application.properties	1	settings.gradle	application.properties	pom.xml	log4j.properties		Which file is typically used to define Spring Boot configuration values?

http://localhost:8080/api/v1/question/deleteQuestion/7

SaveShare

DELETE

http://localhost:8080/api/v1/question/deleteQuestion/7

Send

Limit to 1000 rows

1 • SELECT \* FROM quiz\_db.question;

Result Grid								
Filter Rows								
	id	category	correct_answer	difficulty	option1	option2	option3	option4
1	0	main	0	class	public	void	main	Which of the following is not a Java keyword?
2	0	4 bytes	0	2 bytes	4 bytes	8 bytes	Depends on OS	What is the size of an int variable in Java?
3	0	Scanner	0	Scanner	Cin	InputStreamReader	BufferedWriter	Which of the following is used to take input in Java?
4	0	Platform Dependent	1	Object-Oriented	Platform Dependent	Secure	Robust	Which of the following is **not** a feature of Java?
5	0	102030	1	102030	30	3030	3030.0	What will be the output of: System.out.println("10" + "20" + "30");
6	2	@SpringBootApplication	0	@SpringBootApplication	@SpringApplication	@SpringBootApplication	@EnableAutoConfiguration	What annotation is used to mark the main class of a Spring Boot application?
NA NA NA NA NA NA NA NA NA								

http://localhost:8080/api/v1/question/getAllQuestions

SaveShare

GET

http://localhost:8080/api/v1/question/getAllQuestions

Send

ParamsAuthorizationHeaders (7)BodyScriptsTestsSettings

BodyCookiesHeaders (5)Test Results

200 OK24 ms1.6 KB

JSON

PreviewVisualize

```
1 [
2   {
3     "id": 1,
4     "questionTitle": "Which of the following is not a Java keyword?",
5     "option1": "class",
6     "option2": "public",
7     "option3": "void",
8     "option4": "main",
9     "correctAnswer": "main",
10    "difficulty": "EASY",
11    "category": "JAVA"
12  },
13  {
14    "id": 2,
15    "questionTitle": "What is the size of an int variable in Java?",
16    "option1": "2 bytes",
17    "option2": "4 bytes",
18    "option3": "8 bytes",
19    "option4": "Depends on OS",
20    "correctAnswer": "4 bytes",
21    "difficulty": "EASY",
22    "category": "JAVA"
23  },
24  {
25    "id": 3,
26    "questionTitle": "Which of the following is used to take input in Java?",
27    "option1": "Scanner",
28    "option2": "Cin",
29    "option3": "InputStreamReader",
30    "option4": "BufferedWriter",
31    "correctAnswer": "Scanner",
32    "difficulty": "EASY",
33    "category": "JAVA"
34  },
35  {
36    "id": 4,
37    "questionTitle": "Which of the following is **not** a feature of Java?",
38    "option1": "Object-Oriented",
39    "option2": "Platform Dependent",
40    "option3": "Secure",
41    "option4": "Robust",
42    "correctAnswer": "Platform Dependent",
43    "difficulty": "MEDIUM",
44    "category": "JAVA"
45  },
46  ]
```

http://localhost:8080/api/v1/question/getAllQuestions

SaveShare

GET

http://localhost:8080/api/v1/question/getAllQuestions

Send

ParamsAuthorizationHeaders (7)BodyScriptsTestsSettings

BodyCookiesHeaders (5)Test Results

200 OK24 ms1.6 KB

JSON

PreviewVisualize

```
23 [
24   {
25     "id": 3,
26     "questionTitle": "Which of the following is used to take input in Java?",
27     "option1": "Scanner",
28     "option2": "Cin",
29     "option3": "InputStreamReader",
30     "option4": "BufferedWriter",
31     "correctAnswer": "Scanner",
32     "difficulty": "EASY",
33     "category": "JAVA"
34   },
35   {
36     "id": 4,
37     "questionTitle": "Which of the following is **not** a feature of Java?",
38     "option1": "Object-Oriented",
39     "option2": "Platform Dependent",
40     "option3": "Secure",
41     "option4": "Robust",
42     "correctAnswer": "Platform Dependent",
43     "difficulty": "MEDIUM",
44     "category": "JAVA"
45   },
46  ]
```

http://localhost:8080/api/v1/question/getAllQuestions

GET http://localhost:8080/api/v1/question/getAllQuestions Send

Params Authorization Headers (7) Body Scripts Tests Settings

Body Cookies Headers (5) Test Results

200 OK · 24 ms · 1.6 KB

JSON Preview Visualize

```
42 {
43   "correctAnswer": "Platform Dependent",
44   "difficulty": "MEDIUM",
45   "category": "JAVA"
46 },
47 {
48   "id": 5,
49   "questionTitle": "What will be the output of: System.out.println(\"10\" + \"20\" + \"30\");",
50   "option1": "102030",
51   "option2": "30",
52   "option3": "3030",
53   "option4": "3030.0",
54   "correctAnswer": "102030",
55   "difficulty": "MEDIUM",
56   "category": "JAVA"
57 },
58 {
59   "id": 6,
60   "questionTitle": "What annotation is used to mark the main class of a Spring Boot application?",
61   "option1": "@SpringBoot",
62   "option2": "@SpringApplication",
63   "option3": "@SpringBootApplication",
64   "option4": "@EnableAutoConfiguration",
65   "correctAnswer": "@SpringBootApplication",
66   "difficulty": "EASY",
67   "category": "SPRINGBOOT"
68 }
```

http://localhost:8080/api/v1/quiz/createQuiz?category=SPRINGBOOT&level=EASY&title=What annotation is used to mark the ma

POST http://localhost:8080/api/v1/quiz/createQuiz?category=SPRINGBOOT&level=EASY&title=What annotation is used to mark the main class of a Spring Boot application? Send

Params Authorization Headers (8) Body Scripts Tests Settings

Query Params

Key	Value	Description
category	SPRINGBOOT	
level	EASY	

Bulk Edit

Limit to 1000 rows

1 • SELECT \* FROM quiz\_db.quiz;

Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content: I A

	id	title
▶	1	Which of the following is not a Java keyword?
	2	What is the size of an int variable in Java?
	3	Which of the following is used to take input in Java?
	4	Which of the following is <b>**not**</b> a feature of Java?
	5	What will be the output of: System.out.println("10" "20" "30");
	6	What annotation is used to mark the main class of a Spring Boot application?
•	NULL	NULL

http://localhost:8080/api/v1/quiz/getQuizById/1

GET http://localhost:8080/api/v1/quiz/getQuizById/1

Params Authorization Headers (7) Body Scripts Tests Settings

Body Cookies Headers (5) Test Results

200 OK · 12 ms · 641 B

```
1 [
2   {
3     "id": 3,
4     "questionTitle": "Which of the following is used to take input in Java?",
5     "option1": "Scanner",
6     "option2": "cin",
7     "option3": "InputStreamReader",
8     "option4": "BufferedWriter"
9   },
10  {
11    "id": 2,
12    "questionTitle": "What is the size of an int variable in Java?",
13    "option1": "2 bytes",
14    "option2": "4 bytes",
15    "option3": "8 bytes",
16    "option4": "Depends on OS"
17  },
18  {
19    "id": 1,
20    "questionTitle": "Which of the following is not a Java keyword?",
21    "option1": "class",
22    "option2": "public",
23    "option3": "void",
24    "option4": "main"
25  }
26 ]
```

http://localhost:8080/api/v1/quiz/submitQuiz/1

POST http://localhost:8080/api/v1/quiz/submitQuiz/1

Params Authorization Headers (9) Body Scripts Tests Settings

Body Cookies Headers (5) Test Results

200 OK · 26 ms · 165 B

```
1 [
2   { "id": 1, "response": "main" },
3   { "id": 2, "response": "4 bytes" },
4   { "id": 3, "response": "Scanner" }
5 ]
```

