CLASS ASSIGNMENT(30/04/2026)

TOPIC – **SWIGGY DATABASE CREATION AND SOLVING THE QUESTIONS**

BY GROUP

B SIRI - 1AY24CD012

KEERTHANA K A – 1AY24CD026

KAVANA G – 1AY24CD025

SWATHI M K – 1AY24CD058

CREATING TABLES

1) USER TABLE

CREATE TABLE Users (user_id INT PRIMARY KEY, name VARCHAR(100), city VARCHAR(50), email VARCHAR(100));

2)RESTAURANT TABLE

CREATE TABLE Restaurants (restaurant_id INT PRIMARY KEY, name VARCHAR(100), cuisine_type VARCHAR(50), rating DECIMAL(2, 1));

3)MENU TABLE

CREATE TABLE Menu (item_id INT PRIMARY KEY, restaurant_id INT, item_name VARCHAR(100), price DECIMAL(10, 2), FOREIGN KEY (restaurant_id) REFERENCES Restaurants(restaurant_id));

4) ORDER TABLE

CREATE TABLE Orders (order_id INT PRIMARY KEY, user_id INT, restaurant_id INT, order_date DATE, total_amount DECIMAL(10, 2), item_id INT, quantity INT, FOREIGN KEY (user_id) REFERENCES Users(user_id), FOREIGN KEY (restaurant_id) REFERENCES Restaurants(restaurant_id));

5) REVIEW TABLE

CREATE TABLE Reviews (review_id INT PRIMARY KEY, user_id INT, restaurant_id INT, rating DECIMAL(2, 1), comment TEXT, FOREIGN KEY (user_id) REFERENCES Users(user_id), FOREIGN KEY (restaurant_id) REFERENCES Restaurants(restaurant_id));

INSERTING TABLE

1) INSERTING INTO USERS

INSERT INTO Users VALUES (1, 'Kavana', 'Bangalore', 'kavana@email.com'), (2, 'Keerthana', 'Bangalore', 'keerthana@email.com'), (3, 'Swathi', 'Mysore', 'swathi@email.com'), (4, 'Siri', 'Mangalore', 'siri@email.com');

2)INSERTING THE VALUES INTO RESTAURANT

INSERT INTO Restaurants VALUES (1, 'The Spice Table', 'Indian', 4.5), (2, 'Pasta Street', 'Italian', 3.8), (3, 'Udupi Garden', 'South Indian', 4.2);

3)INSERTING INTO MENU

INSERT INTO Menu VALUES (101, 1, 'Paneer Tikka', 250.00), (102, 1, 'Butter Chicken', 350.00), (103, 3, 'Masala Dosa', 80.00);

4)INSERING INTO ORDERS TABLE

INSERT INTO Orders VALUES (501, 1, 1, '2024-02-15', 500.00, 101, 2), (502, 2, 3, '2024-01-05', 160.00, 103, 2);

5)INSERTING INTO THE REVIEWS TABLE

INSERT INTO Reviews VALUES (901, 1, 1, 5.0, 'Excellent food!');

QUERIES

1. DISPLAY ALL USERS

```
SELECT * FROM Users;
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 Filter rows: Search this table Sort by key:

Extra options

	user_id	name	city	email
Edit Copy Delete	1	Kavana	Bangalore	kavana@email.com
Edit Copy Delete	2	Keerthana	Bangalore	keerthana@email.com
Edit Copy Delete	3	Swathi	Mysore	swathi@email.com
Edit Copy Delete	4	Siri	Mangalore	siri@email.com

Check all *With selected:* Edit Copy Delete Export

2. Restaurants with rating > 4:

Showing rows 0 - 1 (2 total, Query took 0.0014 seconds.)

```
SELECT * FROM Restaurants WHERE rating > 4;
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 Filter rows: Search this table Sort by k

Extra options

	restaurant_id	name	cuisine_type	rating
Edit Copy Delete	1	The Spice Table	Indian	4.5
Edit Copy Delete	3	Udupi Garden	South Indian	4.2

Check all *With selected:* Edit Copy Delete Export

3. Menu items with price > 200:

Showing rows 0 - 1 (2 total, Query took 0.0006 seconds.)

```
SELECT * FROM Menu WHERE price > 200;
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 Filter rows: Search this table

Extra options

	item_id	restaurant_id	item_name	price
Edit Copy Delete	101	1	Paneer Tikka	250.00
Edit Copy Delete	102	1	Butter Chicken	350.00

Check all *With selected:* Edit Copy Delete Export

4. Users belonging to Bangalore:

Showing rows 0 - 1 (2 total, Query took 0.0004 seconds.)

```
SELECT * FROM Users WHERE city = 'Bangalore';
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 Filter rows: Search this table Sort by

Extra options

	user_id	name	city	email
Edit Copy Delete	1	Kavana	Bangalore	kavana@email.com
Edit Copy Delete	2	Keerthana	Bangalore	keerthana@email.com

5. Orders placed after '2024-01-10':

Showing rows 0 - 0 (1 total, Query took 0.0007 seconds.)

```
SELECT * FROM Orders WHERE order_date > '2024-01-10';
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 Filter rows: Search this table

Extra options

	order_id	user_id	restaurant_id	order_date	total_amount	item_id	quantity
Edit Copy Delete	501	1	1	2024-02-15	500.00	101	2

Check all *With selected:* Edit Copy Delete Export

6. Restaurant names and cuisine type:

Showing rows 0 - 2 (3 total, Query took 0.0006 seconds.)

```
SELECT name, cuisine_type FROM Restaurants;
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 Filter rows: Search this table

Extra options

	name	cuisine_type
Edit Copy Delete	The Spice Table	Indian
Edit Copy Delete	Pasta Street	Italian
Edit Copy Delete	Udupi Garden	South Indian

7. Orders with total amount > 300:

Showing rows 0 - 0 (1 total, Query took 0.0005 seconds.)

```
SELECT * FROM Orders WHERE total_amount > 300;
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 Filter rows: Search this table

Extra options

	order_id	user_id	restaurant_id	order_date	total_amount	item_id	quantity
Edit Copy Delete	501	1	1	2024-02-15	500.00	101	2

Check all With selected: Edit Copy Delete Export

8. Number of users in each city:

Showing rows 0 - 2 (3 total, Query took 0.0022 seconds.)

```
SELECT city, COUNT(user_id) FROM Users GROUP BY city;
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 Filter rows: Search this t

Extra options

city	COUNT(user_id)
Bangalore	2
Mangalore	1
Mysore	1

9. Menu items for restaurant_id = 1:

Showing rows 0 - 1 (2 total, Query took 0.0014 seconds.)

```
SELECT * FROM Menu WHERE restaurant_id = 1;
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 Filter rows: Search this table

Extra options

	item_id	restaurant_id	item_name	price
Edit Copy Delete	101	1	Paneer Tikka	250.00
Edit Copy Delete	102	1	Butter Chicken	350.00

Check all *With selected:* Edit Copy Delete Export

10. Orders placed by user_id = 1:

Showing rows 0 - 0 (1 total, Query took 0.0007 seconds.)

```
SELECT * FROM Orders WHERE user_id = 1;
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 Filter rows: Search this table

Extra options

	order_id	user_id	restaurant_id	order_date	total_amount	item_id	quantity
Edit Copy Delete	501	1	1	2024-02-15	500.00	101	2

Check all *With selected:* Edit Copy Delete Export

11. Average rating from Reviews per restaurant:

Showing rows 0 - 0 (1 total, Query took 0.0036 seconds.)

```
SELECT r.name, AVG(rev.rating) FROM Restaurants r JOIN Reviews rev ON r.restaurant_id = rev.restaurant_id GROUP BY r.name;
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 Filter rows: Search this table

Extra options

name	AVG(rev.rating)
The Spice Table	5.00000

12. Total revenue per restaurant:

Showing rows 0 - 1 (2 total, Query took 0.0006 seconds.)

```
SELECT restaurant_id, SUM(total_amount) FROM Orders GROUP BY restaurant_id;
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 Filter rows: Search this table

Extra options

	restaurant_id	SUM(total_amount)
Edit Copy Delete	1	
Edit Copy Delete	3	

Check all *With selected:* Edit Copy Delete Export

- Click to sort results by this column.
- Shift+Click to add this column to OR clause or to toggle ASC/DESC.
- Ctrl+Click or Alt+Click (Mac: Shift+Option+Click) to remove colum ORDER BY clause

13. Users who have given reviews:

Showing rows 0 - 0 (1 total, Query took 0.0007 seconds.)

```
SELECT DISTINCT u.* FROM Users u JOIN Reviews r ON u.user_id = r.user_id;
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 Filter rows: Search this table

Extra options

ser_id	name	city	email
1	Kavana	Bangalore	kavana@email.com

14. Highest priced item in Menu:

Showing rows 0 - 0 (1 total, Query took 0.0007 seconds.) [price: **350.00... - 350.00...**]

```
SELECT * FROM Menu ORDER BY price DESC LIMIT 1;
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Extra options

	item_id	restaurant_id	item_name	price
Edit Copy Delete	102	1	Butter Chicken	350.00

Check all *With selected:* Edit Copy Delete Export

15. Order details with User Names (JOIN):

Showing rows 0 - 1 (2 total, Query took 0.0005 seconds.)

```
SELECT o.*, u.name FROM Orders o JOIN Users u ON o.user_id = u.user_id;
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 Filter rows: Search this table Sort by key:

Extra options

order_id	user_id	restaurant_id	order_date	total_amount	item_id	quantity	name
501	1	1	2024-02-15	500.00	101	2	Kavana
502	2	3	2024-01-05	160.00	103	2	Keerthana

16. Order details with Item names and quantity:

Showing rows 0 - 1 (2 total, Query took 0.0004 seconds.)

```
SELECT o.order_id, m.item_name, o.quantity FROM Orders o JOIN Menu m ON o.item_id = m.item_id;
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 Filter rows: Search this table Sort by key: None

Extra options

order_id	item_name	quantity
501	Paneer Tikka	2
502	Masala Dosa	2

17. Total number of orders per restaurant:

Showing rows 0 - 1 (2 total, Query took 0.0004 seconds.)

```
SELECT restaurant_id, COUNT(order_id) FROM Orders GROUP BY restaurant_id;
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 Filter rows: Search this table

Extra options

restaurant_id	COUNT(order_id)
1	1
3	1

18. Restaurants with no reviews:

```
SELECT * FROM Restaurants WHERE restaurant_id NOT IN (SELECT restaurant_id FROM Reviews);
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 Filter rows: Search this table Sort by key:

Extra options

	restaurant_id	name	cuisine_type	rating
Edit Copy Delete	2	Pasta Street	Italian	3.8
Edit Copy Delete	3	Udupi Garden	South Indian	4.2

Check all *With selected:* Edit Copy Delete Export

19. Users who have not placed any orders:

Showing rows 0 - 1 (2 total, Query took 0.0008 seconds.)

```
SELECT * FROM Users WHERE user_id NOT IN (SELECT user_id FROM Orders);
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 Filter rows: Search this table

Extra options

	user_id	name	city	email
Edit Copy Delete	3	Swathi	Mysore	swathi@email.com
Edit Copy Delete	4	Siri	Mangalore	siri@email.com

20. Most ordered item based on quantity:

```
SELECT item_id, SUM(quantity) AS total_qty FROM Orders GROUP BY item_id ORDER BY total_qty DESC LIMIT 1;
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Extra options

	item_id	total_qty
Edit Copy Delete	101	2

Check all *With selected:* Edit Copy Delete Export

Query results operations