

## physician & department:

Stop copy pasting code you don't actually understand  
Build the coding confidence you need to become a developer companies will fight for

Become a PRO

Customers [-]

- customer\_id [int]
- first\_name [varchar(100)]
- last\_name [varchar(100)]
- age [int]
- country [varchar(100)]

Department [-]

- departmentid [integer]
- name [varchar(100)]
- head [integer]

Orders [-]

- order\_id [integer]
- item [varchar(100)]
- amount [integer]
- customer\_id [integer]

Physician [-]

- employeeid [integer]
- name [varchar(100)]
- position [varchar(100)]
- ssn [varchar(20)]

Shippings [-]

Step 21: COUNT + HAVING

```
SELECT position,
       COUNT(*) AS Total
FROM physician
GROUP BY position
HAVING COUNT(*) >= 2;
```

Step 22: EXISTS

```
SELECT *
FROM department d
WHERE EXISTS
```

Output

| position                     | count |
|------------------------------|-------|
| Surgical Attending Physician | 3     |
| Staff Internist              | 1     |
| Senior Attending Physician   | 1     |
| MD Resident                  | 1     |
| Head Chief of Medicine       | 1     |
| Attending Psychiatrist       | 1     |
| Attending Physician          | 1     |

| employeeid | name       | position                     | ssn       |
|------------|------------|------------------------------|-----------|
| 2          | Prakshitha | Attending Physician          | 222222222 |
| 3          | Mahija     | Surgical Attending Physician | 333333333 |
| 4          | Geethika   | Senior Attending Physician   | 444444444 |

| shipping_id | status    | customer |
|-------------|-----------|----------|
| 1           | Pending   | 2        |
| 2           | Pending   | 4        |
| 3           | Delivered | 3        |
| 4           | Pending   | 5        |
| 5           | Delivered | 1        |

Stop copy pasting code you don't actually understand  
Build the coding confidence you need to become a developer companies will fight for

Become a PRO

Programiz Online SQL Editor

Interactive SQL Course

Input

Run SQL

Available Tables

Customers [-]

- customer\_id [int]
- first\_name [varchar(100)]
- last\_name [varchar(100)]
- age [int]
- country [varchar(100)]

Department [-]

- departmentid [integer]
- name [varchar(100)]
- head [integer]

Orders [-]

- order\_id [integer]
- item [varchar(100)]
- amount [integer]
- customer\_id [integer]

Physician [-]

- employeeid [integer]
- name [varchar(100)]
- position [varchar(100)]
- ssn [varchar(20)]

Shippings [-]

Step 21: COUNT + HAVING

```
SELECT position,
       COUNT(*) AS Total
FROM physician
GROUP BY position
HAVING COUNT(*) >= 2;
```

Step 22: EXISTS

```
SELECT *
FROM department d
WHERE EXISTS
```

Output

| position                     | count |
|------------------------------|-------|
| Surgical Attending Physician | 3     |
| Staff Internist              | 1     |
| Senior Attending Physician   | 1     |
| MD Resident                  | 1     |
| Head Chief of Medicine       | 1     |
| Attending Psychiatrist       | 1     |
| Attending Physician          | 1     |

| employeeid | name       | position                     | ssn       |
|------------|------------|------------------------------|-----------|
| 2          | Prakshitha | Attending Physician          | 222222222 |
| 3          | Mahija     | Surgical Attending Physician | 333333333 |
| 4          | Geethika   | Senior Attending Physician   | 444444444 |

| shipping_id | status    | customer |
|-------------|-----------|----------|
| 1           | Pending   | 2        |
| 2           | Pending   | 4        |
| 3           | Delivered | 3        |
| 4           | Pending   | 5        |
| 5           | Delivered | 1        |

Eethika

Correct MySQL Comm

WEEK5

siripanchajanya-netizen/

Online SQL Editor

Ask Gemini

programiz.com/sql/online-compiler

Dashboard | KLH L... | KL University ERP | Codolio - Your All-... | Learner dashboar... | Prime Video: Watc... | Home - Netflix | HTML Essentials | nuguri siri | LinkedIn | All Bookmarks

Stop copy pasting code you don't actually understand

Build the coding confidence you need to become a developer companies will fight for

Become a PRO

Programiz Online SQL Editor

Interactive SQL Course

Customers [-]

customer\_id [int]

first\_name [varchar(100)]

last\_name [varchar(100)]

age [int]

country [varchar(100)]

Department [-]

departmentid [integer]

name [varchar(100)]

head [integer]

Orders [-]

order\_id [integer]

item [varchar(100)]

amount [integer]

customer\_id [integer]

Physician [-]

employeeid [integer]

name [varchar(100)]

position [varchar(100)]

Input

Run SQL

Available Tables

-- Step 21: COUNT + HAVING

SELECT position,

COUNT(\*) AS Total

FROM physician

GROUP BY position

HAVING COUNT(\*) >= 2;

-- Step 22: EXISTS

SELECT \*

FROM department d

WHERE EXISTS

Output

|                              |   |
|------------------------------|---|
| Surgical Attending Physician | 3 |
| Staff Internist              | 1 |
| Senior Attending Physician   | 1 |
| MD Resident                  | 1 |
| Head Chief of Medicine       | 1 |
| Attending Psychiatrist       | 1 |
| Attending Physician          | 1 |

| employeeid | name       | position                     | ssn       |
|------------|------------|------------------------------|-----------|
| 2          | Prakshitha | Attending Physician          | 222222222 |
| 3          | Mahija     | Surgical Attending Physician | 333333333 |
| 4          | Geethika   | Senior Attending Physician   | 444444444 |

Customers

| customer_id | first_name | last_name | age | country |
|-------------|------------|-----------|-----|---------|
| 1           | John       | Doe       | 31  | USA     |
| 2           | Robert     | Luna      | 22  | USA     |
| 3           | David      | Robinson  | 22  | UK      |
| 4           | John       | Reinhardt | 25  | UK      |
| 5           | Betty      | Doe       | 28  | UAE     |

Department

| departmentid | name             | head |
|--------------|------------------|------|
| 1            | General Medicine | 4    |
| 2            | Surgery          | 7    |
| 3            | Psychiatry       | 9    |

Orders

| order_id | item     | amount | customer_id |
|----------|----------|--------|-------------|
| 1        | Keyboard | 400    | 4           |
| 2        | Mouse    | 300    | 4           |

Eethika

Correct MySQL Comm

WEEK5

siripanchajanya-netizen/

Online SQL Editor

Ask Gemini

programiz.com/sql/online-compiler

Dashboard | KLH L... | KL University ERP | Codolio - Your All-... | Learner dashboar... | Prime Video: Watc... | Home - Netflix | HTML Essentials | nuguri siri | LinkedIn | All Bookmarks

Stop copy pasting code you don't actually understand

Build the coding confidence you need to become a developer companies will fight for

Become a PRO

Customers [-]

customer\_id [int]

first\_name [varchar(100)]

last\_name [varchar(100)]

age [int]

country [varchar(100)]

Department [-]

departmentid [integer]

name [varchar(100)]

head [integer]

Orders [-]

order\_id [integer]

item [varchar(100)]

amount [integer]

customer\_id [integer]

Physician [-]

employeeid [integer]

name [varchar(100)]

position [varchar(100)]

ssn [varchar(20)]

Input

Run SQL

Available Tables

-- Step 21: COUNT + HAVING

SELECT position,

COUNT(\*) AS Total

FROM physician

GROUP BY position

HAVING COUNT(\*) >= 2;

-- Step 22: EXISTS

SELECT \*

FROM department d

WHERE EXISTS

Output

|                              |   |
|------------------------------|---|
| Surgical Attending Physician | 3 |
| Staff Internist              | 1 |
| Senior Attending Physician   | 1 |
| MD Resident                  | 1 |
| Head Chief of Medicine       | 1 |
| Attending Psychiatrist       | 1 |
| Attending Physician          | 1 |

| employeeid | name       | position                     | ssn       |
|------------|------------|------------------------------|-----------|
| 2          | Prakshitha | Attending Physician          | 222222222 |
| 3          | Mahija     | Surgical Attending Physician | 333333333 |
| 4          | Geethika   | Senior Attending Physician   | 444444444 |

Customers

| customer_id | first_name | last_name | age | country |
|-------------|------------|-----------|-----|---------|
| 1           | John       | Doe       | 31  | USA     |
| 2           | Robert     | Luna      | 22  | USA     |
| 3           | David      | Robinson  | 22  | UK      |
| 4           | John       | Reinhardt | 25  | UK      |
| 5           | Betty      | Doe       | 28  | UAE     |

Department

| departmentid | name             | head |
|--------------|------------------|------|
| 1            | General Medicine | 4    |
| 2            | Surgery          | 7    |
| 3            | Psychiatry       | 9    |

Orders

| order_id | item     | amount | customer_id |
|----------|----------|--------|-------------|
| 1        | Keyboard | 400    | 4           |
| 2        | Mouse    | 300    | 4           |
| 3        | Monitor  | 12000  | 3           |
| 4        | Keyboard | 400    | 1           |
| 5        | Mousepad | 250    | 2           |

Customers [-]

|                           |
|---------------------------|
| customer_id [int]         |
| first_name [varchar(100)] |
| last_name [varchar(100)]  |
| age [int]                 |
| country [varchar(100)]    |

Department [-]

|                        |
|------------------------|
| departmentid [integer] |
| name [varchar(100)]    |
| head [integer]         |

Orders [-]

|                       |
|-----------------------|
| order_id [integer]    |
| item [varchar(100)]   |
| amount [integer]      |
| customer_id [integer] |

Physician [-]

|                         |
|-------------------------|
| employeeid [integer]    |
| name [varchar(100)]     |
| position [varchar(100)] |
| ssn [varchar(20)]       |

Shinnies f.1

-- Step 21: COUNT + HAVING

```
SELECT position,
       COUNT(*) AS Total
FROM physician
GROUP BY position
HAVING COUNT(*) >= 2;
```

-- Step 22: EXISTS

```
SELECT *
FROM department d
WHERE EXISTS
```

Output

|   |            |                              |          |
|---|------------|------------------------------|----------|
| 8 | Keerthi    | MD Resident                  | 88888888 |
| 7 | Lahari     | Surgical Attending Physician | 77777777 |
| 3 | Mahija     | Surgical Attending Physician | 33333333 |
| 2 | Prakshitha | Attending Physician          | 22222222 |
| 9 | Riya       | Attending Psychiatrist       | 99999999 |
| 1 | Siri       | Staff Internist              | 11111111 |
| 5 | Varshika   | Head Chief of Medicine       | 55555555 |

| employeeid | name    | position                     | ssn      |
|------------|---------|------------------------------|----------|
| 9          | Riya    | Attending Psychiatrist       | 99999999 |
| 8          | Keerthi | MD Resident                  | 88888888 |
| 7          | Lahari  | Surgical Attending Physician | 77777777 |
| 6          | Chinni  | Surgical Attending Physician | 66666666 |

Customers

| customer_id | first_name | last_name | age | country |
|-------------|------------|-----------|-----|---------|
| 1           | John       | Doe       | 31  | USA     |
| 2           | Robert     | Luna      | 22  | USA     |
| 3           | David      | Robinson  | 22  | UK      |
| 4           | John       | Reinhardt | 25  | UK      |
| 5           | Betty      | Doe       | 28  | UAE     |

Department

| departmentid | name             | head |
|--------------|------------------|------|
| 1            | General Medicine | 4    |
| 2            | Surgery          | 7    |
| 3            | Psychiatry       | 9    |

Orders

| order_id | item     | amount | customer_id |
|----------|----------|--------|-------------|
| 1        | Keyboard | 400    | 4           |
| 2        | Mouse    | 300    | 4           |
| 3        | Monitor  | 12000  | 3           |
| 4        | Keyboard | 400    | 1           |
| 5        | Mousepad | 250    | 2           |

Customers [-]

|                           |
|---------------------------|
| customer_id [int]         |
| first_name [varchar(100)] |
| last_name [varchar(100)]  |
| age [int]                 |
| country [varchar(100)]    |

Department [-]

|                        |
|------------------------|
| departmentid [integer] |
| name [varchar(100)]    |
| head [integer]         |

Orders [-]

|                       |
|-----------------------|
| order_id [integer]    |
| item [varchar(100)]   |
| amount [integer]      |
| customer_id [integer] |

Physician [-]

|                         |
|-------------------------|
| employeeid [integer]    |
| name [varchar(100)]     |
| position [varchar(100)] |
| ssn [varchar(20)]       |

Shinnies f.1

-- Step 21: COUNT + HAVING

```
SELECT position,
       COUNT(*) AS Total
FROM physician
GROUP BY position
HAVING COUNT(*) >= 2;
```

-- Step 22: EXISTS

```
SELECT *
FROM department d
WHERE EXISTS
```

Output

|                     |
|---------------------|
| 9                   |
| Different_Positions |
| 7                   |

| position                     | Total_Employees |
|------------------------------|-----------------|
| Attending Physician          | 1               |
| Attending Psychiatrist       | 1               |
| Head Chief of Medicine       | 1               |
| MD Resident                  | 1               |
| Senior Attending Physician   | 1               |
| Staff Internist              | 1               |
| Surgical Attending Physician | 3               |

Customers

| customer_id | first_name | last_name | age | country |
|-------------|------------|-----------|-----|---------|
| 1           | John       | Doe       | 31  | USA     |
| 2           | Robert     | Luna      | 22  | USA     |
| 3           | David      | Robinson  | 22  | UK      |
| 4           | John       | Reinhardt | 25  | UK      |
| 5           | Betty      | Doe       | 28  | UAE     |

Department

| departmentid | name             | head |
|--------------|------------------|------|
| 1            | General Medicine | 4    |
| 2            | Surgery          | 7    |
| 3            | Psychiatry       | 9    |

Orders

| order_id | item     | amount | customer_id |
|----------|----------|--------|-------------|
| 1        | Keyboard | 400    | 4           |
| 2        | Mouse    | 300    | 4           |
| 3        | Monitor  | 12000  | 3           |
| 4        | Keyboard | 400    | 1           |
| 5        | Mousepad | 250    | 2           |

Customers [-]

customer\_id [int]

first\_name [varchar(100)]

last\_name [varchar(100)]

age [int]

country [varchar(100)]

Department [-]

departmentid [integer]

name [varchar(100)]

head [integer]

Orders [-]

order\_id [integer]

item [varchar(100)]

amount [integer]

customer\_id [integer]

Physician [-]

employeeid [integer]

name [varchar(100)]

position [varchar(100)]

ssn [varchar(20)]

Shinnies [-]

-- Step 21: COUNT + HAVING

SELECT position,  
COUNT(\*) AS Total  
FROM physician  
GROUP BY position  
HAVING COUNT(\*) >= 2;

-- Step 22: EXISTS

SELECT \*  
FROM department d  
WHERE EXISTS

Output

| Department       | Head_Physician |
|------------------|----------------|
| General Medicine | Geethika       |
| Surgery          | Lahari         |
| Psychiatry       | Riya           |

| employeeid | name   | position                     | ssn       |
|------------|--------|------------------------------|-----------|
| 3          | Mahija | Surgical Attending Physician | 333333333 |
| 6          | Chinni | Surgical Attending Physician | 666666666 |
| 7          | Lahari | Surgical Attending Physician | 777777777 |

| employeeid | name | position        | ssn       |
|------------|------|-----------------|-----------|
| 1          | Siri | Staff Internist | 111111111 |

Customers

| customer_id | first_name | last_name | age | country |
|-------------|------------|-----------|-----|---------|
| 1           | John       | Doe       | 31  | USA     |
| 2           | Robert     | Luna      | 22  | USA     |
| 3           | David      | Robinson  | 22  | UK      |
| 4           | John       | Reinhardt | 25  | UK      |
| 5           | Betty      | Doe       | 28  | UAE     |

Department

| departmentid | name             | head |
|--------------|------------------|------|
| 1            | General Medicine | 4    |
| 2            | Surgery          | 7    |
| 3            | Psychiatry       | 9    |

Orders

| order_id | item     | amount | customer_id |
|----------|----------|--------|-------------|
| 1        | Keyboard | 400    | 4           |
| 2        | Mouse    | 300    | 4           |
| 3        | Monitor  | 12000  | 3           |
| 4        | Keyboard | 400    | 1           |
| 5        | Mousepad | 250    | 2           |

Programiz Online SQL Editor

Interactive SQL Course

Customers [-]

customer\_id [int]

first\_name [varchar(100)]

last\_name [varchar(100)]

age [int]

country [varchar(100)]

Department [-]

departmentid [integer]

name [varchar(100)]

head [integer]

Orders [-]

order\_id [integer]

item [varchar(100)]

amount [integer]

customer\_id [integer]

Physician [-]

employeeid [integer]

name [varchar(100)]

position [varchar(100)]

Input

FROM physician p  
JOIN department d  
ON p.employeeid = d.head  
WHERE d.name = 'Surgery';

-- Step 19: JOIN + ORDER BY

SELECT d.name AS Department,  
p.name AS Head\_Physician  
FROM department d  
JOIN physician p  
ON d.head = p.employeeid  
ORDER BY d.name;

Output

| Department       | Head_Physician |
|------------------|----------------|
| General Medicine | Geethika       |
| Surgery          | Lahari         |
| Psychiatry       | Riya           |

| employeeid | name   | position                     | ssn       |
|------------|--------|------------------------------|-----------|
| 3          | Mahija | Surgical Attending Physician | 333333333 |
| 6          | Chinni | Surgical Attending Physician | 666666666 |
| 7          | Lahari | Surgical Attending Physician | 777777777 |

Customers

| customer_id | first_name | last_name | age | country |
|-------------|------------|-----------|-----|---------|
| 1           | John       | Doe       | 31  | USA     |
| 2           | Robert     | Luna      | 22  | USA     |
| 3           | David      | Robinson  | 22  | UK      |
| 4           | John       | Reinhardt | 25  | UK      |
| 5           | Betty      | Doe       | 28  | UAE     |

Department

| departmentid | name             | head |
|--------------|------------------|------|
| 1            | General Medicine | 4    |
| 2            | Surgery          | 7    |
| 3            | Psychiatry       | 9    |

Orders

| order_id | item     | amount | customer_id |
|----------|----------|--------|-------------|
| 1        | Keyboard | 400    | 4           |
| 2        | Mouse    | 300    | 4           |

Stop copy pasting code you don't actually understand  
Build the coding confidence you need to become a developer companies will fight for

Become a PRO

Programiz Online SQL Editor

Interactive SQL Course

Customers [-]

- customer\_id [int]
- first\_name [varchar(100)]
- last\_name [varchar(100)]
- age [int]
- country [varchar(100)]

Department [-]

- departmentid [integer]
- name [varchar(100)]
- head [integer]

Orders [-]

- order\_id [integer]
- item [varchar(100)]
- amount [integer]
- customer\_id [integer]

Physician [-]

- employeeid [integer]
- name [varchar(100)]
- position [varchar(100)]

Input

```
-- Step 16: GROUP BY + ORDER BY
SELECT position,
COUNT(*) AS Total_Employees
FROM physician
GROUP BY position
ORDER BY Total_Employees DESC;
```

```
-- Step 17: WHERE + LIKE
SELECT *
FROM physician
WHERE position LIKE 'Surgical';
```

Run SQL

Available Tables

Customers

| customer_id | first_name | last_name | age | country |
|-------------|------------|-----------|-----|---------|
| 1           | John       | Doe       | 31  | USA     |
| 2           | Robert     | Luna      | 22  | USA     |
| 3           | David      | Robinson  | 22  | UK      |
| 4           | John       | Reinhardt | 25  | UK      |
| 5           | Betty      | Doe       | 28  | UAE     |

Department

| departmentid | name             | head |
|--------------|------------------|------|
| 1            | General Medicine | 4    |
| 2            | Surgery          | 7    |
| 3            | Psychiatry       | 9    |

Orders

| order_id | item     | amount | customer_id |
|----------|----------|--------|-------------|
| 1        | Keyboard | 400    | 4           |
| 2        | Mouse    | 300    | 4           |

Output

| Department       | Head_Physician |
|------------------|----------------|
| General Medicine | Geethika       |
| Surgery          | Lahari         |
| Psychiatry       | Riya           |

| employeeid | name   | position                     | ssn       |
|------------|--------|------------------------------|-----------|
| 3          | Mahija | Surgical Attending Physician | 333333333 |
| 6          | Chinni | Surgical Attending Physician | 666666666 |
| 7          | Lahari | Surgical Attending Physician | 777777777 |

Stop copy pasting code you don't actually understand  
Build the coding confidence you need to become a developer companies will fight for

Become a PRO

Programiz Online SQL Editor

Interactive SQL Course

Customers [-]

- customer\_id [int]
- first\_name [varchar(100)]
- last\_name [varchar(100)]
- age [int]
- country [varchar(100)]

Department [-]

- departmentid [integer]
- name [varchar(100)]
- head [integer]

Orders [-]

- order\_id [integer]
- item [varchar(100)]
- amount [integer]
- customer\_id [integer]

Physician [-]

- employeeid [integer]
- name [varchar(100)]
- position [varchar(100)]

Input

```
JOIN physician p
ON d.head = p.employeeid;
```

```
-- Step 6: WHERE Clause
SELECT *
FROM physician
WHERE position = 'Surgical Attending Physician';
```

```
-- Step 7: WHERE + LIKE
SELECT *
FROM physician
WHERE name LIKE 'S%';
```

Run SQL

Available Tables

Customers

| customer_id | first_name | last_name | age | country |
|-------------|------------|-----------|-----|---------|
| 1           | John       | Doe       | 31  | USA     |
| 2           | Robert     | Luna      | 22  | USA     |
| 3           | David      | Robinson  | 22  | UK      |
| 4           | John       | Reinhardt | 25  | UK      |
| 5           | Betty      | Doe       | 28  | UAE     |

Department

| departmentid | name             | head |
|--------------|------------------|------|
| 1            | General Medicine | 4    |
| 2            | Surgery          | 7    |
| 3            | Psychiatry       | 9    |

Orders

| order_id | item     | amount | customer_id |
|----------|----------|--------|-------------|
| 1        | Keyboard | 400    | 4           |
| 2        | Mouse    | 300    | 4           |

Output

| Department       | Head_Physician |
|------------------|----------------|
| General Medicine | Geethika       |
| Surgery          | Lahari         |
| Psychiatry       | Riya           |

| employeeid | name   | position                     | ssn       |
|------------|--------|------------------------------|-----------|
| 3          | Mahija | Surgical Attending Physician | 333333333 |
| 6          | Chinni | Surgical Attending Physician | 666666666 |
| 7          | Lahari | Surgical Attending Physician | 777777777 |

Programiz Online SQL Editor

Interactive SQL Course

Customers [-]

customer\_id [int]

first\_name [varchar(100)]

last\_name [varchar(100)]

age [int]

country [varchar(100)]

Department [-]

departmentid [integer]

name [varchar(100)]

head [integer]

Orders [-]

order\_id [integer]

item [varchar(100)]

amount [integer]

customer\_id [integer]

Physician [-]

employeeid [integer]

name [varchar(100)]

position [varchar(100)]

Input

Run SQL

-- Step 3: Create Department Table

CREATE TABLE department (  
  departmentid INTEGER PRIMARY KEY,  
  name VARCHAR(100),  
  head INTEGER  
);

-- Step 4: Insert Data into Department

INSERT INTO department VALUES  
(1, 'General Medicine', 4),  
(2, 'Surgery', 7),  
(3, 'Psychiatry', 9);

Output

| Department       |  | Head Physician |  |
|------------------|--|----------------|--|
| General Medicine |  | Geethika       |  |
| Surgery          |  | Lahari         |  |
| Psychiatry       |  | Riya           |  |

| employeeid | name   | position                     | ssn      |
|------------|--------|------------------------------|----------|
| 3          | Mahija | Surgical Attending Physician | 33333333 |
| 6          | Chinni | Surgical Attending Physician | 66666666 |
| 7          | Lahari | Surgical Attending Physician | 77777777 |

Available Tables

|   |       |           |    |     |
|---|-------|-----------|----|-----|
| 4 | John  | Reinhardt | 25 | UK  |
| 5 | Betty | Doe       | 28 | UAE |

Department

| departmentid | name             | head |
|--------------|------------------|------|
| 1            | General Medicine | 4    |
| 2            | Surgery          | 7    |
| 3            | Psychiatry       | 9    |

Orders

| order_id | item     | amount | customer_id |
|----------|----------|--------|-------------|
| 1        | Keyboard | 400    | 4           |
| 2        | Mouse    | 300    | 4           |
| 3        | Monitor  | 12000  | 3           |
| 4        | Keyboard | 400    | 1           |
| 5        | Mousepad | 250    | 2           |

Physician

| employeeid | name   | position                     | ssn      |
|------------|--------|------------------------------|----------|
| 3          | Mahija | Surgical Attending Physician | 33333333 |
| 6          | Chinni | Surgical Attending Physician | 66666666 |
| 7          | Lahari | Surgical Attending Physician | 77777777 |