EXERCISE 7

CREATE AN APPLICATION FOR EXPLICIT INTENT

NAME: VENKATA SIRISHA MADDALA

REG.NO: 19BCE7024

android:text="SEND"

```
ACTIVITY_MAIN.XML:
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
  xmlns:app="http://schemas.android.com/apk/res-auto"
  xmlns:tools="http://schemas.android.com/tools"
  android:layout_width="match_parent"
  android:layout_height="match_parent"
  tools:context=".MainActivity">
  <EditText
    android:id="@+id/editTextTextPersonName"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout marginTop="128dp"
    android:ems="10"
    android:inputType="textPersonName"
    app:layout constraintEnd toEndOf="parent"
    app:layout constraintStart toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent" />
  <EditText
    android:id="@+id/editTextTextPersonName2"
    android:layout width="wrap content"
    android:layout_height="wrap_content"
    android:layout marginTop="70dp"
    android:ems="10"
    android:inputType="textPersonName"
    app:layout_constraintStart_toStartOf="@+id/editTextTextPersonName"
    app:layout constraintTop toBottomOf="@+id/editTextTextPersonName" />
  <Button
    android:id="@+id/button"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout marginTop="85dp"
```

```
app:layout_constraintEnd_toEndOf="parent"
    app:layout constraintStart toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/editTextTextPersonName2" />
  <TextView
    android:id="@+id/textView"
    android:layout_width="wrap_content"
    android:layout height="wrap content"
    android:layout_marginTop="76dp"
    android:layout_marginEnd="24dp"
    android:hint="Result"
    app:layout_constraintEnd_toEndOf="@+id/button"
    app:layout_constraintTop_toBottomOf="@+id/button" />
</androidx.constraintlayout.widget.ConstraintLayout>
MAIN ACTIVITY.JAVA:
package com.example.exercise7;
import androidx.annotation.Nullable;
import androidx.appcompat.app.AppCompatActivity;
import android.content.Intent;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
import android.widget.TextView;
public class MainActivity extends AppCompatActivity {
  EditText e1,e2;
  Button b;
  TextView t;
  @Override
  protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity main);
    e1=findViewById(R.id.editTextTextPersonName);
    e2=findViewById(R.id.editTextTextPersonName2);
    b=findViewById(R.id.button);
    t=findViewById(R.id.textView);
    b.setOnClickListener(new View.OnClickListener() {
      @Override
      public void onClick(View view) {
        Intent i=new Intent(getApplicationContext(),MainActivity2.class);
        i.putExtra("x",Integer.parseInt(e1.getText().toString()));
```

```
i.putExtra("y",Integer.parseInt(e2.getText().toString()));
        startActivityForResult(i,1);
      }
    });
  }
  @Override
  protected void onActivityResult(int requestCode, int resultCode,@Nullable Intent data) {
    super.onActivityResult(requestCode, resultCode, data);
    if(requestCode==1){
      if(resultCode==RESULT_OK){
        int result=data.getIntExtra("result",0);
        t.setText(String.valueOf(result));
    }
  }
}
ACTIVITY_MAIN2.XML:
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
  xmlns:app="http://schemas.android.com/apk/res-auto"
  xmlns:tools="http://schemas.android.com/tools"
  android:layout_width="match_parent"
  android:layout height="match parent"
  tools:context=".MainActivity2">
  <TextView
    android:id="@+id/textView2"
    android:layout_width="wrap_content"
    android:layout height="wrap content"
    android:layout_marginBottom="62dp"
    android:text="Result"
    app:layout_constraintBottom_toTopOf="@+id/editTextTextPersonName3"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintStart_toStartOf="parent" />
  <EditText
    android:id="@+id/editTextTextPersonName3"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout marginTop="177dp"
    android:layout_marginEnd="87dp"
    android:ems="10"
    android:inputType="textPersonName"
```

```
app:layout_constraintEnd_toEndOf="parent"
    app:layout constraintTop toTopOf="parent" />
  <Button
    android:id="@+id/button2"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout marginTop="81dp"
    android:layout_marginEnd="37dp"
    android:text="Send result"
    app:layout_constraintEnd_toEndOf="@+id/editTextTextPersonName3"
    app:layout_constraintTop_toBottomOf="@+id/editTextTextPersonName3" />
</androidx.constraintlayout.widget.ConstraintLayout>
MAIN ACTIVITY2.JAVA:
package com.example.exercise7;
import androidx.appcompat.app.AppCompatActivity;
import android.content.Intent;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
public class MainActivity2 extends AppCompatActivity {
  int x,y,z;
  EditText e1;
  Button b;
  @Override
  protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity_main2);
    Intent in=getIntent();
    x=in.getIntExtra("x",0);
    y=in.getIntExtra("y",0);
    e1=findViewById(R.id.editTextTextPersonName3);
    e1.setText(String.valueOf(z));
    b=findViewById(R.id.button2);
    b.setOnClickListener(new View.OnClickListener() {
      @Override
      public void onClick(View view) {
        Intent reply=new Intent();
        reply.putExtra("result",z);
        setResult(RESULT_OK,reply);
```

```
finish();
   }
  });
}
OUTPUT:
```







