Exp 24 : RSA Private Key

Code:


```
#include <stdio.h>

int main() {
   int n = 3599, e = 31;
   int p = 59, q = 61;
   int phi = (p - 1) * (q - 1);
   int d;

   for (d = 1; d < phi; d++)
      if ((e * d) % phi == 1) break;

   printf("p = %d, q = %d\n", p, q);
   printf("Private key d = %d\n", d);

   return 0;
}
```


OnlineGDB
online compiler and debugger for c/c++
code. compile. run. debug. share.
IDE
My Projects
Classroom new
Learn Programming
Programming Questions
Sign Up
Login
BugHerd.
Deliver website design projects faster with BugHerd. Get 20% off your first 3 months.
ADS VIA BUYSELLADS
About • FAQ • Docs • Blog • Terms of Use • Contact Us
• GDB Tutorial • Credits • Privacy
Run
Debug
Stop
Share
Save
{ } Beautify
Language C
main.c
close ad [x]
#include <stdio.h>
int main() {
int n = 3599, e = 31;
int p = 59, q = 61;
int phi = (p - 1) * (q - 1);
int d;
for (d = 1; d < phi; d++)
if ((e * d) % phi == 1) break;
printf("p = %d, q = %d\n", p, q);
printf("Private key d = %d\n", d);
return 0;
}
input
p = 59, q = 61
Private key d = 3031
...Program finished with exit code 0
Press ENTER to exit console.