



PROJECT NUMBER
79650191
PROJECT MANAGER
A. HENGSTEBECK
PROFESSIONAL
D. WURL
DRAWN BY
G. CAMARILLO
CHECKED BY
A. HENGSTEBECK

11/6/2025 5:05:08 PM Autodesk Docs/17055191 - Lbl 1517 Norcross GA/7650191 Lbl 1517 NORCROSS GA - ARCH-144
REFLECTED CEILING PLAN
THIS DOCUMENT AND ITS CONTENTS ARE THE PROPERTY OF PROGRESSIVE ARCHITECTURE & PLANNING, LLC. ANY REUSE OR REPRODUCTION OF THIS DOCUMENT WITHOUT THE WRITTEN PERMISSION OF PROGRESSIVE ARCHITECTURE & PLANNING, LLC IS STRICTLY PROHIBITED. PROGRESSIVE ARCHITECTURE & PLANNING, LLC IS AN INSTRUMENT OF SERVICE AND PROVIDES ARCHITECTURAL, ENGINEERING, AND PLANNING SERVICES TO ITS CLIENTS. OTHER REPRODUCED RIGHTS INCLUDING THE COPYRIGHT NOTICE.

KEY NOTES	
NUMBER	NOTE
36	EXTERIOR WALL MOUNTED LIGHT - SEE ELECTRICAL
153	FIRE STROBE MOUNTED TO BOTTOM CHORD OF TRUSS, COORDINATE WITH FIRE ALARM PLAN
165	RECIRCULATION AIR AT FREEZERS/COOLERS, SEE MECHANICAL



MATERIAL LEGEND	
SYMBOL	DESCRIPTION
[Symbol]	2X2 LAY-IN-CEILING
[Symbol]	DRYWALL
[Symbol]	EXPOSED TO DECK
[Symbol]	FREEZER CEILING
[Symbol]	2 HR CEILING (REF. DETAILS)
[Symbol]	EXTERIOR SOFFIT

FIXTURE LEGEND	
SYMBOL	DESCRIPTION
[Symbol]	SUPPLY DIFFUSER - SEE MECHANICAL
[Symbol]	RETURN DIFFUSER - SEE MECHANICAL
[Symbol]	TOILET EXHAUST - SEE MECHANICAL
[Symbol]	LED FLATPANEL
[Symbol]	LINEAR PENDANT
[Symbol]	LIGHTS IN FREEZERS/COOLER BY OTHERS INSTALLED BY GC.
[Symbol]	ROUND LED DOWNLIGHT
[Symbol]	DIRECTIONAL SPOTLIGHT
[Symbol]	EXTERIOR WALL MOUNTED
[Symbol]	EXIT SIGN
[Symbol]	SPRINKLER - SEE FIRE PROTECTION
[Symbol]	WAP - SEE TECHNOLOGY
[Symbol]	SPEAKER - SEE TECHNOLOGY
[Symbol]	OCCUPANCY SENSOR - SEE ELECTRICAL
[Symbol]	MOTION DETECTOR - SEE TECHNOLOGY
[Symbol]	CEILING MOUNTED FIRE STROBE
[Symbol]	GLASS BREAK SENSOR - SEE TECHNOLOGY
[Symbol]	INTELLIGENT MONITOR MODULE - SEE TECH.



This item has been electronically signed and sealed by Scott Douglas Wurl using a Digital Signature and date. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.

ISSUANCE
11/07/2025 PERMIT CYCLE 1

PROJECT NUMBER
79650191
PROJECT MANAGER
A. HENGSTEBECK
PROFESSIONAL
D. WURL
DRAWN BY
G. CAMARILLO
CHECKED BY
A. HENGSTEBECK


REFLECTED
CEILING PLAN
A102

LIDL US, LLC
LIDL 1517 NORCROSS, GA

499 JIMMY CARTER BLVD. NORCROSS, GA 30093

PROGRESSIVE ARCHITECTURE ENGINEERING & PLANNING, LLC
**PROGRESSIVE
COMPANIES**
Charlotte, NC | Detroit, MI | Grand Rapids, MI
weareprogressive.com





ROOF PLAN
1/8" = 1'-0"

LEGEND

- SNOWGUARDS, ONLY WHERE AHJ REQUIRES
- ADHERED ROOF TOP WALKING PADS WITH NON-SLIP SURFACE
- NATURAL GAS LINE
- REFRIGERANT LINE
- EXHAUST FAN

KEY NOTES	
NUMBER	NOTE
07	DOWNSPOUT, SEE PLUMBING
08	ROOFTOP SCREENING, BOD CITYSCAPES ENVISOR ROOFTOP SCREENS ATTACHED WITH INTEGRAL EQUIPMENT CURB AND VERTICAL RIB PANELS. COLOR TO MATCH BUILDING MATERIALS.
09	PROVIDE CRICKET
12	ROOF DRAIN
13	ROOF EMERGENCY OVERFLOW (REF. DETAILS)
14	6" H X 7' W GUTTER WITH 4" X 6" DOWNSPOUT PROVIDE LEAF/DEBRIS GUARDS
16	NATURAL GAS LINE, PAINT GAS LINE YELLOW AT THE ROOF ONLY. VERIFY LOCATION WITH MECHANICAL DRAWINGS
19	ADHERED ROOFTOP WALKING PADS WITH NON-SLIP SURFACE
20	ALUMINUM ROOF ACCESS LADDER (REF. DETAILS)
34	GPS ANTENNA PROVIDE 1" CONDUIT TO BAKERY COLUMN, SEE SHEET A610
53	LOADING DOCK SHELTER - SEE SPEC 111316
54	4-FAN DRY COOLER
55	5-FAN DRY COOLER
186	FINISHES AND COPING TO WRAP AROUND WALL



12/17/2025 10:43:35 PM AutoCAD 2025/12/17/2025 10:43:35 PM L:\1517 Norcross, GA\1517 NORCROSS, GA - ARCH\1517 FINISH AND RAM PROTECTION PLAN
THIS DOCUMENT AND ALL INFORMATION CONTAINED HEREIN ARE THE PROPERTY OF PROGRESSIVE ARCHITECTURE & PLANNING, LLC. NO PART OF THIS DOCUMENT MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION IN WRITING FROM PROGRESSIVE ARCHITECTURE & PLANNING, LLC. ALL RIGHTS ARE RESERVED. PROGRESSIVE ARCHITECTURE & PLANNING, LLC IS AN INSTRUMENT OF SERVICE AND PROGRESSIVE ARCHITECTURE & PLANNING, LLC DOES NOT WARRANT THE ACCURACY OF THE INFORMATION CONTAINED HEREIN. OTHER RESOURCES MAY BE USED WITHOUT NOTICE. THE INFORMATION CONTAINED HEREIN IS FOR YOUR INFORMATION ONLY AND IS NOT TO BE USED FOR ANY OTHER PURPOSE. THE INFORMATION CONTAINED HEREIN IS NOT TO BE USED FOR ANY OTHER PURPOSE. THE INFORMATION CONTAINED HEREIN IS NOT TO BE USED FOR ANY OTHER PURPOSE.

SCHEDULE - ROOM FINISH

Room	Name	Floor Finish	Base Finish	Wall Finish	Wall Finish Secondary	Ceiling Finish	Casework Finish Horizontal	Casework Finish Vertical	Comments
100	VESTIBULE	F-1	-	P-1	-	ES-1			
101	SALES	F-1	B-1	P-1	-	ES-1			
102	BAKERY	F-4	B-3	P-4	FRP-1	ACT-2			SS BEHIND OVENS
103	PRODUCE BACKSTOCK	F-3	RAM	P-4	-	ES-2			
104	RESTROOM	F-3	B-3	FRP-1	-	SGB			
105	RESTROOM	F-3	B-3	FRP-1	-	SGB			
106	HALLWAY	F-1	B-1	P-2	-	ACT-1			
107	OFFICE	F-3	B-1	P-2	-	SGB			
108	MEETING ROOM	-	-	-	-	-			
109	BREAKROOM HALL	F-3	B-1	P-2	-	ACT-1			
110	BREAKROOM	F-3	B-1	P-2	-	ACT-1	SOLS	PL	CASEWORK: PL WITH SOLS ON COUNTERS, ACRYLIC BACKSPLASH
111	EMPLOYEE CHANGING ROOM	F-3	B-1	P-2	-	ACT-1			
112	IT ROOM	F-2	B-1	P-2	-	GB			
113	TECHNICAL AREA	F-3	NONE	P-0	-	ES-2			
114	SPRINKLER RISER	F-3	NONE	P-4	-	ES-2			
115	FREEZER	F-3	RAM	IMP	-	IMP			IMP FACTORY FINISH
116	BACKSTOCK	F-3	BUMPER	P-6	P-4	ES-2			
117	STAGING	F-3	BUMPER	P-4	-	ES-2			
118	COOLER	F-3	RAM	IMP	-	IMP			IMP FACTORY FINISH

LEGEND:

ROOM NAME	ROOM NAME
101	ROOM NUMBER
F1	FLOOR FINISH
B1	BASE FINISH
W1,W2	WALL FINISH
SGB	CEILING FINISH

MATERIALS SCHEDULE

KEY	FINISH DESCRIPTION	MANUFACTURER	FINISH	COLOR	NOTES
BASE FINISHES					
B-1	VINYL BASE	TARKETT	4" EG COVE BASE	CHARCOAL	COVE BASE TO STOP 6" BEHIND LIMITS OF REFRIGERATED CASES
B-2	METAL COVE BASE	SCHLUTER	DILEX-AHKA	SATIN ANODIZED ALUMINUM	AT JUNCTION BETWEEN FLOOR AND STAINLESS STEEL WALL PANELS
CASEWORK FINISH					
ACV	ACRYLIC BACKSPLASH	-	-	WHITE	BREAK ROOM
PL	PLASTIC LAMINATE	WILSONART	LINEN D-427-60	LINEN	BREAK ROOM CABINETS
SOLS	SOLID SURFACE	AVONITE	F-8016	-	BREAK ROOM COUNTERS
CEILING FINISHES					
ACT-1	ACOUSTICAL CEILING TILE	ARMSTRONG	OPTIMA TEGULAR # 3251 - 24" x 24"	WHITE	9/16" INTERLUDE XL GRID, WHITE
ACT-2	ACOUSTICAL CEILING TILE	ARMSTRONG	KITCHEN ZONE - 24" X 24"	WHITE	15/16" PRELUDE SUSPENSION SYSTEM
ES-1	EXPOSED STRUCTURE PAINTED	-	FLAT	SW 7004 SNOWBOUND WHITE	ALL CEILING COMPONENTS: DECK, JOISTS, CONDUITS, JUNCTION BOXES, SPRINKLERS, MISCELLANEOUS STEEL, DUCT WORK, AND WIRE MESH RETURN GRILLES
ES-2	EXPOSED STRUCTURE UNPAINTED	-	UNPAINTED EXPOSED SHOP-PRIMED STRUCTURE	N/A	SHOP PRIMED BY MANUFACTURER
GB	DRYWALL SYSTEM	ARMSTRONG	DRYWALL	P-5	IT ROOM - 2-HR RATED
SGB	SUSPENDED DRYWALL SYSTEM	ARMSTRONG	DRYWALL	P-5	-
DOORS AND FRAMES					
TD-1	TRAFFIC DOORS	SENNECA DOOR-HEAVY DUTY DOOR	TEXTURED ABS	METALLIC GRAY	-
TD-2	TRAFFIC DOOR FRAMES	SENNECA DOOR-HEAVY DUTY DOOR	POWDER COAT	GRAY	-
FINISH MATERIAL					
FF	FACTORY FINISH	-	-	-	-
FRP-1	FIBERGLASS REINFORCED PANEL	MARLITE	SYMMETRIX	C 100-G63 WHITE	BAKERY AND RESTROOMS
IMP	INSULATED METAL PANEL	-	-	-	PER FREEZER MANUFACTURER
PF	PREFINISHED	-	-	-	-
RS-1	WINDOW TREATMENT FABRIC	ROLL-A-SHADE	SHEERWEAVE STYLE 2000 (5%)	V22 CHARCOAL/GRAY	FABRIC FOR SHADES
RS-2	WINDOW TREATMENT METAL	ROLL-A-SHADE	MATCH COLOR OF INTERIOR DOORS	SW 7075 WEB GRAY	HOUSING FOR SHADES
SS	STAINLESS STEEL	-	-	-	STAINLESS STEEL AS INDICATED IN PLAN
FLOOR FINISHES					
F-1	POLISHED CONCRETE SYSTEM	SEE SPEC	-	-	SALES FLOOR
F-2	PAINTED CONCRETE	ANTISTATIC INDUSTRIES	ANTISTATIC PAINT - LOW SHEEN SATIN	GREY	IT ROOM
F-3	SEALED CONCRETE	-	-	-	BOH, COOLER FLOORS, FREEZER FLOORS
F-4	SLIP RESISTANT COATING (EPOXY)	SILIKAL	SILIKAL R62 FS	MICROFLAKE #3	BAKERY AND RESTROOMS WITH 4" COVE BASE
MG	METAL GRATE	METALS INC	5 FOOT SPAN FOR 600 LBS. LOAD	MILL	SCRUBBER
PAINT FINISHES					
P-0	UNPAINTED	-	-	-	-
P-1	PAINT	PPG	EGGSHELL	1022-2 INTUITIVE	SALES FLOOR, VESTIBULE, AND AMENITY HALLWAY
P-2	PAINT	SHERWIN WILLIAMS	EGGSHELL	SW 7004 SNOWBOUND WHITE	OFFICE AREA WALLS, RESTROOMS WALLS
P-3	PAINT	SHERWIN WILLIAMS	SEMIGLOSS	SW 7075 WEB GRAY	DOORS, FRAMES, STRUCTURAL STEEL AT STOREFRONT
P-4	PAINT	SHERWIN WILLIAMS	EPOXY	SW 7004 SNOWBOUND WHITE	FOR GWB - PAINTED BAKERY WALLS AND BACK OF HOUSE. PAINT UP TO 8" IF REQUIRED BY LOCAL CODE
P-5	PAINT	SHERWIN WILLIAMS	FLAT	SW 7004 SNOWBOUND WHITE	CEILING
P-6	PAINT	SHERWIN WILLIAMS	EPOXY	SW 7073 NETWORK GRAY	FOR CMU - WITH BLOCK FILLER/SEALER AND SCRUBBER STATION
P-7	PAINT	SHERWIN WILLIAMS	SEMIGLOSS	SW 7004 SNOWBOUND WHITE	SALES FLOOR COLUMNS

KEY NOTES

NUMBER	NOTE
01	RAM PROTECTION TYPE 1 (REF. DETAILS)
02	RAM PROTECTION TYPE 2 (REF. DETAILS)
04	WALL BUMPER (REF. DETAILS)
72	FLOOR FINISH TRANSITION EPOXY IN BAKERY AREA AND POLISHED CONCRETE IN SALES FLOOR AREA. TRANSITION TO HAPPEN UNDER BAKERY MILLWORK AND NOT BE VISIBLE IN SALES FLOOR AREA.
179	STAINLESS STEEL COLUMN PROTECTION TO 40" AFF. 22 GA. 430 GRADE S.S., NO. 4 SATIN. STEEL COLUMN TO BE PAINTED P-7.
181	STAINLESS STEEL CORNER GUARD, UP TO 4'-1 1/2" BRUSHED.
187	16-18 GAUGE STAINLESS STEEL BENT PLATE WITH RECESSED FLATHEAD SCREWS ON BOTH SIDES AT JAMB.

RAM PROTECTION LEGEND

PLAN VIEW	ASSEMBLY
	MCUE SYSTEMS PROTECTOR
	STEEL TUBE PROTECTION (RAM PROTECTION TYPE 2) 4"x4" HSS STEEL TUBE
	BACK OF HOUSE WALL PROTECTION PLASTIC COMPOSITE WALL BUMPER
	INTERIOR BOLLARD 5.5" Ø FLEXPOST 55 POST.

GENERAL NOTES

- REFER TO PARTITION TYPES, DOOR AND WINDOW SCHEDULES FOR ADDITIONAL INFORMATION AND DIMENSIONS.
- REFER TO FIXTURE, FURNITURE AND FINISH PLANS FOR ADDITIONAL INFORMATION AND DIMENSIONS.
- FIRE EXTINGUISHERS SHALL BE FURNISHED BY THE S.C. AND INSTALLED PER THE DRAWINGS AS REQUIRED PER I.B.C., LSC AND NFPA 101 CODES. EXTINGUISHERS SHALL BE MOUNTED SO THAT TOP OF EXTINGUISHERS IS 48" A.F.F. UNDO, OR AS DIRECTED BY A.H.U.
- ALL CONCRETE JOINTS, SEAMS, TIE-INS, TILE JOINTS AND FINISHES, AND ALL OTHER FINISHES, ETC., MUST BE CLEAN, NEAT AND PROFESSIONAL. ANY FINISH THAT DOES SHOW A HIGH STANDARD OF WORKMANSHIP, SHALL BE CORRECTED BY THE G.C. OR THE SUBCONTRACTOR, WITH OUT ADDITIONAL EXPENSE TO THE OWNER.
- PROVIDE METAL CORNER BEARDS ON ALL EXPOSED CORNERS AND EDGES.
- DRAWINGS INDICATE GENERAL AND TYPICAL DETAILS OF CONSTRUCTION. WHERE CONDITIONS ARE NOT SPECIFICALLY INDICATED, BUT ARE OF A SIMILAR CHARTER TO DETAILS SHOWN, SIMILAR DETAILS OF CONSTRUCTION SHALL BE USED, SUBJECT TO APPROVAL BY THE ARCHITECT.
- REITERATIVE FEATURES NOT FULLY SHOWN OR NOTED ON THE DRAWINGS SHALL BE COMPLETELY PROVIDED AS IF DRAWN IN FULL.
- GC TO SEAL AROUND ALL VISIBLE PIPES AND AROUND ALL FURNITURE LIKE REFRIGERATE CASES ON THE WALLS.
- FOR ALL RAM PROTECTION CORNERS INTERNAL AND EXTERNAL AND ENDCAPS USE DETAILS SHOWN ON SHEET A501.
- BACK OF HOUSE PAINTED ONLY WHEN REQUIRED BY HEALTH DEPARTMENT

STEEL FINISH GENERAL NOTES

ALL STRUCTURAL STEEL TO BE SHOP PRIMED GRAY. SEE FINISH SCHEDULE FOR PAINT FINISHES. ALL EXT. STAIR STEEL TO BE GALVANIZED WITH BOLT CONNECTIONS ONLY. CART CORAL COLUMNS AND LOUVER SUBFRAME TO BE SHOP PRIMED GRAY AND THEN PAINTED IN FIELD. EXPOSED STEEL DECKING IN IT ROOM MUST BE GALVANIZED. LOADING DOCK CHANNEL STEEL TO BE GALVANIZED.



This item has been electronically signed and sealed by Scott Douglas Wirl using a Digital Signature and date. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.


ISSUANCE
11/07/2025 PERMIT CYCLE 1
11/17/2025 PERMIT CYCLE 2

PROJECT NUMBER
79850191
PROJECT MANAGER
A. HENGSTEBECK
PROFESSIONAL
D. WURL
DRAWN BY
G. CAMARILLO
CHECKED BY
A. HENGSTEBECK

FINISH AND RAM PROTECTION PLAN
A105

11/6/2025 5:05:32 PM Autodesk Docs/170551011 - Lbl 1517 Norcross, GA/76520101 Lbl 1517 NORCROSS GA - ARCH/146

ALL BUILDING SECTIONS
FOR ALL ROOMS AND AREAS SHOWN BY PROGRESSIVE ARCHITECTURE ENGINEERING & PLANNING, LLC AS AN INSTRUMENT OF SERVICE. ANY REVISIONS OR AMENDMENTS TO THIS DOCUMENT SHALL BE THE PROPERTY OF PROGRESSIVE ARCHITECTURE ENGINEERING & PLANNING, LLC. NO PART OF THIS DOCUMENT SHALL BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION IN WRITING FROM PROGRESSIVE ARCHITECTURE ENGINEERING & PLANNING, LLC. ALL RIGHTS RESERVED.



GENERAL NOTES

1. FOR WALL SURFACES SEE INTERIOR ELEVATIONS.
2. FOR EXTERIOR WALL FINISHES SEE EXTERIOR ELEVATIONS.
3. COORDINATE ALL STEEL BEARING POINTS WITH STEEL DRAWINGS.
4. LIGHTING FIXTURE HEIGHT IN SALES FLOOR AND BOH TO BE 11'-6" AFF. UNLESS MOUNTED ON CEILING. SEE RCP FOR CEILING HEIGHTS.
5. REFERENCE RCP FOR HEIGHT OF LIGHTS.

KEY NOTES

NUMBER	NOTE
--------	------

ISSUANCE

11/07/2025 PERMIT CYCLE 1



This item has been electronically signed and sealed by Scott Douglas Wurl using a Digital Signature and date. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.

PROJECT NUMBER
79650191
PROJECT MANAGER
A. HENGSTEBECK
PROFESSIONAL
D. WURL
DRAWN BY
G. CAMARILLO
CHECKED BY
C. DUET

BUILDING
SECTIONS
A300

LIDL US, LLC
LIDL 1517 NORCROSS, GA

499 JIMMY CARTER BLVD. NORCROSS, GA 30093

PROGRESSIVE ARCHITECTURE ENGINEERING & PLANNING, LLC
**PROGRESSIVE
COMPANIES**
Charlotte, NC | Detroit, MI | Grand Rapids, MI
weareprogressive.com



A
B
C
D
E

7

I

6

I

5

I

4

I



3

I

2

I

1



GENERAL NOTES

1. FOR WALL SURFACES SEE INTERIOR ELEVATIONS.
2. FOR EXTERIOR WALL FINISHES SEE EXTERIOR ELEVATIONS.
3. COORDINATE ALL STEEL BEARING POINTS WITH STEEL DRAWINGS.
4. COORDINATE LIGHT FIXTURE MOUNTING HEIGHT WITH LIDL REPRESENTATIVE.

NOTE:
REFERENCE RCP FOR HEIGHT OF LIGHTS



This item has been electronically signed and sealed by Scott Douglas Wurl using a Digital Signature and date. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.

ISSUANCE
11/07/2025 PERMIT CYCLE 1

PROJECT NUMBER
79650191
PROJECT MANAGER
A. HENGSTEBECK
PROFESSIONAL
D. WURL
DRAWN BY
G. CAMARILLO
CHECKED BY
C. DUET

BUILDING SECTIONS
A301

LIDL US, LLC
LIDL 1517 NORCROSS, GA

499 JIMMY CARTER BLVD. NORCROSS, GA 30093





PROGRESSIVE ARCHITECTURE ENGINEERING & PLANNING, LLC
PROGRESSIVE COMPANIES
Charlotte, NC | Detroit, MI | Grand Rapids, MI
weareprogressive.com



11/6/2025 5:05:37 PM Autodesk Docs/77855191 - Lidl 1517 Norcross, GA/77855191 Lidl 1517 NORCROSS, GA - ARCHITECT

WALL SECTIONS

THIS DOCUMENT AND ANY INFORMATION CONTAINED HEREIN ARE THE PROPERTY OF PROGRESSIVE ARCHITECTURE & PLANNING, LLC. NO PART OF THIS DOCUMENT MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION IN WRITING FROM PROGRESSIVE ARCHITECTURE & PLANNING, LLC. ALL RIGHTS ARE RESERVED. OTHER RESERVATIONS INCLUDING THE COPYRIGHT NOTICE.



WALL SECTIONS
A302

PROJECT NUMBER
7950191
PROJECT MANAGER
A. HENGSTEBECK
PROFESSIONAL
D. WURL
DRAWN BY
G. CAMARILLO
CHECKED BY
C. DUET

ISSUANCE
11/07/2025 PERMIT CYCLE 1



This item has been electronically signed and sealed by Scott Douglas Wurl using a Digital Signature and date. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.





LIDL US, LLC
LIDL 1517 NORCROSS, GA

499 JIMMY CARTER BLVD. NORCROSS, GA 30093



PROGRESSIVE ARCHITECTURE ENGINEERING & PLANNING, LLC
PROGRESSIVE COMPANIES
Charlotte, NC | Detroit, MI | Grand Rapids, MI
weareprogressive.com






11/6/2025 5:05:48 PM Autodesk Docs/77855191 - Lidl 1517 Norcross, GA/7650191 Lidl 1517 NORCROSS, GA - ARCH/INT


WALL SECTIONS

THIS DOCUMENT AND ITS CONTENTS ARE THE PROPERTY OF PROGRESSIVE ARCHITECTURE & PLANNING, LLC. NO PART OF THIS DOCUMENT MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION IN WRITING FROM PROGRESSIVE ARCHITECTURE & PLANNING, LLC. ALL RIGHTS ARE RESERVED. OTHER RESERVED RIGHTS INCLUDING THE COPYRIGHT NOTICE.


E7 WALL SECTION
1" = 1'-0"




E6 INTERIOR WALL SECTION
1" = 1'-0"














E4 INTERIOR WALL SECTION
1" = 1'-0"



E2 INTERIOR WALL SECTION
1" = 1'-0"







NUMBER	NOTE
02	RAM PROTECTION TYPE 2 (REF. DETAILS)
04	WALL BUMPER (REF. DETAILS)
44	PRE-FINISHED CABINETRY, PROVIDE CONCEALED BLOCKING IN WALL AS REQUIRED. (REF. DETAILS)
74	SLAB JOINT (REF. DETAILS)
95	DRIP PAN FOR A/C - COORDINATE WITH MECHANICAL
106	SOFFIT VENT DETAIL (REF. DETAILS)
122	ALIGN THERMAL BREAK WITH INSIDE LINE OF DOOR OPENING AND COVER WITH THRESHOLD - COORDINATE WITH FREEZER DOOR MANUFACTURER
134	3/4" FIRE RETARDANT PLYWOOD
160	EQUIPMENT - SEE MEP
181	STAINLESS STEEL CORNER GUARD, UP TO 4'-1 1/2" BRUSHED
187	16-18 GAUGE STAINLESS STEEL BENT PLATE WITH RECESSED FLATHEAD SCREWS ON BOTH SIDES AT JAMB

KEY NOTES		DEVICE LEGEND:	
[D]	DIMMER	[K]	KEYPAD
[H]	HUMIDISTAT	[LA]	LOCAL ALARM
[M]	MANUAL PULL STATION	[MD]	MOTION DETECTOR
[L]	LOW VOLTAGE LIGHTING	[N]	NEMA OUTLET
[P]	PWM OUTLET	[Q]	STROBE
[A]	2 PORT DATA	[QU]	QUAD OUTLET
[C]	CARD READER	[R]	REFRIGERATION CONTROL
[D]	DOORBELL	[T]	TEMPERATURE SENSOR
[DU]	DUPLEX OUTLET	[W]	WALLMOTOR SWITCH
		[TH]	THERMOSTAT
		[JB]	JUNCTION BOX


* SEE SHEET A501 FOR LOCATION OF DEVICES RELATIVE TO DOORS.




GROUND FLOOR




A1 INT ELEV - OFFICE
1/4" = 1'-0"




B2 INT ELEV - OFFICE
1/4" = 1'-0"




B1 INT ELEV - OFFICE
1/4" = 1'-0"




C2 INT ELEV - OFFICE
1/4" = 1'-0"




C1 INTERIOR ELEVATION - CHANGING
1/4" = 1'-0"




D2 INTERIOR ELEVATION - CHANGING
1/4" = 1'-0"




D1 INTERIOR ELEVATION - CHANGING
1/4" = 1'-0"




BREAKROOM







11/6/2025 5:02:23 PM Autodesk Docs/77855191 - Lidl 1517 Norcross GA/7650191 Lidl 1517 NORCROSS GA - ARCH/INT
INTERIOR ELEVATIONS
THIS DOCUMENT AND ITS CONTENTS ARE THE PROPERTY OF PROGRESSIVE ARCHITECTURE & PLANNING, LLC. NO PART OF THIS DOCUMENT MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION IN WRITING FROM PROGRESSIVE ARCHITECTURE & PLANNING, LLC. ALL RIGHTS ARE RESERVED. PROGRESSIVE ARCHITECTURE & PLANNING, LLC IS AN INSTRUMENT OF SERVICE AND PROGRESSIVE ARCHITECTURE & PLANNING, LLC DOES NOT WARRANT THE ACCURACY, COMPLETENESS, OR RELIABILITY OF THE INFORMATION CONTAINED HEREIN. OTHER RELEVANT RIGHTS, INCLUDING THE COPYRIGHT, ARE RESERVED.




B7 INTERIOR ELEVATION - SALES FLOOR
1/4" = 1'-0"




2 INTERIOR ELEVATION - LOADING DOCK
1/4" = 1'-0"




C7 INTERIOR ELEVATION - SALES FLOOR
1/4" = 1'-0"



D7 INTERIOR ELEVATION - SALES FLOOR, CONT.
1/4" = 1'-0"



1 INTERIOR ELEVATION - LOADING DOCK
1/4" = 1'-0"



E7 INTERIOR ELEVATION - SALES FLOOR
1/4" = 1'-0"

GYPSUM BOARD GENERAL NOTES

ALL HORIZONTAL JOINTS MUST BE STAGGERED. AVOID VERTICAL JOINTS DIRECTLY ABOVE OR BELOW A WINDOW, DOOR OR OTHER OPENINGS FOR BEST DECORATING RESULTS.

SEE: GYPSUM BOARD SECTION 092900

KEY NOTES

NUMBER	NOTE
04	WALL BUMPER (REF. DETAILS)
83	DRYWALL CONTROL JOINT AS DIMENSIONED
85	10.8 ABC FIRE EXTINGUISHER
115	1/2" PLYWOOD BLOCKING BETWEEN STUDS
170	CABLE TRAY. SEE ELECTRICAL

FINISH LEGEND

	CMU WITH SEALANT PAINT
	CMU
	CHAINLINK FENCE
	WOOD
	FREEZER PANEL
	FRP
	PLYWOOD

DEVICE LEGEND:

	DIMMER		KEYPAD
	HUMIDISTAT		LOCAL ALARM
	MANUAL PULL STATION		MOTION DETECTOR
	LOW VOLTAGE LIGHTING		NEMA OUTLET
	PVM OUTLET		STROBE
	2 PORT DATA		QUAD OUTLET
	CARD READER		REFRIGERATION CONTROL
	DOORBELL		TEMPERATURE SENSOR
	DUPLEX OUTLET		WALL/MOTOR SWITCH
			THERMOSTAT
			JUNCTION BOX

* SEE SHEET A501 FOR LOCATION OF DEVICES RELATIVE TO DOORS.

LIDL US, LLC
LIDL 1517 NORCROSS, GA

499 JIMMY CARTER BLVD. NORCROSS, GA 30093




This item has been electronically signed and sealed by Scott Douglas Wurl using a Digital Signature and date. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.


ISSUANCE
11/07/2025 PERMIT CYCLE 1

PROJECT NUMBER
79650191
PROJECT MANAGER
A. HENGSTEBECK
PROFESSIONAL
D. WURL
DRAWN BY
G. CAMARILLO
CHECKED BY
C. DUET

INTERIOR
ELEVATIONS
A404



E7 INTERIOR ELEVATION - LOADING DOCK
1/4" = 1'-0"



E2 INTERIOR ELEVATION - LOADING DOCK
1/4" = 1'-0"

DEVICE LEGEND:	
DIMMER	KEYPAD
HUMIDISTAT	LOCAL ALARM
MANUAL PULL STATION	MOTION DETECTOR
LOW VOLTAGE LIGHTING	NEMA OUTLET
PVM OUTLET	STROBE
2 PORT DATA	QUAD OUTLET
CARD READER	REFRIGERATION CONTROL
DOORBELL	TEMPERATURE SENSOR
DUPLEX OUTLET	WALL/MOTOR SWITCH
	THERMOSTAT
	JUNCTION BOX
* SEE SHEET A500 FOR LOCATION OF DEVICES RELATIVE TO DOORS.	

KEY NOTES	
NUMBER	NOTE
04	WALL BUMPER (REF. DETAILS)

GYPSUM BOARD GENERAL NOTES


ALL HORIZONTAL JOINTS MUST BE STAGGERED. AVOID VERTICAL JOINTS DIRECTLY ABOVE OR BELOW A WINDOW, DOOR OR OTHER OPENINGS FOR BEST DECORATING RESULTS.

SEE: GYPSUM BOARD SECTION 052900

FINISH LEGEND	
	CMU WITH SEALANT PAINT
	CMU
	CHAINLINK FENCE
	WOOD
	FREEZER PANEL
	FRP
	PLYWOOD







—

—



7





OLD-
ORK S
ATE V

1




PROJECT NUMBER
79650191
PROJECT MANAGER
A. HENGSTEBECK
PROFESSIONAL
D. WURL
DRAWN BY
G. CAMARILLO
CHECKED BY
A. HENGSTEBECK


**CASEWORK
DETAILS
A502**




11/6/2025 5:05:36 PM Autodesk Docs/07055101 - LIDL 1517 Norcross, GA/07055101 LIDL 1517 NORCROSS, GA - ARCH/INTL
PLAN DETAILS
THIS DOCUMENT AND ITS CONTENTS ARE THE PROPERTY OF PROGRESSIVE ARCHITECTURE & PLANNING, LLC. NO PART OF THIS DOCUMENT MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION IN WRITING FROM PROGRESSIVE ARCHITECTURE & PLANNING, LLC. ALL RIGHTS ARE RESERVED. OTHER RIGHTS MAY BE RESERVED BY THIRD PARTIES. OTHER RIGHTS AND WARRANTIES, INCLUDING THE COPYRIGHT NOTICE, ARE RESERVED BY THE COPYRIGHT OWNER.



E7 COLUMN LINE A-7 - ABOVE WATER TABLE
3" = 1'-0"



E5 COLUMN LINE A-7 - BELOW WATER TABLE
3" = 1'-0"



E2 SHEAR WALL TRANSITION ABOVE CANOPY
3" = 1'-0"




This item has been electronically signed and sealed by Scott Douglas Wurl using a Digital Signature and date. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.

ISSUANCE
11/07/2025 PERMIT CYCLE 1


PROJECT NUMBER
79650191
PROJECT MANAGER
A. HENGSTEBECK
PROFESSIONAL
D. WURL
DRAWN BY
G. CAMARILLO
CHECKED BY
A. HENGSTEBECK




11/6/2025 5:05:37 PM AutoCAD 2025 17055101 - LIDL 1517 Norcross, GA 7650101 LIDL 1517 NORCROSS, GA - ARCHIT PLAN DETAILS
THIS DOCUMENT AND ITS CONTENTS ARE THE PROPERTY OF PROGRESSIVE ARCHITECTURE & PLANNING, LLC. NO PART OF THIS DOCUMENT MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION IN WRITING FROM PROGRESSIVE ARCHITECTURE & PLANNING, LLC. ALL RIGHTS ARE RESERVED. OTHER RESOURCES MAY BE USED WITHOUT PERMISSION.




**INSIDE CORNER AT COLUMN LINE 2
-BELOW WATER TABLE**
E6 3" = 1'-0"



**CORNER AT COLUMN LINE A-2.5 - BELOW
WATER TABLE**
C6 3" = 1'-0"



**INSIDE CORNER AT COLUMN LINE 2
-ABOVE WATER TABLE**
E2 3" = 1'-0"



**CORNER AT COLUMN LINE A-2.5 - ABOVE
WATER TABLE**
C2 3" = 1'-0"



ISSUANCE
11/07/2025 PERMIT CYCLE 1

PROJECT NUMBER
7650101
PROJECT MANAGER
A. HENGSTEBECK
PROFESSIONAL
D. WURL
DRAWN BY
G. CAMARILLO
CHECKED BY
A. HENGSTEBECK


**PLAN DETAILS
A603**

**LIDL US, LLC
LIDL 1517 NORCROSS, GA**


499 JIMMY CARTER BLVD NORCROSS, GA 30093



PROGRESSIVE ARCHITECTURE ENGINEERING & PLANNING, LLC
**PROGRESSIVE
COMPANIES**
Charlotte, NC | Detroit, MI | Grand Rapids, MI
weareprogressive.com




B6 BRICK VENEER RETURN AT PARAPET
3" = 1'-0"






B4 BELOW WATER TABLE
3" = 1'-0"

B2 FINISH TRANSITION SIDING TO BRICK
3" = 1'-0"


C6 CONTROL JOINT DETAIL
3" = 1'-0"




E6 PHENOLIC PANEL RETURN AT PARAPET
3" = 1'-0"




E2 FINISH TRANSITION ABOVE CANOPY
3" = 1'-0"




B6 FOUNDATION AT ENTRY STOREFRONT
1 1/2" = 1'-0"




C6 FOUNDATION AT COOLER
1 1/2" = 1'-0"




E6 FOUNDATION AT WOOD VENEER
1 1/2" = 1'-0"




B4 FOUNDATION AT COLUMN
1 1/2" = 1'-0"




D4 FOUNDATION AT BACK WALL
1 1/2" = 1'-0"




E4 FOUNDATION AT FRONT FACADE
1 1/2" = 1'-0"



B2 FOUNDATION AT STONE VENEER
1 1/2" = 1'-0"



D2 FOUNDATION AT SHEAR WALL
1 1/2" = 1'-0"








E2 FOUNDATION AT EXTERIOR DOOR
1" = 1'-0"




11/6/2025 5:56:49 PM Autodesk Docs 070550191 - LIDL 1517 Norcross, GA 30093 LIDL 1517 NORCROSS, GA - ARCH-114


ARCHITECTURAL
ROOF SECTION DETAILS

THIS DOCUMENT AND ITS CONTENTS ARE THE PROPERTY OF PROGRESSIVE ARCHITECTURE & PLANNING, LLC. NO PART OF THIS DOCUMENT MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION IN WRITING FROM PROGRESSIVE ARCHITECTURE & PLANNING, LLC. ALL RIGHTS ARE RESERVED. OTHER REGISTERED RIGHTS, INCLUDING THE COPYRIGHT, ARE RESERVED.







C6 CANOPY @ OUTSIDE EDGE
3" = 1'-0"




C4 BRICK WALL ABOVE STOREFRONT
3" = 1'-0"




C2 COLUMN TO WALL CONNECTION AT BRICK/METAL STUD
3" = 1'-0"



E6 CANOPY @ SIDING/BRICK CMU CONNECTION
3" = 1'-0"



E4 CANOPY TO WALL CONNECTION AT SIDING
3" = 1'-0"




E2 CANOPY @ BRICK/BRICK CMU
3" = 1'-0"


11/6/2025 5:05:32 PM Autodesk Docs/178550191-Lid 1517 Norcross GA/1517 NORCROSS GA - ARCH/INT

THIS DOCUMENT AND ANY INSTRUMENTS OF SERVICE OR AGREEMENT BY PROGRESSIVE ARCHITECTURE ENGINEERING & PLANNING, LLC, AS AN INSTRUMENT OF SERVICE, ARE PROGRESSIVE ARCHITECTURE ENGINEERING & PLANNING, LLC'S PROPERTY. NO PART OF THIS DOCUMENT OR ANY INSTRUMENT OF SERVICE MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION IN WRITING FROM PROGRESSIVE ARCHITECTURE ENGINEERING & PLANNING, LLC. OTHER RESERVED RIGHTS, INCLUDING THE COPYRIGHT, ARE RESERVED.


PROGRESSIVE ARCHITECTURE ENGINEERING & PLANNING, LLC
1517 NORCROSS, GA 30093
404.399.1517
www.progressive.com




B7 EXHAUST FAN PENETRATION (TYP.)
1 1/2" = 1'-0"




B5 ROOFTOP HOSE BIB
1 1/2" = 1'-0"




B4 ROOF CURB DETAIL
3" = 1'-0"




TYP. DRY COOLER DISCONNECT MOUNTING
1" = 1'-0"




C7 VENT PENETRATION (TYP.)
1 1/2" = 1'-0"




C5 HORIZONTAL VENT (TYP.)
1 1/2" = 1'-0"




C4 ROOFTOP RECEPTACLE (TYP.)
1 1/2" = 1'-0"




C2 EXHAUST PENETRATION (TYP.)
1 1/2" = 1'-0"




D7 ROOF PENETRATION AT DRY COOLER DUNNAGE
1 1/2" = 1'-0"




D5 PIPE PENETRATION BEHIND WALL FIXTURES
3" = 1'-0"




D4 GPS ANTENNA PENETRATION TYP.
1 1/2" = 1'-0"




D2 GPS ANTENNA MOUNTING DETAIL (TYP.)
1 1/2" = 1'-0"



E2 CANOPY EMERGENCY OVERFLOW
1 1/2" = 1'-0"






A4 STOREFRONT GLAZING - WINDOW 'A'
1/4" = 1'-0"

GENERAL NOTES:


- VERIFY ALL CONDITIONS AND DIMENSIONS IN FIELD
- STOREFRONT TO MEET SITE SPECIFIC DESIGN LOADS, PER STRUCTURAL
- G.C. TO COORDINATE ATTACHMENT TO SLIDING DOOR SYSTEMS WITH STOREFRONT
- ALL FRAME SYSTEMS SHALL BE ANODIZED CHARCOAL GRAY
- GC TO ENSURE ALL FRAMING IS FREE FROM DAMAGE THROUGH INSTALLATION

GLAZING TYPES

TYPE	DESCRIPTION
1	GLAZING TYPE 1 1" INSULATED VISION GLAZING, TEMPERED
2	GLAZING TYPE 2 1" INSULATED VISION GLAZING
3	GLAZING TYPE 3 1/4" TEMPERED VISION GLAZING
4	GLAZING TYPE 4 1/4" CLEAR GLAZING



C7 STOREFRONT GLAZING - WINDOW 'B'
1/4" = 1'-0"



C5 STOREFRONT GLAZING - WINDOW 'C'
1/4" = 1'-0"




This item has been electronically signed and sealed by Scott Douglas Wurl using a Digital Signature and date. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.


ISSUANCE
11/07/2025 PERMIT CYCLE 1

PROJECT NUMBER
7855191
PROJECT MANAGER
A. HENGSTEBECK
PROFESSIONAL
D. WURL
DRAWN BY
G. CAMARILLO
CHECKED BY
A. HENGSTEBECK


11/6/2025 5:07:01 PM Autodesk Docs/70850191 - Lidl 1517 Norcross GA/70850191 Lidl 1517 NORCROSS GA - ARCH/144
STOREFRONT DETAILS
THIS DOCUMENT AND ANY INFORMATION CONTAINED HEREIN ARE THE PROPERTY OF PROGRESSIVE ARCHITECTURE & PLANNING, LLC. NO PART OF THIS DOCUMENT MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT PERMISSION IN WRITING FROM PROGRESSIVE ARCHITECTURE & PLANNING, LLC. ALL RIGHTS ARE RESERVED. OTHER RESERVATIONS INCLUDING THE COPYRIGHT NOTICE.




E6 THERMAL BREAK AT CORNER DETAIL
3" = 1'-0"




D6 COLUMN AT STOREFRONT
3" = 1'-0"




B4 SILL @ FRONT DOOR
3" = 1'-0"



D4 VESTIBULE WALL @ STOREFRONT (TYP)
3" = 1'-0"



E4 SILL @ VESTIBULE DOOR
3" = 1'-0"



E2 VESTIBULE DOOR HEAD
3" = 1'-0"



This item has been electronically signed and sealed by Scott Douglas Wurl using a Digital Signature and date. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.

ISSUANCE
11/07/2025 PERMIT CYCLE 1

PROJECT NUMBER
70850191
PROJECT MANAGER
A. HENGSTEBECK
PROFESSIONAL
D. WURL
DRAWN BY
G. CAMARILLO
CHECKED BY
A. HENGSTEBECK

STOREFRONT
DETAILS
A701

LIDL US, LLC
LIDL 1517 NORCROSS, GA


499 JIMMY CARTER BLVD. NORCROSS, GA 30093




DOOR SCHEDULE													
Room	#	DOOR TYPE	WIDTH	HEIGHT	DOOR MATERIAL	FINISH	FRAME TYPE	FRAME MATERIAL	FRAME FINISH	JAMB PROFILE	FIRE RATING	HARDWARE SET (SEE SPEC)	CODE REQUIRED SIGNAGE
VESTIBULE	100	A	14'-0"	8'-0"	ALUM	PF	STOREFRONT	ALUM	PF	-	-	BY DOOR MANUF	-
VESTIBULE	100.1	B	10'-0"	8'-0"	ALUM	PF	STOREFRONT	ALUM	PF	-	-	BY DOOR MANUF	-
VESTIBULE	100.2	B	10'-0"	8'-0"	ALUM	PF	STOREFRONT	ALUM	PF	-	-	BY DOOR MANUF	-
SALES	101.1	H	6'-0"	9'-0"	TEXTURED ABS	PF	4	STEEL	PF	5	-	BY DOOR MANUF	-
PRODUCE BACKSTOCK	103	D	3'-0"	7'-0"	HM	P3	4	HM	P3	2	-	HW-04	-
PRODUCE BACKSTOCK	103.1	H	10'-0"	9'-0"	TEXTURED ABS	PF	4	STEEL	PF	5	-	BY DOOR MANUF	-
RESTROOM	104	C	3'-0"	7'-0"	HM	P3	2	HM	P3	2	-	HW-01	RESTROOM (OFICI)
RESTROOM	105	C	3'-0"	7'-0"	HM	P3	2	HM	P3	2	-	HW-01	RESTROOM (OFICI)
OFFICE	107	C	3'-0"	7'-0"	HM	P3	2	HM	P3	2	-	HW-02	CASH OFFICE (OFICI)
MEETING ROOM	108	C	3'-0"	7'-0"	HM	P3	2	HM	P3	2	-	HW-02	-
BREAK ROOM	110	D	3'-0"	7'-0"	HM	P3	2	HM	P3	2	-	HW-04	ONE-WAY MIRROR GLASS
EMPLOYEE CHANGING ROOM	111	C	3'-0"	7'-0"	HM	P3	2	HM	P3	2	-	HW-01	EMPLOYEE CHANGING ROOM (OFICI)
IT ROOM	112	C	3'-0"	7'-0"	HM	P3	2	HM	P3	3	90MIN	HW-03	IT ROOM (OFICI)
TECHNICAL AREA	113	Z	3'-1 1/2"	7'-10"	FENCE	-	-	-	-	-	-	HW-05	-
SPRINKLER RISER	114	Z	3'-1 1/2"	8'-0"	FENCE	-	-	-	-	-	-	HW-05	-
BAKERY FREEZER	115	J	5'-0"	7'-8"	INSUL	PF	-	-	-	-	-	BY DOOR MANUF	-
BAKERY FREEZER	115.1	J	5'-0"	7'-8"	INSUL	PF	-	-	-	-	-	BY DOOR MANUF	-
BACKSTOCK	116	E	4'-0"	7'-0"	GHM	P3	3	GHM	P3	4	-	HW-06	-
BACKSTOCK	116.1	E	6'-9 1/2"	8'-0"	FENCE	-	-	-	-	-	-	HW-06	-
LOADING DOCK	117	E	3'-0"	7'-0"	GHM	P3	3	GHM	P3	4	-	HW-06	NON-ACCESSIBLE EXIT (OFICI)
LOADING DOCK	117.1	K	8'-2"	9'-3"	STEEL	P3	-	STEEL	-	JL/A605	-	BY DOOR MANUF	-
COOLER	118	J	5'-0"	7'-8"	INSUL	PF	-	-	-	-	-	BY DOOR MANUF	-

DOOR ABBREVIATION LEGEND		GENERAL NOTE:
HM	HOLLOW METAL	
GHM	GALVANIZED HOLLOW METAL	DURING CONSTRUCTION GC TO PROVIDE MASTER KEY TO LIDL PROJECT MANAGER FOR DOORS 108 AND 110.
SC	SOLID CORE	
ALUM	ALUMINUM	AFTER FINAL CONSTRUCTION GC TO PROVIDE LIDL WITH MASTER KEY FOR DOORS INDICATED BY LIDL.
INSUL	INSULATED METAL	
HW	HARDWARE SET	
MFR	MANUFACTURER	
ANOD	ANODIZED	
PF	PRE-FINISHED	


KEY NOTES	
NUMBER	NOTE
05	S.S. INTERIOR BOLLARD - SALES SIDE (REF. DETAILS)
53	LOADING DOCK SHELTER - SEE SPEC 111316




C5 TRAFFIC DOOR - BOLLARDS
1/2" = 1'-0"




D5 DOCK DOOR - BOLLARDS
1/2" = 1'-0"




E2 DOOR ELEVATIONS
1/4" = 1'-0"



A2 JAMB PROFILES
1 1/2" = 1'-0"



C2 TYP. HM DOOR JAMB
1 1/2" = 1'-0"




D2 FRAME ELEVATIONS
1/4" = 1'-0"




This item has been electronically signed and sealed by Scott Douglas Wurl using a Digital Signature and date. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.

ISSUANCE
11/07/2025 PERMIT CYCLE 1


PROJECT NUMBER
78650191
PROJECT MANAGER
A. HENGSTEBECK
PROFESSIONAL
D. WURL
DRAWN BY
G. CAMARILLO
CHECKED BY
A. HENGSTEBECK




B3 TRAFFIC DOOR JAMB DETAIL - LOW
3" = 1'-0"




B4 RESTROOM DOOR JAMB DETAIL
3" = 1'-0"




B2 EXTERIOR DOOR HEAD DETAIL IN BRICK
3" = 1'-0"




C6 TRAFFIC DOOR JAMB DETAIL - HIGH
3" = 1'-0"




C4 EXTERIOR DOOR HEAD DETAIL - GROUND FACE CMU
3" = 1'-0"




C2 EXTERIOR DOOR JAMB DETAIL - ABOVE SILL
3" = 1'-0"




D4 EXTERIOR DOOR JAMB DETAIL - GROUND FACE CMU
3" = 1'-0"



D2 EXTERIOR DOOR JAMB DETAIL - BELOW SILL
3" = 1'-0"



E4 EXTERIOR DOOR SILL DETAIL
3" = 1'-0"



E2 EXTERIOR DOOR SILL DETAIL
3" = 1'-0"



KEY NOTES	
NUMBER	NOTE
87	THREE COMPARTMENT SINK - SEE PLUMBING
88	HAND SINK - SEE PLUMBING
131	WRITE OFF SCALE LOCATION, SHELF 48" A.F.F. PROVIDED BY OWNER - SEE ELEVATIONS, COORDINATE WITH ELECTRICAL GC TO PROVIDE REGULAR POWER.

PLUMBING FIXTURE SCHEDULE				
Type Mark	Description	Manufacturer	Model	Comments
E-20	16" WIDE WALL MOUNT STAINLESS STEEL SINK WITH SIDE SPLASHES AND P-TRAP	SEE PLUMBING DRAWINGS	SEE PLUMBING DRAWINGS	
E-10	Sturdibilt Triple Compartment Sullery Sinks, Drainboard Right	Elkay Manufacturer	Sturdibilt	

TOILET ACCESSORY SCHEDULE				
TYPE MARK	DESCRIPTION	MANUFACTURER	MODEL #	COMMENTS
TA1	SIDE WALL, REAR WALL AND VERTICAL GRAB BARS	BOBRICK WASHROOM EQUIPMENT, INC.	B-6806 1 x 16, 36, 42	
TA2	SURFACE MOUNTED BABY CHANGING STATION	KOALA KARE PRODUCTS	KB2001 (GRAY 01)	
TA3	SURFACE MOUNTED MIRROR WITH FRAME	BOBRICK WASHROOM EQUIPMENT, INC.	B-1536	
TA4	SURFACE MOUNTED SATIN STAINLESS STEEL 2 ROLL TOILET TISSUE DISPENSER	AMERICAN SPECIALTIES, INC.	7305-25	
TA5	SURFACE MOUNTED SANITARY NAPKIN DISPOSAL	BOBRICK WASHROOM EQUIPMENT, INC.	B-270	
TA6	BRUSHED STAINLESS STEEL HAND DRYER 110-120V	EXCEL DRYER	TA-SB-110-120V 7.7A - 770-915W	BRUSHED STAINLESS STEEL FINISH
TA7	WALL MOUNTED TOILET BRUSH AND HOLDER	AMERICAN SPECIALTIES, INC.	OMARA COLLECTION 7387	
TA8	HAT & COAT HOOK 36 SATIN	AMERICAN SPECIALTIES, INC.	7305-9	
TA-WC	1.6 GPF SENSOR BATTERY OPERATED FLUSH VALVE	SEE PLUMBING DRAWINGS	SEE PLUMBING DRAWINGS	

CHECKLIST NOTE


GC TO BE RESPONSIBLE FOR COMPLETING ALL OWNER CHECKLISTS
SEE DIVISION 1 SPECIFICATIONS.

GENERAL NOTES


1. REFER TO PARTITION TYPES, DOOR AND WINDOW SCHEDULES FOR ADDITIONAL INFORMATION AND DIMENSIONS.
2. REFER TO FURNITURE, FURNITURE AND FINISH PLANS FOR ADDITIONAL INFORMATION AND DIMENSIONS.
3. FIRE EXTINGUISHERS SHALL BE FURNISHED BY THE G.C. AND INSTALLED PER THE DRAWINGS AS REQUIRED PER I.B.C., LSC AND NFPA 101 CODES. EXTINGUISHERS SHALL BE MOUNTED SO THAT TOP OF EXTINGUISHERS IS AT A.F.F., U.N.O. OR AS DIRECTED BY AHJ.
4. TO CORRECT, JOIN, REPAIR, RE-NEEDLE THE JOINTS AND FINISHES, AND ALL OTHER FINISHES, ETC. MUST BE CLEAN, NEAT AND PROFESSIONAL. ANY FINISH THAT DOES NOT SHOW A HIGH STANDARD OF WORKMANSHIP, SHALL BE CORRECTED BY THE G.C. OR THE SUBCONTRACTOR, WITH OUT ADDITIONAL EXPENSE TO THE OWNER.
5. ALL INTERNAL CORNERS SHALL BE ROUNDED CORNERS AND EDGES.
6. DRAWINGS INCLUDE GENERAL AND TYPICAL DETAILS OF CONSTRUCTION. WHERE CONDITIONS ARE NOT SPECIFICALLY INDICATED, BUT ARE OF A SIMILAR CHARACTER TO DETAILS SHOWN, SIMILAR DETAILS OF CONSTRUCTION SHALL BE USED.
7. REPEITIVE FEATURES NOT FULLY SHOWN OR NOTED ON THE DRAWINGS SHALL BE COMPLETELY PROVIDED AS DRAWN IN FULL.
8. GC TO SEAL AROUND ALL VISIBLE JOINTS AND AROUND ALL FURNITURE LIKE REFRIGERATE CASES ON THE WALLS.
9. FOR ALL RAIN PROTECTION CORNERS INTERNAL AND EXTERNAL AND ENDCAPS USE DETAILS SHOWN ON SHEET **AS1**
10. BACK OF HOUSE PAINTED ONLY WHEN REQUIRED BY HEALTH DEPARTMENT

STEEL FINISH GENERAL NOTES


ALL STRUCTURAL STEEL TO BE SHOP PRIMED GRAY. SEE FINISH SCHEDULE FOR PAINT FINISHES. ALL EXT. STAIR STEEL TO BE GALVANIZED WITH BOLT CONNECTIONS ONLY. CART CORAL COLUMNS AND LOUVER SUBFRAME TO BE SHOP PRIMED GRAY AND THEN PAINTED IN FIELD. EXPOSED STEEL DECKING IN IT ROOM MUST BE GALVANIZED. LOADING DOCK CHANNEL STEEL TO BE GALVANIZED.




D5 POWER POLE
N.T.S.




E5 POS POWER POLE
N.T.S.



D3 POS POWER POLE
1/2" = 1'-0"



E3 POWER POLE
N.T.S.



E1 TPB GASKETED BOX
1/2" = 1'-0"



This item has been electronically signed and sealed by Scott Douglas Wurl using a Digital Signature and date. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.

ISSUANCE
11/07/2025 PERMIT CYCLE 1

PROJECT NUMBER
70650191
PROJECT MANAGER
A. HENGSTEBECK
PROFESSIONAL
D. WURL
DRAWN BY
G. CAMARILLO
CHECKED BY
A. HENGSTEBECK

POWER POLE
DETAILS
A803

LIDL US, LLC
LIDL 1517 NORCROSS, GA

499 JIMMY CARTER BLVD. NORCROSS, GA 30093