

LIMITED PHASE II ENVIRONMENTAL SITE ASSESSMENT



1517 – NORCROSS

Norcross, Georgia

PREPARED FOR:

Lidl US, LLC
400 Interstate N. Parkway SE
Suite 550
Atlanta, Georgia 30339

NOVA Project Number: 3021063

April 28, 2021



PROFESSIONAL | PRACTICAL | PROVEN



April 28, 2021

LIDL US, LLC
400 Interstate N. Parkway SE
Suite 550
Atlanta, Georgia 30339

Attention: Mr. Delbert Renfroe
Real Estate Manager

Subject: Limited Phase II Environmental Site Assessment
1517 - NORCROSS
Norcross, Georgia
NOVA Project Number 3021063

Dear Mr. Renfroe:

NOVA Engineering and Environmental, LLC (NOVA) has completed the authorized Limited Phase II Environmental Site Assessment (ESA) for the approximately 3.010-acre property located at 4990 Jimmy Carter Boulevard in Norcross, Gwinnett County, Georgia. The work was performed in general accordance with NOVA Proposal Number 002-30212206, dated April 7, 2021.

The Limited Phase II ESA work was performed in general accordance with ASTM International (ASTM) *Standard Practice for Environmental Site Assessments: Phase II Environmental Site Assessment Process, Designation: E1903-19* unless otherwise stated herein. The attached report presents our understanding of the project information, a description of the environmental consulting services provided by NOVA, and our findings and conclusions.

We appreciate your selection of NOVA and the opportunity to be of service on this project. If you have any questions, or if we may be of further assistance, please do not hesitate to contact us.

Sincerely,

NOVA Engineering and Environmental, LLC



Jonathan Muller
Staff Environmental Scientist



Nickolaus DaSantos
Business Unit Manager
Environmental Services

Copies Submitted: Addressee (electronic)

TABLE OF CONTENTS

1.0	INTRODUCTION	1
1.1	SITE AND PROJECT INFORMATION	1
1.2	LIMITATIONS.....	1
1.3	USER RELIANCE.....	2
2.0	LIMITED PHASE II ENVIRONMENTAL SITE ASSESSMENT.....	3
2.1	SOIL BORING INSTALLATION AND SOIL SAMPLING	3
2.2	GROUNDWATER SAMPLING.....	3
2.3	QUALITY CONTROL AND QUALITY ASSURANCE METHODS.....	4
3.0	RESULTS	5
3.1	GROUNDWATER LABORATORY RESULTS.....	5
4.0	CONCLUSIONS	6
4.1	GROUNDWATER DETECTIONS	6

APPENDICES

Appendix A – Figures

Appendix B – Boring Logs and Well Logs

Appendix C – Groundwater Laboratory Data

Appendix D – Qualifications of Conclusions

1.0 INTRODUCTION

NOVA Engineering and Environmental, LLC (NOVA) was retained by Lidl US, LLC (Client) to complete a Limited Phase II Environmental Site Assessment (ESA) on the approximately 3.010-acre property located at 4990 Jimmy Carter Boulevard in Norcross, Gwinnett County, Georgia (Subject Property). A site location map is included as Figure 1 in Appendix A.

1.1 SITE AND PROJECT INFORMATION

The Subject Property is located at 4990 Jimmy Carter Boulevard in Norcross, Gwinnett County, Georgia. According to the Gwinnett County Geographic Information System (GIS) database, the Subject Property measures approximately 3.010-acres and is comprised of one (1) tax parcel identified by Parcel Number R6169 064. The diamond-shaped Subject Property is bordered by Jimmy Carter Boulevard to the northeast, a commercial building to the northwest, a single-family residential development to the southwest, and Shelby Drive NW to the southeast. The Subject Property is currently developed with a single story commercial structure and associated asphalt paved parking. The on-site structures are located in the western portion of the site. A topographic map and recent aerial photograph are included as Figures 2 and 3 in Appendix A.

NOVA conducted a Phase I Environmental Site Assessment (ESA) for the Subject Property (NOVA Project Number 3021038 dated March 29, 2021) that identified the following off-site issue resulting in a *Recognized Environmental Condition* (REC) in connection with the Subject Property:

OFF-SITE

- A gas station located on the south adjoining property across Shelby Drive NW is listed in the EDR Report as a Leaking Underground Storage Tank (LUST), Underground Storage Tank (UST), and EDR Historic Auto facility.

NOVA's Limited Phase II ESA was conducted on the Subject Property to determine the potential impact of the identified REC on groundwater at the Subject Property.

1.2 LIMITATIONS

NOVA has performed a Limited Phase II ESA in general accordance with ASTM 1903-19, which is a limited inquiry into a property's environmental status and is not sufficient to discover every potential source of environmental liability or environmental impact, if any, of the property to be evaluated. No ESA can wholly eliminate uncertainty regarding the potential for *Recognized Environmental Conditions* (RECs) in connection

with a property. Performance of this Limited Phase II ESA is intended to reduce, but not eliminate, uncertainty regarding the potential for RECs in connection with a property, and this practice recognizes reasonable limits of time and cost.

The level of inquiry is variable. Not every property will warrant the same level of assessment. Consistent with good commercial or customary practices, the appropriate level of ESA will be guided by the type of property subject to assessment, the expertise and risk tolerance of Lidl US, LLC (Client or User), and the information developed in the course of the inquiry.

NOVA's assessment represents our professional opinion, only. Therefore, NOVA cannot, under any circumstances, make a statement of warranty or guarantee, expressed or implied, that RECs, environmental impairment, or environmental impacts are limited to those that are discovered while we are performing the Limited Phase II ESA.

1.3 USER RELIANCE

NOVA's Limited Phase II ESA report, along with the findings and conclusions contained in the report, either in completed form, summary form, or by extraction, is prepared, and intended, for the sole use of the Client and therefore may not contain sufficient information for other purposes or parties. The Client is the only intended beneficiary of this report. The contents of NOVA's report will continue to be the property of NOVA. NOVA's report may not be disclosed to, used by, or relied upon by, any person or entity other than the Client without the express written consent of NOVA.

Authorization for disclosure to a third party or authorization for third-party reliance on a final report of any report will be considered by NOVA upon the written request of the Client. NOVA reserves the right to deny authorization to allow disclosure or reliance of NOVA's report to third parties.

2.0 LIMITED PHASE II ENVIRONMENTAL SITE ASSESSMENT

Based on the results of NOVA's Phase I ESA (NOVA Project Number 3021063 dated March 29, 2021), Lidl US, LLC requested that NOVA conduct a Limited Phase II ESA to further investigate the potential impacts to groundwater on the Subject Property from the above referenced REC. Our investigation procedures, findings, conclusions, and recommendations are presented in the following sections.

2.1 SOIL BORING INSTALLATION AND SOIL SAMPLING

On April 16, 2021, NOVA provided oversight for the advancement of three (3) soil borings (N-1 through N-3) on the Subject Property. Borings were advanced to termination depths between 30 feet and 35 feet below ground surface (bgs), using direct push technology (DPT). A Boring and Sampling Location Map is provided as Figure 4 in Appendix A.

Soil boring samples were collected at every four to five (4-5) feet bgs using a 1.5-inch dual tube sampling liner. The soil samples were field-screened using a Photo-Ionization Detector (PID) for the presence of organic vapors.

No elevated PID readings were identified in the soil collected from the three (3) soil borings advanced on the Subject Property. Consequently, no soil samples were submitted for laboratory analysis.

2.2 GROUNDWATER SAMPLING

Once soil sampling was completed, boreholes N-1 through N-3 were converted into Temporary Monitoring Wells (TMWs) constructed of one (1) inch PolyVinyl Chloride (PVC) screen and riser. Fifteen (15) feet of machine-slotted screen was installed. New polyethylene tubing was lowered into the temporary monitoring wells and the boreholes were purged of three (3) to five (5) volumes using a peristaltic pump. Once water was allowed to recharge, groundwater samples were obtained for laboratory analysis. Three (3) groundwater samples (N-1-GW through N-3-GW) were obtained for laboratory analysis. The collected groundwater samples were then submitted to AES for the following analyses:

- VOCs by USEPA SW-846 Method 8260B,
- SVOCs by USEPA SW-846 Method 8270D,

2.3 QUALITY CONTROL AND QUALITY ASSURANCE METHODS

Field procedures and protocols used during the Limited Phase II ESA were performed in general accordance with those prescribed in ASTM International (ASTM) Standard Practice for Environmental Site Assessments: Phase II Environmental Site Assessment Process, Designation: E1903-19, USEPA Region IV Science and Ecosystem Support Division (SESD) guideline document LSASDPROC-300-R4 dated June 11, 2020 for soil sampling, and guideline document SESDPROC-301-R4 dated April 26, 2017 for groundwater sampling.

Samples were labeled with a distinct sample identification number, the sampler's initials and the date of collection. Each sample container was properly sealed, labeled, and placed in an ice chest (with ice) for same-day transport to an accredited laboratory (AES) which used USEPA SW-846 protocols. A properly completed chain-of-custody form was initiated in the field and accompanied the samples when submitted to the laboratory for analyses. Copies of the chain-of custody form(s) are shown in Appendix C.

3.0 RESULTS

3.1 GROUNDWATER LABORATORY RESULTS

The complete laboratory analytical reports for groundwater samples N-1-GW, N-2-GW, and N-3-GW are included in Appendix C.

3.1.1 VOC Constituents

The following VOC constituent was detected at a concentration that exceeded the laboratory reporting limits in groundwater samples N-1-GW:

	GA EPD HSRA NC*	GA EPD ISWQS**	N-1-GW	N-2-GW	N-3-GW
Chloroform	0.08	0.47	0.02	BRL	BRL

Results in milligrams per liter (mg/L)

BRL Below Laboratory Reporting Limits

* Georgia Environmental Protection Division (GA EPD) Hazardous Site Response Act (HSRA) Notification Concentration (NC)

** Georgia Environmental Protection Division (GA EPD) Instream Water Quality Standards (ISWQS)

BOLD exceeds the Georgia EPD HSRA NC

Chloroform (trihalomethane) is frequently the byproduct of a reaction between chlorine and organics in water. Consequently, we believe that the level of chloroform detected in the groundwater sample from MS-GW-05 likely originated from treated water leaking from potable water or sewer lines and does not represent a release requiring HSRA notification.

3.1.2 SVOC Constituents

No SVOC constituents were detected at concentrations that exceeded the laboratory reporting limits in groundwater samples N-1-GW, N-2-GW, and N-3-GW.

4.0 CONCLUSIONS

NOVA performed a Limited Phase II ESA on the approximately 3.010-acre property located at 4990 Jimmy Carter Boulevard in Norcross, Gwinnett County, Georgia (Subject Property). The study was performed in a manner generally consistent with the requirements of the ASTM 1903-19 and generally accepted industry standards.

4.1 GROUNDWATER DETECTIONS

4.1.1 VOCs


One (1) VOC constituent, Chloroform, was identified in groundwater sample N-1-GW at a concentration below the applicable GA EPD HSRA program NCs listed in Appendix III of the GA EPD HSRA Rules 391-3-19-.04, Release Notification. Consequently, notification for the VOC constituent detected in groundwater sample N-1-GW is not required at this time. Further, chloroform (trihalomethane) is frequently the byproduct of a reaction between chlorine and organics in water. Consequently, we believe that the level of chloroform detected in the groundwater sample from MS-GW-05 likely originated from treated water leaking from potable water or sewer lines and does not represent a release requiring HSRA notification.

4.1.2 SVOCs

No SVOC constituents were detected in soil at concentrations that exceeded the laboratory reporting limits in the groundwater samples which were analyzed for SVOCs.

APPENDIX A

FIGURES



**FIGURE 1
SITE LOCATION MAP**

SOURCE: google.com
DATE: 4/19/2021
SCALE: As Shown



LIDL US, LLC
1517 - Norcross
Norcross, Gwinnett County, Georgia
NOVA Project Number 3021063




FIGURE 2
TOPOGRAPHIC MAP

SOURCE: EDR Report
USGS Norcross Topographic Quadrangle
2014, Norcross, Georgia
SCALE: As Shown



LIDL US, LLC
1517 - Norcross
Norcross, Gwinnett County, Georgia
NOVA Project Number 3021063



FIGURE 3
AERIAL PHOTOGRAPH

SOURCE: www.google.com
SCALE: As Shown



LIDL US, LLC
1517 - Norcross
Norcross, Gwinnett County, Georgia
NOVA Project Number 3021063



Figure 4
BORING AND SAMPLING
LOCATION PLAN

SOURCE: www.google.com
SCALE: As Shown



LIDL US, LLC
1517 - Norcross
Norcross, Gwinnett County, Georgia
NOVA Project Number 3021063

APPENDIX B

BORING LOGS AND WELL LOGS



TEST BORING RECORD N-1

PROJECT: 1517 - Norcross PROJECT NO.: 3021063
CLIENT: Lidl US, LLC
PROJECT LOCATION: Norcross, GA
LOCATION: Norcross, GA ELEVATION: _____
DRILLER: GeoLab LOGGED BY: J. Muller
DRILLING METHOD: DPT DATE: 4/16/2021
DEPTH TO - WATER> INITIAL: 23.00 AFTER 24 HOURS: _____ CAVING> C

This information pertains only to this boring and should not be interpreted as being indicative of the site.

Depth (feet)	Elevation (ft-MSL)	Description	Graphic	PID (ppm)	Groundwater	Sample Type	N-Value	Graphic Depiction									
								● BLOW COUNT ▲ NATURAL MOISTURE PLASTIC LIMIT LIQUID LIMIT 10 20 30 40 60 100									
0		ASPHALT: 3 inches		1.7													
		GRADED AGGREGATE BASE: 3 inches															
		FILL: Red clayey medium to fine SAND, dry, no odor															
5																	
		RESIDUUM: Red, pink and yellow clayey medium to fine SAND, dry, no odor		2.0													
10		Reddish pink, white and yellow clayey medium to fine SAND, dry, no odor		1.6													
15		Reddish pink and brown clayey medium to fine SAND, dry, no odor		1.0													
20		Reddish pink, brown and white clayey medium to fine SAND, moist, no odor		1.9													
25																	
		Orange, dark red and black silty CLAY, wet, no odor		2.1													
30				1.8													
35		Boring Terminated at 35 ft.															



TEST BORING RECORD N-2

PROJECT: 1517 - Norcross PROJECT NO.: 3021063
CLIENT: Lidl US, LLC
PROJECT LOCATION: Norcross, GA
LOCATION: Norcross, GA ELEVATION: _____
DRILLER: GeoLab LOGGED BY: J. Muller
DRILLING METHOD: DPT DATE: 4/16/2021
DEPTH TO - WATER> INITIAL: 26.33 AFTER 24 HOURS: _____ CAVING> C

This information pertains only to this boring and should not be interpreted as being indicative of the site.

Depth (feet)	Elevation (ft-MSL)	Description	Graphic	PID (ppm)	Groundwater	Sample Type	N-Value	Graphic Depiction									
								BLOW COUNT NATURAL MOISTURE PLASTIC LIMIT LIQUID LIMIT 10 20 30 40 60 100									
0		GRAVEL/ASPHALT: 6 inches FILL: Orange red sandy CLAY, dry, no odor		0.9													
5		Light brown coarse to medium SAND, dry, no odor		1.1													
10		RESIDUUM: Pink, white and yellow with some black clayey medium to fine SAND, dry, no odor		1.2													
15		Pink, white and yellow with some black clayey medium to fine SAND, moist, no odor		1.5													
20		Pink, black and brown micaceous clayey medium SAND, moist, no odor		1.2													
25		Brown, pink, white and black micaceous silty coarse SAND, moist, no odor		1.0													
30		Boring Terminated at 30 ft.															
35																	



TEST BORING RECORD N-3

PROJECT: 1517 - Norcross PROJECT NO.: 3021063
CLIENT: Lidl US, LLC
PROJECT LOCATION: Norcross, GA
LOCATION: Norcross, GA ELEVATION: _____
DRILLER: GeoLab LOGGED BY: J. Muller
DRILLING METHOD: DPT DATE: 4/16/2021
DEPTH TO - WATER> INITIAL: 24.74 AFTER 24 HOURS: _____ CAVING> C

This information pertains only to this boring and should not be interpreted as being indicative of the site.

Depth (feet)	Elevation (ft-MSL)	Description	Graphic	PID (ppm)	Groundwater	Sample Type	N-Value	Graphic Depiction									
								BLOW COUNT NATURAL MOISTURE PLASTIC LIMIT LIQUID LIMIT 10 20 30 40 60 100									
0		TOPSOIL: 6 inches															
		FILL: Dark brown clayey coarse to medium SAND, dry, no odor		6.2													
		Red sandy CLAY, dry, no odor															
5																	
		Alternating layers of red and white clayey medium to fine SAND, dry, no odor		7.0													
10		Pink with some brown and black silty fine SAND, dry, no odor		6.7													
15		Pink with some white silty fine SAND, dry, no odor		6.2													
20		Pink with some white silty fine SAND, moist, no odor		6.0													
25		Pink with some white silty fine SAND, wet, no odor		6.4													
30		Boring Terminated at 30 ft.															
35																	


TEMPORARY MONITORING WELL CONSTRUCTION DIAGRAM

Logged By: J. Muller
Drilling Contractor: GeoLab
Well Number: N-1

Client: Lidl US, LLC
Project Name: 1517 - Norcross
Project Number: 3021063
Date Installed: April 16, 2021

Comments: _____

Depth in Reference to Ground Surface:




TEMPORARY MONITORING WELL CONSTRUCTION DIAGRAM

Logged By: J. Muller
Drilling Contractor: GeoLab
Well Number: N-2

Client: Lidl US, LLC
Project Name: 1517 - Norcross
Project Number: 3021063
Date Installed: April 16, 2021

Comments: _____

Depth in Reference to Ground Surface:




TEMPORARY MONITORING WELL CONSTRUCTION DIAGRAM

Logged By: J. Muller
Drilling Contractor: GeoLab
Well Number: N-3

Client: Lidl US, LLC
Project Name: 1517 - Norcross
Project Number: 3021063
Date Installed: April 16, 2021

Comments: _____

Depth in Reference to Ground Surface:



APPENDIX C

GROUNDWATER LABORATORY DATA



ANALYTICAL ENVIRONMENTAL SERVICES, INC.

April 22, 2021

Nick DaSantos
Nova Engineering & Environmental, LLC

3900 Kennesaw 75 Pkwy
Kennesaw GA 30144

RE: 1517 Norcross

Dear Nick DaSantos:

Order No: 2104J76

Analytical Environmental Services, Inc. received 4 samples on 4/16/2021 2:40:00 PM
for the analyses presented in following report.

"No problems were encountered during the analyses except as noted in the Case Narrative or by qualifiers in the report or QC Summary. Additionally, all results for the associated Quality Control samples were within EPA and/or AES established limits.

AES's accreditations are as follows:

-NELAP/State of Florida Laboratory ID E87582 for analysis of Non-Potable Water, Solid & Chemical Materials, Air & Emissions Volatile Organics, and Drinking Water Microbiology & Metals, effective 07/01/20-06/30/21.

State of Georgia, Department of Natural Resources ID #800 for analysis of Drinking Water Metals, effective through 06/30/21 and Total Coliforms/ E. coli, effective 04/20/20-04/24/23.

-AIHA-LAP, LLC Laboratory ID: 100671 for Industrial Hygiene samples (Metals and PCM Asbestos), Environmental Lead (Paint, Soil, Dust Wipes, Air), and Environmental Microbiology (Fungal) Direct Examination, effective until 11/01/21.

These results relate only to the items tested as received. This report may only be reproduced in full.

If you have any questions regarding these test results, please feel free to call.

Sincerely,

Chris Pafford
Project Manager



Analytical Environmental Services, Inc.
3080 Presidential Drive, Atlanta, GA 30340 Phone: (770) 457-8177

Work Order: 2104J76
Page 1 of 1

CHAIN OF CUSTODY

COMPANY: NOVA		ADDRESS: 3900 Kennesaw 75 Pkwy Kennesaw, Ga 30144		ANALYSIS REQUESTED												Visit our website www.aesatlanta.com for downloadable COCs and to log in to your AESAccess account.		Number of Containers			
PHONE: 470-515-6025		EMAIL: jmulder@usanova.com		VOC SVOC																	
SAMPLED BY: J. Muller		SIGNATURE: [Signature]														PRESERVATION (see codes)					
#	SAMPLE ID	DATE	TIME	GRAB	COMPOSITE	MATRIX (see codes)															
1	N-1-GW	4-16-21	1145	X		GW	X	X										4			
2	N-2-GW	4-16-21	1225	X		GW	X	X										4			
3	N-3-GW	4-16-21	1305	X		GN	X	X										4			
4																					
5																					
6																					
7																					
8																					
9																					
10																					
11																					
12																					
13																					
14																					
RELINQUISHED BY:		DATE/TIME:		RECEIVED BY:		DATE/TIME:		PROJECT INFORMATION												RECEIPT	
1. [Signature]		4/16/21 1440		1. [Signature]		4/16/21 Mr		PROJECT NAME: 1517 Norcross												Total # of Containers 12	
2.				2.		4/16/21 2:40		PROJECT #: 6021063												Turnaround Time (TAT) Request ☒ Standard ☐ 2 Business Day Rush ☐ Next Business Day Rush ☐ Same-Day Rush (auth req.) ☐ Other	
3.				3.				SITE ADDRESS: 4996 Jimmy Carter Boulevard													
SPECIAL INSTRUCTIONS/COMMENTS:				SHIPMENT METHOD OUT: / / VIA: IN: / / VIA: Client FedEx UPS US mail courier other:				SEND REPORT TO: J. Muller												REGULATORY PROGRAM (if any):	
								INVOICE TO (IF DIFFERENT FROM ABOVE):													
								QUOTE #: PO#:												DATA PACKAGE: I O II O III O IV O	
Submission of samples to the laboratory constitutes acceptance of AES's Terms & Conditions. Client assumes sole responsibility for damage or loss of samples before we accept them. Samples received after 3PM or on Saturday are considered as received the following business day. If no TAT is marked on COC, AES will proceed with standard TAT. Samples are disposed of 30 days after completion of report unless other arrangements are made.																					

Matrix Codes: A = Air GW = Groundwater SE = Sediment SO = Soil SW = Surface Water ST=Stormwater WW = Waste Water W = Water (Blanks) DW = Drinking Water (Blanks) O = Other (specify)

4.30.20 COC

Preservative Codes: H+I = Hydrochloric acid + ice I = Ice only N = Nitric acid S+I = Sulfuric acid + ice S/M+I = Sodium Bisulfate/Methanol + ice O = Other (specify) NA = None

Page 2 of 26

Client: Nova Engineering & Environmental, LLC
Project: 1517 Norcross
Lab ID: 2104J76

Case Narrative

Sample Receiving Nonconformance:

A Trip Blank was provided but not listed on the Chain of Custody. Trip blank analyzed at no cost to the client.

Client: Nova Engineering & Environmental, LLC
Project Name: 1517 Norcross
Lab ID: 2104J76-001

Client Sample ID: N-1-GW
Collection Date: 4/16/2021 11:45:00 AM
Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL-SEMIVOLATILE ORGANICS SW8270E					(SW3510C)			
1,1'-Biphenyl	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
2,4,5-Trichlorophenol	BRL	25		ug/L	313692	1	04/21/2021 12:54	YH
2,4,6-Trichlorophenol	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
2,4-Dichlorophenol	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
2,4-Dimethylphenol	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
2,4-Dinitrophenol	BRL	25		ug/L	313692	1	04/21/2021 12:54	YH
2,4-Dinitrotoluene	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
2,6-Dinitrotoluene	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
2-Chloronaphthalene	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
2-Chlorophenol	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
2-Methylnaphthalene	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
2-Methylphenol	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
2-Nitroaniline	BRL	25		ug/L	313692	1	04/21/2021 12:54	YH
2-Nitrophenol	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
3,3'-Dichlorobenzidine	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
3-Nitroaniline	BRL	25		ug/L	313692	1	04/21/2021 12:54	YH
4,6-Dinitro-2-methylphenol	BRL	25		ug/L	313692	1	04/21/2021 12:54	YH
4-Bromophenyl phenyl ether	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
4-Chloro-3-methylphenol	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
4-Chloroaniline	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
4-Chlorophenyl phenyl ether	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
4-Methylphenol	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
4-Nitroaniline	BRL	25		ug/L	313692	1	04/21/2021 12:54	YH
4-Nitrophenol	BRL	25		ug/L	313692	1	04/21/2021 12:54	YH
Acenaphthene	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
Acenaphthylene	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
Acetophenone	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
Anthracene	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
Atrazine	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
Benz(a)anthracene	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
Benzaldehyde	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
Benzo(a)pyrene	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
Benzo(b)fluoranthene	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
Benzo(g,h,i)perylene	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
Benzo(k)fluoranthene	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
Bis(2-chloroethoxy)methane	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
Bis(2-chloroethyl)ether	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
Bis(2-chloroisopropyl)ether	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
Bis(2-ethylhexyl)phthalate	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
Butyl benzyl phthalate	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
Caprolactam	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
Carbazole	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
Chrysene	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
Di-n-butyl phthalate	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
Di-n-octyl phthalate	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- F Analyzed in the lab which is a deviation from the method
- < Less than Result value
- J Estimated value detected below Reporting Limit

Client: Nova Engineering & Environmental, LLC
Project Name: 1517 Norcross
Lab ID: 2104J76-001

Client Sample ID: N-1-GW
Collection Date: 4/16/2021 11:45:00 AM
Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL-SEMIVOLATILE ORGANICS SW8270E					(SW3510C)			
Dibenz(a,h)anthracene	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
Dibenzofuran	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
Diethyl phthalate	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
Dimethyl phthalate	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
Fluoranthene	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
Fluorene	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
Hexachlorobenzene	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
Hexachlorobutadiene	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
Hexachlorocyclopentadiene	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
Hexachloroethane	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
Indeno(1,2,3-cd)pyrene	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
Isophorone	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
N-Nitrosodi-n-propylamine	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
N-Nitrosodiphenylamine	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
Naphthalene	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
Nitrobenzene	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
Pentachlorophenol	BRL	25		ug/L	313692	1	04/21/2021 12:54	YH
Phenanthrene	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
Phenol	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
Pyrene	BRL	10		ug/L	313692	1	04/21/2021 12:54	YH
Surr: 2,4,6-Tribromophenol	82.4	47-127		%REC	313692	1	04/21/2021 12:54	YH
Surr: 2-Fluorobiphenyl	86	47.4-119		%REC	313692	1	04/21/2021 12:54	YH
Surr: 2-Fluorophenol	34.3	26.2-120		%REC	313692	1	04/21/2021 12:54	YH
Surr: 4-Terphenyl-d14	93.8	45-133		%REC	313692	1	04/21/2021 12:54	YH
Surr: Nitrobenzene-d5	77.2	41.9-121		%REC	313692	1	04/21/2021 12:54	YH
Surr: Phenol-d5	20.6	17.8-120		%REC	313692	1	04/21/2021 12:54	YH
TCL VOLATILE ORGANICS SW8260D					(SW5030B)			
1,1,1-Trichloroethane	BRL	5.0		ug/L	313837	1	04/17/2021 20:16	AV
1,1,2,2-Tetrachloroethane	BRL	5.0		ug/L	313837	1	04/17/2021 20:16	AV
1,1,2-Trichloroethane	BRL	5.0		ug/L	313837	1	04/17/2021 20:16	AV
1,1-Dichloroethane	BRL	5.0		ug/L	313837	1	04/17/2021 20:16	AV
1,1-Dichloroethene	BRL	5.0		ug/L	313837	1	04/17/2021 20:16	AV
1,2,4-Trichlorobenzene	BRL	5.0		ug/L	313837	1	04/17/2021 20:16	AV
1,2-Dibromo-3-chloropropane	BRL	5.0		ug/L	313837	1	04/17/2021 20:16	AV
1,2-Dibromoethane	BRL	5.0		ug/L	313837	1	04/17/2021 20:16	AV
1,2-Dichlorobenzene	BRL	5.0		ug/L	313837	1	04/17/2021 20:16	AV
1,2-Dichloroethane	BRL	5.0		ug/L	313837	1	04/17/2021 20:16	AV
1,2-Dichloropropane	BRL	5.0		ug/L	313837	1	04/17/2021 20:16	AV
1,3-Dichlorobenzene	BRL	5.0		ug/L	313837	1	04/17/2021 20:16	AV
1,4-Dichlorobenzene	BRL	5.0		ug/L	313837	1	04/17/2021 20:16	AV
2-Butanone	BRL	50		ug/L	313837	1	04/17/2021 20:16	AV
2-Hexanone	BRL	10		ug/L	313837	1	04/17/2021 20:16	AV
4-Methyl-2-pentanone	BRL	10		ug/L	313837	1	04/17/2021 20:16	AV
Acetone	BRL	50		ug/L	313837	1	04/17/2021 20:16	AV

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- F Analyzed in the lab which is a deviation from the method
- < Less than Result value
- J Estimated value detected below Reporting Limit

Client: Nova Engineering & Environmental, LLC
Project Name: 1517 Norcross
Lab ID: 2104J76-001

Client Sample ID: N-1-GW
Collection Date: 4/16/2021 11:45:00 AM
Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D				(SW5030B)				
Benzene	BRL	5.0		ug/L	313837	1	04/17/2021 20:16	AV
Bromodichloromethane	BRL	5.0		ug/L	313837	1	04/17/2021 20:16	AV
Bromoform	BRL	5.0		ug/L	313837	1	04/17/2021 20:16	AV
Bromomethane	BRL	5.0		ug/L	313837	1	04/17/2021 20:16	AV
Carbon disulfide	BRL	5.0		ug/L	313837	1	04/17/2021 20:16	AV
Carbon tetrachloride	BRL	5.0		ug/L	313837	1	04/17/2021 20:16	AV
Chlorobenzene	BRL	5.0		ug/L	313837	1	04/17/2021 20:16	AV
Chloroethane	BRL	10		ug/L	313837	1	04/17/2021 20:16	AV
Chloroform	20	5.0		ug/L	313837	1	04/17/2021 20:16	AV
Chloromethane	BRL	10		ug/L	313837	1	04/17/2021 20:16	AV
cis-1,2-Dichloroethene	BRL	5.0		ug/L	313837	1	04/17/2021 20:16	AV
cis-1,3-Dichloropropene	BRL	5.0		ug/L	313837	1	04/17/2021 20:16	AV
Cyclohexane	BRL	5.0		ug/L	313837	1	04/17/2021 20:16	AV
Dibromochloromethane	BRL	5.0		ug/L	313837	1	04/17/2021 20:16	AV
Dichlorodifluoromethane	BRL	10		ug/L	313837	1	04/17/2021 20:16	AV
Ethylbenzene	BRL	5.0		ug/L	313837	1	04/17/2021 20:16	AV
Freon-113	BRL	10		ug/L	313837	1	04/17/2021 20:16	AV
Isopropylbenzene	BRL	5.0		ug/L	313837	1	04/17/2021 20:16	AV
m,p-Xylene	BRL	5.0		ug/L	313837	1	04/17/2021 20:16	AV
Methyl acetate	BRL	5.0		ug/L	313837	1	04/17/2021 20:16	AV
Methyl tert-butyl ether	BRL	5.0		ug/L	313837	1	04/17/2021 20:16	AV
Methylcyclohexane	BRL	5.0		ug/L	313837	1	04/17/2021 20:16	AV
Methylene chloride	BRL	5.0		ug/L	313837	1	04/17/2021 20:16	AV
o-Xylene	BRL	5.0		ug/L	313837	1	04/17/2021 20:16	AV
Styrene	BRL	5.0		ug/L	313837	1	04/17/2021 20:16	AV
Tetrachloroethene	BRL	5.0		ug/L	313837	1	04/17/2021 20:16	AV
Toluene	BRL	5.0		ug/L	313837	1	04/17/2021 20:16	AV
trans-1,2-Dichloroethene	BRL	5.0		ug/L	313837	1	04/17/2021 20:16	AV
trans-1,3-Dichloropropene	BRL	5.0		ug/L	313837	1	04/17/2021 20:16	AV
Trichloroethene	BRL	5.0		ug/L	313837	1	04/17/2021 20:16	AV
Trichlorofluoromethane	BRL	5.0		ug/L	313837	1	04/17/2021 20:16	AV
Vinyl chloride	BRL	2.0		ug/L	313837	1	04/17/2021 20:16	AV
Surr: 4-Bromofluorobenzene	96.9	74.9-127		%REC	313837	1	04/17/2021 20:16	AV
Surr: Dibromofluoromethane	89.3	78.9-121		%REC	313837	1	04/17/2021 20:16	AV
Surr: Toluene-d8	98.4	81.5-120		%REC	313837	1	04/17/2021 20:16	AV

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- F Analyzed in the lab which is a deviation from the method
- < Less than Result value
- J Estimated value detected below Reporting Limit

Client: Nova Engineering & Environmental, LLC
Project Name: 1517 Norcross
Lab ID: 2104J76-002

Client Sample ID: N-2-GW
Collection Date: 4/16/2021 12:25:00 PM
Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL-SEMIVOLATILE ORGANICS SW8270E					(SW3510C)			
1,1'-Biphenyl	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
2,4,5-Trichlorophenol	BRL	25		ug/L	313692	1	04/21/2021 13:22	YH
2,4,6-Trichlorophenol	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
2,4-Dichlorophenol	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
2,4-Dimethylphenol	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
2,4-Dinitrophenol	BRL	25		ug/L	313692	1	04/21/2021 13:22	YH
2,4-Dinitrotoluene	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
2,6-Dinitrotoluene	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
2-Chloronaphthalene	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
2-Chlorophenol	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
2-Methylnaphthalene	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
2-Methylphenol	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
2-Nitroaniline	BRL	25		ug/L	313692	1	04/21/2021 13:22	YH
2-Nitrophenol	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
3,3'-Dichlorobenzidine	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
3-Nitroaniline	BRL	25		ug/L	313692	1	04/21/2021 13:22	YH
4,6-Dinitro-2-methylphenol	BRL	25		ug/L	313692	1	04/21/2021 13:22	YH
4-Bromophenyl phenyl ether	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
4-Chloro-3-methylphenol	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
4-Chloroaniline	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
4-Chlorophenyl phenyl ether	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
4-Methylphenol	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
4-Nitroaniline	BRL	25		ug/L	313692	1	04/21/2021 13:22	YH
4-Nitrophenol	BRL	25		ug/L	313692	1	04/21/2021 13:22	YH
Acenaphthene	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
Acenaphthylene	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
Acetophenone	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
Anthracene	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
Atrazine	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
Benz(a)anthracene	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
Benzaldehyde	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
Benzo(a)pyrene	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
Benzo(b)fluoranthene	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
Benzo(g,h,i)perylene	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
Benzo(k)fluoranthene	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
Bis(2-chloroethoxy)methane	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
Bis(2-chloroethyl)ether	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
Bis(2-chloroisopropyl)ether	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
Bis(2-ethylhexyl)phthalate	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
Butyl benzyl phthalate	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
Caprolactam	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
Carbazole	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
Chrysene	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
Di-n-butyl phthalate	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
Di-n-octyl phthalate	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- F Analyzed in the lab which is a deviation from the method
- < Less than Result value
- J Estimated value detected below Reporting Limit

Client: Nova Engineering & Environmental, LLC
Project Name: 1517 Norcross
Lab ID: 2104J76-002

Client Sample ID: N-2-GW
Collection Date: 4/16/2021 12:25:00 PM
Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL-SEMIVOLATILE ORGANICS SW8270E					(SW3510C)			
Dibenz(a,h)anthracene	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
Dibenzofuran	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
Diethyl phthalate	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
Dimethyl phthalate	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
Fluoranthene	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
Fluorene	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
Hexachlorobenzene	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
Hexachlorobutadiene	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
Hexachlorocyclopentadiene	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
Hexachloroethane	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
Indeno(1,2,3-cd)pyrene	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
Isophorone	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
N-Nitrosodi-n-propylamine	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
N-Nitrosodiphenylamine	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
Naphthalene	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
Nitrobenzene	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
Pentachlorophenol	BRL	25		ug/L	313692	1	04/21/2021 13:22	YH
Phenanthrene	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
Phenol	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
Pyrene	BRL	10		ug/L	313692	1	04/21/2021 13:22	YH
Surr: 2,4,6-Tribromophenol	87	47-127		%REC	313692	1	04/21/2021 13:22	YH
Surr: 2-Fluorobiphenyl	86.1	47.4-119		%REC	313692	1	04/21/2021 13:22	YH
Surr: 2-Fluorophenol	33	26.2-120		%REC	313692	1	04/21/2021 13:22	YH
Surr: 4-Terphenyl-d14	93.9	45-133		%REC	313692	1	04/21/2021 13:22	YH
Surr: Nitrobenzene-d5	75.7	41.9-121		%REC	313692	1	04/21/2021 13:22	YH
Surr: Phenol-d5	21.2	17.8-120		%REC	313692	1	04/21/2021 13:22	YH
TCL VOLATILE ORGANICS SW8260D					(SW5030B)			
1,1,1-Trichloroethane	BRL	5.0		ug/L	313837	1	04/17/2021 20:38	AV
1,1,2,2-Tetrachloroethane	BRL	5.0		ug/L	313837	1	04/17/2021 20:38	AV
1,1,2-Trichloroethane	BRL	5.0		ug/L	313837	1	04/17/2021 20:38	AV
1,1-Dichloroethane	BRL	5.0		ug/L	313837	1	04/17/2021 20:38	AV
1,1-Dichloroethene	BRL	5.0		ug/L	313837	1	04/17/2021 20:38	AV
1,2,4-Trichlorobenzene	BRL	5.0		ug/L	313837	1	04/17/2021 20:38	AV
1,2-Dibromo-3-chloropropane	BRL	5.0		ug/L	313837	1	04/17/2021 20:38	AV
1,2-Dibromoethane	BRL	5.0		ug/L	313837	1	04/17/2021 20:38	AV
1,2-Dichlorobenzene	BRL	5.0		ug/L	313837	1	04/17/2021 20:38	AV
1,2-Dichloroethane	BRL	5.0		ug/L	313837	1	04/17/2021 20:38	AV
1,2-Dichloropropane	BRL	5.0		ug/L	313837	1	04/17/2021 20:38	AV
1,3-Dichlorobenzene	BRL	5.0		ug/L	313837	1	04/17/2021 20:38	AV
1,4-Dichlorobenzene	BRL	5.0		ug/L	313837	1	04/17/2021 20:38	AV
2-Butanone	BRL	50		ug/L	313837	1	04/17/2021 20:38	AV
2-Hexanone	BRL	10		ug/L	313837	1	04/17/2021 20:38	AV
4-Methyl-2-pentanone	BRL	10		ug/L	313837	1	04/17/2021 20:38	AV
Acetone	BRL	50		ug/L	313837	1	04/17/2021 20:38	AV

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- F Analyzed in the lab which is a deviation from the method
- < Less than Result value
- J Estimated value detected below Reporting Limit

Client: Nova Engineering & Environmental, LLC
Project Name: 1517 Norcross
Lab ID: 2104J76-002

Client Sample ID: N-2-GW
Collection Date: 4/16/2021 12:25:00 PM
Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D				(SW5030B)				
Benzene	BRL	5.0		ug/L	313837	1	04/17/2021 20:38	AV
Bromodichloromethane	BRL	5.0		ug/L	313837	1	04/17/2021 20:38	AV
Bromoform	BRL	5.0		ug/L	313837	1	04/17/2021 20:38	AV
Bromomethane	BRL	5.0		ug/L	313837	1	04/17/2021 20:38	AV
Carbon disulfide	BRL	5.0		ug/L	313837	1	04/17/2021 20:38	AV
Carbon tetrachloride	BRL	5.0		ug/L	313837	1	04/17/2021 20:38	AV
Chlorobenzene	BRL	5.0		ug/L	313837	1	04/17/2021 20:38	AV
Chloroethane	BRL	10		ug/L	313837	1	04/17/2021 20:38	AV
Chloroform	BRL	5.0		ug/L	313837	1	04/17/2021 20:38	AV
Chloromethane	BRL	10		ug/L	313837	1	04/17/2021 20:38	AV
cis-1,2-Dichloroethene	BRL	5.0		ug/L	313837	1	04/17/2021 20:38	AV
cis-1,3-Dichloropropene	BRL	5.0		ug/L	313837	1	04/17/2021 20:38	AV
Cyclohexane	BRL	5.0		ug/L	313837	1	04/17/2021 20:38	AV
Dibromochloromethane	BRL	5.0		ug/L	313837	1	04/17/2021 20:38	AV
Dichlorodifluoromethane	BRL	10		ug/L	313837	1	04/17/2021 20:38	AV
Ethylbenzene	BRL	5.0		ug/L	313837	1	04/17/2021 20:38	AV
Freon-113	BRL	10		ug/L	313837	1	04/17/2021 20:38	AV
Isopropylbenzene	BRL	5.0		ug/L	313837	1	04/17/2021 20:38	AV
m,p-Xylene	BRL	5.0		ug/L	313837	1	04/17/2021 20:38	AV
Methyl acetate	BRL	5.0		ug/L	313837	1	04/17/2021 20:38	AV
Methyl tert-butyl ether	BRL	5.0		ug/L	313837	1	04/17/2021 20:38	AV
Methylcyclohexane	BRL	5.0		ug/L	313837	1	04/17/2021 20:38	AV
Methylene chloride	BRL	5.0		ug/L	313837	1	04/17/2021 20:38	AV
o-Xylene	BRL	5.0		ug/L	313837	1	04/17/2021 20:38	AV
Styrene	BRL	5.0		ug/L	313837	1	04/17/2021 20:38	AV
Tetrachloroethene	BRL	5.0		ug/L	313837	1	04/17/2021 20:38	AV
Toluene	BRL	5.0		ug/L	313837	1	04/17/2021 20:38	AV
trans-1,2-Dichloroethene	BRL	5.0		ug/L	313837	1	04/17/2021 20:38	AV
trans-1,3-Dichloropropene	BRL	5.0		ug/L	313837	1	04/17/2021 20:38	AV
Trichloroethene	BRL	5.0		ug/L	313837	1	04/17/2021 20:38	AV
Trichlorofluoromethane	BRL	5.0		ug/L	313837	1	04/17/2021 20:38	AV
Vinyl chloride	BRL	2.0		ug/L	313837	1	04/17/2021 20:38	AV
Surr: 4-Bromofluorobenzene	97.7	74.9-127		%REC	313837	1	04/17/2021 20:38	AV
Surr: Dibromofluoromethane	94.9	78.9-121		%REC	313837	1	04/17/2021 20:38	AV
Surr: Toluene-d8	98.2	81.5-120		%REC	313837	1	04/17/2021 20:38	AV

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- F Analyzed in the lab which is a deviation from the method
- < Less than Result value
- J Estimated value detected below Reporting Limit

Client: Nova Engineering & Environmental, LLC
Project Name: 1517 Norcross
Lab ID: 2104J76-003

Client Sample ID: N-3-GW
Collection Date: 4/16/2021 1:05:00 PM
Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL-SEMIVOLATILE ORGANICS SW8270E					(SW3510C)			
1,1'-Biphenyl	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
2,4,5-Trichlorophenol	BRL	25		ug/L	313692	1	04/21/2021 13:49	YH
2,4,6-Trichlorophenol	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
2,4-Dichlorophenol	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
2,4-Dimethylphenol	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
2,4-Dinitrophenol	BRL	25		ug/L	313692	1	04/21/2021 13:49	YH
2,4-Dinitrotoluene	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
2,6-Dinitrotoluene	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
2-Chloronaphthalene	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
2-Chlorophenol	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
2-Methylnaphthalene	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
2-Methylphenol	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
2-Nitroaniline	BRL	25		ug/L	313692	1	04/21/2021 13:49	YH
2-Nitrophenol	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
3,3'-Dichlorobenzidine	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
3-Nitroaniline	BRL	25		ug/L	313692	1	04/21/2021 13:49	YH
4,6-Dinitro-2-methylphenol	BRL	25		ug/L	313692	1	04/21/2021 13:49	YH
4-Bromophenyl phenyl ether	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
4-Chloro-3-methylphenol	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
4-Chloroaniline	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
4-Chlorophenyl phenyl ether	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
4-Methylphenol	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
4-Nitroaniline	BRL	25		ug/L	313692	1	04/21/2021 13:49	YH
4-Nitrophenol	BRL	25		ug/L	313692	1	04/21/2021 13:49	YH
Acenaphthene	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
Acenaphthylene	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
Acetophenone	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
Anthracene	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
Atrazine	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
Benz(a)anthracene	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
Benzaldehyde	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
Benzo(a)pyrene	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
Benzo(b)fluoranthene	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
Benzo(g,h,i)perylene	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
Benzo(k)fluoranthene	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
Bis(2-chloroethoxy)methane	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
Bis(2-chloroethyl)ether	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
Bis(2-chloroisopropyl)ether	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
Bis(2-ethylhexyl)phthalate	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
Butyl benzyl phthalate	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
Caprolactam	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
Carbazole	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
Chrysene	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
Di-n-butyl phthalate	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
Di-n-octyl phthalate	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- F Analyzed in the lab which is a deviation from the method
- < Less than Result value
- J Estimated value detected below Reporting Limit

Client: Nova Engineering & Environmental, LLC
Project Name: 1517 Norcross
Lab ID: 2104J76-003

Client Sample ID: N-3-GW
Collection Date: 4/16/2021 1:05:00 PM
Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL-SEMIVOLATILE ORGANICS SW8270E					(SW3510C)			
Dibenz(a,h)anthracene	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
Dibenzofuran	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
Diethyl phthalate	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
Dimethyl phthalate	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
Fluoranthene	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
Fluorene	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
Hexachlorobenzene	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
Hexachlorobutadiene	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
Hexachlorocyclopentadiene	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
Hexachloroethane	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
Indeno(1,2,3-cd)pyrene	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
Isophorone	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
N-Nitrosodi-n-propylamine	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
N-Nitrosodiphenylamine	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
Naphthalene	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
Nitrobenzene	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
Pentachlorophenol	BRL	25		ug/L	313692	1	04/21/2021 13:49	YH
Phenanthrene	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
Phenol	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
Pyrene	BRL	10		ug/L	313692	1	04/21/2021 13:49	YH
Surr: 2,4,6-Tribromophenol	83.9	47-127		%REC	313692	1	04/21/2021 13:49	YH
Surr: 2-Fluorobiphenyl	83.5	47.4-119		%REC	313692	1	04/21/2021 13:49	YH
Surr: 2-Fluorophenol	34.6	26.2-120		%REC	313692	1	04/21/2021 13:49	YH
Surr: 4-Terphenyl-d14	93.9	45-133		%REC	313692	1	04/21/2021 13:49	YH
Surr: Nitrobenzene-d5	78.7	41.9-121		%REC	313692	1	04/21/2021 13:49	YH
Surr: Phenol-d5	22.5	17.8-120		%REC	313692	1	04/21/2021 13:49	YH
TCL VOLATILE ORGANICS SW8260D					(SW5030B)			
1,1,1-Trichloroethane	BRL	5.0		ug/L	313837	1	04/17/2021 21:01	AV
1,1,2,2-Tetrachloroethane	BRL	5.0		ug/L	313837	1	04/17/2021 21:01	AV
1,1,2-Trichloroethane	BRL	5.0		ug/L	313837	1	04/17/2021 21:01	AV
1,1-Dichloroethane	BRL	5.0		ug/L	313837	1	04/17/2021 21:01	AV
1,1-Dichloroethene	BRL	5.0		ug/L	313837	1	04/17/2021 21:01	AV
1,2,4-Trichlorobenzene	BRL	5.0		ug/L	313837	1	04/17/2021 21:01	AV
1,2-Dibromo-3-chloropropane	BRL	5.0		ug/L	313837	1	04/17/2021 21:01	AV
1,2-Dibromoethane	BRL	5.0		ug/L	313837	1	04/17/2021 21:01	AV
1,2-Dichlorobenzene	BRL	5.0		ug/L	313837	1	04/17/2021 21:01	AV
1,2-Dichloroethane	BRL	5.0		ug/L	313837	1	04/17/2021 21:01	AV
1,2-Dichloropropane	BRL	5.0		ug/L	313837	1	04/17/2021 21:01	AV
1,3-Dichlorobenzene	BRL	5.0		ug/L	313837	1	04/17/2021 21:01	AV
1,4-Dichlorobenzene	BRL	5.0		ug/L	313837	1	04/17/2021 21:01	AV
2-Butanone	BRL	50		ug/L	313837	1	04/17/2021 21:01	AV
2-Hexanone	BRL	10		ug/L	313837	1	04/17/2021 21:01	AV
4-Methyl-2-pentanone	BRL	10		ug/L	313837	1	04/17/2021 21:01	AV
Acetone	BRL	50		ug/L	313837	1	04/17/2021 21:01	AV

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- F Analyzed in the lab which is a deviation from the method
- < Less than Result value
- J Estimated value detected below Reporting Limit

Client: Nova Engineering & Environmental, LLC
Project Name: 1517 Norcross
Lab ID: 2104J76-003

Client Sample ID: N-3-GW
Collection Date: 4/16/2021 1:05:00 PM
Matrix: Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D				(SW5030B)				
Benzene	BRL	5.0		ug/L	313837	1	04/17/2021 21:01	AV
Bromodichloromethane	BRL	5.0		ug/L	313837	1	04/17/2021 21:01	AV
Bromoform	BRL	5.0		ug/L	313837	1	04/17/2021 21:01	AV
Bromomethane	BRL	5.0		ug/L	313837	1	04/17/2021 21:01	AV
Carbon disulfide	BRL	5.0		ug/L	313837	1	04/17/2021 21:01	AV
Carbon tetrachloride	BRL	5.0		ug/L	313837	1	04/17/2021 21:01	AV
Chlorobenzene	BRL	5.0		ug/L	313837	1	04/17/2021 21:01	AV
Chloroethane	BRL	10		ug/L	313837	1	04/17/2021 21:01	AV
Chloroform	BRL	5.0		ug/L	313837	1	04/17/2021 21:01	AV
Chloromethane	BRL	10		ug/L	313837	1	04/17/2021 21:01	AV
cis-1,2-Dichloroethene	BRL	5.0		ug/L	313837	1	04/17/2021 21:01	AV
cis-1,3-Dichloropropene	BRL	5.0		ug/L	313837	1	04/17/2021 21:01	AV
Cyclohexane	BRL	5.0		ug/L	313837	1	04/17/2021 21:01	AV
Dibromochloromethane	BRL	5.0		ug/L	313837	1	04/17/2021 21:01	AV
Dichlorodifluoromethane	BRL	10		ug/L	313837	1	04/17/2021 21:01	AV
Ethylbenzene	BRL	5.0		ug/L	313837	1	04/17/2021 21:01	AV
Freon-113	BRL	10		ug/L	313837	1	04/17/2021 21:01	AV
Isopropylbenzene	BRL	5.0		ug/L	313837	1	04/17/2021 21:01	AV
m,p-Xylene	BRL	5.0		ug/L	313837	1	04/17/2021 21:01	AV
Methyl acetate	BRL	5.0		ug/L	313837	1	04/17/2021 21:01	AV
Methyl tert-butyl ether	BRL	5.0		ug/L	313837	1	04/17/2021 21:01	AV
Methylcyclohexane	BRL	5.0		ug/L	313837	1	04/17/2021 21:01	AV
Methylene chloride	BRL	5.0		ug/L	313837	1	04/17/2021 21:01	AV
o-Xylene	BRL	5.0		ug/L	313837	1	04/17/2021 21:01	AV
Styrene	BRL	5.0		ug/L	313837	1	04/17/2021 21:01	AV
Tetrachloroethene	BRL	5.0		ug/L	313837	1	04/17/2021 21:01	AV
Toluene	BRL	5.0		ug/L	313837	1	04/17/2021 21:01	AV
trans-1,2-Dichloroethene	BRL	5.0		ug/L	313837	1	04/17/2021 21:01	AV
trans-1,3-Dichloropropene	BRL	5.0		ug/L	313837	1	04/17/2021 21:01	AV
Trichloroethene	BRL	5.0		ug/L	313837	1	04/17/2021 21:01	AV
Trichlorofluoromethane	BRL	5.0		ug/L	313837	1	04/17/2021 21:01	AV
Vinyl chloride	BRL	2.0		ug/L	313837	1	04/17/2021 21:01	AV
Surr: 4-Bromofluorobenzene	95.5	74.9-127		%REC	313837	1	04/17/2021 21:01	AV
Surr: Dibromofluoromethane	91.2	78.9-121		%REC	313837	1	04/17/2021 21:01	AV
Surr: Toluene-d8	98	81.5-120		%REC	313837	1	04/17/2021 21:01	AV

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- F Analyzed in the lab which is a deviation from the method
- < Less than Result value
- J Estimated value detected below Reporting Limit

Client: Nova Engineering & Environmental, LLC
Project Name: 1517 Norcross
Lab ID: 2104J76-004

Client Sample ID: Trip Blank
Collection Date: 4/16/2021
Matrix: Trip Blank

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D					(SW5030B)			
1,1,1-Trichloroethane	BRL	5.0		ug/L	313837	1	04/17/2021 15:44	AV
1,1,2,2-Tetrachloroethane	BRL	5.0		ug/L	313837	1	04/17/2021 15:44	AV
1,1,2-Trichloroethane	BRL	5.0		ug/L	313837	1	04/17/2021 15:44	AV
1,1-Dichloroethane	BRL	5.0		ug/L	313837	1	04/17/2021 15:44	AV
1,1-Dichloroethene	BRL	5.0		ug/L	313837	1	04/17/2021 15:44	AV
1,2,4-Trichlorobenzene	BRL	5.0		ug/L	313837	1	04/17/2021 15:44	AV
1,2-Dibromo-3-chloropropane	BRL	5.0		ug/L	313837	1	04/17/2021 15:44	AV
1,2-Dibromoethane	BRL	5.0		ug/L	313837	1	04/17/2021 15:44	AV
1,2-Dichlorobenzene	BRL	5.0		ug/L	313837	1	04/17/2021 15:44	AV
1,2-Dichloroethane	BRL	5.0		ug/L	313837	1	04/17/2021 15:44	AV
1,2-Dichloropropane	BRL	5.0		ug/L	313837	1	04/17/2021 15:44	AV
1,3-Dichlorobenzene	BRL	5.0		ug/L	313837	1	04/17/2021 15:44	AV
1,4-Dichlorobenzene	BRL	5.0		ug/L	313837	1	04/17/2021 15:44	AV
2-Butanone	BRL	50		ug/L	313837	1	04/17/2021 15:44	AV
2-Hexanone	BRL	10		ug/L	313837	1	04/17/2021 15:44	AV
4-Methyl-2-pentanone	BRL	10		ug/L	313837	1	04/17/2021 15:44	AV
Acetone	BRL	50		ug/L	313837	1	04/17/2021 15:44	AV
Benzene	BRL	5.0		ug/L	313837	1	04/17/2021 15:44	AV
Bromodichloromethane	BRL	5.0		ug/L	313837	1	04/17/2021 15:44	AV
Bromoform	BRL	5.0		ug/L	313837	1	04/17/2021 15:44	AV
Bromomethane	BRL	5.0		ug/L	313837	1	04/17/2021 15:44	AV
Carbon disulfide	BRL	5.0		ug/L	313837	1	04/17/2021 15:44	AV
Carbon tetrachloride	BRL	5.0		ug/L	313837	1	04/17/2021 15:44	AV
Chlorobenzene	BRL	5.0		ug/L	313837	1	04/17/2021 15:44	AV
Chloroethane	BRL	10		ug/L	313837	1	04/17/2021 15:44	AV
Chloroform	BRL	5.0		ug/L	313837	1	04/17/2021 15:44	AV
Chloromethane	BRL	10		ug/L	313837	1	04/17/2021 15:44	AV
cis-1,2-Dichloroethene	BRL	5.0		ug/L	313837	1	04/17/2021 15:44	AV
cis-1,3-Dichloropropene	BRL	5.0		ug/L	313837	1	04/17/2021 15:44	AV
Cyclohexane	BRL	5.0		ug/L	313837	1	04/17/2021 15:44	AV
Dibromochloromethane	BRL	5.0		ug/L	313837	1	04/17/2021 15:44	AV
Dichlorodifluoromethane	BRL	10		ug/L	313837	1	04/17/2021 15:44	AV
Ethylbenzene	BRL	5.0		ug/L	313837	1	04/17/2021 15:44	AV
Freon-113	BRL	10		ug/L	313837	1	04/17/2021 15:44	AV
Isopropylbenzene	BRL	5.0		ug/L	313837	1	04/17/2021 15:44	AV
m,p-Xylene	BRL	5.0		ug/L	313837	1	04/17/2021 15:44	AV
Methyl acetate	BRL	5.0		ug/L	313837	1	04/17/2021 15:44	AV
Methyl tert-butyl ether	BRL	5.0		ug/L	313837	1	04/17/2021 15:44	AV
Methylcyclohexane	BRL	5.0		ug/L	313837	1	04/17/2021 15:44	AV
Methylene chloride	BRL	5.0		ug/L	313837	1	04/17/2021 15:44	AV
o-Xylene	BRL	5.0		ug/L	313837	1	04/17/2021 15:44	AV
Styrene	BRL	5.0		ug/L	313837	1	04/17/2021 15:44	AV
Tetrachloroethene	BRL	5.0		ug/L	313837	1	04/17/2021 15:44	AV
Toluene	BRL	5.0		ug/L	313837	1	04/17/2021 15:44	AV
trans-1,2-Dichloroethene	BRL	5.0		ug/L	313837	1	04/17/2021 15:44	AV

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- F Analyzed in the lab which is a deviation from the method
- < Less than Result value
- J Estimated value detected below Reporting Limit

Client: Nova Engineering & Environmental, LLC
Project Name: 1517 Norcross
Lab ID: 2104J76-004

Client Sample ID: Trip Blank
Collection Date: 4/16/2021
Matrix: Trip Blank

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260D				(SW5030B)				
trans-1,3-Dichloropropene	BRL	5.0		ug/L	313837	1	04/17/2021 15:44	AV
Trichloroethene	BRL	5.0		ug/L	313837	1	04/17/2021 15:44	AV
Trichlorofluoromethane	BRL	5.0		ug/L	313837	1	04/17/2021 15:44	AV
Vinyl chloride	BRL	2.0		ug/L	313837	1	04/17/2021 15:44	AV
Surr: 4-Bromofluorobenzene	94.8	74.9-127		%REC	313837	1	04/17/2021 15:44	AV
Surr: Dibromofluoromethane	91.5	78.9-121		%REC	313837	1	04/17/2021 15:44	AV
Surr: Toluene-d8	96.3	81.5-120		%REC	313837	1	04/17/2021 15:44	AV

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- F Analyzed in the lab which is a deviation from the method
- < Less than Result value
- J Estimated value detected below Reporting Limit

SUMMARY OF ANALYTES DETECTED

Analyses	Result	Qual	Reporting Limit	Units	BatchID	Dilution Factor
Client Sample ID: N-1-GW Collection Date: 4/16/2021 11:45:00 AM Lab ID: 2104J76-001 Matrix: Groundwater						
TCL VOLATILE ORGANICS SW8260D			(SW5030B)			
Chloroform	20		5.0	ug/L	313837	1

Qualifiers:

- * Value exceeds maximum contaminant level
- BRL Below reporting limit
- H Holding times for preparation or analysis exceeded
- N Analyte not NELAC certified
- B Analyte detected in the associated method blank
- > Greater than Result value

- E Estimated (value above quantitation range)
- S Spike Recovery outside limits due to matrix
- Narr See case narrative
- F Analyzed in the lab which is a deviation from the method
- < Less than Result value
- J Estimated value detected below Reporting Limit

SAMPLE/COOLER RECEIPT CHECKLIST

Clear

Save as

1. Client Name: **Nova Engineering & Environmental, LLC**

AES Work Order Number: **2104J76**

2. Carrier: FedEx ☐ UPS ☐ USPS ☐ Client ☒ Courier ☐ Other _____

	Yes	No	N/A	Details	Comments
3. Shipping container/cooler received in good condition?	☒	☐	☐	damaged ☐ leaking ☐ other ☐	
4. Custody seals present on shipping container?	☐	☒	☐		
5. Custody seals intact on shipping container?	☐	☐	☒		
6. Temperature blanks present?	☒	☐	☐		
7. Cooler temperature(s) within limits of 0-6°C? [See item 13 and 14 for temperature recordings.]	☒	☐	☐	Cooling initiated for recently collected samples / ice present ☐	
8. Chain of Custody (COC) present?	☒	☐	☐		
9. Chain of Custody signed, dated, and timed when relinquished and received?	☒	☐	☐		
10. Sampler name and/or signature on COC?	☒	☐	☐		
11. Were all samples received within holding time?	☒	☐	☐		
12. TAT marked on the COC?	☒	☐	☐	If no TAT indicated, proceeded with standard TAT per Terms & Conditions. ☐	

13. Cooler 1 Temperature 0.6 °C Cooler 2 Temperature _____ °C Cooler 3 Temperature _____ °C Cooler 4 Temperature _____ °C

14. Cooler 5 Temperature _____ °C Cooler 6 Temperature _____ °C Cooler 7 Temperature _____ °C Cooler 8 Temperature _____ °C

15. Comments: _____

I certify that I have completed sections 1-15 (dated initials). AE 4/16/21

	Yes	No	N/A	Details	Comments
16. Were sample containers intact upon receipt?	☒	☐	☐		
17. Custody seals present on sample containers?	☐	☒	☐		
18. Custody seals intact on sample containers?	☐	☐	☒		
19. Do sample container labels match the COC?	☒	☐	☐	incomplete info ☐ illegible ☐ no label ☐ other ☐	
20. Are analyses requested indicated on the COC?	☒	☐	☐		
21. Were all of the samples listed on the COC received?	☒	☐	☐	samples received but not listed on COC ☐ samples listed on COC not received ☐	
22. Was the sample collection date/time noted?	☒	☐	☐		
23. Did we receive sufficient sample volume for indicated analyses?	☒	☐	☐		
24. Were samples received in appropriate containers?	☒	☐	☐		
25. Were VOA samples received without headspace (< 1/4" bubble)?	☒	☐	☐		
26. Were trip blanks submitted?	☒	☐	☐	listed on COC ☐ not listed on COC ☒	

27. Comments: _____

I certify that I have completed sections 16-27 (dated initials). AE 4/16/21

This section only applies to samples where pH can be checked at Sample Receipt.

	Yes	No	N/A	Details	Comments
28. Have containers needing chemical preservation been checked? *	☐	☐	☒		
29. Containers meet preservation guidelines?	☐	☐	☒		
30. Was pH adjusted at Sample Receipt?	☐	☐	☒		

* Note: Certain analyses require chemical preservation but must be checked in the laboratory and not upon Sample Receipt such as Coliforms, VOCs and Oil & Grease/TPH.

This also excludes metals by EPA 200.7, 200.8 and 245.1 which will be verified between 16 and 24 hours after preservation.

I certify that I have completed sections 28-30 (dated initials). AE 4/16/21

Locked

Client: Nova Engineering & Environmental, LLC
Project Name: 1517 Norcross
Workorder: 2104J76

ANALYTICAL QC SUMMARY REPORT**BatchID: 313692**

Sample ID: MB-313692	Client ID:					Units: ug/L	Prep Date: 04/20/2021	Run No: 452331			
SampleType: MBLK	TestCode: TCL-SEMIVOLATILE ORGANICS SW8270E					BatchID: 313692	Analysis Date: 04/21/2021	Seq No: 10334815			
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

1,1'-Biphenyl	BRL	10									
2,4,5-Trichlorophenol	BRL	25									
2,4,6-Trichlorophenol	BRL	10									
2,4-Dichlorophenol	BRL	10									
2,4-Dimethylphenol	BRL	10									
2,4-Dinitrophenol	BRL	25									
2,4-Dinitrotoluene	BRL	10									
2,6-Dinitrotoluene	BRL	10									
2-Chloronaphthalene	BRL	10									
2-Chlorophenol	BRL	10									
2-Methylnaphthalene	BRL	10									
2-Methylphenol	BRL	10									
2-Nitroaniline	BRL	25									
2-Nitrophenol	BRL	10									
3,3'-Dichlorobenzidine	BRL	10									
3-Nitroaniline	BRL	25									
4,6-Dinitro-2-methylphenol	BRL	25									
4-Bromophenyl phenyl ether	BRL	10									
4-Chloro-3-methylphenol	BRL	10									
4-Chloroaniline	BRL	10									
4-Chlorophenyl phenyl ether	BRL	10									
4-Methylphenol	BRL	10									
4-Nitroaniline	BRL	25									
4-Nitrophenol	BRL	25									
Acenaphthene	BRL	10									
Acenaphthylene	BRL	10									
Acetophenone	BRL	10									

Qualifiers:	>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
	BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
	J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
	Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Nova Engineering & Environmental, LLC
Project Name: 1517 Norcross
Workorder: 2104J76

ANALYTICAL QC SUMMARY REPORT

BatchID: 313692

Sample ID: MB-313692	Client ID:					Units: ug/L	Prep Date: 04/20/2021	Run No: 452331			
SampleType: MBLK	TestCode: TCL-SEMIVOLATILE ORGANICS SW8270E					BatchID: 313692	Analysis Date: 04/21/2021	Seq No: 10334815			
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

Anthracene	BRL	10
Atrazine	BRL	10
Benz(a)anthracene	BRL	10
Benzaldehyde	BRL	10
Benzo(a)pyrene	BRL	10
Benzo(b)fluoranthene	BRL	10
Benzo(g,h,i)perylene	BRL	10
Benzo(k)fluoranthene	BRL	10
Bis(2-chloroethoxy)methane	BRL	10
Bis(2-chloroethyl)ether	BRL	10
Bis(2-chloroisopropyl)ether	BRL	10
Bis(2-ethylhexyl)phthalate	BRL	10
Butyl benzyl phthalate	BRL	10
Caprolactam	BRL	10
Carbazole	BRL	10
Chrysene	BRL	10
Di-n-butyl phthalate	BRL	10
Di-n-octyl phthalate	BRL	10
Dibenz(a,h)anthracene	BRL	10
Dibenzofuran	BRL	10
Diethyl phthalate	BRL	10
Dimethyl phthalate	BRL	10
Fluoranthene	BRL	10
Fluorene	BRL	10
Hexachlorobenzene	BRL	10
Hexachlorobutadiene	BRL	10
Hexachlorocyclopentadiene	BRL	10

Qualifiers:	>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
	BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
	J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
	Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Nova Engineering & Environmental, LLC
Project Name: 1517 Norcross
Workorder: 2104J76

ANALYTICAL QC SUMMARY REPORT**BatchID: 313692**

Sample ID: MB-313692	Client ID:					Units: ug/L	Prep Date: 04/20/2021	Run No: 452331			
SampleType: MBLK	TestCode: TCL-SEMIVOLATILE ORGANICS SW8270E					BatchID: 313692	Analysis Date: 04/21/2021	Seq No: 10334815			
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

Hexachloroethane	BRL	10									
Indeno(1,2,3-cd)pyrene	BRL	10									
Isophorone	BRL	10									
N-Nitrosodi-n-propylamine	BRL	10									
N-Nitrosodiphenylamine	BRL	10									
Naphthalene	BRL	10									
Nitrobenzene	BRL	10									
Pentachlorophenol	BRL	25									
Phenanthrene	BRL	10									
Phenol	BRL	10									
Pyrene	BRL	10									
Surr: 2,4,6-Tribromophenol	81.28	0	100.0		81.3	47	127				
Surr: 2-Fluorobiphenyl	43.91	0	50.00		87.8	47.4	119				
Surr: 2-Fluorophenol	40.01	0	100.0		40.0	26.2	120				
Surr: 4-Terphenyl-d14	47.82	0	50.00		95.6	45	133				
Surr: Nitrobenzene-d5	40.52	0	50.00		81.0	41.9	121				
Surr: Phenol-d5	27.88	0	100.0		27.9	17.8	120				

Sample ID: LCS-313692	Client ID:					Units: ug/L	Prep Date: 04/20/2021	Run No: 452331			
SampleType: LCS	TestCode: TCL-SEMIVOLATILE ORGANICS SW8270E					BatchID: 313692	Analysis Date: 04/21/2021	Seq No: 10334816			
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

2,4-Dinitrotoluene	102.3	10	100.0		102	60.1	123				
2-Chlorophenol	87.21	10	100.0		87.2	50.6	120				
4-Chloro-3-methylphenol	91.44	10	100.0		91.4	59.5	122				
4-Nitrophenol	34.64	25	100.0		34.6	20	120				
Acenaphthene	97.55	10	100.0		97.6	60.5	119				
N-Nitrosodi-n-propylamine	92.60	10	100.0		92.6	62.3	127				

Qualifiers:	>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
	BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
	J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
	Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Nova Engineering & Environmental, LLC
Project Name: 1517 Norcross
Workorder: 2104J76

ANALYTICAL QC SUMMARY REPORT**BatchID: 313692**

Sample ID: LCS-313692	Client ID:					Units: ug/L	Prep Date: 04/20/2021	Run No: 452331			
SampleType: LCS	TestCode: TCL-SEMIVOLATILE ORGANICS SW8270E					BatchID: 313692	Analysis Date: 04/21/2021	Seq No: 10334816			
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

Pentachlorophenol	56.99	25	100.0		57.0	50.9	120				
Phenol	40.27	10	100.0		40.3	20.1	120				
Pyrene	101.0	10	100.0		101	68.8	139				
Surr: 2,4,6-Tribromophenol	96.75	0	100.0		96.8	47	127				
Surr: 2-Fluorobiphenyl	50.49	0	50.00		101	47.4	119				
Surr: 2-Fluorophenol	52.36	0	100.0		52.4	26.2	120				
Surr: 4-Terphenyl-d14	53.03	0	50.00		106	45	133				
Surr: Nitrobenzene-d5	46.87	0	50.00		93.7	41.9	121				
Surr: Phenol-d5	44.62	0	100.0		44.6	17.8	120				

Sample ID: 2104H52-001AMS	Client ID:					Units: ug/L	Prep Date: 04/20/2021	Run No: 452331			
SampleType: MS	TestCode: TCL-SEMIVOLATILE ORGANICS SW8270E					BatchID: 313692	Analysis Date: 04/21/2021	Seq No: 10335653			
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

2,4-Dinitrotoluene	72.51	10	100.0		72.5	50.3	123				
2-Chlorophenol	31.53	10	100.0		31.5	50.8	120				S
4-Chloro-3-methylphenol	47.37	10	100.0		47.4	47.1	124				
4-Nitrophenol	BRL	25	100.0		18.2	21.8	120				S
Acenaphthene	66.48	10	100.0		66.5	44.7	119				
N-Nitrosodi-n-propylamine	63.24	10	100.0		63.2	52.1	120				
Pentachlorophenol	BRL	25	100.0		19.5	40	120				S
Phenol	14.33	10	100.0		14.3	31.5	120				S
Pyrene	69.51	10	100.0		69.5	51	129				
Surr: 2,4,6-Tribromophenol	33.47	0	100.0		33.5	47	127				S
Surr: 2-Fluorobiphenyl	35.78	0	50.00		71.6	47.4	119				
Surr: 2-Fluorophenol	15.53	0	100.0		15.5	26.2	120				S
Surr: 4-Terphenyl-d14	36.91	0	50.00		73.8	45	133				
Surr: Nitrobenzene-d5	32.76	0	50.00		65.5	41.9	121				

Qualifiers:	>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
	BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
	J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
	Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Nova Engineering & Environmental, LLC
Project Name: 1517 Norcross
Workorder: 2104J76

ANALYTICAL QC SUMMARY REPORT**BatchID: 313692**

Sample ID: 2104H52-001AMS	Client ID:					Units: ug/L	Prep Date: 04/20/2021	Run No: 452331			
SampleType: MS	TestCode: TCL-SEMIVOLATILE ORGANICS SW8270E					BatchID: 313692	Analysis Date: 04/21/2021	Seq No: 10335653			
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

Surr: Phenol-d5	14.95	0	100.0		15.0	17.8	120				S
-----------------	-------	---	-------	--	------	------	-----	--	--	--	---

Sample ID: 2104H52-001AMSD	Client ID:				Units: ug/L	Prep Date: 04/20/2021	Run No: 452331				
SampleType: MSD	TestCode: TCL-SEMIVOLATILE ORGANICS SW8270E				BatchID: 313692	Analysis Date: 04/21/2021	Seq No: 10335654				
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

2,4-Dinitrotoluene	74.92	10	100.0		74.9	50.3	123	72.51	3.27	21.7	
2-Chlorophenol	23.37	10	100.0		23.4	50.8	120	31.53	29.7	24.8	SR
4-Chloro-3-methylphenol	38.95	10	100.0		39.0	47.1	124	47.37	19.5	20.7	S
4-Nitrophenol	BRL	25	100.0		0	21.8	120	18.20	0	38.3	S
Acenaphthene	71.53	10	100.0		71.5	44.7	119	66.48	7.32	20.5	
N-Nitrosodi-n-propylamine	67.53	10	100.0		67.5	52.1	120	63.24	6.56	29.2	
Pentachlorophenol	BRL	25	100.0		17.3	40	120	19.54	0	30.7	S
Phenol	10.85	10	100.0		10.8	31.5	120	14.33	27.6	28.5	S
Pyrene	73.78	10	100.0		73.8	51	129	69.51	5.96	24.8	
Surr: 2,4,6-Tribromophenol	25.60	0	100.0		25.6	47	127	33.47	0	0	S
Surr: 2-Fluorobiphenyl	37.42	0	50.00		74.8	47.4	119	35.78	0	0	
Surr: 2-Fluorophenol	9.840	0	100.0		9.84	26.2	120	15.53	0	0	S
Surr: 4-Terphenyl-d14	38.47	0	50.00		76.9	45	133	36.91	0	0	
Surr: Nitrobenzene-d5	33.12	0	50.00		66.2	41.9	121	32.76	0	0	
Surr: Phenol-d5	11.01	0	100.0		11.0	17.8	120	14.95	0	0	S

Qualifiers:	>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
	BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
	J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
	Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Nova Engineering & Environmental, LLC
Project Name: 1517 Norcross
Workorder: 2104J76

ANALYTICAL QC SUMMARY REPORT**BatchID: 313837**

Sample ID: MB-313837	Client ID:	Units: ug/L				Prep Date: 04/17/2021	Run No: 452090				
SampleType: MBLK	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 313837				Analysis Date: 04/17/2021	Seq No: 10328737				
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

1,1,1-Trichloroethane	BRL	5.0
1,1,2,2-Tetrachloroethane	BRL	5.0
1,1,2-Trichloroethane	BRL	5.0
1,1-Dichloroethane	BRL	5.0
1,1-Dichloroethene	BRL	5.0
1,2,4-Trichlorobenzene	BRL	5.0
1,2-Dibromo-3-chloropropane	BRL	5.0
1,2-Dibromoethane	BRL	5.0
1,2-Dichlorobenzene	BRL	5.0
1,2-Dichloroethane	BRL	5.0
1,2-Dichloropropane	BRL	5.0
1,3-Dichlorobenzene	BRL	5.0
1,4-Dichlorobenzene	BRL	5.0
2-Butanone	BRL	50
2-Hexanone	BRL	10
4-Methyl-2-pentanone	BRL	10
Acetone	BRL	50
Benzene	BRL	5.0
Bromodichloromethane	BRL	5.0
Bromoform	BRL	5.0
Bromomethane	BRL	5.0
Carbon disulfide	BRL	5.0
Carbon tetrachloride	BRL	5.0
Chlorobenzene	BRL	5.0
Chloroethane	BRL	10
Chloroform	BRL	5.0
Chloromethane	BRL	10

Qualifiers:	>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
	BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
	J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
	Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Nova Engineering & Environmental, LLC
Project Name: 1517 Norcross
Workorder: 2104J76

ANALYTICAL QC SUMMARY REPORT**BatchID: 313837**

Sample ID: MB-313837	Client ID:					Units: ug/L	Prep Date: 04/17/2021		Run No: 452090		
SampleType: MBLK	TestCode: TCL VOLATILE ORGANICS	SW8260D				BatchID: 313837	Analysis Date: 04/17/2021		Seq No: 10328737		
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
cis-1,2-Dichloroethene	BRL	5.0									
cis-1,3-Dichloropropene	BRL	5.0									
Cyclohexane	BRL	5.0									
Dibromochloromethane	BRL	5.0									
Dichlorodifluoromethane	BRL	10									
Ethylbenzene	BRL	5.0									
Freon-113	BRL	10									
Isopropylbenzene	BRL	5.0									
m,p-Xylene	BRL	5.0									
Methyl acetate	BRL	5.0									
Methyl tert-butyl ether	BRL	5.0									
Methylcyclohexane	BRL	5.0									
Methylene chloride	BRL	5.0									
o-Xylene	BRL	5.0									
Styrene	BRL	5.0									
Tetrachloroethene	BRL	5.0									
Toluene	BRL	5.0									
trans-1,2-Dichloroethene	BRL	5.0									
trans-1,3-Dichloropropene	BRL	5.0									
Trichloroethene	BRL	5.0									
Trichlorofluoromethane	BRL	5.0									
Vinyl chloride	BRL	2.0									
Surr: 4-Bromofluorobenzene	47.91	0	50.00		95.8	74.9	127				
Surr: Dibromofluoromethane	43.78	0	50.00		87.6	78.9	121				
Surr: Toluene-d8	47.89	0	50.00		95.8	81.5	120				

Qualifiers:	>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
	BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
	J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
	Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Nova Engineering & Environmental, LLC
Project Name: 1517 Norcross
Workorder: 2104J76

ANALYTICAL QC SUMMARY REPORT**BatchID: 313837**

Sample ID: LCS-313837	Client ID:					Units: ug/L	Prep Date: 04/17/2021	Run No: 452090			
SampleType: LCS	TestCode: TCL VOLATILE ORGANICS SW8260D					BatchID: 313837	Analysis Date: 04/17/2021	Seq No: 10328738			
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

1,1-Dichloroethene	18.30	5.0	20.00		91.5	67.3	134				
Benzene	20.09	5.0	20.00		100	78.6	124				
Chlorobenzene	20.59	5.0	20.00		103	78.9	127				
Toluene	20.66	5.0	20.00		103	77.7	125				
Trichloroethene	20.63	5.0	20.00		103	77	130				
Surr: 4-Bromofluorobenzene	48.31	0	50.00		96.6	74.9	127				
Surr: Dibromofluoromethane	47.84	0	50.00		95.7	78.9	121				
Surr: Toluene-d8	48.76	0	50.00		97.5	81.5	120				

Sample ID: 2104J76-001AMS	Client ID: N-1-GW	Units: ug/L			Prep Date: 04/17/2021	Run No: 452090					
SampleType: MS	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 313837			Analysis Date: 04/19/2021	Seq No: 10329972					
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

1,1-Dichloroethene	20.14	5.0	20.00		101	67.6	143				
Benzene	21.63	5.0	20.00		108	70.5	136				
Chlorobenzene	21.23	5.0	20.00		106	77.1	133				
Toluene	23.21	5.0	20.00		116	66.4	140				
Trichloroethene	21.61	5.0	20.00		108	75.1	140				
Surr: 4-Bromofluorobenzene	48.49	0	50.00		97.0	74.9	127				
Surr: Dibromofluoromethane	45.06	0	50.00		90.1	78.9	121				
Surr: Toluene-d8	51.80	0	50.00		104	81.5	120				

Sample ID: 2104J76-001AMSD	Client ID: N-1-GW	Units: ug/L			Prep Date: 04/17/2021	Run No: 452090					
SampleType: MSD	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 313837			Analysis Date: 04/19/2021	Seq No: 10329973					
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

1,1-Dichloroethene	22.54	5.0	20.00		113	67.6	143	20.14	11.2	19.6	
Benzene	21.44	5.0	20.00		107	70.5	136	21.63	0.882	20	

Qualifiers:	>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
	BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
	J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
	Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Nova Engineering & Environmental, LLC
Project Name: 1517 Norcross
Workorder: 2104J76

ANALYTICAL QC SUMMARY REPORT

BatchID: 313837

Sample ID: 2104J76-001AMSD	Client ID: N-1-GW	Units: ug/L	Prep Date: 04/17/2021	Run No: 452090							
SampleType: MSD	TestCode: TCL VOLATILE ORGANICS SW8260D	BatchID: 313837	Analysis Date: 04/19/2021	Seq No: 10329973							
Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

Chlorobenzene	20.99	5.0	20.00		105	77.1	133	21.23	1.14	20	
Toluene	22.29	5.0	20.00		111	66.4	140	23.21	4.04	20	
Trichloroethene	21.55	5.0	20.00		108	75.1	140	21.61	0.278	20	
Surr: 4-Bromofluorobenzene	48.42	0	50.00		96.8	74.9	127	48.49	0	0	
Surr: Dibromofluoromethane	48.16	0	50.00		96.3	78.9	121	45.06	0	0	
Surr: Toluene-d8	49.79	0	50.00		99.6	81.5	120	51.80	0	0	

Qualifiers:	>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
	BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
	J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
	Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

End of Report

APPENDIX D

QUALIFICATIONS OF CONCLUSIONS

QUALIFICATIONS OF CONCLUSIONS

The findings and opinions presented are relative to the dates of our site work and should not be relied on to represent conditions at substantially later dates or locations not investigated.

The opinions included herein are based on information obtained during the study and our experience. If additional information becomes available which might impact our environmental conclusions, we request the opportunity to review the information, reassess the potential concerns and modify our opinions, if necessary.

Assessments may include interviews, a review of documents prepared by others or other secondary information sources. NOVA has not verified the provided information and has no responsibility for the accuracy or completeness of the information.

Although this assessment has attempted to identify the potential for environmental impacts to the subject property, potential sources of contamination may have escaped detection due to: (1) the limited scope of this assessment, (2) the inaccuracy of public records, (3) the presence of undetected or unreported environmental incidents, (4) inaccessible areas and/or (5) deliberate concealment of detrimental information. It was not the purpose of this study to determine the actual presence, degree or extent of contamination at the site, except as specifically described in the previous sections of this report. This would require additional exploratory work, including supplemental sampling and laboratory analysis.

This report is intended for the sole use of **Lidl US, LLC**. The scope of work performed during this study was developed for purposes specifically intended by **Lidl US, LLC** and may not satisfy other user requirements. Use of this report or the findings and conclusions by others will be at the sole risk of the user.

Our professional services have been performed, our findings obtained, our conclusions derived and our recommendations prepared in accordance with generally accepted engineering practices and principles. This statement is in lieu of all other statements or warranties, either expressed or implied.