
Assay: ADS6584FS2 Sample ID: D1a

Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTTYGATTTGYGGTTATTGGA Note: pcr041316

Analysis parameters have been edited.




Well: B1

Assay: ADS6584FS2 Sample ID: D1b

Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTTYGATTTGYGGTTATTGGA

Note: pcr041316

Analysis parameters have been edited.




Well: C1 Assay: ADS6584FS2 Sample ID: D1e

Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTYGATTTGYGGTTATTGGA

Note: pcr041316


Analysis parameters have been edited.



Well: D1


Well DI
Assay: ADS6584FS2
Sample ID: D2a
Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTYGATTTGYGGTTATTGGA

Note: pcr041316



Assay: ADS6584FS2 Sample ID: D2b

Analysis parameters have been edited.




Well: F1

Assay: ADS6584FS2 Sample ID: D2d

Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTTYGATTTGYGGTTATTGGA

Note: pcr041316

Analysis parameters have been edited.




Well: G1 Assay: ADS6584FS2 Sample ID: D2e

Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTYGATTTGYGGTTATTGGA

Note: pcr041316


Analysis parameters have been edited.



Well: H1

Assay: ADS6584FS2
Sample ID: D3a
Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTYGATTTGYGGTTATTGGA


Note: pcr041316



Assay: ADS6584FS2 Sample ID: D3b

Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTTYGATTTGYGGTTATTGGA Note: pcr041316

Analysis parameters have been edited.




Well: B2 Assay: ADS6584FS2

Sample ID: D3e

Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTTYGATTTGYGGTTATTGGA

Note: pcr041316

Analysis parameters have been edited.




Well: C2 Assay: ADS6584FS2 Sample ID: D4a

Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTYGATTTGYGGTTATTGGA

Note: pcr041316


Analysis parameters have been edited.



Well: D2

Well D2
Assay: ADS6584FS2
Sample ID: D4b
Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTYGATTTGYGGTTATTGGA


Note: pcr041316



Assay: ADS6584FS2 Sample ID: D4d

Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTTYGATTTGYGGTTATTGGA Note: pcr041316

Analysis parameters have been edited.




Well: F2

Assay: ADS6584FS2 Sample ID: D4e

Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTTYGATTTGYGGTTATTGGA

Note: pcr041316

Analysis parameters have been edited.




Well: G2 Assay: ADS6584FS2

Sample ID: D5a
Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTYGATTTGYGGTTATTGGA

Note: pcr041316


Analysis parameters have been edited.



Well: H2


Assay: ADS6584FS2
Sample ID: D5b
Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTYGATTTGYGGTTATTGGA

Note: pcr041316



Assay: ADS6584FS2 Sample ID: D5d

Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTTYGATTTGYGGTTATTGGA Note: pcr041316 Analysis parameters have been edited.




Well: B3 Assay: ADS6584FS2 Sample ID: D5e

Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTTYGATTTGYGGTTATTGGA

Note: pcr041316

Analysis parameters have been edited.




Well: C3

Assay: ADS6584FS2
Sample ID: D6a
Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTTYGATTTGYGGTTATTGGA


Note: pcr041316

Analysis parameters have been edited.




Well: D3
Assay: ADS6584FS2
Sample ID: D6b
Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTTYGATTTGYGGTTATTGGA

Note: pcr041316



Assay: ADS6584FS2 Sample ID: D6d

Analysis parameters have been edited.




Assay: ADS6584FS2 Sample ID: D6e

Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTTYGATTTGYGGTTATTGGA

Note: pcr041316

Analysis parameters have been edited.




Well: G3

Assay: ADS6584FS2
Sample ID: D7a
Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTTYGATTTGYGGTTATTGGA

Note: pcr041316


Analysis parameters have been edited.



Well: H3

Well III
Assay: ADS6584FS2
Sample ID: D7b
Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTYGATTTGYGGTTATTGGA


Note: pcr041316



Assay: ADS6584FS2 Sample ID: D7d

Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTTYGATTTGYGGTTATTGGA Note: pcr041316

Analysis parameters have been edited.




Well: B4

Assay: ADS6584FS2 Sample ID: D7e

Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTTYGATTTGYGGTTATTGGA

Note: pcr041316

Analysis parameters have been edited.




Well: C4

Assay: ADS6584FS2
Sample ID: D8b
Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTTYGATTTGYGGTTATTGGA

Note: pcr041316


Analysis parameters have been edited.



Well: D4


Well, D4
Assay: ADS6584FS2
Sample ID: D8e
Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTYGATTTGYGGTTATTGGA

Note: pcr041316



Assay: ADS6584FS2 Sample ID: D9a

Analysis parameters have been edited.




Well: F4

Assay: ADS6584FS2 Sample ID: D9b

Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTTYGATTTGYGGTTATTGGA

Note: pcr041316

Analysis parameters have been edited.




Well: G4 Assay: ADS6584FS2

Sample ID: D9d
Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTTYGATTTGYGGTTATTGGA

Note: pcr041316


Analysis parameters have been edited.



Well: H4


Well 114
Assay: ADS6584FS2
Sample ID: D9e
Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTYGATTTGYGGTTATTGGA

Note: pcr041316



Assay: ADS6584FS2 Sample ID: D10a

Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTTYGATTTGYGGTTATTGGA Note: pcr041316 Analysis parameters have been edited.




Well: B5

Assay: ADS6584FS2 Sample ID: D10b

Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTTYGATTTGYGGTTATTGGA

Note: pcr041316

Analysis parameters have been edited.




Well: C5 Assay: ADS6584FS2

Sample ID: D10e
Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTYGATTTGYGGTTATTGGA

Note: pcr041316


Analysis parameters have been edited.



Well: D5


Well D3
ASSay: ADS6584FS2
Sample ID: D11a
Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTYGATTTGYGGTTATTGGA

Note: pcr041316



Assay: ADS6584FS2 Sample ID: D11b

Analysis parameters have been edited.




Well: F5

Assay: ADS6584FS2 Sample ID: D11d

Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTTYGATTTGYGGTTATTGGA

Note: pcr041316

Analysis parameters have been edited.




Well: G5 Assay: ADS6584FS2

Sample ID: D11e
Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTYGATTTGYGGTTATTGGA

Note: pcr041316


Analysis parameters have been edited.



Well: H5


Well III
Assay: ADS6584FS2
Sample ID: D12a
Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTYGATTTGYGGTTATTGGA

Note: pcr041316



Assay: ADS6584FS2 Sample ID: D12b

Analysis parameters have been edited.




Well: B6

Assay: ADS6584FS2 Sample ID: D12d

Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTTYGATTTGYGGTTATTGGA

Note: pcr041316

Analysis parameters have been edited.




Well: C6 Assay: ADS6584FS2

Sample ID: D12e
Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTYGATTTGYGGTTATTGGA


Note: pcr041316

Analysis parameters have been edited.




Well: D6
Assay: ADS6584FS2
Sample ID: D8a
Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTYGATTTGYGGTTATTGGA

Note: pcr041316



Assay: ADS6584FS2 Sample ID: D10c

Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTYGATTTGYGGTTATTGGA Note: pcr041316 Analysis parameters have been edited.




Well: F6

Assay: ADS6584FS2 Sample ID: D7c

Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTTYGATTTGYGGTTATTGGA

Note: pcr041316

Analysis parameters have been edited.




Well: G6

Assay: ADS6584FS2
Sample ID: NTC
Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTTYGATTTGYGGTTATTGGA


Note: pcr041316

Analysis parameters have been edited.




Well: H6
Assay: ADS6584FS2
Sample ID: NTC
Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTTYGATTTGYGGTTATTGGA

Note: pcr041316



Assay: ADS6584FS2 Sample ID: 0%

Analysis parameters have been edited.




Assay: ADS6584FS2

Sample ID: 5%

Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTTYGATTTGYGGTTATTGGA

Note: pcr041316

Analysis parameters have been edited.




Well: C7 Assay: ADS6584FS2 Sample ID: 10%

Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTYGATTTGYGGTTATTGGA

Note: pcr041316


Analysis parameters have been edited.



Well: D7

Well D/Assay: ADS6584FS2
Sample ID: 25%
Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTYGATTTGYGGTTATTGGA


Note: pcr041316



Assay: ADS6584FS2 Sample ID: 50%

Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTTYGATTTGYGGTTATTGGA Note: pcr041316

Analysis parameters have been edited.




Well: F7

Assay: ADS6584FS2 Sample ID: 75%

Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTTYGATTTGYGGTTATTGGA

Note: pcr041316

Analysis parameters have been edited.




Well: G7 Assay: ADS6584FS2

Sample ID: 100%
Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTYGATTTGYGGTTATTGGA

Note: pcr041316

Analysis parameters have been edited.



Well: H7

Assay: ADS6584FS2
Sample ID: NTC
Sequence to analyze: TATGATYGAAATATA/GTAATTAAATTTTTTTYGATTTGYGGTTATTGGA

Note: pcr041316

