

# My title\*

My subtitle if needed

First author      Another author

February 11, 2024

First sentence. Second sentence. Third sentence. Fourth sentence.

## 1 Introduction

You can and should cross-reference sections and sub-sections.

The remainder of this paper is structured as follows. Section [2](#)....

## 2 Data

Figure [1](#)

Some of our data is of penguins ([?@fig-bill](#)), from Horst, Hill, and Gorman (2020).

And also planes (Figure [2](#)). (You can change the height and width, but don't worry about doing that until you have finished every other aspect of the paper - Quarto will try to make it look nice and the defaults usually work well once you have enough text.)

Talk way more about it.

## 3 Model

The goal of our modelling strategy is twofold. Firstly,...

Here we briefly describe the Bayesian analysis model used to investigate... Background details and diagnostics are included in Appendix [B](#).

---

\*Code and data are available at: [LINK](#).




Figure 1: Relationship between wing length and width




Figure 2: Relationship between wing length and width




Figure 3: Bills of penguins




Figure 4: Relationship between wing length and width

### 3.1 Model set-up

Define  $y_i$  as the number of seconds that the plane remained aloft. Then  $\beta_i$  is the wing width and  $\gamma_i$  is the wing length, both measured in millimeters.

$$y_i | \mu_i, \sigma \sim \text{Normal}(\mu_i, \sigma) \quad (1)$$

$$\mu_i = \alpha + \beta_i + \gamma_i \quad (2)$$

$$\alpha \sim \text{Normal}(0, 2.5) \quad (3)$$

$$\beta \sim \text{Normal}(0, 2.5) \quad (4)$$

$$\gamma \sim \text{Normal}(0, 2.5) \quad (5)$$

$$\sigma \sim \text{Exponential}(1) \quad (6)$$

We run the model in R (R Core Team 2022) using the `rstanarm` package of Goodrich et al. (2022). We use the default priors from `rstanarm`.

#### 3.1.1 Model justification

We expect a positive relationship between the size of the wings and time spent aloft. In particular...

We can use maths by including latex between dollar signs, for instance  $\theta$ .

## **4 Results**

Our results are summarized in ?@tbl-modelresults.

## **5 Discussion**

### **5.1 First discussion point**

If my paper were 10 pages, then should be be at least 2.5 pages. The discussion is a chance to show off what you know and what you learnt from all this.

### **5.2 Second discussion point**

### **5.3 Third discussion point**

### **5.4 Weaknesses and next steps**

Weaknesses and next steps should also be included.

## Appendix

### A Additional data details

### B Model details

#### B.1 Posterior predictive check

In `?@fig-ppcheckandposteriorvsprior-1` we implement a posterior predictive check. This shows...

In `?@fig-ppcheckandposteriorvsprior-2` we compare the posterior with the prior. This shows...

#### B.2 Diagnostics

`?@fig-stanareyouokay-1` is a trace plot. It shows... This suggests...

`?@fig-stanareyouokay-2` is a Rhat plot. It shows... This suggests...

## References

- Goodrich, Ben, Jonah Gabry, Imad Ali, and Sam Brilleman. 2022. “Rstanarm: Bayesian Applied Regression Modeling via Stan.” <https://mc-stan.org/rstanarm/>.
- Horst, Allison Marie, Alison Presmanes Hill, and Kristen B Gorman. 2020. *Palmerpenguins: Palmer Archipelago (Antarctica) Penguin Data*. <https://doi.org/10.5281/zenodo.3960218>.
- R Core Team. 2022. *R: A Language and Environment for Statistical Computing*. Vienna, Austria: R Foundation for Statistical Computing. <https://www.R-project.org/>.