

Introduction to Deep Equilibrium Nets (DEQNs)

A Mini-Course

Galo Nuño Simon Scheidegger

Banco de España

HEC, University of Lausanne

March 2026

Based on: Azinovic, Gaegauf & Scheidegger (2022), *International Economic Review* 63(4), 1471–1525.

DOI: <https://doi.org/10.1111/iere.12575>

Materials: https://github.com/sischei/DEQN_Galo_03_2026


Course Outline

1. ML/DL Foundations
2. Deep Equilibrium Nets
3. Brock–Mirman Benchmark
4. Practical Tools: NAS & Loss Normalization
5. Scaling Up — The IRBC Model
6. Hands-on Exercises


Outline

1. ML/DL Foundations
2. Deep Equilibrium Nets
3. Brock–Mirman Benchmark
4. Practical Tools: NAS & Loss Normalization
5. Scaling Up — The IRBC Model
6. Hands-on Exercises


What is Machine Learning?



Classical programming:




Machine learning:



The Machine Learning Recipe


Every supervised learning algorithm follows three steps:



Cost function example (Mean Squared Error)

$$J(\theta) = \frac{1}{2m} \sum_{i=1}^m (h_{\theta}(\mathbf{x}^{(i)}) - y^{(i)})^2$$

Deep Feedforward Networks



An L -layer network computes a nested composition:

$$f(\mathbf{x}; \boldsymbol{\theta}) = g_L\left(\mathbf{W}^{(L)} g_{L-1}(\cdots g_1(\mathbf{W}^{(1)} \mathbf{x} + \mathbf{b}^{(1)}) \cdots + \mathbf{b}^{(L-1)}) + \mathbf{b}^{(L)}\right)$$

Each layer transforms the representation. **Depth** provides exponential gains in representational power over width alone.

Universal Approximation Theorem

Theorem (Cybenko 1989; Hornik, Stinchcombe & White 1989)

Let $g : \mathbb{R} \rightarrow \mathbb{R}$ be a bounded, non-constant, continuous activation function. Then for any continuous function $f : \mathcal{K} \rightarrow \mathbb{R}$ on a compact set $\mathcal{K} \subset \mathbb{R}^d$ and any $\varepsilon > 0$, there exists a single-hidden-layer network

$$F(\mathbf{x}) = \sum_{j=1}^{n_1} v_j g(\mathbf{w}_j^\top \mathbf{x} + b_j)$$


such that $\sup_{\mathbf{x} \in \mathcal{K}} |F(\mathbf{x}) - f(\mathbf{x})| < \varepsilon$.

Caveats:


- ▶ The required width n_1 may be **exponentially large** in d .
- ▶ Existence $\neq$ efficient learnability.
- ▶ Practical success of deep learning suggests that **depth** provides a much more efficient parameterization than width alone.

Activation Functions


Sigmoid: $\sigma(z) = \frac{1}{1+e^{-z}}$



Tanh: $\tanh(z)$




ReLU: $\max(0, z)$



Other common activations: **Leaky ReLU** $\max(0.01z, z)$, **Softplus** $\ln(1 + e^z)$, **ELU**, **Swish** $z \cdot \sigma(z)$.

DNN Layer Structure



Each hidden layer applies a **nonlinear activation** $\phi^{(\ell)}$:

$$\mathbf{a}^{(\ell)} = \phi^{(\ell)}(\mathbf{W}^{(\ell)}\mathbf{a}^{(\ell-1)} + \mathbf{b}^{(\ell)}), \quad \ell = 1, \dots, L-1$$

- ▶ The output layer is typically **linear** (for regression) or uses **softplus** (to enforce positivity, e.g. consumption)
- ▶ The full network: $\mathcal{N}_{\rho}(\mathbf{x}) = \mathbf{W}^{(L)}\mathbf{a}^{(L-1)} + \mathbf{b}^{(L)}$

Gradient Descent and SGD

Goal: find weights that minimize the loss:


$$\theta^* = \arg \min_{\theta} J(\theta)$$

Strategy: repeatedly step in the direction of steepest descent:

$$\theta \leftarrow \theta - \eta \nabla_{\theta} J(\theta)$$

Mini-batch SGD: sample a batch $\mathcal{B}$ of B examples:

$$\theta \leftarrow \theta - \frac{\eta}{B} \sum_{k \in \mathcal{B}} \nabla_{\theta} J_k(\theta)$$



Loss Functions

The loss function $J(\boldsymbol{\theta})$ measures how far predictions $\hat{\mathbf{y}}$ are from targets $\mathbf{y}$.

Regression: Mean Squared Error

$$J(\boldsymbol{\theta}) = \frac{1}{2n} \sum_{i=1}^n (y^{(i)} - f(\mathbf{x}^{(i)}; \boldsymbol{\theta}))^2$$

Penalizes large deviations quadratically.

Classification: Cross-Entropy


$$J = -\frac{1}{n} \sum_{i=1}^n \left[y^{(i)} \log \hat{y}^{(i)} + (1 - y^{(i)}) \log (1 - \hat{y}^{(i)}) \right]$$

For binary labels $y \in \{0, 1\}$.

In computational economics, we will replace labeled data with **structural equations**—the key insight behind DEQNs.

Why Deep Learning Now?

Neural networks date back to the 1940s. Three developments made them practical:



Key milestones: Perceptron (1958), Backpropagation (1986), Deep CNN (1995), AlexNet (2012), Transformers (2017), ChatGPT (2022).

Outline


1. ML/DL Foundations
2. **Deep Equilibrium Nets**
3. Brock–Mirman Benchmark
4. Practical Tools: NAS & Loss Normalization
5. Scaling Up — The IRBC Model
6. Hands-on Exercises

Heterogeneity Matters

Key questions in macroeconomics:

- ▶ How does **inequality** evolve over the life cycle?
- ▶ How do **idiosyncratic shocks** interact with aggregate risk?
- ▶ What are the **distributional effects** of policy?

⇒ Need **overlapping-generations** (OLG) models with many heterogeneous agents.



Stylized income-by-age profiles

Dynamic Stochastic General Equilibrium Models

Generic formulation: find policy functions $p(\cdot)$ such that

$$\mathbb{E}\left[G(\mathbf{x}_t, \mathbf{x}_{t+1}, p(\mathbf{x}_t), p(\mathbf{x}_{t+1})) \mid \mathbf{x}_t, p(\mathbf{x}_t)\right] = 0$$

with transition law $\mathbf{x}_{t+1} = h(\mathbf{x}_t, p(\mathbf{x}_t), \varepsilon_{t+1})$.

Challenges:

- ▶ State space $\mathbf{x}_t \in \mathbb{R}^d$ can be **very high-dimensional**
- ▶ Standard grid-based methods scale as $\mathcal{O}(n^d) \Rightarrow$ **curse of dimensionality**
- ▶ Need a method that **does not rely on grids**

What is High-Dimensional?


Dimensions d	Grid points n^d	Runtime
1	10	10 seconds
2	100	2 minutes
5	10^5	1 day
10	10^{10}	317 years
20	10^{20}	~ 3 trillion years

Assumes $n = 10$ grid points per dimension and 1 second per evaluation.

Three remedies:


1. **Sparse grids** (Brumm & Scheidegger, 2017)
2. **Random grids** (Rust, 1997)
3. **Neural networks** (this lecture)

Volumes in High Dimensions




2D

$$V_{\text{sphere}}/V_{\text{cube}} = \pi/4 \approx 0.785$$



3D

$$V_{\text{sphere}}/V_{\text{cube}} = \pi/6 \approx 0.524$$



100D

$$V_{\text{sphere}}/V_{\text{cube}} \approx 1.87 \times 10^{-70}$$

Implication

In high dimensions, **almost all volume is in the corners**. Grid-based methods waste most of their evaluation points in regions that barely contribute to the integral or approximation.

Our Solution: Deep Equilibrium Nets

Core idea (Azinovic, Gaegauf & Scheidegger, 2022):

Replace the traditional grid-based solution with a **neural network** trained to satisfy economic equilibrium conditions.

Three Key Ingredients

1. **Equilibrium error as loss function:** use the economic equations $G(\cdot) = 0$ directly—**no labeled data** needed
2. **Stochastic gradient descent:** optimize network parameters ρ via SGD on mini-batches
3. **Simulated paths:** draw training points from the **ergodic distribution** of the model itself

⇒ This turns **solving** an economic model into **training** a neural network.

What is a Deep Neural Network?

A deep neural network (DNN) $\mathcal{N}_\rho : \mathbb{R}^{d_{\text{in}}} \rightarrow \mathbb{R}^{d_{\text{out}}}$ is a **parametric function approximator**.

Universal approximation (Cybenko 1989, Hornik 1991):

For any continuous $f : \mathcal{K} \rightarrow \mathbb{R}$ and $\varepsilon > 0$, $\exists \rho^\star : \quad \|\mathcal{N}_{\rho^\star} - f\| < \varepsilon$

In economics:

- ▶ **Input:** state variables $\mathbf{x}_t \in \mathbb{R}^d$ (capital, productivity, wealth distribution, ...)
- ▶ **Output:** policy variables (consumption, savings, prices, ...)
- ▶ **Parameters** ρ : weights and biases—found by **training**

The “Data Problem” in Economics

Deep learning excels when massive labeled datasets are available.

But in computational economics:

- ▶ We solve **functional equations**, not classification/regression tasks
- ▶ There are **no labeled pairs** $(\mathbf{x}_i, y_i)$
- ▶ Traditional approach: **time iteration on a grid**—but grids do not scale

Key insight:

- ▶ We **know** the structural equations $G(\cdot) = 0$
- ▶ We can **check** how well a candidate policy satisfies them
- ▶ $\Rightarrow$ Use the **equilibrium error** as the loss function!

Traditional Approach: Time Iteration on a Grid

Algorithm: Grid-Based Collocation

Input: Grid $\mathcal{G} = \{\mathbf{x}_1, \dots, \mathbf{x}_M\} \subset \mathbb{R}^d$, initial guess $p^{(0)}$

for $k = 0, 1, 2, \dots$ until convergence **do**

for each grid point $\mathbf{x}_i \in \mathcal{G}$ **do**

 Solve $G(\mathbf{x}_i, p^{(k)}(\mathbf{x}_i), p^{(k)}) = 0$ for $p^{(k+1)}(\mathbf{x}_i)$

end for

 Interpolate $p^{(k+1)}$ between grid points

end for

Problems:

- ▶ Grid size $M = n^d \Rightarrow$ **exponential** in dimension d
- ▶ Interpolation in $d > 5$ becomes expensive and inaccurate
- ▶ Cannot handle models with $d = 60$ or more state variables

The DEQN Loss Function

Key idea: replace labeled data with **economic equilibrium conditions**.

Let $G(\mathbf{x}, f(\mathbf{x})) = 0$ be the system of equilibrium equations. Define:

$$\ell_{\rho} = \frac{1}{N} \sum_{i=1}^N \|G(\mathbf{x}_i, \mathcal{N}_{\rho}(\mathbf{x}_i))\|^2$$

- ▶ $\mathcal{N}_{\rho}(\mathbf{x}_i)$ is the neural net's **predicted policy** at state $\mathbf{x}_i$
- ▶ $G(\cdot)$ measures the **equilibrium error** (e.g. Euler equation residual)
- ▶ $\ell_{\rho} = 0$ iff the policy **exactly** satisfies all equilibrium conditions

⇒ **No labels needed**—this is **unsupervised** (or “self-supervised”) learning.

Training Algorithm for DEQNs


Algorithm 1: Deep Equilibrium Net Training

Input: Initial state $\mathbf{x}_0$, network $\mathcal{N}_\rho$, learning rate α , # episodes E , # epochs T
for episode $e = 1, \dots, E$ **do**
 Simulate path: $\mathbf{x}_0 \rightarrow \mathbf{x}_1 \rightarrow \dots \rightarrow \mathbf{x}_T$ using $\mathcal{N}_\rho$ and transition law
 for epoch $t = 1, \dots, T$ **do**
 Draw mini-batch $\mathcal{B} \subset \{\mathbf{x}_0, \dots, \mathbf{x}_T\}$
 Compute loss: $\ell_\rho = \frac{1}{|\mathcal{B}|} \sum_{\mathbf{x}_i \in \mathcal{B}} \|G(\mathbf{x}_i, \mathcal{N}_\rho(\mathbf{x}_i))\|^2$
 Update: $\rho \leftarrow \rho - \alpha \cdot \nabla_\rho \ell_\rho$
 end for
end for
Output: Trained network $\mathcal{N}_{\rho^*}$ approximating the policy function


Note: Training points come from the **model's own simulation**—the network learns on the ergodic distribution, focusing on economically relevant regions.

Supervised vs. Unsupervised (DEQN) Learning

Supervised



DEQN (Unsupervised)



Key difference: DEQNs replace labeled data with structural economic equations.

DEQN: Key Recap

Replace Labels

Instead of labeled data $(\mathbf{x}_i, y_i)$, use the economic equilibrium equations $G(\cdot) = 0$ as the loss.

Replace Grids

Instead of n^d grid points, use a neural network $\mathcal{N}_\rho$ that maps states to policies **globally**.

Replace TI

Instead of time iteration with interpolation, use SGD on simulated paths from the model.

Result: A method that scales to **hundreds of state variables** and runs on GPUs.

Outline

1. ML/DL Foundations
2. Deep Equilibrium Nets
3. **Brock–Mirman Benchmark**
4. Practical Tools: NAS & Loss Normalization
5. Scaling Up — The IRBC Model
6. Hands-on Exercises

Brock–Mirman (1972): Setup

Social planner's problem:

$$\max_{\{C_t\}_{t=0}^{\infty}} \mathbb{E} \left[\sum_{t=0}^{\infty} \beta^t \ln(C_t) \right]$$

subject to:

$$K_{t+1} + C_t = z_t K_t^{\alpha}, \quad \ln z_{t+1} = \varrho \ln z_t + \sigma_z \epsilon_{t+1}, \quad \epsilon_t \sim \mathcal{N}(0, 1)$$

Euler equation:

$$\frac{1}{C_t} = \beta \mathbb{E} \left[\frac{\alpha z_{t+1} K_{t+1}^{\alpha-1}}{C_{t+1}} \right]$$

Analytical solution (log utility, full depreciation $\delta = 1$):

$$K_{t+1} = \beta \alpha K_t^{\alpha}, \quad C_t = (1 - \beta \alpha) K_t^{\alpha}$$

DEQN for Brock–Mirman

Step 1: Parametrize the policy function with a neural network:

$$C_t = \mathcal{N}_\rho(K_t, z_t) \quad (\text{consumption as a function of state})$$

Step 2: Define the equilibrium residual:

$$G(K_t, z_t) = 1 - \beta \frac{C_t}{C_{t+1}} \cdot \alpha z_{t+1} K_{t+1}^{\alpha-1}$$

where $K_{t+1} = z_t K_t^\alpha - \mathcal{N}_\rho(K_t, z_t)$ and $C_{t+1} = \mathcal{N}_\rho(K_{t+1}, z_{t+1})$.

Step 3: Minimize the DEQN loss:

$$\ell_\rho = \frac{1}{N} \sum_{i=1}^N |G(K_t^{(i)}, z_t^{(i)})|^2$$

We can **verify** the solution against the analytical benchmark.

Hands-on Notebooks

Two notebooks accompany this lecture:

1. `01_Brock_Mirman_1972_DEQN.ipynb`
Deterministic Brock–Mirman with analytical benchmark.
2. `02_Brock_Mirman_Uncertainty_DEQN.ipynb`
Stochastic version with TFP shocks ($\varrho > 0$, $\sigma_z > 0$).

All notebooks are in the `code/` directory and on the course GitHub repository.

Note: Exercises (`03_DEQN_Exercises_Blancs.ipynb`) build on these notebooks.


*“To pull a bigger wagon, it is easier to add more oxen
than to grow a gigantic ox.”*

— Gropp, Lusk & Skjellum (1999)

Using MPI: Portable Parallel Programming


Data Parallelism for DEQNs

Idea: distribute training data across **multiple workers** (GPUs/CPUs).



Implemented via **Horovod**/MPI. Each worker computes a local gradient; **allreduce** averages them.

Scalability Results



Near-linear scaling up to 128 nodes. Communication overhead is negligible for typical network sizes.

Outline


1. ML/DL Foundations
2. Deep Equilibrium Nets
3. Brock–Mirman Benchmark
4. **Practical Tools: NAS & Loss Normalization**
5. Scaling Up — The IRBC Model
6. Hands-on Exercises

Why Architecture Matters

Same data, different architectures:

- ▶ 1 layer, 16 units $\Rightarrow$ MAE = 0.08
- ▶ 2 layers, 64 units $\Rightarrow$ MAE = 0.01
- ▶ 5 layers, 256 units $\Rightarrow$ MAE = 0.003
- ▶ 10 layers, 512 units $\Rightarrow$ MAE = 0.02 (overfit)

Architecture choice can matter **more than training duration**.




Neural Architecture Search: Method Comparison

Property	Grid	Random	Bayesian	Hyperband
Computational cost	$\mathcal{O}(k^d)$	$\mathcal{O}(n)$	$\mathcal{O}(n)$	$\mathcal{O}(n \log n)$
Sample efficiency	Low	Medium	High	High
Parallelisable	Fully	Fully	Limited	Partially
Handles interactions	No	Partially	Yes	No
Early stopping	No	No	No	Yes
Implementation	Trivial	Trivial	Moderate	Moderate

Practical advice:

- ▶ **Quick exploration:** Random search (strong baseline)
- ▶ **Limited budget:** Bayesian optimisation (sample-efficient)
- ▶ **Large search space:** Hyperband (aggressive early stopping)

Grid vs. Random — Why Random Wins



When only one dimension matters, grid wastes $\frac{3}{4}$ of its budget on the *unimportant* axis. Random explores the important axis **4×** more densely.

Bayesian Optimisation

Idea: Build a *surrogate model* of $f(\text{HP}) \rightarrow \text{loss}$ and use it to choose the next trial *intelligently*.

1. Fit a Gaussian process (GP) to observed trials
2. Compute an **acquisition function** (e.g., Expected Improvement)
3. Evaluate the HP with highest acquisition value
4. Update the GP and repeat

Key advantage: **Sample-efficient** — exploits structure in the response surface.

Expected Improvement

$$\text{EI}(\mathbf{x}) = \mathbb{E}[\max(f^* - f(\mathbf{x}), 0)]$$

- ▶ f^* : best observed value
- ▶ Balances *exploration* (high uncertainty) and *exploitation* (low predicted loss)

NAS for Computational Economics

Where NAS matters in computational economics:

1. **Surrogate models:** Replace expensive simulations (e.g., climate IAMs) with NNs — architecture determines approximation quality.
2. **DSGE policy functions:** Deep equilibrium nets use NNs to approximate policy/value functions. **Architecture search over the policy network** can improve convergence.
3. **High-dimensional problems:** As d grows (many state variables), the architecture must scale. NAS automates this adaptation.
4. **Reproducibility:** Automated search documents *which* architectures were tried, making results more transparent than “we chose 3 layers with 64 units.”

Multi-Component Losses in DEQNs

Many problems require minimising *several* loss terms simultaneously:

Deep equilibrium nets (DEQNs):

- ▶ Euler equation residuals
- ▶ Budget constraints
- ▶ Market clearing

Physics-informed NNs (PINNs):

- ▶ PDE residual $\mathcal{L}_{\text{PDE}}$
- ▶ Boundary conditions $\mathcal{L}_{\text{BC}}$
- ▶ Initial conditions $\mathcal{L}_{\text{IC}}$

Core challenge

These loss components often live at **vastly different scales**.

With equal weights:

- ▶ Large-scale component dominates gradients
- ▶ Small-scale component is **ignored**
- ▶ The network effectively solves a *single-task* problem

ReLoBRaLo — Relative Loss Balancing with Random Lookback

Key innovations (Bischof et al., 2021):

1. **Relative balancing:** Use *ratios* $\mathcal{L}_i^{(t)} / \mathcal{L}_i^{(t-1)}$ instead of absolute values
2. **Random lookback:** With probability ρ , compare to **initial losses** $\mathcal{L}_i^{(0)}$ instead of the previous step
3. **Exponential smoothing:** Blend new weights with history via α

Why random lookback?

- ▶ Prevents weight drift
- ▶ “Resets” to global perspective
- ▶ Stabilises training
- ▶ Like simulated annealing for weights

ReLoBRaLo — Algorithm

Weight update at epoch t

- 1: Compute losses $\mathcal{L}_1^{(t)}, \dots, \mathcal{L}_K^{(t)}$
- 2: **Step-wise weights:** $\hat{w}_i^{(t)} = \text{softmax}_i\left(\frac{\mathcal{L}_i^{(t)}}{T \cdot \mathcal{L}_i^{(t-1)}}\right) \cdot K$
- 3: **Baseline weights:** $\hat{w}_i^{(0)} = \text{softmax}_i\left(\frac{\mathcal{L}_i^{(t)}}{T \cdot \mathcal{L}_i^{(0)}}\right) \cdot K$
- 4: **Combine with random lookback:**

$$w_i^{(t)} = \alpha \left[\rho w_i^{(t-1)} + (1 - \rho) \hat{w}_i^{(0)} \right] + (1 - \alpha) \hat{w}_i^{(t)}$$

- ▶ α : smoothing — how much to trust the historical weights
- ▶ ρ : lookback probability — how often to reset to initial comparison
- ▶ T : temperature — sharpness of the softmax

ReLoBRaLo — Experiment Results

	Equal weights	Inverse-loss	ReLoBRaLo
f_A mean error	5.2×10^{-1}	8.1×10^{-2}	3.4×10^{-3}
f_B mean error	3.7×10^0	1.5×10^0	8.2×10^{-1}
f_C mean error	4.5×10^1	9.8×10^1	5.1×10^1
Total rel. error	1.00	0.41	0.12

- **Equal:** f_C dominates training; f_A is essentially **not learned**
- **Inverse-loss:** Improves f_A , but introduces oscillations
- **ReLoBRaLo:** All three functions well approximated; $\sim 8\times$ lower total error

Loss Balancing for DEQNs

DSGE / Deep equilibrium nets:

- ▶ Euler equations at different scales
- ▶ Budget constraint residuals
- ▶ Market clearing conditions
- ▶ Each may have different units and magnitudes

⇒ ReLoBRaLo ensures all equilibrium conditions are learned, not just the largest.

ReLoBRaLo defaults:

Symbol	Name	Default
T	Temperature	1.0
α	Smoothing	0.999
ρ	Lookback prob.	0.999

Practical guidance

The defaults work well in most cases.
Only T needs occasional tuning.

Outline

1. ML/DL Foundations
2. Deep Equilibrium Nets
3. Brock–Mirman Benchmark
4. Practical Tools: NAS & Loss Normalization
5. **Scaling Up — The IRBC Model**
6. Hands-on Exercises


Why International Models?

Key questions in international macro:

- ▶ How do **capital flows** respond to productivity shocks?
- ▶ What governs **international risk sharing**?
- ▶ How do **trade imbalances** emerge?

⇒ Need models with N heterogeneous countries.

⇒ State space: $2N$ dimensions (capital + TFP per country).



Complete markets

IRBC Model Overview

International Real Business Cycle (IRBC) model:

- ▶ N countries, each with **country-specific capital** k^j and **TFP** z^j
- ▶ **Complete markets**: a social planner allocates resources with Pareto weights τ^j
- ▶ **Irreversible investment**: $I^j \geq 0$ (cannot disinvest)
- ▶ **Capital adjustment costs**: $\Gamma^j = \frac{\kappa}{2} k^j \left(\frac{k^{j'}}{k^j} - 1 \right)^2$

Dimensionality

State: $\mathbf{s} = (k^1, \dots, k^N, z^1, \dots, z^N) \in \mathbb{R}^{2N}$

Policy: $(k^{1'}, \dots, k^{N'}, \lambda, \mu^1, \dots, \mu^N) \in \mathbb{R}^{2N+1}$

Preferences and Production

CRRRA utility for each country j :

$$u^j(c) = \frac{c^{1-1/\gamma_j}}{1-1/\gamma_j}$$

- γ_j : intertemporal elasticity of substitution
- Heterogeneous: $\gamma_j \in [\gamma_{\min}, \gamma_{\max}]$

Social planner maximizes:

$$\max \sum_{t=0}^{\infty} \beta^t \mathbb{E} \left[\sum_{j=1}^N \tau^j u^j(c_t^j) \right]$$

Production in country j :

$$Y^j = A_{\text{tfp}} \cdot \exp(z^j) \cdot (k^j)^\zeta$$

TFP process (AR(1)):

$$z^{j'} = \rho_z z^j + \sigma_e (\varepsilon^j + \varepsilon^{\text{agg}})$$

$\beta = 0.99$	$\zeta = 0.36$
$\delta = 0.01$	$\kappa = 0.50$
$\rho_z = 0.95$	$\sigma_e = 0.01$

Equilibrium System

$2N + 1$ equations in $2N + 1$ unknowns:

- ▶ N Euler equations (relative error form):

$$\frac{\beta \mathbb{E}[\lambda' \cdot \text{MPK}^{j'} - (1 - \delta) \mu^{j'}] + \mu^j}{\lambda (1 + \Gamma_{k'})} - 1 = 0$$

- ▶ Aggregate resource constraint (1 equation):


$$\sum_{j=1}^N \left[Y^j + (1 - \delta) k^j - k^{j'} - \Gamma^j - c^j \right] = 0$$

- ▶ N Fischer–Burmeister conditions (irreversibility):

$$\text{FB}(\mu^j, l^j) = \mu^j + l^j - \sqrt{(\mu^j)^2 + (l^j)^2 + \varepsilon} = 0$$

Consumption is determined by λ : $c^j = (\lambda / \tau^j)^{-\gamma_j}$.

DEQN Formulation for the IRBC



Loss: sum of squared residuals over all equilibrium conditions:

$$\ell_\rho = \frac{1}{B} \sum_{i=1}^B \left[\sum_{j=1}^N (\text{Euler}_j^{(i)})^2 + (\text{ARC}^{(i)})^2 + \sum_{j=1}^N (\text{FB}_j^{(i)})^2 \right]$$

Architecture: 2×64 hidden units, Swish activation, Softplus output (ensures positivity).

Scalability in N

N	States	Policies	NN params	Grid pts ($n=10$)
2	4	5	$\sim 4.7\text{K}$	10^4
4	8	9	$\sim 5.3\text{K}$	10^8
10	20	21	$\sim 6.7\text{K}$	10^{20}
50	100	101	$\sim 17\text{K}$	10^{100}
100	200	201	$\sim 30\text{K}$	10^{200}

- ▶ NN parameters grow **linearly** in N (only input/output layers scale)
- ▶ Grid methods grow **exponentially**: 10^{2N} points
- ▶ DEQN training cost per step: $\mathcal{O}(|\rho| \cdot B \cdot Q^{N+1})$
- ▶ For large N : replace tensor-product GH with monomial rules or QMC

From Brock–Mirman to IRBC

	Brock–Mirman	IRBC
Countries	1	N
States	(K, z)	$(k^1, \dots, k^N, z^1, \dots, z^N)$
Policies	C (or s)	$(k^{1'}, \dots, k^{N'}, \lambda, \mu^1, \dots, \mu^N)$
Equations	1 Euler	N Euler + 1 ARC + N FB
Constraints	none	irreversibility, adj. costs
Shocks	1	$N + 1$
Output act.	sigmoid	softplus
Analytical sol.	yes ($\delta = 1$)	no

The IRBC is a natural **scaling test** for the DEQN methodology.

IRBC Notebook

Hands-on: 04_IRBC_DEQN.ipynb

1. Parameters & steady state verification
2. Gauss–Hermite quadrature setup
3. Keras network definition
4. Model equations (production, consumption, adjustment costs)
5. Cost function with Euler, ARC, and FB residuals
6. Two-phase training loop
7. Convergence analysis & policy function plots
8. Economic diagnostics (consumption sharing, trade balance)

Self-contained: all equations implemented inline, no external imports beyond TensorFlow/NumPy.

Outline

1. ML/DL Foundations
2. Deep Equilibrium Nets
3. Brock–Mirman Benchmark
4. Practical Tools: NAS & Loss Normalization
5. Scaling Up — The IRBC Model
6. Hands-on Exercises

Code Notebooks

Notebook	Description
01_Brock_Mirman_1972_DEQN	Deterministic Brock–Mirman model with analytical benchmark
02_Brock_Mirman_Uncertainty_DEQN	Stochastic Brock–Mirman with TFP shocks
03_DEQN_Exercises_Blancs	Exercise problems (blanks to fill in)
03_DEQN_Exercises_Solutions	Exercise solutions
04_IRBC_DEQN	Full IRBC model: multi-country DEQN with adjustment costs and irreversibility

All notebooks are in the `code/` directory. Requirements: `pip install -r requirements.txt`

Suggested Readings

1. **Azinovic, Gaegauf & Scheidegger (2022).**
Deep Equilibrium Nets. International Economic Review 63(4), 1471–1525.
2. **Fernández-Villaverde, Nuño & Perla (2024).**
Taming the Curse of Dimensionality: Quantitative Economics with Deep Learning. NBER Working Paper 33117.
3. **Chen, Didisheim & Scheidegger (2026).**
Deep Surrogates for Finance: With an Application to Option Pricing. Journal of Financial Economics 177, 104222.
4. **Friedl, Kübler, Scheidegger & Usui (2023).**
Deep Uncertainty Quantification: With an Application to Integrated Assessment Models. Working paper.

All papers are in the readings/ directory.

Questions?

Galo Nuño

Banco de España

Simon Scheidegger

HEC, University of Lausanne

<https://www.galonuno.com/>

[https:](https://sites.google.com/site/simonscheidegger/)

[//sites.google.com/site/simonscheidegger/](https://sites.google.com/site/simonscheidegger/)

Materials: [https://github.com/](https://github.com/sischei/DEQN_Galo_03_2026)

[sischei/DEQN_Galo_03_2026](https://github.com/sischei/DEQN_Galo_03_2026)

Key references:

Azinovic, Gaegauf & Scheidegger (2022)
Deep Equilibrium Nets

International Economic Review