

SAFETY DATA SHEET

Version 6.5 Revision Date 28.10.2021 Print Date 11.06.2022

SECTION 1: Identification of the hazardous chemical and of the supplier

1.1 Product identifiers

Product name : Sodium hydroxide

Product Number : S8045
Brand : SIGALD
CAS-No. : 1310-73-2

1.2 Other means of identification

Caustic soda

1.3 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : For R&D use only. Not for pharmaceutical, household or other

uses.

1.4 Details of the supplier of the safety data sheet

Company : SIGMA-ALDRICH (M) SDN BHD

Level 3, Menara Sunway Annexe, Jalan Lagoon Timur, Bandar Sunway, 46150 PETALING JAYA, SELANGOR

MALAYSIA

Telephone : +60 (603)03-563-53321Fax : +60 (603)03-563-54116

1.5 Emergency telephone

Emergency Phone # : 1-800-815-308 (CHEMTREC) * + 62 0800

140 1253 (Customer Call Centre)

Section 2: Hazard identification

2.1 GHS Classification

Classification according to CLASS regulations 2013

Corrosive to Metals (Category 1), H290

Skin corrosion/irritation (Category 1A), H314 Serious eye damage/eye irritation (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

.2 GHS Label elements, including precautionary statements

Labelling according to CLASS regulations 2013

Pictogram

Signal word Danger

Hazard statement(s)

H290 May be corrosive to metals.

SIGALD- S8045 Page 1 of 11



H314 Causes severe skin burns and eye damage.

Precautionary statement(s)

Prevention

P260 Do not breathe dusts or mists.
P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

Response

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 + P310 IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing. Immediately call a POISON

CENTER or doctor/ physician.

P305 + P351 + P338 +

P310

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a POISON CENTER or doctor/

physician.

2.3 Other hazards - none

SECTION 3: Composition and information of the ingredients of the hazardous chemical

Substance / Mixture : Substance

3.1 Substances

Synonyms : Caustic soda

Formula : NaOH

Molecular weight : 40.00 g/mol CAS-No. : 1310-73-2 EC-No. : 215-185-5 Index-No. : 011-002-00-6

Hazardous ingredients

Component	Classification	Concentration
sodium hydroxide		
	Met. Corr. 1; 1A; 1; H290, H314, H318 Concentration limits: >= 0.4 %: Met. Corr. 1, H290; >= 5 %: Skin Corr. 1A, H314; 2 - < 5 %: Skin Corr. 1B, H314; 0.5 - < 2 %: Skin Irrit. 2, H315; 0.5 - < 2 %: Eye Irrit. 2, H319; >= 5 %: Skin Corr. 1A, H314; >= 5 %: Eye Dam. 1, H318; 2 - < 5 %: Skin Corr. 1B, H314; 2 - < 5 %: Eye Dam. 1, H318; 0.5 - < 2 %: Skin Irrit. 2, H315; 0.5 - < 2 %: Eye Irrit. 2, H319;	<= 100 %

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Sodium oxides

Not combustible.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

No metal containers.

Tightly closed. Dry.

Storage class

Storage class (TRGS 510): 8B: Non-combustible, corrosive hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls and personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
sodium hydroxide	1310-73-2	CEIL	2 mg/m3	Malaysia. Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.

Derived No Effect Level (DNEL)

Application Area	Routes of exposure	Health effect	Value		
Workers	Inhalation	Long-term local effects	1 mg/m3		
Consumers	Inhalation	Long-term local effects	1 mg/m3		

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

a) Appearance Form: pellets

Color: white

b) Odor odorless

SIGALD- S8045

c) Odor Threshold Not applicable



Page 5 of 11

d)	рН	ca.>	14	at	100	g/l	at	20	°C
----	----	------	----	----	-----	-----	----	----	----

e) Melting Melting point/range: 318 °C

point/freezing point

Initial boiling point 1,390 °C at 1,013 hPa f) and boiling range

Flash point Not applicable g) h) Evaporation rate No data available

i) Flammability (solid, The product is not flammable.

gas)

Upper/lower No data available j) flammability or

< 24 hPa at 20 °C k) Vapor pressure 1.38 - (Air = 1.0)Vapor density I)

2.13 g/cm3 at 20 °C m) Density Relative density No data available 1,090 g/l at 20 °C n) Water solubility

o) Partition coefficient: Not applicable for inorganic substances

n-octanol/water

explosive limits

p) Autoignition No data available temperature

No data available q) Decomposition temperature

Viscosity Viscosity, kinematic: No data available r) Viscosity, dynamic: No data available

s) Explosive properties No data available

Oxidizing properties none

9.2 Other safety information

Relative vapor 1.38 - (Air = 1.0)density

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

Violent reactions possible with:

Acetone Chlorine Ethylene oxide

Fluorine

the US and Canada

SIGALD-S8045 The life science business of Merck operates as MilliporeSigma in Page 6 of 11

Hydrogen halides

Hydrazine hydrate

hydroxylamine

Acid anhydrides

Acrolein

Acid chlorides

Acids

sulfuric acid

Chloroform

Water

hydrogen peroxide

anhydrides

phosphides

halogen-halogen compounds

trichloroethene

can decompose violently in contact with:

Organic Substances

hydrogen sulphide

Risk of ignition or formation of inflammable gases or vapours with:

powdered aluminium

Ammonium salts

persulfates

Sodium borohydride

phosphorus

Oxides of phosphorus

Halogenated hydrocarbon

Light metals

Metals

Risk of explosion/exothermic reaction with:

Bromine

Calcium

in powder form

furfuryl alcohol

Nitromethane

Peroxides

organic nitro compounds

Nitriles

Acrylic monomers

Chloroform

with

Acetone

Nitrobenzene

with

Methanol

Nitrobenzene

with

salts

magnesium

Zinc

and

SIGALD-S8045

(in the presence of atmospheric oxygen and/or moisture)

10.4 Conditions to avoid

no information available

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 7 of 11

10.5 Incompatible materials

Aluminum, brass, Metals, metal alloys, Zinc, Tin

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Oral: No data available

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of

perforation of the esophagus and the stomach.

Symptoms: burns of mucous membranes, Cough, Shortness of breath, Possible damages:,

damage of respiratory tract Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Causes burns.

Remarks: (Regulation (EC) No 1272/2008, Annex VI)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye damage.

(OECD Test Guideline 405)

Remarks: (Regulation (EC) No 1272/2008, Annex VI)

Causes serious eye damage.

Respiratory or skin sensitization

Patch test: - In vitro study

Result: negative Remarks: (ECHA)

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

RTECS: WB4900000

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SIGALD- S8045 Page 8 of 11

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish LC50 - Gambusia affinis (Mosquito fish) - 125 mg/l - 96 h

Remarks: (ECOTOX Database)

Toxicity to daphnia

and other aquatic invertebrates

EC50 - Ceriodaphnia (water flea) - 40.4 mg/l - 48 h

Remarks: (ECHA)

Toxicity to bacteria EC50 - Photobacterium phosphoreum - 22 mg/l - 15 min

Remarks: (External MSDS)

12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted.

Neutralisation possible in waste water treatment plants.

Discharge into the environment must be avoided.

SECTION 13: Disposal information

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions. According to Quality Environment Regulation (Scheduled Waste) 2005, waste need to be sent to designated premise for recycle, treatment or disposal. Please contact Kualiti Alam for waste classification and correct disposal method.

Merck

SECTION 14: Transportation information

14.1 UN number

ADR/RID: 1823 IMDG: 1823 IATA-DGR: 1823

14.2 UN proper shipping name

ADR/RID: SODIUM HYDROXIDE, SOLID IMDG: SODIUM HYDROXIDE, SOLID IATA-DGR: Sodium hydroxide, solid

14.3 Transport hazard class(es)

ADR/RID: 8 IMDG: 8 IATA-DGR: 8

14.4 Packaging group

ADR/RID: II IMDG: II IATA-DGR: II

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA-DGR: no

14.6 Special precautions for user

None

14.7 Incompatible materials

Aluminum, brass, Metals, metal alloys, Zinc, Tin

Other regulations

Hazchem Code : 2W

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Notification status

All components of this product are on the Canadian DSL

ENCS:

On the inventory, or in compliance with the inventory

ISHL:

On the inventory, or in compliance with the inventory

KECI:

On the inventory, or in compliance with the inventory

NZIOC:

On the inventory, or in compliance with the inventory

PICCS:

On the inventory, or in compliance with the inventory

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of

MERCK

the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

SIGALD- S8045 Page 11 of 11

