

SAFETY DATA SHEET

Version 6.1 Revision Date 17.01.2020 Print Date 11.04.2022

SECTION 1: Identification of the hazardous chemical and of the supplier

1.1 Product identifiers

Product name : Butyl acetate

Product Number : 287725

Brand : Sigma-Aldrich CAS-No. : 123-86-4

1.2 Other means of identification

No data available

1.3 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : For R&D use only. Not for pharmaceutical, household or other

uses.

1.4 Details of the supplier of the safety data sheet

Company : SIGMA-ALDRICH (M) SDN BHD

Level 3, Menara Sunway Annexe, Jalan Lagoon Timur, Bandar Sunway, 46150 PETALING JAYA, SELANGOR

MALAYSIA

Telephone : +60 (603)03-563-53321Fax : +60 (603)03-563-54116

1.5 Emergency telephone number

Emergency Phone # : 1-800-815-308 (CHEMTREC) * + 62 0800

140 1253 (Customer Call Centre)

Section 2: Hazard identification

2.1 GHS Classification

Classification according to CLASS regulations 2013

Flammable liquids (Category 3), H226

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Labelling according to CLASS regulations 2013

Pictogram

Signal word Warning

Hazard statement(s)

H226 Flammable liquid and vapour. H336 May cause drowsiness or dizziness.

Merck

Precautionary statement(s)

Prevention

P210 Keep away from heat/sparks/open flames/hot surfaces. No

smoking.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

Response

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all

contaminated clothing. Rinse skin with water/ shower.

P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing. Call a POISON CENTER or

doctor/ physician if you feel unwell.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant

foam for extinction.

Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

2.3 Other hazards

Repeated exposure may cause skin dryness or cracking.

SECTION 3: Composition and information of the ingredients of the hazardous chemical

Substance / Mixture : Substance

3.1 Substances

Formula : $C_6H_{12}O_2$ Molecular weight : 116.16 g/mol CAS-No. : 123-86-4 EC-No. : 204-658-1 Index-No. : 607-025-00-1

Hazardous components

Component	Classification	Concentration		
n-Butyl acetate				
-	Flam. Liq. 3; STOT SE 3;	<= 100 %		
	H226, H336			

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.



If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Dry powder Dry sand

Unsuitable extinguishing media

Do NOT use water jet.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.



7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls and personal protection

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
n-Butyl acetate	123-86-4	TWA	150 ppm 713 mg/m3	Malaysia. Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm Break through time: 30 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail

sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.



Body Protection

Impervious clothing, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Form: liquid a) Appearance

Colour: colourless, clear

b) Odour fruity

c) Odour Threshold No data available

d) pH 6.2 at 5.3 g/l at 20 °C

e) Melting Melting point/range: -78 °C - lit.

point/freezing point

Initial boiling point 124 - 126 °C - lit. and boiling range

27 °C - closed cup - Regulation (EC) No. 440/2008, Annex, A.9 g) Flash point

No data available h) Evaporation rate No data available

Flammability (solid, gas)

Upper/lower Upper explosion limit: 7.6 %(V) j) Lower explosion limit: 1.7 %(V) flammability or

explosive limits

11.2 hPa at 20 °C - Regulation (EC) No. 440/2008, Annex, A.4 k) Vapour pressure

4.01 - (Air = 1.0)Vapour density

m) Relative density 0.88 g/cm3 at 25 °C - lit.

n) Water solubility 5.3 g/l at 20 °C - OECD Test Guideline 105 - soluble

log Pow: 2.3 at 25 °C - OECD Test Guideline 117 o) Partition coefficient:

n-octanol/water Bioaccumulation is not expected.

415 °C p) Auto-ignition

> temperature at 1,010 hPa - DIN 51794

No data available Decomposition

temperature

MGBCK

the US and Canada

r) Viscosity 0.83 mm2/s at 20 °C - ASTM D 445 - 0.66 mm2/s at 40 °C -

ASTM D 445 -

s) Explosive properties No data availablet) Oxidizing properties No data available

9.2 Other safety information

Conductivity $< 0.2 \mu S/cm$

Surface tension 61.3 mN/m at 1g/l at 20 °C

- OECD Test Guideline 115

Relative vapour

density

4.01 - (Air = 1.0)

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Strong oxidizing agents, Strong reducing agents, Strong bases

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - female - 10,760 mg/kg

(OECD Test Guideline 423)

LD50 Dermal - Rabbit - male and female - 14,112 mg/kg

(OECD Test Guideline 402)

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404)

Drying-out effect resulting in rough and chapped skin.

Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation (OECD Test Guideline 405)

Respiratory or skin sensitisation

No data available

Sigma-Aldrich- 287725



Germ cell mutagenicity

Ames test

Escherichia coli/Salmonella typhimurium

Result: negative

OECD Test Guideline 474

Mouse - male and female - Red blood cells (erythrocytes)

Result: negative

Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness. - Central nervous system

Acute oral toxicity - Risk of aspiration upon vomiting., Aspiration may cause pulmonary oedema and pneumonitis.

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 13 Weeks - No observed adverse effect level - 125 mg/kg - Lowest observed adverse effect level - 500 mg/kg RTECS: AF7350000

Drowsiness

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After absorption of large quantities:

somnolence, Drowsiness, narcosis

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead minnow) - 18

mq/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia and other aquatic

invertebrates .

static test EC50 - Daphnia magna (Water flea) - 44 mg/l - 48 h

(OECD Test Guideline 202)

Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata (green algae) -

397 mg/l - 72 h

(OECD Test Guideline 201)

Remarks: (in analogy to similar products)



Toxicity to bacteria static test IC50 - Tetrahymena pyriformis - 356 mg/l - 40 h

Remarks: (ECHA)

12.2 Persistence and degradability

aerobic - Exposure time 28 d Biodegradability

Result: 83 % - Readily biodegradable.

(OECD Test Guideline 301D)

Theoretical oxygen 2,207 mg/g demand Remarks: (Lit.)

7 - 46 % Ratio BOD/ThBOD

Remarks: (Lit.)

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

Harmful to aquatic life.

Discharge into the environment must be avoided.

SECTION 13: Disposal information

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transportation information

14.1 UN number

ADR/RID: 1123 IMDG: 1123 IATA-DGR: 1123

14.2 UN proper shipping name

ADR/RID: **BUTYL ACETATES** IMDG: **BUTYL ACETATES** IATA-DGR: Butvl acetates

14.3 Transport hazard class(es)

ADR/RID: 3 IMDG: 3 IATA-DGR: 3

14.4 Packaging group

ADR/RID: III IMDG: III IATA-DGR: III

14.5 Environmental hazards

IATA-DGR: no ADR/RID: no IMDG Marine pollutant: no

14.6 Special precautions for user

None

Sigma-Aldrich- 287725



14.7 Incompatible materials

Strong oxidizing agents, Strong reducing agents, Strong bases

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Notification status

AICS:
On the inventory, or in compliance with the inventory

DSL:
All components of this product are on the Canadian DSL

ENCS:
On the inventory, or in compliance with the inventory

ISHL:
On the inventory, or in compliance with the inventory

KECI:
On the inventory, or in compliance with the inventory

NZIOC:
On the inventory, or in compliance with the inventory

PICCS:
On the inventory, or in compliance with the inventory

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H226 Flammable liquid and vapour. H336 May cause drowsiness or dizziness.

Further information

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

