Output Images:





Cucumber

File C:/Users/HP/Downloads/Automation%20frame_wroks%20(1)/Automation%20frame_wroks/target/cucumber-report.html#fbecab55-f475-4946-9a44-744a3143ef2b

When I update the stored pet status to "sold"
Then the response status should be 200
When I GET pets findByStatus "sold"
Then the response status should be 200
And the stored pet id appears in the returned pet list

Examples:

baseName	categoryName
ConsistencyPet	HighValue-Bulldog

classpath:features/inventory_analysis.feature

@store

Feature: Inventory analysis

Compare aggregate inventory counts with findByStatus results (assignment test case 2).

Scenario: Available count from inventory matches findByStatus list size

When I GET store inventory
Then the response status should be 200
When I GET pets findByStatus "available"
Then the response status should be 200
And the findByStatus list size matches store inventory for status "available"

classpath:features/pet_lifecycle.feature

classpath:features/user_negative.feature

Cucumber

File C:/Users/HP/Downloads/Automation%20frame_wroks%20(1)/Automation%20frame_wroks/target/cucumber-report.html#fbecab55-f475-4946-9a44-744a3143ef2b

Examples:

baseName	categoryId
LifecyclePet	1
LifecycleDog	2

classpath:features/user_negative.feature

@user

Feature: User security and error handling

Negative paths for user endpoints (assignment test case 3).

Scenario Outline: Invalid email, missing user, and bad login

Given a user payload with username "<username>" email "<email>" password "<password>"
When I create the user via POST
Then the response status should be allowed for user create
When I GET user "nonExistentUser123"
Then the response status should be 404
And the response body should contain "User not found" ignoring case
When I login with username "wrongUser" and password "wrongPass"
Then the login must not issue a valid session token

Examples:

username	email	password
neg_user_1	invalid_email	secret1

Cucumber

File C:/Users/HP/Downloads/Automation%20frame_wroks%20(1)/Automation%20frame_wroks/target/cucumber-report.html

Chat

classpath:features/cross_endpoint_consistency.feature

@cross

Feature: Cross-endpoint data consistency

Pet created with a specific category should appear under findByStatus after status change (assignment test case 4).

Scenario Outline: Pet with category appears in sold list after PUT

- **Given** a new pet is prepared with base name "<baseName>" category name "<categoryName>" and status "available"
- **When** I create the pet via POST
- **Then** the response status should be 200
- **And** I store the pet id from the response
- **When** I update the stored pet status to "sold"
- **Then** the response status should be 200
- **When** I GET pets findByStatus "sold"
- **Then** the response status should be 200
- **And** the stored pet id appears in the returned pet list

Examples:

baseName	categoryName
ConsistencyPet	HighValue-Bulldog

classpath:features/inventory_analysis.feature

classpath:features/pet_lifecycle.feature

classpath:features/user_negative.feature