

bayamJS1.1

by Wawan Sismadi

Submission date: 11-Aug-2023 12:53PM (UTC-0700)

Submission ID: 2138397665

File name: bayam.js (33.5K)

Word count: 3062

Character count: 29687

```

isLog=1;

var log=function({});

if (isLog) log=console.log.bind(window.console)

var b={};

var bayam=function(x='sismadi'){

data=[

{id:1,nama:"satu",isi:25,icon:"bayam",url:"mod.js?mod/load"},

{id:2,nama:"dua",isi:75,icon:"person",url:"mod.js?mod/load"}],

b[x]={

load:{

versi:'1.0',

api:'database.php',

data:[],

isDebug:1,

isLang:0,

isDb:1,

isDbs:1,

isStr:1,

37 ce:function(id) { return document.createElement(id);},

19 gebi:function(id) { return document.getElementById(id);},

gebc:function(id) { return document.getElementsByClassName(id);},

gebn:function(id) { return document.getElementsByName(id);},

```

```

close:function(id){ var z=this.gebi(id); z.className=z.className.replace('show',
'hide');},

open:function(id) { var z=this.gebi(id); z.className=z.className.replace('hide',
'show');},

info:function(msg){
this.gebi('bawah').innerHTML=msg;

setTimeout(function(){ this.close('bawah'); }, 3000);

},

modal:function(id) {
out=`<div class="modal">
<button class="right" onclick="b.${x}.load.close('modal')">X</button>
<h2>${x}</h2><div class="row">${id}</div></div>`;

this.gebi('modal').innerHTML=out;

this.open('modal')

},

```

```

color:function(step){
var pColor = getComputedStyle(document.body);

ph=pColor.getPropertyValue('--pColor-h');
ps=pColor.getPropertyValue('--pColor-s');
pl=pColor.getPropertyValue('--pColor-l');

arrColor = [];

var pl=parseInt(pl);

```

```

var pl=parseInt(pl+15);

per=parseInt(30 / step);

for(var i = 0; i < step; i++){ hsl=`hsl(${ph},${ps},${pl}%)`;

pl=pl-per;

arrColor.push(hsl);

}

return arrColor;

},

```

```

getURL:function(x){
22 var url=new URL(window.location.href);

return url.searchParams.get(x);

},

```

```

model:function(data,callback){

// file=this.api;

apiKey='bismillah';

// file=b[x].load.api;

file=setting.load.api;

4 var req=new XMLHttpRequest();

req.open("POST", file, true);

req.setRequestHeader("Content-type", "application/x-www-form-urlencoded");

req.setRequestHeader('Authorization', `Bearer ${apiKey}`);

```

```
req.onreadystatechange=function() {  
if(req.readyState==4 && req.status==200) { callback(req.responseText);  
}}
```

```
req.responseType="text";  
32 req.onprogress=function(e) { if (e.lengthComputable) {  
}};  
req.onloadstart=function(e) {};  
req.onloadend=function(e) {};  
req.send(JSON.stringify(data));  
},
```

```
1 script:function(file, callback) {  
var count=file.length;  
function urlCallback(url) {  
return function () { --count; if (count < 1) { callback(); }  
};  
}
```

```
for (var url of file) {  
21 var s=b[x].load.ce('script');  
s.setAttribute('src', url);
```

```
s.onload=urlCallback(url);  
document.head.appendChild(s);  
}  
},
```

```
controller:function(sc){  
log(sc)  
var p=sc.split('?'),  
m=p[1].split('/'),  
m0=m[0],  
m1=m[1],  
c="+p[0];  
log(sc)  
log(m)
```

```
this.script([c], function() {  
if(m[2]){ m2=m[2];  
b[m0].app.js[m2]();  
log(m0)  
log(m2)  
}  
else{  
log(m0)
```

```
log(m1)
b[m0].app.js[m1]();
}
});
},

}, // end load

button:{
json:{id:'button',item:0,akses:'c,r,u,d',mode:'edit',
data:[
{name:"Create",url:"alert('Create')"},
{name:"Update",url:"alert('Update')"},
{name:"Delete",url:"alert('Delete')"},
],
},
html:function(){
var {id,data,item,akses}=b[x].button.json;
// log(akses)
data=b[x].button.js.akses();

out=`<div class="btns">`;
for (key in data) {node=data[key];
```

```

out+=`<button id="${node.nama}" onclick="${node.url}">${node.nama}</button>`;

}

out+=`</div>`;

return out;

},

js:{

    akses:function(){
        var {id,data,akses,mode,item}=b[x].button.json;

        btn=[];

        if(akses.includes('c')){ btn.splice(0, 0, {nama:"Create",url:"tambah('"+x+"')",class:"add"

        });}

        if(mode==='edit'){

            if(akses.includes('u')){ btn.splice(1, 0, {nama:"Update",url: "ubah('"+x+"')",class:"edit"

            });}

            if(akses.includes('d')){ btn.splice(2, 0, {nama:"Delete",url:

            "hapus('"+x+"')",class:"delete"});}

        }

        tambah=function(x){b[x].button.js.create(item)};

        ubah=function(x){b[x].button.js.update(item)};

        hapus=function(x){b[x].button.js.delete(item)};

```



```
// b[x].button.json.data=btn;
```

```
return btn;
```

```
log(btn)
```

```
},
```

```
view:function(){
```

```
var {id,data,akses,mode}=b[x].button.json;
```

```
b[x].load.gebi(id).innerHTML=b[x].button.html();
```

```
},
```

```
add:function(id){ log('button.add');
```

```
out='<i class="noprint btn-float bi-plus " onclick="add()"></i>';
```

```
b[x].load.gebi(x+'-float').innerHTML=out;
```

```
},
```

```
model:function(param){
```

```
log(param)
```

```
b[x].load.model(param,callback);
```

```
function callback(json){ res = JSON.parse(json);
```

```
log(res)
```

```
b[x].app.js.view();
```

```
b[x].load.close('modal');
```

```
}
```

```
},
```

```
create:function(i=0){ log(i);
```

```
frm=b[x].form.js.el(x+'-form');
```

```
// b[x].datatable.json.data.push(frm);
```

```
// b[x].datatable.js.view();
```

```
// b[x].load.close('modal');
```

```
delete frm['id'];
```

```
path=b[x].datatable.json.param.path;
```

```
param={path:path,mod:'create', data:frm};
```

```
this.model(param);
```

```
}, // end create
```

```
read:function(i=0){ log(i);
```

```
b[x].button.json.item=i;
```

```
b[x].input.json.item=i;
```

```
b[x].form.js.view(i);
```

```
// frm=b[x].form.js.view(i);
```

```
// b[x].load.modal(frm);
```

```
},
```

```
update:function(i=0){ log(i);  
frm=b[x].form.js.el(x+'-form');  
b[x].datatable.json.data.splice(i, 1, frm);  
// b[x].datatable.js.model();  
// b[x].load.close('modal');  
  
id=frm['id'];  
path=b[x].datatable.json.param.path;  
param={path:path,mod:"update",id:id, data:frm};  
this.model(param);
```

```
},
```

```
delete:function(i=0){ log(i);  
frm=b[x].form.js.el(x+'-form');  
b[x].datatable.json.data.splice(i,1);  
// b[x].datatable.js.model();  
// b[x].load.close('modal');  
  
id=frm['id'];  
path=b[x].datatable.json.param.path;
```

```
param={path:path,mod:"delete",id:id};
```

```
this.model(param);
```

```
},
```

```
deletes:function(x){
```

```
var {data}=b[x].datatable.json;
```

```
var c=b[x].load.gebn('chk'+x);
```

```
var data1=[];
```

```
18 for (var i=0;i<c.length;i++) c[i].checked? data1[data1.length]=c[i].value:null;
```

```
log(data1);
```

```
var nid=[];
```

```
10 for (var i=data1.length -1; i >=0; i--) {
```

```
nid[i]=data[data1[i]].id;
```

```
data.splice(data1[i],1);
```

```
}
```

```
ids=nid.join(",");
```

```
log(ids)
```

```
b[x].datatable.json.data=data;
```

```
b[x].datatable.js.view();
```

```
if(bayam.isDb==1){  
  data={path:'model.php',mod:"delete",id:ids,};  
  b[x].load.model(this.api.host,data,callback);  
  function callback(json){ res = JSON.parse(json);  
  b[x].datatable.model();  
  b[x].load.close('modal');  
  }  
  }  
  
  },  
  
  },  
  }, // end button
```

```
datatable:{  
  json:{id:'datatable',page:1,rpp:1,fld:['id','nama','isi','icon','url'],  
  data:data,param:{path:'model.php',mod:'table'},  
  },
```

```
html:function(){
```

```
var {id,data}=b[x].datatable.json;
```

```
b[x].search.json=b[x].datatable.json;
```

```
b[x].search.json.id=x+'-search';
```

```
// b[x].search.html();
```

```
b[x].table.json=b[x].datatable.json;
```

```
b[x].table.json.id=x+'-table';
```

```
// b[x].table.html();
```

```
b[x].paging.json=b[x].datatable.json;
```

```
b[x].paging.json.id=x+'-paging';
```

```
// b[x].paging.html();
```

```
b[x].input.json.data=b[x].datatable.json.data;
```

```
b[x].upload.json.param=b[x].datatable.json.param;
```

```
b[x].paging.js.callback=function(res){
```

```
b[x].datatable.json.id=x+'-datatable';
```

```
b[x].datatable.json.page=res;
```

```
b[x].datatable.js.view();
```

```
};
```

```
b[x].search.js.callback=function(res){  
  // b[x].datatable.json.id="datatable";
```

```
  log(res)
```

```
  log(id)
```

```
  b[x].table.json.data=res;
```

```
  b[x].table.json.id=id+'-table';
```

```
  b[x].table.js();
```

```
  // b[x].datatable.json.data=res;
```

```
  // b[x].datatable.js.view();
```

```
};
```

```
out=`
```

```
<div class="row">
```

```
<div id="{x}-search">${b[x].search.html()}</div>
```

```
<div id="{x}-table"> ${b[x].table.html()}</div>
```

```
<div id="{x}-paging">${b[x].paging.html()}</div>
```

```
<div id="{x}-float">a</div>
```

```
</div>
```

```
`;
```

```
return out;
```

```
},
```

```
js:{
```

```
model:function(){
```

```
param=b[x].datatable.json.param;
```

```
b[x].load.model(param,callback);
```

```
function callback(json){ res = JSON.parse(json);
```

```
log(res)
```

```
b[x].datatable.json.fld=res.fld;
```

```
b[x].datatable.json.data=res.data;
```

```
b[x].input.json.data=res.data;
```

```
b[x].datatable.js.view();
```

```
}
```

```
},
```

```
view:function(){
```

```
var {id,data}=b[x].datatable.json;
```

```
log(id)
```

```
b[x].load.gebi(id).innerHTML=b[x].datatable.html();
```

```
// b[x].search.json.id=`${id}-search`;
```



```
// b[x].table.json.id=`${id}-table`;
// b[x].paging.json.id=`${id}-paging`;

// b[x].paging.js.callback=function(res){
//   log(res);
//   b[x].datatable.js.view(res);
// };

// b[x].load.gebi(id).innerHTML=b[x].datatable.html();

// b[x].search.js.callback=function(res){
//   b[x].datatable.json.page=1;
//   b[x].table.json.data=res;
//   b[x].table.json.id=x+'-table';
//   b[x].table.js();
// };
//
// b[x].search.json=b[x].datatable.json;
// b[x].search.json.id=x+'-search';
// b[x].search.js.view();
//
```

```
// b[x].table.json=b[x].datatable.json;
// b[x].table.json.id=x+'-table';
// b[x].table.js.view();
//
// b[x].paging.json=b[x].datatable.json;
// b[x].paging.json.id=x+'-paging';
// b[x].paging.js.view();
//

// b[x].paging.js.callback=function(res){
// b[x].datatable.json.page=b[x].paging.json.page;
// b[x].datatable.js.view();
// };

// b[x].paging.json=b[x].datatable.json;
// b[x].paging.json.id=id+'-paging';

//
},
},
}, // end datatable
```

```

form:{
  json:{id:'form',data:data,},
  html:function(){
    var {data}=b[x].form.json;

    out=`<form id="$${x}-form" class="row">${b[x].input.html()}</form>
    <div id="$${x}-formbutton" class="row" >${b[x].button.html()}</div>`;

    return out;
  },
  js:{
    el:function(id){
      frm=b[x].load.gebi(id);

      obj={};
      16 for ( var i=0; i < frm.elements.length; i++ ) { e=frm.elements[i];
      obj[e['name']]=e['value'];
    }
    return obj;
  }, // end el

  view:function(){
    var {id}=b[x].form.json;

    // log(out)

```

```
// b[x].load.gebi('content').innerHTML=b[x].form.html();
```

```
out=b[x].form.html();
```

```
b[x].load.modal(out);
```

```
// log(out)
```

```
// b[x].load.modal(out);
```

```
//
```

```
// b[x].input.id=`${x}-form`;
```

```
// b[x].input.data=data[i];
```

```
// b[x].input.view();
```

```
//
```

```
// b[x].button.id=`${x}-formbutton`;
```

```
// b[x].button.view('edit');
```

```
// this.callback();
```

```
},
```

```
},
```

```
}, // end form
```

```
input:{
```

```
  json:{id:'input',item:0,data:data,
```

```

input:[
  {id:"status",nama:"option",arr:['0','1']},
  {id:"nama",nama:"textarea"},
  {id:"icon",nama:"file"},
  {id:"url",nama:"datalist",arr:['satu','dua']},
  // {id:"isi",nama:"date",min:"2020-01-01",max:"202701-01"},
  // {id:"icon",nama:"checkbox"},
],
html:function(){
  var {id,data,input,item}=b[x].input.json;
  // data=data[item];
  log(data)

```

```

function tipe(id, val) {
  const nod = input.find(items => items.id === id);
  if (nod && nod.nama === "textarea") {
    return `<textarea id="${id}">${val}</textarea>`;
  }

  else if (nod && nod.nama === "datalist") {
    let out = `<input type="text" name="${id}" id="${id}" value="${val}" list="l-${id}">
    <datalist id=l-${id}>`;
    log(nod.arr)

```

```

for (let i in nod.arr) {
  out +=`<option value="${nod.arr[i]}">`; }
  out +=`</datalist>`;
  return out;
}

```

```

else if (nod && nod.nama === "checkbox") {
  var vc=val.split(',');
  let out = `<input type="text" name="${id}" id="${id}" value="${val}" >`;
  for (let i in vc) {
    out +=`
    <input type="checkbox" id="chk${id+i}" name="chk[]" value="${vc[i]}"
    onclick=getVal("${id}") >
    <label for="chk${id+i}">${vc[i]}</label>
    `;
  }
  out +=`</datalist>`;
  return out;
}

```

```

else if (nod && nod.nama === "date") {
  return `<input type="date" id="${id}" name="${id}" value="${val}" min="${nod.min}"
  max="${nod.max}">`;
}

```

```
}
```

```
else if (nod && nod.nama === "file") {
```

```
return `<input type="file" value="${val}" name="${id}" "
```

```
onchange="b.${x}.input.js.my(this,'${id}');">
```

```
<img id="img" src="" />
```

```
25<input type="text" id="${id}" name="${id}" value="${val}">
```

```
<div id="file${id}"></div>`;
```

```
}
```

```
else if (nod && nod.nama === "option") {
```

```
let out = `<select id="${id}" name="${id}" >`;
```

```
for (let i in nod.arr) {
```

```
out += `<option value="${nod.arr[i]}">${nod.arr[i]}</option>`;
```

```
}
```

```
out += `</select>`;
```

```
return out;
```

```
} else {
```

```
24return `<input type="text" id="${id}" name="${id}" value="${val}">`;
```

```
}
```

```
};
```

```
out='';
```

```

// for (i in data) { node=data[i]
node=data[item]
out+=`<div class="row" >`;

for (key in node) {
out+=`<div class="col-1-2" >
<div id="f-${key}" style="margin:5px">
<label for="${key}" id="la-${key}">${key}</label>
<div id="el-${key}" >
${tipe(key,node[key])}
</div>
</div>
</div>`;
}

out+=`</div>`;
// }
return out;
},
js:{
view:function(){
var {id}=b[x].input.json;
b[x].load.gebi(id).innerHTML=b[x].input.html();

```



```

},
my:function(input,id){
let file = input.files[0];
const da = new FileReader();
da.addEventListener("load", function(evt) {
document.querySelector("#img").src = evt.target.result;
document.querySelector("#"+id).value = evt.target.result;
// document.querySelector("#txt").href = evt.target.result;
// <a id="txt" download="PDF Title" href="pdfData">Download PDF document</a>

});
da.readAsDataURL(input.files[0]);
log('biar')
}},

```

```

}, // end input

```

```

menu:{
id:'menu',
use:'b[x].menu.view()',
data:[

```

```

{nama:"Dashboard",isi:"1",icon:"house",url:"mod.app.dashboard()"},
{nama:"Task",isi:'2',icon:"plus",url:"mod.app.task()"},
{nama:"Profile",isi:'3',icon:"person",url:"mod.app.profile()"},],//menu
view:function(){
var {id,data}=this;
out=`<div class="sidebarx">`;
for(key in data){
out+=`<a href="#" onClick="b.${x}.load.controller('${data[key].url}')">
${b[x].svg.js.icon(data[key].icon)} ${data[key].nama}</a>`;
}
// bayam.loadController(bayam.afterlogin);

out+=`</div>`;
b[x].load.gebi(id).innerHTML=out;
},
}, // end menu

paging:{
json:{id:'paging',page:1,rpp:1,data:data},
html:function(){
var {id,data,page,rpp}=b[x].paging.json;

al=data.length;

```

```
np=Math.ceil(al / rpp);
```

```
sh1=sh2="show";
```

```
if (page < 1) page=1;
```

```
if (page > np) page=np;
```

```
if (page==1) sh1="hide";
```

```
if (page==np) sh2="hide";
```

```
if (al==0) sh1=sh2="hide";
```

```
out=`<div class="pagination">
```

```
<button id="${id}-p" class="btn ${sh1}" onClick="b.${x}.paging.js.btn(-  
1);">Prev</button>
```

```
<button id="${id}-n" class="btn ${sh2}"  
onClick="b.${x}.paging.js.btn(1);">Next</button>
```

```
<span id="${id}-s">Page:${page}/${np} Items:${al}</span>
```

```
</div>
```

```
`;
```

```
return out;
```

```
},
```

```
js:{
```

```
callback:function(res){},
```

```
btn:function(btn){  
  var {id,page,data,rpp}=b[x].paging.json;  
  page=parseInt(page+btn);  
  log(id)  
  log(x)  
  
  al=data.length;  
  np=Math.ceil(al / rpp);  
  
  b[x].load.open(id+'-n'); b[x].load.open(id+'-p');  
  
  if (page < 1) page=1;  
  if (page > np) page=np;  
  if (page==1) {b[x].load.close(id+'-p'); b[x].load.open(id+'-n');}  
  if (page==np) {b[x].load.close(id+'-n'); b[x].load.open(id+'-p');}  
  if (al==0) {b[x].load.close(id+'-n'); b[x].load.close(id+'-p');}  
  
  b[x].load.gebi(id+'-s').innerHTML=`Page:${page}/${np}`;  
  
  b[x].paging.json.page=page;
```

```
b[x].paging.js.callback(page);
```

```
},
```

```
view:function(){
```

```
var {id,page,data,rpp}=b[x].paging.json;
```

```
b[x].load.gebi(id).innerHTML=b[x].paging.html();
```

```
},
```

```
},
```

```
}, // end paging
```

```
card:{
```

```
json:{id:'card',data:data},
```

```
html:function(){
```

```
var {data}=b[x].card.json;
```

```
step=data.length;
```

```
color=b[x].load.color(step);
```

```
if(step<1) color[0]='red';
```

```

out='`';

for(i in data){ var {nama,isi,icon,url}=data[i];

var nama=nama.toLowerCase();

// icon=`${icon}`;

out+=`<div class="col-1-4 card"> <div class="stats conta"
style="background:${color[i]}" onclick="${url}">

<i>${b[x].svg.js.icon(icon)} </i>

<div class="main number">${isi}</div>

<div class="mainsub info">${nama}</div>

<div class="overlay">

<div class="icon">

<i onclick="b.${x}.load.controller('controller/master/${nama}.js?${nama}/task')">

${b[x].svg.js.icon('plus')}</i>

</div>

<div class="icon">

<i

onclick="b.${x}.load.controller('controller/master/${nama}.js?${nama}/view')">${b[x].svg
.js.icon('menu')}</i></div>

</div>

</div>

</div>`;

}

return out;

```

```

},
js:function(){
var {id}=b[x].card.json;
log(id)
b[x].load.gebi(id).innerHTML=b[x].card.html();
},
}, // end card

```

```

pie:{
json:{id:'pie',data:data},//pie
html:function(){
var {data}=b[x].pie.json;
step=data.length;
color=b[x].load.color(step);
sdo=25;
out=`
<svg class="pie img" width="100" height="100%" viewBox="0 0 42 42">
<circle class="pie-hole" cx="21" cy="21" r="15.91549430918954" fill="#fff"></circle>`;
for(i in data){ val=data[i].isi;
val1=parseInt(100-val);
out+=`
<circle id="" cx="21" cy="21" r="15.91549430918954"
fill="transparent"

```

```
stroke="${color[i]}"
```

```
stroke-width="3"
```

```
stroke-dasharray="${val} ${val1}"
```

```
stroke-dashoffset="${sdo}">
```

```
</circle>`;
```

```
sdo+=parseInt(-val);
```

```
}
```

```
out+=`7<g class="chart-text">
```

```
<text x="50%" y="50%" class="chart-number" id="totalValue">100%7</text>
```

```
<text x="50%" y="50%" class="chart-label">Total</text></g>
```

```
</svg>
```

```
`;
```

```
return out;
```

```
},
```

```
js:function(){
```

```
var {id}=b[x].pie.json;
```

```
b[x].load.gebi(id).innerHTML=b[x].pie.html();
```

```
},
```

```
}, // end pie
```

```
progress:{
```

```
json:{id:'progress',data:data}, //progress
```



```

html:function(){
var {data}=b[x].progress.json;

let step=data.length;

color=b[x].load.color(step);

out='';

// out+=`<div class="progress-section" data-aos="fade-left" data-aos-
once="true"><div>`;

for(i in data){ val=data[i].isi;nama=data[i].nama;
out+=`13<div class="progress-bar-linear">
<p class="progress-bar-text">${nama}
<sup>13<span class="float_right">${val}% </span>
</p>
<div class="progress-bar">
<span data-percent="80" style="background:${color[i]}; width:${val}%;"></span>
</div>
</div>`;
}

// out+=`</div></div>`;

return out;
},

js:function(){
var {id}=b[x].progress.json;

b[x].load.gebi(id).innerHTML=b[x].progress.html();

```

```
},
```

```
}, // end progress
```

```
search:{
```

```
  json:{id:'search',data:data},
```

```
  html:function(){
```

```
    var {id,data}=b[x].search.json;
```

```
    tool=`<div id="${id}-tool" class="tool" />${b[x].tool.html()}</div>`;
```

```
    txt=`<input id="${id}-txt" type="text" onkeyup="b.${x}.search.js.cari()"
```

```
    placeholder="Search..." />`;
```

```
    data=[{nama:'Tools',isi:tool,icon:'pen'},
```

```
    {nama:'Search',isi:txt, icon:'search'},
```

```
  ];
```

```
  b[x].tabs.json.data=data;
```

```
  b[x].tabs.json.id=`${x}`;
```

```
  out=b[x].tabs.html();
```

```
  return out;
```

```
},
```

```
js:{
```

```
callback:function(res){
```

```
log(res)
```

```
},
```

```
cari:function(){
```

```
var {id,data}=b[x].search.json;
```

```
mod.icons.js();
```

```
log(x)
```

```
log(id)
```

```
var y=b[x].load.gebi(id+'-txt').value;
```

```
log(y)
```

```
log(data)
```

```
// var res=b[x].search.partsearch(a, y);
```

```
var res=partsearch(data, y);
```

```
b[x].search.js.callback(res);
```

```
log(x)
```

```
log(res)
```

```
function partsearch(a, y) {  
  return a.filter(function (item) {  
    return Object.values(item).map(function (value) {  
      return String(value).toLowerCase();  
    }).find(function (value) { var r=y.toLowerCase();  
      return value.includes(r);  
    });  
  });  
};  
  
},
```

```
view:function(){  
  var {id,data}=b[x].search.json;  
  b[x].load.gebi(id).innerHTML=b[x].search.html();  
  b[x].button.js.tool(x);  
  mod.icons.js();  
  
},  
}, // end js  
}, //end search
```

```

table:{
json:{id:'table',page:1,rpp:25,fld:['id','nama','isi','icon','url'],data:data},
html:function(){
var {id,page,rpp,fld,data}=b[x].table.json;
log(b[x].table.json)

var al=data.length;
var np=Math.ceil(al / rpp);
log(data)

out=`<div id ="mtable" class="table"> ${page}
<table><tr>
<th><input type="checkbox" aria-label="checkbox"></th>`;
for (i in fld){ out+=`<th>${fld[i]}</th>` }
out+=`</tr>`;
for (var i=(page-1) * rpp; i < (page * rpp) && i < al; i++) {
cols=data[i];
if (cols) { out+=`<tr><td><input name="chk${x}" aria-label="checkbox" type="checkbox"
value="${i}"></td>`;
for (key in cols) {
var str=cols[key];
// items=str.id;
if(this.isStr==1) { if(str.length>12){ str=str.substring(0, 12) + ' ...' } }

```

```
        out+="  |    }  
    out+="};  
out+="return out;  
},
```

```
js:function(){  
    var {id,page}=b[x].table.json;  
    log(id)  
    log(page)  
    na=b[x].table.html();  
    log(na)  
  
    log(id)  
    b[x].load.gebi(id).innerHTML=b[x].table.html();
```

```
    hide=['id'];  
    hidden=function(id) {  
        arr=hide;  
        if(arr.includes(id)) { return 'hide';}
```

```
};
```

```
},
```

```
}, // end table
```

```
tabs:{
```

```
  json:{id:'tabs',data:data},//card
```

```
  html:function(){
```

```
    var {id,data}=b[x].tabs.json;
```

```
    out='<div class="tabs">';
```

```
    for (i in data) { var {nama,isi,icon,url}=data[i];
```

```
    out+='<input type="radio" name="tabs-${id}" id="tabs-${id}${i}" checked="checked">
```

```
    <label for="tabs-${id}${i}"><i>${b[x].svg.js.icon(icon)}</i>${nama}</label>
```

```
    <div class="tab"><span class="row">${isi}</span><span id="tab-
```

```
    ${id}${i}"></span></div>`;
```

```
  }
```

```
  out+='</div>';
```

```
  return out;
```

```
},
```

```
js:function(){
```

```
  var {id}=b[x].tabs.json;
```

```
  log(id)
```

```
b[x].load.gebi(id).innerHTML=b[x].tabs.html();
```

```
},
```

```
}, //end tabs
```

```
steps:{
```

```
json:{id:'steps',page:1,data:data},//steps
```

```
html:function(){
```

```
var {page,data}=b[x].steps.json;
```

```
log(page)
```

```
out1='`';
```

```
out='<ul class="steps">';
```

```
for (i in data) { var {nama,isi,url}=data[i]; n=parseInt(i)+1;
```

```
y="";
```

```
if(i < page){ y="active";
```

```
log(i)
```

```
};
```

```
out+=' <li data-step ="${n}" class="step ${y}" onclick="b.${x}.steps.js.btn(${n})">
```

```
${y}</li>`;
```

```
out1+='<div id="stepC${n}" class="stepC row">${n}
```

```
<input type="text">
```

```
</div>`;
```

```
}
```

```
out+='</ul>`;
```



```

out=out+out1;

return out;

},

js:{

callback:function(res){

},

btn:function(res){

log(res)


b[x].steps.json.page=res;

n=parseInt(res)-1;


let z = b[x].load.gebc("step");
let z1 = b[x].load.gebc("stepC");


14
for(let i=0; i<z.length; i++) {

z[i].classList.remove('active');

z1[i].classList.remove('ada');

if(i < res){ z[i].classList.add('active');}

}

z1[n].classList.add('ada');

b[x].steps.js.callback(res);

```

```

    },
    view:function(){
    var {id,page}=b[x].steps.json;
    b[x].load.gebi(id).innerHTML=b[x].steps.html();
    },
    },
    }, //end step

    download:{
    json:{ id:'download',data:[
    { id:'csv',target:'table'},
    { id:'xls',target:'table'},],
    },
    html:function(){
    var {id,data}=b[x].download.json;
    out=`<div class="btns">`;
    for( i in data){ node=data[i];
    out+=`<button onClick="b.${x}.download.js.${node.id}();">${node.id}</button>`;
    }
    out+=`</div>`;
    return out;
    },

```

```

js:{
  callback:function(){},
  csv:function () {
    var {data}=b[x].datatable.json;

    var file, a;

    var csv=conv(data);
    8
    if (csv==null) return;

    file=x+'.csv';

    if (!csv.match(/^data:text\/csv/i)) {
      csv='data:text\/csv;charset=utf-8,' + csv;
    }

    data=encodeURIComponent(csv);

    a=b[x].load.ce('a');

    a.setAttribute('download', file);

    a.setAttribute('href', data);

    a.click();

    function conv(arr){
      2
      var array=typeof arr !=='object' ? JSON.parse(arr):arr;

      var str="";
      2
      var line="";

      for (var key in array[0]) {
        if (line !=="") line+=',';

```

```

line+=key;

}

str+=line + '\r\n';
2
for (var i=0; i < array.length; i++) {

var line="";

for (var key in array[i]) {

if (line != "") line+=' ';

line+=array[i][key];

}

str+=line + '\r\n';

}

return str;

}

},

```

```

xls :function(tb='doc-table', nama='Worksheet', file) {
1
var uri='data:application/vnd.ms-excel;base64,'

, template='<html xmlns:o="urn:schemas-microsoft-com:office:office"

xmlns:x="urn:schemas-microsoft-com:office:excel" xmlns="http://www.w3.org/TR/REC-
html40"><head><!--[if gte mso

9]><xml><x:ExcelWorkbook><x:ExcelWorksheets><x:ExcelWorksheet><x:Name><{wor
ksheet}</x:Name><x:WorksheetOptions><x:DisplayGridlines/></x:WorksheetOptions>

```

```
</x:ExcelWorksheet></x:ExcelWorksheets></x:ExcelWorkbook></xml><![endif]--
```

```
</head><body><table>{table}</table></body></html>
```

```
, base64=function(s) { return window.btoa(unescape(encodeURIComponent(s))) } }
```

```
, format=function(s, c) { return s.replace(/{\w+}/g, function(m, p) { return c[p]; }) } }
```

```
if (!tb.nodeType) tb=b[x].load.gebi(tb)
```

```
1 var ctx={worksheet: nama || 'Worksheet', table: tb.innerHTML}
```

```
27 var a=b[x].load.ce("A");
```

```
a.href=uri + base64(format(template, ctx));
```

```
a.download=file || 'table.xls';
```

```
20 a.target='_blank';
```

```
document.body.appendChild(a);
```

```
a.click();
```

```
document.body.removeChild(a);
```

```
},
```

```
}, //end js
```

```
}, //end download
```

```
upload:{
```

```
json:{ id:'upload',
```

```
param:{path:'model.php',mod:'upload'},
```

```
// mode:'upload',
```

```
// path:'model.php',
```

```
// host:'http://localhost/bayam/database.php',
```

```

},
html:function(){
var {id,data}=b[x].upload.json;
out = `
```

```

js:{
callback:function() {},
csv:function() {
var {id,param}=b[x].upload.json;
out=b[x].upload.html();
b[x].load.modal(out);
},
get:function() {
var {id,param}=b[x].upload.json;
host='api.php';
var file=b[x].load.gebi('afile'+id).files[0];
var fd=new FormData();
// fd.append("folder", folder);
fd.append("afile", file);

```

```
fd.append("isImport", 1);
```

```
fd.append("path", param.path);
```

```
fd.append("akses", 1);
```

```
fd.append("mod", 'upload');
```

```
var req=new XMLHttpRequest();
```

```
req.open("POST", host, true);
```

```
req.upload.onprogress=function(e) {
```

```
if (e.lengthComputable) {
```

```
var percentComplete=(e.loaded / e.total) * 100;
```

```
log(percentComplete + '% uploaded');
```

```
}
```

```
};
```

```
req.onload=function() {if (this.status==200) {log(req.response); };
```

```
};
```

```
req.send(fd);
```

```
},
```

```
}, // end js
```

```
}, //end upload
```

```
filter:{
```

```
json:{id:'filter',data:data},
```

```
html:function() { log('filter.view');
```

```

var {id,page,rpp,fld,data}=b[x].filter.json;

log(data)

data=data[0]

// data=b[x].table.data[0];

data1='LIKE,NOT LIKE,=,!=,>=,<=,IN,NOT IN'.split(',');

out=`<button class="btn" id="getAdd" onClick="b.${x}.filter.js.add();" >+</button>

<form id="filterForm" method="post">
28 <div id="newlinktpl">

<div class="row">

<div class="col-1-4">

<div style="margin:5px">
23 <select name="ope[]" >
<option value="AND" >AND</option>
<option value="OR" >OR</option>
</select>
</div>
</div>

<div class="col-3-4">

<div style="margin:5px">

<select name="fld[]" id="fld">`;

```



```
for ( i in data) { out+=`<option value="${i}" >${i}</option>`; }
```

```
out+=`</select>
```

```
</div>
```

```
</div>
```

```
<div class="col-1-4">
```

```
<div style="margin:5px">
```

```
<select name="ope1[]" >;
```

```
for ( i in data1) { out+=`<option value="${data1[i]}" >${data1[i]}</option>`; }
```

```
out+=`</select>
```

```
</div>
```

```
</div>
```

```
<div class="col-3-4">
```

```
<div style="margin:5px">
```

```
<input type="text" name="key[]" >
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```

<div id="newlink"></div>

<div class="clear">

<input type="hidden" name="order1" id="order1" value="ORDER BY">
ORDER BY:<select name="sortir" id="fld1">`;
for ( i in data) { out+=`<option value="${i}" >${i}</option>`; }
out+=`</select>

</div>

</form>

<button class="btn" id="getFilter" onClick="b.${x}.filter.js.view();" >Filter</button>`;

return out;

}, // end view filter

js:{
add:function() {
log('getAdd')
var div1=b[x].load.ce('div');
div1.innerHTML=b[x].load.gebi('newlinktpl').innerHTML;
b[x].load.gebi('newlink').appendChild(div1);
},

view:function() { log('filter.cari');
// obj='WHERE id !=0' ;
obj=" ;

```

```
var ope1=b[x].load.gebn('ope1[]');
```

```
var ope=b[x].load.gebn('ope[]');
```

```
var fld=b[x].load.gebn('fld[]');
```

```
var key=b[x].load.gebn('key[]');
```

```
for ( var i=0; i < ope1.length; i++ ) {
```

```
if(ope1[i].value=='LIKE'){
```

```
obj + '%'+key[i]+'%';}
```

```
obj+='{$ope[i].value} ${fld[i].value} ${ope1[i].value}';
```

```
if(ope1[i].value=='LIKE'!lope1[i].value=='NOT LIKE'){
```

```
obj+="'%'+key[i].value+'%";}
```

```
else if(ope1[i].value=='IN'!lope1[i].value=='NOT IN'){
```

```
obj+='('+key[i].value+')';}
```

```
else {
```

```
obj+=key[i].value;}
```

```
}
```

```
log(obj);
```

```
obj=encodeURIComponent(obj);
```

```
log(obj)
```

```
},
```

```
cari:function() { log('filter.cari');
```

```
var {id,data}=b[x].filter.json;
```

```
kini=b[x].sekarang();
```

```
sekarang=" AND tanggal='"+kini['td'] +''";
```

```
bulanini=" AND tanggal between '"+kini['fdm']+" AND '"+kini['ldm']+"''";
```

```
cus=b[x].periode.split(" s/d ");
```

```
custom=" AND tanggal between '"+cus[0]+' AND '"+cus[1]+'''";
```

```
arr=[
```

```
{key:'All',value:""},
```

```
{key:'Hari Ini [ '+kini['td']+ ' ],value:sekarang},
```

```
{key:'Bulan ini [ '+kini['fdm']+ ' s/d ' + kini['ldm']+ ' ],value:bulanini},
```

```
{key:'Pilihan [ '+cus[0]+' s/d ' + cus[1]+' ],value:custom}
```

```
];
```

```
out=b[x].form.select('fld',data);
```

```
out+=b[x].form.input('key','');
out+='Periode:<select name="periode" id="periode">';
for ( i in arr) { out+=<option value=" '+arr[i].value+' ">'+arr[i].key+'</option>'; }
out+=</select>';
out+=b[x].form.button('getCari','Search');

b[x].modal(out);

b[x].load.gebi('getCari').addEventListener("click", function(){
var fld=b[x].load.gebi('fld').value;
var key=b[x].load.gebi('key').value;
var periode=b[x].load.gebi('periode').value;

obj='AND '+fld+' LIKE ' + "'%"+key+'%";
obj+=periode ;

log(obj);
obj=encodeURIComponent(obj);

induk=b[x].app.induk;
b[x].ajax.json={mod:'cari',cond:obj,induk:induk};
b[x].ajax.sql();
} );
```

```
// b[x].load.gebi('getAdd').addEventListener("click", function(){  
// var div1=b[x].load.ce('div');  
// div1.innerHTML=b[x].load.gebi('newlinktpl').innerHTML;  
// b[x].load.gebi('newlink').appendChild(div1);  
// } });
```

```
}, // end view
```

```
}, // end js
```

```
}, // end filter
```

```
svg:{
```

```
  json:{id:'icons',data:data},
```

```
  path:{
```

```
    filter:`M4 21 4 14M4 10 4 3M12 21 12 12M12 8 12 3M20 21 20 16M20 12 20 3M1 14 7  
14M9 8 15 8M17 16 23 16`,
```

```
    person:`M4 22V19A4 4 0 017 15H17A4 4 0 0120 19V22M7 7A4 4 0 0017 7 4 4 0 007  
7`,
```

```
    house:`M20 10v11a2 2 0 01-2 2H6a2 2 0 01-2-2V10M9 22V12h6v10M2 10 12 2l10 8`,
```

```
    threedots:`M11 12a1 1 0 102 0 1 1 0 10-2 0M11 5a1 1 0 102 0 1 1 0 10-2 0M11 19a1  
1 0 102 0 1 1 0 10-2 0`,
```

menu:`M3 12 21 12M3 6 21 6M3 18 21 18`,

trush:`M19 6V20A2 2 0 0117 22H7A2 2 0 015 20V6M8 6V4A2 2 0 0110 2H14A2 2 0
0116 4V6M3 6 5 6 21 6M10 11 10 17M14 11 14 17`,

check:`M20 6 9 17 4 12`,

x:`M18 6 6 18 M6 6 18 18`,

plus:`M2 12a10 10 0 1020 0 10 10 0 10-20 0M12 8 12 16M8 12 16 12`,

printer:`M6 9V2H18V9M6 18H4A2 2 0 012 16V11A2 2 0 014 9H20A2 2 0 0122
11V16A2 2 0 0120 18H18M6 14H18V22H6Z`,

pen:`M16 3 21 8 8 21 3 21 3 16 16 3`,

chart:`M2 2V20H22M20 7 17 10 12 5 4 18`,

cart:`M2 2h3l3 12a2 2 0 002 2h8a2 2 0 002-1l2-8H7.1M9 20a1 1 0 002 0 1 1 0 00-2
0M17 20a1 1 0 002 0 1 1 0 00-2 0`,

card:`M5 16H7M2 9H22M2 5H22V19H2Z`,

envelope:`M4 4H20C20 4 22 4 22 6V18C22 20 21 20 20 20H4C2.9 20 2 20 2 18V6C2
5 2 4 4 4ZM22 6 12 13 2 6`,

geo:`M9 10a3 3 0 106 0 3 3 0 10-6 0M12 22s-8-5-8-12A8 8 0 0112 2a8 8 0 018 8c0 7-
8 12-8 12z`,

twitter:`M23 3A11 11 0 0120 4 4 4 0 0012 7V8A10 10 0 013 4S1 14 8 17A12 12 0 011
19C10 24 21 19 21 8A4.5 4.5 0 0021 7 8 8 0 0023 3Z`,

facebook:`M17 2H14A5 5 0 009 7V10H6V14H9V22H13V14H16L17 10H13V7A1 1 0
0114 6H17Z`,

whatsapp:`M20 11A8 8 0 018 18L3 21 5 15A8 8 0 014 11 1 1 0 0120 11Z`,

eye:`M1 12S5 4 12 4S23 12 23 12S19 20 12 20S1 12 1 12ZM9 12A3 3 0 1 0 15 12A3
3 0 1 0 9 12`,
qrcode:`M3 3h7v7H3Z M14 3h7v7H14Z M14 14h7v7H14Z M3 14h7v7H3Z`,
search:`M20 12A1 1 0 004 12 1 1 0 0020 12M22 22 18 18`,
minus:`M2,12a10,10 0 1,0 20,0a10,10 0 1,0 -20,0 M8 12 16 12`,
bayam:`M1 18 1 6A1 1 0 0111 6L11 13 18 13A1 1 0 0118 23L6 23 6 6A1 1 0 0116
6L16 8 18 8A1 1 0 0118 18Z`,
scan:`M8 3H5A2 2 0 0 0 3 5V8M21 8V5A2 2 0 0 0 19 3H16M16 21H19A2 2 0 0 0 21
19V16M3 16V19A2 2 0 0 0 5 21H8`,
upload:`M3 15V19A2 2 0 005 21H19A2 2 0 0021 19V15M17 8 12 3 7 8M12 3V14`,
download:`M3 15V19A2 2 0 005 21H19A2 2 0 0021 19V15M17 9 12 14 7 9M12 14V3`,
camera:`M22 20A2 2 0 0120 22H4A2 2 0 012 20V7A2 2 0 014 5H7L9 2H15L17
5H20A2 2 0 0122 7V20M7 12A1 1 0 0017 12 1 1 0 007 12`,
bel:`M22 17H2A3 3 0 005 14V9A7 7 0 0119 9V14A3 3 0 0022 17ZM14 20A2 2 0 0110
20`,
lock:`M4 11H20S22 11 22 13V20S22 22 20 22H4S2 22 2 20V13S2 11 4 11M7
11V7A5 5 0 0117 7V11`,
setting:`M9 12A3 3 0 1015 12 3 3 0 109 12M21 14A1.65 1.65 0 0020 17 2 2 0 0117 20
1.65 1.65 0 0014 21 2 2 0 0110 21 1.65 1.65 0 007 20 2 2 0 014 17 1.65 1.65 0 003 14
2 2 0 013 10 1.65 1.65 0 004 7 2 2 0 017 4 1.65 1.65 0 0010 3 2 2 0 0114 3 1.65 1.65
0 0017 4 2 2 0 0120 7 1.65 1.65 0 0021 10 2 2 0 0121 14Z`,
},


```

html:function(){
var {path}=b[x].svg.json;
return `

```

```

js:{
view:function(id='bayam'){
var {path}=b[x].svg;
log(path)
out="";
for(i in path){ log(i)
out+=this.svg(this.path(i));
}
return out;
},
icon:function(id='bayam'){
return this.svg(this.path(id));
},

```

```

svg:function(id=this.path){

```

```
return `3<svg id="svg" class="svg" xmlns="http://www.w3.org/2000/svg" viewBox="0 0  
24 24">
```

```
  ${id}</svg>`;
```

```
},
```

```
path:function(id='bayam'){
```

```
  var {path}=b[x].svg;
```

```
  return `<path id="path${id}" d="${path[id]}" />`;
```

```
},
```

```
line:function(id='M0 0 L24 24'){
```

```
  return `<path d="${id}" />`;
```

```
},
```

```
list:function(){
```

```
  var {path}=b[x].svg;
```

```
  for(key in data ){
```

```
    list = b[x].load.gebc("bi-"+key);
```

```
    17if(list.length > 0){
```

```
      for (var i=0 ; i<list.length; i++){ list[i].innerHTML = b[x].svg.js.icon(key);}
```

```
    }}
```

```
  }, // end list
```

```
},// end js
```

```
}, // end svg
```

```
tool:{
```

```
  json:{id:'tool',akses:'c,r,u,d',data:[
```

```
    {nama:"filter",url:"filter()",icon:"filter" },
```

```
    {nama:"print",url:"cetak()",icon:"printer"},
```

```
    {nama:"upload",url:"uploads()",icon:"upload"},
```

```
    {nama:"download",url:"downloads()",icon:"download" },
```

```
  ]},
```

```
  html:function(){
```

```
    var {id,data}=b[x].tool.json;
```

```
    // if(akses.includes('c')){ btn.splice(0, 0, {nama:"add",url:"add('"+x+"")",icon:"plus" }});} 
```

```
    // // if(akses.includes('u')){ btn.splice(1, 0, {nama:"update",url:"update()" }});} 
```

```
    // if(akses.includes('d')){ btn.splice(1, 0,
```

```
    {nama:"remove",url:"hapus('"+x+"")",icon:"trash" }});} 
```

```
    // cari=function(x){b[x].filter.cari();};
```

```
    // add=function(x){b[x].table.add();};
```

```
    // hapus=function(x){b[x].datatable.deletes(x);};
```

```
    // cetak=function(x){b[x].cetak.view();};
```

```
    // filter=function(x){b[x].filter.view();};
```

```
    downloads=function(){b[x].download.js.csv();};
```

```

// // downloads=function(x){alert('download')};

uploads=function(){b[x].upload.js.csv()};

// report=function(x){b[x].cetak.report()};

out=<div class="tool btns">;

for (key in data) {node=data[key];

out+=`<button class="btn" onclick="${node.url}"

<i>${b[x].svg.js.icon(node.icon)}</i>${node.nama}</button>`;

}

// log(out)

out+=`</div>`;

return out;

},

js:function(){},

},

// if(akses.includes('c')){ btn.splice(0, 0, {nama:"add",url:"add("+x+")",icon:"plus" });}

// // if(akses.includes('u')){ btn.splice(1, 0, {nama:"update",url:"update()" });}

// if(akses.includes('d')){ btn.splice(1, 0,

{nama:"remove",url:"hapus("+x+")",icon:"trash" });}

// cari=function(x){b[x].filter.cari()};

// add=function(x){b[x].table.add()};

// hapus=function(x){b[x].datatable.deletes(x)};

// cetak=function(x){b[x].cetak.view()};

```

```

// filter=function(x){b[x].filter.view()};

// downloads=function(x){b[x].download.view(x)};

// // downloads=function(x){alert('download')};

// upload=function(x){b[x].upload.csv()};

// report=function(x){b[x].cetak.report()};

// out="";

// for (key in btn) {node=btn[key];

// out+="

```

ORIGINALITY REPORT

12%

SIMILARITY INDEX

12%

INTERNET SOURCES

4%

PUBLICATIONS

5%

STUDENT PAPERS

PRIMARY SOURCES

1	stackoverflow.com Internet Source	2%
2	forum.ionicframework.com Internet Source	1%
3	bmw-kyiv.com.ua Internet Source	1%
4	www.cleverism.com Internet Source	1%
5	hennuy-pompes-funebres.be Internet Source	<1%
6	fossil.kd2.org Internet Source	<1%
7	community.microstrategy.com Internet Source	<1%
8	data.isa.org.jm Internet Source	<1%
9	eprints.mercubuana-yogya.ac.id Internet Source	<1%

10	lists.scsys.co.uk Internet Source	<1 %
11	www.webassemblyman.com Internet Source	<1 %
12	code84.com Internet Source	<1 %
13	www.coursehero.com Internet Source	<1 %
14	Submitted to University of Westminster Student Paper	<1 %
15	valiskaubandus.stat.ee Internet Source	<1 %
16	www.shifthound.com Internet Source	<1 %
17	Submitted to Universitas Pelita Harapan Student Paper	<1 %
18	pastebin.com Internet Source	<1 %
19	www.google.com Internet Source	<1 %
20	ajaxhispano.com Internet Source	<1 %
21	www.familytravel.com.au Internet Source	<1 %

22	www.rentuu.com Internet Source	<1 %
23	wellcomecollection.org Internet Source	<1 %
24	www.136.la Internet Source	<1 %
25	blog.51cto.com Internet Source	<1 %
26	gitlab.info-ufr.univ-montp2.fr Internet Source	<1 %
27	www.cenyrolnicze.pl Internet Source	<1 %
28	www.hybrid-analysis.com Internet Source	<1 %
29	eszlaweb.mnb.hu Internet Source	<1 %
30	www.gotrawama.eu Internet Source	<1 %
31	www.zainalhakim.web.id Internet Source	<1 %
32	cdnjs.cloudflare.com Internet Source	<1 %
33	github.coventry.ac.uk Internet Source	<1 %

34

www.goragod.com

Internet Source

<1 %

35

Tuuli Juurikkala. "The Role of Banks in Monetary Policy Transmission: Empirical Evidence from Russia : BANKS IN MONETARY POLICY TRANSMISSION IN RUSSIA", Review of International Economics, 02/2011

Publication

<1 %

36

"AdvancED DOM Scripting", Springer Science and Business Media LLC, 2007

Publication

<1 %

37

Dietmar Abts. "Masterkurs Client/Server-Programmierung mit Java", Springer Science and Business Media LLC, 2022

Publication

<1 %

Exclude quotes On

Exclude matches Off

Exclude bibliography On