Introduction to CMake

Dr. Axel Kohlmeyer

Associate Dean for High-Performance Computing
Associate Director, ICMS
College of Science and Technology
Temple University, Philadelphia

http://sites.google.com/site/akohlmey/

a.kohlmeyer@temple.edu



What is wrong with "make"? Why use a tool like CMake?

- Nothing much, if you just use a single platform and compiler, have a rather simple project, and don't need any fancy "bells and whistles"
- Makefiles need to be adapted for different compilers, platforms, compilation settings etc.
- This requires technical knowledge and there are no checks whether it works correctly
- A tool like CMake can construct files for different build systems on different platforms and knows about different compilers and IDEs



Basic Steps with CMake

- There are 3 phases: 1. configuration,
 2. generate build files, 3. build with build tool
- On Linux can build with "make" and "ninja"
- IDE support for: Kate, Eclipse, CodeBlocks,...
- Configuration program in CMakeLists.txt file
- Recommended to do "out-of-source" build
- Supports command line (cmake), TUI (ccmake) and GUI (cmake-gui) for phases 1 and 2
- cmake -S . -B build; cmake --build build



Common CMake Options

- Use make: cmake -G 'Unix Makefiles'.
- Use ninja: cmake -G 'Ninja'.
- Use clang: cmake -DCMAKE_CXX_COMPILER=clang++ .
- Enable building/linking to shared libraries:
 cmake -DBUILD_SHARED_LIBS=on .
- Select build type (default is Debug):
 cmake -DCMAKE_BUILD_TYPE=Release .
- Override compiler flags: cmake -DCMAKE_CXX_FLAGS="-O3 -Wall"
- Enable tests: cmake DENABLE_TESTING=on .



A Minimal Example

```
#include <iostream>
int main(int, char **)
      std::cout << "Hello, World!\n";</pre>
       return 0;
cmake minimum required(VERSION 3.16)
project(canvas-draw VERSION 0.1 LANGUAGES CXX)
add executable(canvas-draw main.cpp)
```



Using Multiple Source Files / Library

```
cmake minimum required(VERSION 3.16)
project(canvas-draw VERSION 0.2 LANGUAGES CXX)
#add executable(canvas-draw main.cpp canvas.cpp)
add executable(canvas-draw main.cpp)
# build libcanvas library
add library(canvas canvas.cpp)
target link libraries(canvas-draw PRIVATE canvas)
```



Using Configuration Options

```
cmake minimum required(VERSION 3.16)
project(canvas-draw VERSION 0.3 LANGUAGES CXX)
option(BUILD SHARED LIBS "Build shared lib" OFF)
if(BUILD SHARED LIBS)
   set(CMAKE POSITION INDEPENDENT CODE ON)
endif()
add executable(canvas-draw main.cpp)
# build libcanvas library
add library(canvas canvas.cpp)
target link libraries(canvas-draw PRIVATE canvas)
```



Using a Configuration File

```
cmake minimum required(VERSION 3.16)
project(canvas-draw VERSION 0.4 LANGUAGES CXX)
add executable(canvas-draw main.cpp)
configure_file(canvas config.h.in canvas config.h)
# build libcanvas library
add library(canvas canvas.cpp)
target include directories(canvas PUBLIC
                          ${CMAKE BINARY DIR})
target_link libraries(canvas-draw PRIVATE canvas)
```



Detecting/Using an Optional Feature

```
project(canvas-draw VERSION 0.5 LANGUAGES CXX)
# ...
add_executable(canvas-draw main.cpp)
# enable optional JPEG support automatically, if found
find package(JPEG QUIET)
option(USE JPEG "Enable JPEG support" ${JPEG FOUND})
add library(canvas canvas.cpp)
# if JPEG support is enabled, required and add include/libs
if(USE JPEG)
  find package(JPEG REQUIRED)
  target compile definitions(canvas PRIVATE - DHAVE JPEG LIB)
  target include directories(canvas PRIVATE ${JPEG INCLUDE DIRS})
  target link libraries(canvas PRIVATE ${JPEG LIBRARIES})
endif()
target_link_libraries(canvas-draw PRIVATE canvas)
```



Adding Tests

```
project(canvas-draw VERSION 0.6 LANGUAGES CXX)
# ...
add_executable(canvas-draw main.cpp)
add library(canvas canvas.cpp)
target link libraries(canvas-draw PRIVATE canvas)
if(ENABLE TESTING)
  enable testing()
  # does the application run?
  add test(NAME Runs COMMAND canvas-draw 5)
  # does it create the file write.ppm?
  file(WRITE ${CMAKE_BINARY_DIR}/test_write.sh "rm -f *.ppm &&
                            ./canvas-draw && test -f white.ppm")
  add test(NAME Writes COMMAND bash test write.sh 5)
endif()
```



Use Custom CMake Script Code

```
project(canvas-draw VERSION 0.7 LANGUAGES CXX)
# ...
add_executable(canvas-draw main.cpp)
add library(canvas canvas.cpp)
target link libraries(canvas-draw PRIVATE canvas)
if(ENABLE TESTING)
  enable testing()
  # include GTest.cmake file to build googletest library
  set(CMAKE MODULE PATH ${CMAKE CURRENT SOURCE DIR})
  include(GTest)
  add executable(test color test color.cpp)
  target link libraries(test color PRIVATE
                        GTest::GTestMain GTest::GTest)
  add test(NAME Color COMMAND test color)
  add test(NAME Runs COMMAND canvas-draw)
endif()
```



Support for MPI and OpenMP

```
project(pi VERSION 0.1 LANGUAGES C)
# look for MPI C interface and add MPI executable
find package(MPI REQUIRED)
add executable(pi mpi pi mpi.c)
target link libraries(pi mpi PRIVATE MPI::MPI C)
# look for OpenMP header and runtime library
find package(OpenMP REQUIRED)
include(CheckIncludeFile)
check include file(omp.h HAVE OMP H)
if(!HAVE OMP H)
  message(FATAL ERROR "Must have omp.h header file")
endif()
add executable(pi omp pi omp.c)
target link libraries(pi omp PRIVATE OpenMP::OpenMP C)
```

Master in High Performance Computing

Multiple Programming Languages

```
# CMake demo for Fortran with C
cmake minimum required(VERSION 3.16)
project(project VERSION 0.9 LANGUAGES Fortran)
add executable(hello hello.f90)
enable language(C)
add_executable(ftesthash inthash.c hashfunc.f90 ftesthash.f90)
add executable(ctesthash inthash.c ctesthash.c)
enable testing()
add test(NAME Hello
 COMMAND sh -c "exec $<TARGET FILE:hello>")
set tests properties(Hello
       PROPERTIES PASS REGULAR EXPRESSION "Hello, World!")
# Alternative
project(project VERSION 0.9 LANGUAGES Fortran C)
```



Introduction to CMake

Dr. Axel Kohlmeyer

Associate Dean for High-Performance Computing
Associate Director, ICMS
College of Science and Technology
Temple University, Philadelphia

http://sites.google.com/site/akohlmey/

a.kohlmeyer@temple.edu

