Security Analyst

ASSIGNMENT REPORT

Threat Intelligence Tools


Full name	Kagia Joseph Njuguna
Admission number	CS-SA13-26022
Email	kagiajoseph72@gmail.com
Week and assignment	Week 5, Assignment 1: THM - Threat Intelligence Tools
Platform	*Hack The Box.*
Date submitted	11 October 2026

1. Module completion

Shareable link

https://tryhackme.com/room/threatinteltools?utm_campaign=social_share&utm_medium=social&utm_content=share-completed-room&utm_source=copy&sharerId=67f610481688bb843e1229a9

Completion screenshot


musicForProgramming();
Mark is building a personal bra
Performance | Hack The Box Ac
TryHackMe | Threat Intelligence
Ask Gemini
tryhackme.com/room/threatinteltools
Try Hack Me
Dashboard
Learn
Practice
Compete
Upgrade
21
0
Back to all walkthroughs
Threat Intelligence Tools
Explore different OSINT tools used to conduct security threat assessments and investigations.
60 min
129,755
Share your achievement
Start AttackBox
Save Room
2169 Recommend
Connectivity
Options
Room completed: 100%
Task 1 Room Outline
Task 2 Threat Intelligence
Task 3 UrlScan.io
Activate Windows
Go to Settings to activate Windows.
Type here to search
25°C Partly sunny
4:55 PM
10/11/2026

2. Introduction

This module explored the practical utilization of open-source threat intelligence (OSINT) tools within a modern Security Operations Center (SOC) framework. Investigating external threat infrastructure, analyzing malicious file artifacts, and dissecting email headers are essential skills for a security analyst tasked with triaging targeted infrastructure attacks. Prior to beginning this module, I expected a general theoretical overview of indicators of compromise (IoCs), but I gained direct practical experience interacting with real-world intelligence platforms like UrlScan.io, Abuse.ch, PhishTool, and Cisco Talos.

3. The work

3.1 Scenario 1: Email Analysis & Open-Source Triage (Task 7)

What this section covered

This section covered tactical incident triage workflows by staging a virtual SOC scenario. It evaluated how to analyze unverified email message configurations (.eml), extract embedded recipient properties, isolate malicious attachments, and audit their corresponding historical indicators using VirusTotal.

Question 1

According to Email2.eml, what is the recipient's email address?

Answer

chris.lyons@supercarcenterdetroit.com


How you got there

I launched the specialized virtual lab infrastructure and opened the

pre-staged analysis environment. I loaded the target file 'Email2.eml' into PhishTool to extract the metadata properties from the message headers, immediately identifying the targeted destination email parameters under the recipient routing fields.

Evidence

The screenshot exhibits the completed field entry for Scenario 1 marked as correct on the platform.



It verifies that deep header inspection successfully parsed the exact target user profile.

Question 2

On VirusTotal, which year recorded the first submission details of the mentioned file?

Answer


2017

How you got there

I extracted the specific cryptographic hash fingerprint from the attachment contained within the suspicious email structure. I queried this unique signature string against the unified database on VirusTotal, reviewing the historical entry timeline metadata to locate the earliest original submission log record.

Evidence

The interface logs confirm the correct answer verification flag for the histo



rical timeline check.

It proves that open intelligence tracking parameters can accurately establish the threat age profile.

3.2 Scenario 2: Advanced Malware Triage (Task 8)

What this section covered

This section built upon the incident triage workflow by evaluating a more complex phishing vector, demonstrating how to isolate weaponized spreadsheets, extract hidden macro properties, and map


them to documented threat groups.

Question 1
What is the name of the attachment on Email3.eml?

Answer
Sales_Receipt 5606.xls

How you got there
I loaded the 'Email3.eml' data block into the parsing utility interface to evaluate the body boundaries. I isolated the multi-part data parameters and successfully located the exact filename string string under the attachment properties.

Evidence
The screenshot captures the completed answer input field for Task 8 verified as correct.




It verifies that attachment isolation metrics successfully cataloged the incoming attack vector profile.

Question 2
What malware family is associated with the attachment on Email3.eml?

Answer
Dridex

How you got there
I calculated the cryptographic hash of the weaponized Excel spreadsheet and cross-referenced it across public threat sharing platforms and sandboxes. The automated signature tracking arrays and threat behavior analysis tags identified the payload behaviors as belonging to the Dridex banking trojan family.

Evidence
The platform screen panel displays a green checkmark confirming the correct identification of the signature family.



It proves that multi-source intelligence correlation can quickly

identify active malware signatures.

4. Challenges and how you resolved them

The primary challenge encountered during these practical labs was dealing with initial file parsing friction when reading raw header tracking text strings before feeding them into specialized processing interfaces. Unstructured log data felt overwhelming at first. I resolved this by systematically using dedicated tools like PhishTool to parse structural protocol layers into organized dashboards, allowing me to isolate target indicators without losing context.

5. Conclusion

---

5. Conclusion

Completing this module has significantly advanced my defensive triage skills, transforming my approach from guessing threat patterns to executing structured, data-driven threat intelligence investigations. I can now confidently intercept targeted email delivery scripts, isolate malicious hash signatures, and leverage global OSINT frameworks to classify threat groups. These competencies directly support my core objective of engineering robust, proactive security perimeters capable of neutralizing advanced campaigns across corporate networks.